DAILY RAINFALL 1911 1920

BRECON

BIRMINGHAM. W. W.	ELAN VILLAGE	1911	1920
BLACK MOUNTAINS	CWM GRIGUS UCHAF	1911	1917
BLACK MOUNTAINS	WAUN FACH	1912, 13, 15 -	1917
BLACK MOUNTAINS	TOP OF TARON ESGOB	1912	1917
BLACK MOUNTAINS	TARON ESGOB No. 1.	1911	1917
BLACK MOUNTAINS	TWYN-TAL-Y-CEFN	1911	1917
BLACK MOUNTAINS	ABER CLYD	1911	1920
BLACK MOUNTAINS	BLAEN-Y-CWM	1918	1920
BLACK MOUNTAINS	DAM-SITE GRWYNE FAWR	1911	1920
BLACK MOUNTAINS	PEN-Y-MALLWYN	1912	1917
BLACK MOUNTAINS	BLAN GRWYNE FAWR	1911	1917
BLACK MOUNTAINS	BLAEWY-CWM BUNGALOW	1914	1920
BRECON	THE LAURELS	1911	1915
BRECON	FFRWDGRECH	1911-12, 14 -	1915
BRECON	NEW INN	1911	1920
BUILTH WELLS	TYN-Y-BERLLAN	1911	1920
BWLCH	BUCKLAND GDNS	1913	1914
CAPEL-Y-FFIN	LLANTHONY	1911	1919
CARDIFF. W. W.	PONT-AR DAR	1914	1920
CARDIFF. W. W.	CANTREF RES	1913	1920
CARDIFF. W. W	BEACONS RES	1911	1920
CARDIFF W. W	LLWYNON RES	1911	1920
CATHEDINE REC		1911	1920
CRAY RESERVOIR No1.		1911	1920
CRICKHOWELL	FFORDDLAS FARM	1911	1918
CRICKHOWELL	GWERNVALE GDN	1915	1917
CRICKHOWELL	GWERNVALE	1911	1920
CRICKHOWELL	GLANUSK PARK	1911, 1918-	1919
EBBW VALE. W. W.		1911	1920
GWERNYFED PK		1912-16, 18-	1920
HAY	WAUNDERWEN	1911	1913
LLANBEDR	WERNBYSTACH	1911	1917
LLANFIHANGEL	NANTBARN	1913	1915
LLANFIHANGEL	CWMCYNOG	1911	1914
LLANGAMMARCH WELLS		1911	1915
LLANWRTYD WELLS	BRYNONEN	1911, 1914 -	1920
NEWBRIDGE LLYSDIMAM		1911 - 1914, 16-	1920
NANTHIR RES		1911	1920
PENDERYN RES			1920
SENNYBRIDGE	LLWYNEYNTYN		1920
SWANSEA	BWLCH	1911	1918
SWANSEA	NANT YR WYOD	1911	1920

TAF FECHAN	NEUADD RES NO. 11	1911	1920
TAF FECHAN	NEUADD RES	1911	1920
TAF FECHAN	NEUADD RES NO. 4	1911-12, 14 -	1920
TAF FECHAN	PONTSTICILL NO. 12.	1914	1920
TAF FECHAN	PENTWYN RES NO. 15.	1911	1920
TAF FECHAN	NEUADD RES NO. 1.		
TALGARTH	SANATORIUM	1916	1917
TALGARTH	DAY-Y-GARTH	1911	1920
TALGARTH		1912	
TALYBONT	PENTRE RHIW	1918	1919
TALYBONT	FFYNONWEN, PANTY-Y-RHIW	1917,	1920
TALYBONT	PWLLIFOR	1917	1920
TORPANTAU STA		1918	1920
TORPANTAU	DAREN FAWR	1918	1920
TORPANTAU	INYSPOSTE	1918	1920
TORPANTAU	BLAEN-CAER-FANELL	1918	1920
TRECASTLE		1912	1915
TRECASTLE	BLAENAU HYDFER	1911	1920
YSTRADFELLTE		1916	1920

DL

BIRMINGHAM W.W
ELAN VILLAGE

1911-1920

REC 911

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

Kept at Elan Vi
in the County of Rad
by E. A. Lees

top .... in.
above Ground .... ft. .... in.
,, Sea Level .... ft.

ion { Name
Distance .... Direction ....

IMPORTANT NOTE. … and the result entered to the previous day. If an Obse … universal rule, he is earnestly requested to add the readi … year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			83		·05		·04	·04			·22	·19	1
2			·11		·37		·03	·18			·07	·58	2
3			·03	·05	1·03			·18	·04		·42	·30	3
4			·08		·12			·70			·59	1·15	4
5	·55		·07	·02				·73		·31	·26	·08	5
6	·25		·04					·15			·29	1·17	6
7	·05										·46		7
8	·34		·22								·29	·95	8
9	·13		·13								·25	·55	9
10	·12	·15	·33						·02			1·65	10
11	·39	—	·03		·03				·13		·34	·27	11
12			·33		·13				1·38		1·90	·10	12
13										·03	·27	·37	13
14		·16									·07	·85	14
15	·03	·17	·03								·43	·17	15
16		·07				·63					·20	·40	16
17		·07		·05		1·77					·33	·77	17
18		·71	·12	·44		·40				·06	·16	·87	18
19		·18		·62		·23	·24	·05	·63	·44	·05	·76	19
20		·09		·21		·03		·43	·10	·15		·33	20
21		·45	·14	·02		·10	·05	3·35	·04	1·12		·23	21
22		·08	·02	·13		·09			·02	·77		·70	22
23	·04	·31	·03		·02	·35		·09	·16	·32		·43	23
24	·05	·08		·03		·34		·11	·02	·38		·39	24
25	·09	·37		·18		·07		·03	·23	·07		·34	25
26		·24		·33	·05	·05		·09	·07	·50	·07	·18	26
27		·25	·14	·33				1·00	·36		·05	·23	27
28		·67	·02	·18				·09	·04		·05	·05	28
29				·05		·43	·34	·03	·57	·63	·02	·07	29
30			·11		·03	·09	·02		·06	·62	·10	·02	30
31			·02				·02			·15			31
Total	2·04	4·05	2·83	2·64	1·83	4·58	·74	7·25	3·87	5·55	6·89	14·15	TOTAL for year 56·42
No. of Rain Days	11	16	20	14	9	13	7	16	16	14	23	29	188

9,000, IX. '10.

48

DL

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Elan Village

in the County of ~~Radnor~~ Brecon 8

by E. A. Lees

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·83		·05		·04	·04			·22	·19	1
2			·11	—	·37		·03	·18			·07	·58	2
3			·03	·05	1·03		—	·18	·04		·42	·30	3
4			·08		·12			·70			·59	1·15	4
5	·55		·07	·02				·73		·31	·26	·08	5
6	·25		·04					·15		—	·29	1·17	6
7	·05										·46		7
8	·34		·22								·29	·95	8
9	·13		·13								·25	·55	9
10	·12	·15	·33						·02			1·65	10
11	·39	—	·03		·03				·13		·34	·27	11
12			·33		·13				1·38		1·90	·10	12
13			—			—				·03	·27	·37	13
14		·16									·07	·85	14
15	·03	·17	·03								·43	·17	15
16		·07				·63					·20	·40	16
17		·07		·05		1·77					·33	·77	17
18		·71	·12	·44		·40				·06	·16	·87	18
19		·18		·62		·23	·24	·05	·63	·44	·05	·76	19
20		·09		·21		·03		·43	·10	·15		·33	20
21		·45	·14	·02		·10	·05	3·35	·04	1·12		·23	21
22		·08	·02	·13		·09			·02	·77		·70	22
23	·04	·31	·03		·02	·35		·09	·16	·32		·43	23
24	·05	·08		·03		·34		·11	·02	·38		·39	24
25	·09	·37		·18		·07		·03	·23	·07		·34	25
26		·24		·33	·05	·05		·09	·07	·50	·07	·18	26
27		·25	·14	·33				1·00	·36		·05	·23	27
28		·67	·02	·18				·09	·04		·05	·05	28
29				·05		·43	·34	·03	·57	·63	·02	·07	29
30			·11		·03	·09	·02		·06	·62	·10	·02	30
31			·02				·02			·15			31
Total	2·04	4·05	2·83	2·64	1·83	4·58	·74	7·25	3·87	5·55	6·89	14·15	TOTAL for year 56·42
No. of Rain Days	11	16	20	14	9	13	7	16	16	14	23	29	188

9,000, IX. '10.

48

82

Ex 7C

494

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Elan Village

in the County of Brecon 8

by E. A. Lees

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.67		.03	.47	.05	.08	.03	.05		.43	1
2	.03	.05	.80	.07	.01	.75	.04	.02				.03	2
3	.47		.28		.02	.10		1.27	.16		.13	.18	3
4	.95		2.05	.07	.06	.21		.68			.44	.04	4
5	.60	.11	.42		.23	.04		.30	.06			.13	5
6	.71	.37	.05	.02	.07			.04			.01	.05	6
7		.62	.20		.11	.27	.16	.21	.02			.13	7
8	.56	.33	.24	.22		.12		.06	.06				8
9	.05	.27	.23	.30		.11	.03	.30			.07	.36	9
10	.46	.03		.02		.43	.02	.13			.64	.02	10
11	.03	.02					.03				.69	.78	11
12	.08	.20	.43	.08		.35	.13				.13	.07	12
13	.16					.09	.03	.12		.21	.07	.73	13
14	.10	.03	.63			.09		.34				.38	14
15	.06	.07	.07		.39	.32		.05				.46	15
16	.43	.07	.58		.11	.02		.12	.01	.20		.25	16
17	.48	.05	.10		.05	.42		.33			.20	1.08	17
18	.12		.22			.02		.43		.27	.01	.17	18
19	.04	.23	.08			.06	.14	.80		.28	.05	.10	19
20	.06	.02	.65		.15	.06	.02	.42		.62	.30	.10	20
21		.03	.48		.39		.02	.74		.61		.07	21
22	.33	.33	.07		.26	.03	.45	.49		.05	.02	.13	22
23	.15	.06	.34			.16	.21	.79		.04	.31	.11	23
24	.10	.02	.11		.07	.46	.02	.05			.05	.55	24
25		.02	.02			.42	.08	1.40		.03	.86	.80	25
26		.22	.26			.02	.12	.77		1.39	.92	.47	26
27		.04	.43			.75	.87			1.07	.08	.71	27
28		.25	.03			.17	1.07	.42	.08	.66	.59	.05	28
29		.33	.33			.08	.20	.55	.47	.37		.05	29
30			.33			.14	.07	.05	.01	.45		.03	30
31			.15		.02		.58	.14		.04		.11	31
Total	5.97	3.77	10.25	.78	1.97	6.16	4.34	11.10	.90	6.34	5.57	8.57	TOTAL for year 65.72
No. of Rain Days.	21	24	28	7	15	27	21	28	9	16	19	30	245

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

31 JAN 1914

5.00

Kept at Elan Village
in the County of Brecon 8
by E. A. Lees

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	.10	.35	.05	.10				.05		.25	.05	1
2	.01	.23	.26	.12	.10	.05				.60	.43	.03	2
3	.22	.04	.46	.01	.21					.01	.02	.85	3
4	.85	.10	.26		.05				.70	.28	.11	1.00	4
5	.45	.13	.14		.25	.35	.10		.02	.75	.10	.01	5
6	.28	.23	.62		.12	.24	.08			.43	.02	.46	6
7	.11	.95	.11		.54	.30	.07			.83	.26	.01	7
8	.04	.35	.04		.56	.10	.11	.16	.01	.03	.01	.01	8
9		.42	.24	.02	.31	1.75	.32	.23			.60	.15	9
10	.40		.08	.03	.13			.37		.12	.28		10
11	1.10			.60	.13	.04				.20	1.15	.05	11
12	.03				.15	.01			.07		.78	.18	12
13	.06		.45	.06	.01		.01	.03	1.32		.47		13
14	.42		.48	.15					.20	.30	.30	.01	14
15	.40		.71	1.55				.03	.13	.01	.25	.04	15
16	.14		.42	.09							.30		16
17	.10		.14	.25			.39		.01		.19		17
18	.19		.80	.35	.06		.03				.30		18
19	.55		.07	.01	.03	.25	.01		.15	.45	.12		19
20	.23		.34	.25	.02				.01	.30	.95		20
21			.29	.38	.30	.04	.15	.09		.03	.13		21
22	1.42		1.22		.03	.18		.60	.58				22
23	.20		.05		.01	.05		.12	.17		.15	.05	23
24	.40	.08		.08		.02		.01			.13	.03	24
25	.01	.06		.31					.15	.03	.20	.11	25
26		.12		2.67		.03			.05	.01		1.00	26
27	.03	.02	.10	.38						.58	.01	.15	27
28	.31		.35	.65	.03					.39		.02	28
29	.01		.30	.51	.08			.06		.71	.11	.03	29
30	.54			.01	.03					.30	.41		30
31	.13		.38		.06					.10			31
Total	8.73	2.83	8.66	8.53	3.31	3.41	1.27	1.70	3.62	6.46	8.03	4.24	YEAR'S TOTAL 60.79
Rain Days.	28	13	25	22	23	14	10	10	15	21	27	20	228

W. 7,500, XI. 12

DL

corrd by new data 5.V.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

22 JAN 1915

483

Kept at Elan Village

in the County of Brecon 8

by E. A. Lees

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·27	·12	·02		·17	·40	1·08			·03	·22	1
2		·05	·08		·08		·88	·03		·01	·28	·86	2
3	·20		1·20	·12	·53			·18		·06		·64	3
4	·93		·60	·30	·26		·52	·10			·80	1·16	4
5	·44		·50	·61	·40		·16				·32	·11	5
6	·15	·20	·07	·32	·10		·09	·05			·01	·38	6
7	·02	·69	·72	·15	·47	·01	·38	·15	·10		·07	·77	7
8	·34	·01	·08	·15	·62	·27	·01	·52			·04	·10	8
9	·45	·12	·13	·53	·15	·58		·26	·02		·09		9
10	·18	·93	·14	·31	·05	·12			·15		·02		10
11		·40	·70		·06	·27			·08		(1·32)	·53	11
12		1·70	·17						·38		·70	·11	12
13		·52	·90	·02			·09		·66	·09	·85	·08	13
14		1·00	·70				·02	·02	·08	·03	·56		14
15		·04	·80				·01		·26	·01	·17	·25	15
16		·06	·27				·05		·15			·10	16
17	·04	·60	·37				·03		·97			1·52	17
18		·08	·20				·03		·07	·01		·11	18
19		·12	·05				·72		·21		·13	·33	19
20		·82	·35			·31						·20	20
21		·50					·05	·28		·32			21
22		·40	·01	·05	·05	·36	·04	·18		·73			22
23		·12	·21	·03	·02		·28	·01		·12		·01	23
24	·04		·40			·02	·33	·15		·03	·10		24
25	·55	·02	·20				·55	·52		·55	·12	·34	25
26	·08						·39	·08		·33	·39	·70	26
27	·10	·05							·01	·35	·74	1·19	27
28	·21	·10	·20		·17		·03		·03	·07	·05	·64	28
29	·30		·11	·01	·05					·11	·85	·05	29
30	·03		·50	·05				·01		·03	·74	1·45	30
31	·70		·08				·48			·30		·24	31
Total	4·78	8·80	9·86	2·67	3·01	2·11	5·54	3·62	3·17	3·15	(8·38)	12·09	YEAR'S TOTAL 67·18
Rain Days.	18	23	28	14	14	9	29	16	14	17	22	25	222

W.7,000, XI. 13

81

4202
~~4165~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Elan Village Esc Dl
in the County of Brecon
by E. A. Lees

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·05	·26	·12		·36			·83	·10	·34		·36	1
2	·19	·49	·44	·23		·06	·01	1·33	·12	·05		·16	2
3	·01	·67	·09	·20	·08		·56	·11				·36	3
4	·16	·41	·02		·08		·12	·01	·01			1·25	4
5	·14	·71	·21	·07		·05						1·55	5
6	·27	·07	·05	·28			·38	·12				·25	6
7	·49	1·05		·12	·19		·22	·13				·44	7
8	·56	·67		·22				·15			·43		8
9	·14	·58		·38				·02			·75	1·05	9
10	·85	·03	·07	·08			·04	·20		·05	·43	·22	10
11	·31		·02				·08	·22		·06	1·85	·11	11
12	·26	·11		·06	·20			·05		·13	·75		12
13	·05	·25		·02	·36			·27	·02		·22	·13	13
14	·17							·58			·06	·70	14
15	1·33	·08			·26		·10	·20	·12	·03	·15	·23	15
16	·15	1·85			·60		1·68		·04			·10	16
17		·95	·03		1·14								17
18	·06	·64	·07				·01	·08					18
19		·14	·03	·18	·34		·50						19
20	·62			·02			·03	·02		·15		·26	20
21	·29	·05			·05		·28			·04		·18	21
22	·06	·07	·05	·02	·05		·48		·01	·01		·58	22
23		·11	·15			·23	·33		·02	·68		·57	23
24			·07	·03					·07	·50		·68	24
25			·03			·63	·13		·03			·31	25
26		·23					·37		·09			1·06	26
27		·27				·03	·56			·66		·63	27
28		·41				·10	·01	·04	·07	·09			28
29						·20			·20		·24	·27	29
30	·25	X		·16		·44		·02	·01	·30	·35	·49	30
31	·09	X	·02	X		X	·26	·25	X	·20	X	·92	31
Total	7·50	10·10	1·47	2·07	3·71	1·74	6·15	4·63	·91	3·29	5·23	12·86	YEAR'S TOTAL 59·66
Rain Days.	22	23	16	15	12	8	20	19	14	15	10	25	199

W. 8,000. X. 14.

8l

Ex DL

4134
~~425~~

FORM A.
BRITISH RAINFALL.
30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Elan Village

in the County of Brecon

by E. A. Lees

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	24	·08	·05		·06	·25	·23			·38	·28		1
2	67	·32	·18		·01	·03	1·45		·65	·80	·28		2
3	02	1·82			·04	·09	·07		·55	·38	·36	·01	3
4	·61	·15		·03	·35	·60	·09		·10	·18	·74		4
5	·18	·06			·12	·15				·45	·24		5
6	·30	60	·03		·22	·22	·42		·05	·36	·71	·01	6
7	·42	·20	·05		·08		·01			·58	·36	·13	7
8		·25	·03		·50	·16				·09	·22	·15	8
9	02	·05			·25	·12	·10				·04	·10	9
10	·08	·30		·15	·03	·01	·02			·06	·02		10
11	·23	·06	·02	·90	·11	·14	·01		·03				11
12	·07	·27	·01	·21	·30		·40	·30	·04	·27			12
13		·22	·27	·30	·02			·57	·01	·20	·01	·01	13
14	02	·72	·21	·18	·11			·47		·28			14
15		·65	·19	·11	·18			·21	·05	·14			15
16	·03	·12		·30	·01		·03			·16			16
17	·21	·32		1·01				·01	1·08	·42	·23	·01	17
18	·10	·95	·14	1·13					·35	·18	·20	·26	18
19	·40		·67	·13				·12			·28	·03	19
20	·24	·15	·42	·06							·24	·20	20
21	·40		·35	·02		·05	·02				·03	·01	21
22						·05		·01		·53	·01	·45	22
23	·08	·04	·01	·07		·08		·20		·35	·19	·52	23
24		·40	·01	·09	2·08	·03		·25		·68	·03	·16	24
25	·01	·15	·39		·02	·15		·20	·05	·08	·76	·02	25
26	·11	·16	·26		·01	·22		·75	·34	·32	·03		26
27	·02	·10	·56		·04	·03		·56	·44	1·51			27
28	·01	·21	·05							·58	·05	·76	28
29		·06	·03		·12	·38		·21		·52	·03	·82	29
30		X				·10		·07		·61		·10	30
31		X		X	·03	X		·24	X	·44	X	·35	31
Total	4·47	8·41	3·93	4·69	4·69	2·86	2·85	4·17	3·74	10·54	5·34	4·10	YEAR'S TOTAL 59·79
Rain Days.	23	26	21	15	22	19	12	15	13	26	23	19	234

W. 8,000. X. 15.

81

3961

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Elan Village
in the County of Brecon
by E. A. Lees

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09		·12	·25		·15		·10	·38		·02	·40	1
2	·01		·01	·20		·26			·01	·01	·19	·06	2
3	·28	·07	·04	·15		·06				·46	·02	·03	3
4	·02	·06	·27							·52			4
5	·64		·26	·29		·06			·65	·52	·30		5
6	·05		·23			·05				·34	·65	·10	6
7	·66		}				·06	·05		·67	·40	·03	7
8	·33		·19	·28			·37	·90		·82	·59	·20	8
9			·20	·45	·12			·41		·14	·94		9
10	·15		1·05	·43	·10			·43	·02	·02			10
11	·21			·11				·66		·50	·15		11
12	·12			·06	1·13	·01		·26		·49		·02	12
13	·02		·07	·26		·02		1·36	·43	·18	·02	·02	13
14	·01			·15	·01		·25	·35		·22			14
15	·01			·07	·03		·12			·43		·64	15
16	·01	·05		·25		·04	·07	·18	·01	·03		·23	16
17			·08	·33	·07		·43	·98	·14	·13	·03		17
18			·11		·06		·17	·11	·53	·10			18
19	·01	·37	·55			·40		·01	·14		·08		19
20		·12	·05		·51	·79		·21	·41		·33		20
21		·04			·01	·13		·01		·10	·03		21
22								1·07	·06	·10	·13		22
23		·14			·36	·04		·60		·23		·03	23
24		·02			·01	·16		·51		·62	·29	·05	24
25		·15	·14					·20		·32	·15		25
26					·37	}		·51	·19	·51	·85		26
27		·02			·76	·52	·47	·87		·20	·34		27
28		·10	·23		·03	·05		1·15		·05	·03		28
29			·14				·05	·47		·94	·01	·19	29
30		×						·34		·07	·04		30
31	·02	×	·20	×	·67	×		·35	×	·01	×		31
Total	2·64	1·14	3·94	3·28	4·24	2·74	1·99	12·09	2·97	8·73	5·59	2·00	YEAR'S TOTAL 51·35
Rain Days.	17	11	18	14	15	15	9	25	12	28	22	13	199

W. 8,000, VIII. 16

8L

96 ~~38~~

FORM A. BRITISH RAINFALL.
22. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Elan Village
in the County of Brecon
by E. A. Lees

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·09	—	·17	·04			·10	·90	·05	·67	·01	1
2		·20		·07				·36	·19	·02	·02	·43 ~~(·50)~~	2
3		·31		·15	·33			·03	·80	·22	·01	·01	3
4	·03	·14		·01				·03	·63	·77	1·01	·44	4
5		·11	·02	·12	·49			·09	·24	·68		·02	5
6	·06	·60		·36		·05			·14	·68		·09	6
7		·14		·02	·46				·32	·40	·55	·04	7
8	·30	·73				·01	·09		·38	·30	·04	·10	8
9	·19	·97		·18		1·20	·12		·85	·42	·07	·23	9
10	·07	·11		·04			·32		·13	·13	·43	·45	10
11	·07	·17		·06	·15		·60		·36	·01		·35	11
12	·05	·41	·02		·07	·02	·06		·42			·04	12
13	·03				·02				·16	·10		·11	13
14	·58		·03		·01	·09	·38		·25	·06		·48	14
15	·70					·15	·88		·36	·02		·68	15
16	·17			·26		·02	·10	·08	·40		—	·48	16
17	1·07					·01	·25	·05	·49	·18		·33	17
18	·96			·01		·61	·18		·51	·01		·90	18
19	·37	·09	·12	·07			·30		·40	·04		·58	19
20	·76	·19		·08		·10			·63			·03	20
21	·48	·36		·25		·10	·09		·81			·30	21
22	·07	·07			·55		·17	·03	·45	·02		·76	22
23	·25				1·61		·22		·30			·05	23
24	·11	·08					·03	·30	·18	·02	·35	·30	24
25		·01			·15		·85	·98		·03	·05	·10	25
26	·05	·05		·08			·12	·05	·21	·03	·25	·46	26
27	·03	·13	·55			·03		·31	·67		·37	1·39	27
28		·05	1·10		—				·04	·01	·58	·42	28
29			·12						·61			·21	29
30		×	·50					·12	·02	·08	·07	·27	30
31		×	·87	×		×		·08	×		×	·04	31
Total	6·40	5·01	3·33	1·93	3·88	2·39	4·76	2·61	11·85	4·28	4·47	~~10·17~~ ~~9·67~~	YEAR'S TOTAL ~~61·08~~ ~~60·58~~
Rain Days.	21	21	9	16	11	12	17	14	29	23	14	30	217
												10.10	61.01

W. 8,000, IX. 17.

TELEGRAMS:
"WATER, LUDLOW."
POST OFFICE TELEPHONE Nº 27.
CITY OF BIRMINGHAM WATER DEPARTMENT

L.D.
F. W. MACAULAY, M.INST.C.E.
~~RESIDENT~~ ENGINEER.
ELAN SUPPLY.

Office,
Springfield House,
Ludlow,
SALOP.

11th August, 1919.

Carle Salter Esq.,
British Rainfall Organisation,
62 Camden Square, LONDON. N.W. 1.

Dear Sir,

In your Report on the Rainfall in the Elan Valley for 1918, Page 3, you state that there has evidently been an omission of about 1.00 in. at Claerwen on August 25th and of .50 in. at Elan Village on December 2nd.

I have only just had my attention drawn to this and on enquiry I find that the actual amount registered at the Elan Village on December 2nd, 1918 was .43". This quantity was not returned and although I understand that the clerk who deals with these matters noticed the omission and intended to enquire about it, he forgot to do so. I am sending you the actual figure in order that your records may be as correct as possible.

I am enquiring about the missing figure for Claërwen, but have little hope of recovering it.

Yours faithfully,

Fred W. Macaulay

82 For 82 3760 354

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Elan Village
in the County of Brecon
by E. A. Lees

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.48		.16		.49		.40	.03	.16	.36		.40	1
2	.45		.17				.02	.07	.09	.07	.02	.55	2
3					.05	.10	.01				.01	.60	3
4		.15	.35			.05	.01	.02	.19			.15	4
5	.15	.34							.05			1.00	5
6	.23	.17	.82						.01			.44	6
7	.18		.15	.05								.10	7
8	.68		.04	.08		.12					.06		8
9	.38		.03	.12							.02	.01	9
10	.32		.71	.18	.02					.02	.06	.73	10
11	.10		2.07	.07	.13	.01	.09			.03		.10	11
12	.15		.87	.16		2.20				.17	.08	.01	12
13	.32			.42			.04		.42	.37		.16	13
14	.31	.07		.72			.07		.05	.12		.28	14
15	.29	.07		.41						.15		1.04	15
16	.20	.86				.01		.20			.46	.06	16
17	.06	.47		.01		.06	.32	.21			.92	.01	17
18	.05	.16	.64				.06	.48	.15		.07	.21	18
19	.30	.46	.48			.21		.33	.28		.46	.05	19
20	.58	.17	.35			.05		.03	.17		.35	.70	20
21	.05	.82	.02				.40	.01	.10		.05	.21	21
22		.27				.08			.39		.07	1.81	22
23						.15				.74	.16	.17	23
24	.01			.09	.05	.13			.04	.36	.35	.48	24
25	.12			.15	.04			.76	.06	.05	.35	.21	25
26	.28	.02	.64	.21		.02		.60	.24	.02		.88	26
27	.37		.20	.48			.04	.48	.16				27
28	.02		.30	.08				.70				.40	28
29			.18	.06		.02		.24		.18		.22	29
30			.07	.32		.10		.07			.63	.54	30
31	.03		.10				.12			.05		.11	31
													YEAR'S TOTAL
Total	6.11	4.03	8.35	3.61	.78	3.31	1.58	4.23	2.56	2.69	4.12	11.63	53.00
Rain Days.	25	13	20	17	6	15	12	15	16	14	17	29	199

W, 6,500, VII. 18. W W C

5·54 3658

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Birmingham W. W. Elan Village

in the County of Breconshire

by ~~E A Lees.~~

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02	·02	·17	·82		·29		·06	·34		·52	1
2	·17	·03		·25	·03		·30		·11	·26		·26	2
3		·11		·12	·19		·55	·04	·22	1·41		·31	3
4					·01		·01	·71	·21	·14			4
5			·35	·07	·78		·33	·25	·63	·06			5
6			·63	·15	·35		·03		·02	·47	·03	·04	6
7	·10	·10	·10	·12			·24						7
8	·84	·06	·01	·72	·18		·30	·23					8
9	·75	·57		·57			·25	·14			·01		9
10	1·20	·62	·11	·05		·87	·25				·01		10
11	·09	·03	·49	·58	·32	·06	·05						11
12	·35	·07	·03	·62	·01	·81	·07	·37			·26	·02	12
13	·15	·04	·60	·62		·11					·08	·01	13
14	·05	·04	·67	·75		·05	·11		1·18	·62	·88	·02	14
15	·01	·22	·40	·77	·04	·16				·04	·19		15
16		·03	·47	·17	·25	·20	·56		·33	1·30	·06		16
17	·15		·02		·50	·16		·16	·54	·22			17
18	·30			·17	·25	·06			·43				18
19	·13	1·00		·61	·32	·05	·06		·02				19
20	·26	·05		·52		·03	·02		·05			·36	20
21				·05		·01	·21					·26	21
22	·30			·05		·03	·16	·07				·18	22
23	·14		·01	·04			·33					·47	23
24	·07		·70	·08							·20	·31	24
25	·15	·06	·40	·29	·25	·12	·82					·10	25
26	·33	·40	·97	·31	·27	·01	·18				·09	·13	26
27	·53	·17	·90	·35	·01	·33	·19				·04	·52	27
28	·79		·51	·16	·02	·09	·02					·21	28
29	·57		·21	·04	·31	·08	·40				·18	·80	29
30	·17	╳	·47	·47	·07	·29	·04		·56	·04	·21	·47	30
31	·30	╳	·38	╳		╳	·12		╳	·88	╳	·09	31
TOTAL	7·90	3·61	8·35	8·87	4·98	3·52	5·88	1·97	4·36	5·78	2·24	5·08	YEAR'S TOTAL 62·54
Days with ·01 in. or more	24	18	22	28	20	19	26	8	13	12	13	19	222
·04	23	14	17	28	15	15	22	8	11	12	10	16	191

(40,248). Wt. 21358—218. 7500. 10/19. Gp. 152. A.&E.W.

Co   x. J C.

R   19 11

FORM A2.
BRITISH RAINFALL.

12 JUN 1912

~~GRWYNE FAWR~~
BLACK MOUNTAINS
CWM GRIGUS UCHAF
BRECON
1911 - 1917

Kept at Grwyne
Grigus Uc
in the County of B
J. R. Gethi
by ~~for Dr. H. R. M~~

of top 5 in.
top above Ground 1 ft. 0 in.
„ „ Sea Level circa 1980 ft.
on 9 a.m.
Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·14	}	·34	-	·07	·06	-	-	·67	-	1
2	·02	-	·04	·09	}	-	-	·47	-	·16	·03	·39	2
3	-	-	·10	-	·75	-	-	·07	·13	·10	·35	·30	3
4	-	-	·21	·02	-	-	-	·60	·03	-	·56	·77	4
5	·27	-	·15	-	-	-	-	·04	-	·20	·09	·01	5
6	·02	-	·11	-	-	-	-	·08	-	-	·53	·76	6
7	·03	-	·01	-	-	-	-	-	-	-	·73	·02	7
8	·19	-	·41	-	-	-	-	-	-	-	·88	·93	8
9	·08	-	·09	-	-	-	-	-	·02	-	·81	·65	9
10	·11	·12	·39	-	-	-	-	-	-	-	-	·66	10
11	·22	-	·20	-	1·23	-	-	-	·02	-	·45	·16	11
12	-	-	·37	-	·27	-	-	-	·52	-	·73	·57	12
13	-	-	-	-	·04	-	-	-	·02	·01	·12	·17	13
14	-	·03	·01	-	-	-	-	-	-	·04	·01	1·35	14
15	-	·11	·04	-	-	·05	-	-	-	·07	·45	·17	15
16	-	·02	-	-	·16	1·25	-	-	-	·04	}	·51	16
17	-	·35	·01	·05	-	1·06	·01	-	-	-	·45	1·02	17
18	-	·57	}	·36	-	}	-	-	-	·09	·03	·32	18
19	-	-	·09	·34	-	·87	-	·04	1·18	·36	·03	·90	19
20	-	·15	·05	·16	-	·12	-	-	·17	·45	·01	·55	20
21	·01	·32	·20	·06	-	·19	·02	·86	·11	·48	-	·12	21
22	-	·45	·09	·12	-	·22	·01	-	·11	·60	-	·61	22
23	-	·10	·02	-	·04	-	-	·16	·60	·37	-	·34	23
24	·01	·18	-	·20	-	·89	-	-	·07	·06	-	·31	24
25	·04	·09	-	·15	-	·19	-	-	·17	·24	-	·32	25
26	-	·41	-	·50	·27	·02	-	·42	·08	·04	·21	·08	26
27	-	·65	·21	·24	-	-	-	·43	·60	-	·06	·14	27
28	-	·11	-	·53	-	·01	-	·17	·05	·01	·34	-	28
29	-		-	·02	-	·34	·62	·14	·33	1·52	-	·02	29
30	-		-	·06	·05	·04	·20	-	-	·03	·17	-	30
31	-		-		-		·24	-		·07		-	31
Total	1·00	3·66	2·94	2·90	3·15	5·25	1·17	3·54	4·21	4·94	7·71	12·15	TOTAL for year 52·62
No. of Rain Days.	11	15	22	16	10	14	7	13	17	20	23	27	195

W, 8,000, X. '11.

Co

x J. C.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
12 JUN 1912

Kept at Grwyne Fawr,
Grigus Uchaf No. 6
in the County of Brecon
by J. R. Gethin-Jones
for Dr. H. R. Mill & H. Rofe

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
,, ,, ,, Sea Level circa 1980 ft.

Time of Observation 9 a. m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·14	{	·34	-	·07	·06	-	-	·67	-	1
2	·02	-	·04	{ ·09	{	-	-	·47	-	·16	·03	·39	2
3	-	-	·10	-	{ ·75	-	-	·07	·13	·10	·35	·30	3
4	-	-	·21	·02	-	-	-	·60	·03	-	·56	·77	4
5	·27	-	·15	-	-	-	-	·04	-	·20	·09	·01	5
6	·02	-	·11	-	-	-	-	·08	-	-	·53	·76	6
7	·03	-	·01	-	-	-	-	-	-	-	·73	·02	7
8	·19	-	·41	-	-	-	-	-	-	-	·88	·93	8
9	·08	-	·09	-	-	-	-	-	·02	-	·81	·65	9
10	·11	·12	·39	-	-	-	-	-	-	-	-	·66	10
11	·22	-	·20	-	1·23	-	-	-	·02	-	·45	·16	11
12	-	-	·37	-	·27	-	-	-	·52	-	·73	·57	12
13	-	-	-	-	·04	-	-	-	·02	·01	·12	·17	13
14	-	·03	·01	-	-	-	-	-	-	·04	·01	1·35	14
15	-	·11	·04	-	-	·05	-	-	-	·07	·45	·17	15
16	-	·02	-	-	·16	1·25	-	-	-	·04	{	·51	16
17	-	·35	·01	·05	-	1·06	·01	-	-	-	{ ·45	1·02	17
18	-	·57	{	·36	-	{	-	-	-	·09	·03	·32	18
19	-	-	{ ·09	·34	-	{ ·87	-	·04	1·18	·36	·03	·90	19
20	-	·15	·05	·16	-	·12	-	-	·17	·45	·01	·55	20
21	·01	·32	·20	·06	-	·19	·02	·86	·11	·48	-	·12	21
22	-	·45	·09	·12	-	·22	·01	-	·11	·60	-	·61	22
23	-	·10	·02	-	·04	-	-	·16	·60	·37	-	·34	23
24	·01	·18	-	·20	-	·89	-	-	·07	·06	-	·31	24
25	·04	·09	-	·15	-	·19	-	-	·17	·24	-	·32	25
26	-	·41	-	·50	·27	·02	-	·42	·08	·04	·21	·08	26
27	-	·65	·21	·24	-	-	-	·43	·60	-	·06	·14	27
28	-	·11	-	·53	-	·01	-	·17	·05	·01	·34	-	28
29	-		-	·02	-	·34	·62	·14	·33	1·52	-	·02	29
30	-		-	·06	·05	·04	·20	-	-	·03	·17	-	30
31	-		-		-		·24	-		·07		-	31
Total	1·00	3·66	2·94	2·90	3·15	5·25	1·17	3·54	4·21	4·94	7·71	12·15	TOTAL for year 52·62
No. of Rain Days.	11	15	22	16	10	14	7	13	17	20	23	27	195

W. 8,000, X. '11.

S. made ✓

Cord. for arith. IX. 13

REGISTER OF RAINFALL IN 1912

Ex J.C.

Kept at Grwyne Fawr, Cwm Grigws Uchaf No 6

in the County of Breconshire 7

by Referee (Inside fence) Abertillery W. Bd

~~Lat.~~ Snowdon ~~Long.~~

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level 1,980 ft.

FORM A.
BRITISH RAINFALL.
28 APR 1913

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.38	-	·06	·73	-	·13	·02	·44	-	·23	1
2	·02	(·09)	·83	·09	-	·46	·47	·03	-	-	-	·01	2
3	—	(·05)	·60	-	·14	·21	·04	1·88	·18	-	·03	·15	3
4		·06	·69	-	·06	-	-	·15	·08	-	·34	-	4
5	1·30	(·18)	·32	·03	·14	-	-	1·07	·09	-	·02	·15	5
6	·61	·20	-	-	·17	·06	-	·15	-	-	·03	·07	6
7		·70	·86	·02	·03	·36	·25	·07	·02	·01	-	·11	7
8	·59	·05	·14	-	-	·04	-	-	·10	-	-	-	8
9	·07	·11	·85	·23	-	·35	·06	·86	·03	-	·14	·83	9
10	·48	·18	-	-	-	·08	·34	·08	-	-	·32	·12	10
11	-	·22	-	-	·18	-	·05	·02	-	-	·07	1·01	11
12	·08	·30	·14	·21	·03	NM	·11	·01	-	-	·01	·14	12
13	·06	·03	·03	-	-	·05	-	·08	·04	·17	-	·20	13
14	·07	·10	·91	-	·27	NM	-	·23	-	-	-	·08	14
15	·79	·03	·02	-	·35	·23	-	·22	-	NM	-	·40	15
16	·52	-	·36	-	-	·09	-	·35	·01	·20	·03	·05	16
17		-	·08	-	·02	·21	-	·37	-	-	·18	·88	17
18	·68	·05	·11	-	-	-	-	NM	-	·19	·01	·13	18
19	·11	·39	-	-	-	-	·51	·99	-	·15	·03	·32	19
20	·07	·04	·84	-	-	-	·16	·04	-	·40	·11	-	20
21	-	·28	·88	-	·84	-	·44	·33	-	·65	-	·09	21
22	50	·44	·28	-	·16	·04	·43	·79	-	·12	·01	·38	22
23	·51	·21	·40	-	-	·51	·07	·55	-	·10	·38	·34	23
24	·19	·03	·09	-	-	·33	·03	-	-	-	·33	·02	24
25	-	·23	-	-	-	·21	·17	2·58	-	·69	·75	·64	25
26	-	·04	·07	-	-	-	NM	·24	-	·84	·17	·55	26
27	-	·05	·25	-	-	·65	1·63	-	-	·88	·01	·73	27
28	-	·16	-	-	-	·57	·97	·83	·55	·49	·46	·30	28
29	-	·23	·08	-	-	·23	·04	·27	·90	·37	-	·04	29
30	-		·32	-	·07	·12	·54	-	·03	·78	·02	·05	30
31	-		·13		·04		·19	·08		-		·16	31
Total	6·65	4·45	9·66	·58	2·56	5·53	6·50	12·40	2·05	6·48	3·45	8·18	TOTAL for year 68·49
No. of Rain Days.	20	26	25	5	15	22	20	27	12	17	21	28	238

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S. made

cond. for faith: IV·13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
28 APR 1913

Kept at Gwyne Fawr, Cwm Grigus Uchaf No 6

in the County of Breconshire

by (Outside fence)

Experimental g.

RAIN GAUGE
Pattern Talgarth
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 1,980 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·42	-	·05	·74	-	·14	·02	·45	-	·21	1
2	·02	·05	·89	·10	-	·49	·52	·03	-	-	-	·01	2
3	}	(·05)	·62	-	·13	·22	·04	1·85	·19	-	·02	·15	3
4	}	·05	·82	-	·06	-	-	·15	·09	-	·33	-	4
5	} 1·24	(·18) see book	·29	·03	·14	-	-	1·10	·09	-	·02	·15	5
6	·62	·18	-	-	·17	·06	-	·16	-	-	·03	·07	6
7	}	·66	·99	·02	·03	·39	·26	·08	·02	·01	-	·12	7
8	} ·49	·04	·15	-	-	·04	-	-	·09	·01	-	-	8
9	·08	·12	·86	·24	-	·38	·05	·85	·02	-	·14	·83	9
10	·52	·19	-	-	-	·09	·33	·08	-	-	·34	·13	10
11	-	·21	-	-	·18	-	·05	·02	-	-	·06	1·03	11
12	·08	·31	·15	·21	·03	{ NM	·11	·01	-	-	·01	·16	12
13	·06	·03	·03	-	-	{ ·05	-	·10	·04	X ·08?	-	·22	13
14	·07	·09	·99	-	·28	{ NM	-	·25	-	-	-	·10	14
15	·85	·03	·02	-	·37	{ ·26	-	·23	-	} NM	-	·42	15
16	·53	-	·38	-	-	·10	-	·36	·01	} ·21	·03	·06	16
17	}	-	·09	-	·02	·24	-	·38	-	-	·18	·90	17
18	} ·60	·05	·11	-	-	-	-	} NM	-	·20	·01	·15	18
19	·11	·45	-	-	-	-	·53	} 1·10	-	·16	·03	·34	19
20	·07	·04	·69	-	-	-	·17	·04	-	·41	} NM	-	20
21	-	·30	·97	-	·86	-	·46	·34	-	·69	} ·14	·08	21
22	·43	·55	·29	-	·86	·04	·44	·89	-	·13	·01	·40	22
23	·40	·22	·41	-	-	·51	·07	·63	-	·10	·41	·36	23
24	·17	·03	·10	-	-	·35	·03	-	-	-	·37	·02	24
25	-	·26	-	-	-	·21	·18	2·74	-	·70	·86	·68	25
26	-	·04	·08	-	-	-	} NM	·24	-	·86	·15	·55	26
27	-	·05	·28	-	-	·73	} 1·66	-	-	·90	·01	·77	27
28	-	·18	-	-	-	·59	1·00	·89	·56	·49	·44	·31	28
29	-	·25	·09	-	-	·24	·04	·28	·89	·37	-	·04	29
30	-		·33	-	·07	·14	·55	-	† (·03)	·79	·02	·06	30
31	-		·12		·04		·21	·08				·16	31
~~Total~~	6·34	4·61	10·17	·60	2·59	5·87	6·70	13·02	2·05	6·55	3·61	8·48	TOTAL for year 70·59
No. of Rain Days.	20	26	25	5	15	20 2 2 2	20 19	27	12	17	21	28	236

W. 8,000, X. '11.

30. Sep. † Gauge [illegible] ground [illegible] XI3 Oct. [illegible]

Copy.

No 6.

REGISTER OF RAINFALL IN 1913

17 JUN 1914

FORM A2. BRITISH RAINFALL.

Kept at Black Mountains Cwm Grigos Uchaf

in the County of Breconshire Sec W.J.

by The Referees Abertillery Water Board Act.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 1980 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	·11	·40	·22	} ·37	-	·	-	·19	·11	·28	·03	1
2	·15	·53	·43	·09		·	-	·	·63	·91	·40	·07	2
3	·82	·16	·08	-	·94	-	·04	-	·07	·05	·	} ·82	3
4	·70	·15	·12	-	·12	·17	·09	-	1·81	} ·89	·22		4
5	} ·28	·08	·08	-	·29	·23	·34	-	·28		·55	·15	5
6		·80	·23	-	·13	·22	·05	-	-	1·36	·03	·48	6
7	} ·13	·30	·06	-	1·09	·26	-	-	-	·77	·22	·01	7
8		·33	·01	·	·31	·	·05	·30	-	·21	·	·03	8
9	·01	·32	·10	·03	·34	·75	·10	·	·17	·	·52	·08	9
10	1·11	-	·05	·38	·16	-	·	·60	-	·68	·18	-	10
11	·23	·	·	·08	·26	·01	·	·	·	·	·65	·07	11
12	·02	-	·	-	·39	·02	·	·28	·17	·	1·28	·09	12
13	·06	-	·69	·10	·02	-	·04	·04	·49	-	·28	·	13
14	·37	·	·35	·47	-	·	-	·14	·	·41	·10	-	14
15	·09	·02	·80	1·00	-	-	-	·27	·01	·	·07	·07	15
16	·48	·04	} ·90	·10	·	-	·03	·31	·20	·	·03	-	16
17	·29	-		·49	·01	-	·17	·	·	-	·23	·	17
18	·46	·	·50	·34	·02	·02	·21	·	-	·	-	·01	18
19	·32	·	·68	·03	·02	·28	·	-	·15	·27	·09	·01	19
20	·36	·	} 2·00	·37	·09	·	·	·	-	·21	1·36	·	20
21	·05	-		·06	·18	·	·11	·35	·05	·14	-	-	21
22	·86	·		-	·	·14	·	1·20	·60	·	·	·	22
23	·09	·	·06	·02	-	·12	-	·05	·01	·	·27	·06	23
24	·06	·12	·	·19	-	·	-	-	·	-	·11	·05	24
25	·	·08	·	1·05	-	·	-	-	·11	·08	·10	·33	25
26	} ·33	-	·	1·26	·15	·03	-	·14	-	·02	·	·50	26
27		-	·63	·65	·	·	-	-	-	·87	·01	·10	27
28	·07	-	} 1·03	·22	·08	-	-	·	-	·89	-	(·25)	28
29	·			·50	·	·	·	·14	-	·15	·03	-	29
30	·47		-	·	·06	·	·	·	-	·54	·46	-	30
31	·13		·47		-		·02	·05		·05		·	31
Total	8·03	3·04	9·67	7·65	5·03	2·25	1·25	3·87	4·34	8·61	7·47	3·21	TOTAL for year 64·42
No. of Rain Days.	28	13	25	21	20	12	12	13	15	20	23	20	222

W. 8,000, X. '11.

cord for S ~~W.~~ M9. Cord for aith. 15.VII.15

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

Kept at Black Mountains. Cwm Grgws Uchaf - No 6 (Inside)

in the County of Brecknshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 1980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.06	.09	.03		.10	.55	.89			.42	.08	1
2			.16		.09		1.01	.21		.01	.21	.50	2
3	.04		.40	.29	.43			.08		.02	.02	1.04	3
4	.46		.23	.16	.37		.58	.03			1.19	.21	4
5	NM		.14	.50	.38			.06			.21		5
6	(.50?) ~~.42~~?	.32	.09	.13	.46	.10	.01					.52	6
7	.04	.28	.42	.05	.40	.10	.41	.54				.60	7
8	.14	.01	.30	.18	.22	1.19		.76			.01	.18	8
9	.10	.16	.05	.19	.20	1.51		.31	.22		.07		9
10		.45	.12	.30	.21			.02	.50			.03	10
11		.41	.34		.10	.56	.18		.17		.94	.77	11
12		.60	.25						.33	.01	.42	.87	12
13		NM	.68	.01			.23		.70	.54	.14	.24	13
14		2.12	.37				.05	.30	.09	.32	.33		14
15	.01	.02	.51				.07	.06	.21		.27	.03	15
16	.03	8 days	.06				.27		.32			.12	16
17	.04	.56	.46			.01	.07		.07			.98	17
18		.05	.63				.33		.14			1.02	18
19		.10	.06				.97		.18		.14	.07 s	19
20		.72	.19			.12						s .45	20
21		.61	.20			.02	.08	.03		.38			21
22		.32	.14	.07		.09		.23		.83			22
23		.06	.11		.25		.64	.12		.47			23
24	.04		.19	.04			.13	.08		.03	.25		24
25	.42	.04	.17				.19	.50		.41	.27	.30	25
26	.10		.17				.47	.03		.16	.49	.49	26
27	.06	.02							.01	.32	.60	.43	27
28	.15	.41	.29		.24		.02		.01	.08	.08	10 in S. .70	28
29	.23		.31		.04					.35	1.77	.19	29
30	.06	X	.83	.01		.07		.01		.33	.53	.98	30
31	1.36	X		X		X	.27		X	1.16	X	.55	31
Total	(3.78) ~~4.40~~ ~~Est 3.78~~	7.32	~~8.06~~ 7.96	1.96	3.39	3.87	6.53	4.26	2.95	5.42	8.36	11.35	YEAR'S TOTAL 67.15
Rain Days.	18	21	29	13	13	11	20	18	13	16	20	24	216

W. 8,000. X. 14.

Reduced by 4% for size of funnel

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Black Mountains Cwmfigns Uchaf No 6 Outside
in the County of Breconshire
by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 1980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.48	.57	.06	.11	.38			1.22	.21	.59	.02	.25	1
2	.23	.30	.36	.15		25	.08	.88		.02		.39	2
3	.34	.25	.22	.15	.18		.80	.75				.76	3
4	.37	.54	.04		.34		.01	.04	.01			.35	4
5	.02	1.32	.03	NM				.19				1.55	5
6	.55	.24		.42			.80	.30				.36	6
7	.40	1.04		.02	1.92		.15			.04	×	.55	7
8	.32	.64		.14				.02			.30 ×	03	8
9	.12	.50	–	.17			.02	.02			.26	1.00	9
10	.42	.05	.16 +	.08				.02		.13	.20	.07	10
11	.10		.02	.14	·12		.02	.61		.19	S + sleet 1.35	.04	11
12	.17	[illegible] storm NM		.33	~~[illegible]~~ (.58)			.06		.03	.52		12
13	.02	[illegible] (2.00)			~~.31?~~ (1.00)			.29	.17		.18	.08	13
14	.02							18	.01		.06	.67	14
15	.78	.04		.01	.19		.40	.21	.05	.04	.13	.18	15
16	.04	1.12			1.54		1.85	.17					16
17		.60	.04		.52								17
18	.03	.93	.03				.01						18
19	.08	.05		.12	NM		.47						19
20	.65				.20		.03	.01		.26		.19	20
21	.13	.15		.20	.02		.48					.05	21
22	.15	.03	.38	.05		.01	.63		.07	.18		.77	22
23	.02	.11		.05			.31		.01	1.05		.58	23
24	.03	.02	.11	.05		.03			.19	.99		1.15	24
25						.80				.02		.14	25
26		.23				.01	.52		.07			1.05	26
27		.12				.24	.08		.03	.65		.10	27
28		.35	01			.06	.01	.10	.16	.02		.06	28
29						.53		04			.61	.40	29
30	.35			.21		.01				1.08	.57	.75	30
31	.01						.19	.04		2.34		1.16	31
Total	5.83	11.20	1.46	2.40	~~6.30?~~ (6.99)	1.94	6.86	5.15	.98	7.63	4.20	12.68	YEAR'S TOTAL (67.32)
Rain Days.	25	24	12	18	13	9	19	19	11	16	12	26	203
	5.60	10.75	1.40	2.30	(6.71)	1.86	6.59	4.95	.94	7.33	4.03	12.17	64.63

4172

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Black Mountains Cwm Fignsdchaf No 6 Inside
in the County of Breconshire
by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 1980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.46	.52	.06	.11	.36			1.18	.20	.57	·02	.24	1
2	.26	.24	.37	.14		.24	.08	.80		.02		.37	2
3	.31	.22	.20	.15	.16		.80	.72				.70	3
4	.31	.45	.04		.33		.01	.04	01			.31	4
5	.02	1.02	.03	N M				.20				1.36	5
6	.53	.20		.40			.77	30				.33	6
7	.38	.98		.02	1.89 TS		.14			.04		.52	7
8	.31	.63		.13				.02			.31	.03	8
9	.11	.59	N M	.16			.02	.02			.27	.91	9
10	.40	.07	.15	.08				.02		.14	.20	.07	10
11	.10		.02	.13	.12 S		.02	.63		.19	S & Sleet 1.50	.04	11
12	.16	big S. storm N M		.32	.66 S ~~83~~			.06		.03	.55		12
13	.02	Gauges [illegible] (2.00)			1.05 S			.30	.17		.20	.08	13
14	.02							.18	.01		.07	.64	14
15	.68	.04		.01	.19		.38	.20	.05	.04	.13	.18	15
16	.04	1.04			1.45		1.78	.17					16
17		.54	.05		.48								17
18	.03	.75	.03				.01						18
19	.08	.05		.12	N M		.45						19
20	.57				20		.03	.01		.25		.17	20
21	.17	.15		.19	.02		.46					.04	21
22	.18	.03	.37	.05		.01	.60		.07	.17		.71	22
23	.02	.10		.05			.30		.01	.98		.54	23
24	.04	.02	.11	.05		.03			.19	.95		1.10	24
25						.82				.02		.13	25
26		.26				.01	.50		.07			.92	26
27		.14				.24	.08		.03	.60		.09	27
28		.60	.02			.06	.01	.11	.16	.02		.06	28
29						.53		.04			.60	.36	29
30	.31	S drift		.19		.01				.93	.55	.70	30
31	.06						.19	.04		1.88		1.04	31
Total	5.51	10.64	1.45	2.30	6.91 ~~6.58~~	1.95	6.63	5.04	.97	6.83	4.40	11.64	YEAR'S TOTAL 64.27
Rain Days.	25	24	12	18	13	9	19	19	11	16	12	26	203

W.7,000, XI. 13

and for 5 ft

4101

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
26 JUN 1917

Kept at Black Mountain Cwm Gwgws Uchaf No 6 Inside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.36	.06			.03	.19	.05			.40	.20		1
2	.16	.38			.02	.28	.26		.42	.84	.58		2
3	.09	1.64			.25	.30			.46	.38	.15		3
4	.34	.11		.03	.38	.83			.08	.19	1.16		4
5	.07	.32			.33	.32	.03			.81	.18		5
6	.33	.13			.14	.13	n m		.01	.56	.62	.02	6
7	.14	.04			.41		94			.80	.98	.26	7
8		.08	(4·00)		.52	.22				.10	.16	.22	8
9	.03	.03			.02	.18	.02		.01	.04	.08	.12	9
10	.07	.40		.21	.02				.01	.10	–	.05	10
11	.20			.19	.04	.20	.33		.07	.01	–		11
12	.18	.12		.18	.72		.27	.24	.03	.17	–		12
13		.51		.14	.03		.01	.44		.14	–	.03	13
14	.01	.46		.09	.20			.37		.34	.05	.01	14
15		.91		.28	.16		.02	.11	.12	.05	–		15
16	.08	.23		.45			.03	.01		.19	–		16
17	.27	.28		.26		–			.60	.46	(1·00)		17
18	.13	.30	.30	.20				.03	.16	.24	(·65)	(.20)	18
19	.26		.85	.40					–			.04	19
20	.07	.13	.28								.06	.76	20
21	.04		(·70)	.12	.12	.03	.15				.10	.04	21
22				.03		.03		.22		.44	.03	.30	22
23	.06		12	.03		.01		.12		.12	.23	(.33)	23
24				.03	1.67	.02		.15		.81	.30	.36	24
25	.01	(4·00)	47			.15		.38		.13	.47		25
26	.11		20			.05		.24	.60	.66	–		26
27	.06		(1·90)			.08		.19	.84	.47	.03		27
28	.04					.03			.30	.52	.08	.72	28
29		.46	03			.48		.68		.72	.03	.34	29
30						.22		.03		.50	–	.09	30
31								.21		.65		.23	31
Total	3.11	(10.59)	(8.85)	2.64	5.06	3.75	2.11	3.42	3.71	10.78	(7.14)	4.12	YEAR'S TOTAL (65.28)
Rain Days.	23	25	(22)	15	17	19	12	3-42 15	14	28	22	18	(230)

W. 8,000. X. 15.

See B

4102

FORM A.
BRITISH RAINFALL.
22 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at ~~Black~~ Mountain Cwm Tigiws Uchaf No 6 Outside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.37	.06			.03	.20	.05			.41	·21		1
2	.17	.39			.02	.28	27		.43	.86	·64		2
3	.10	1.48			.25	.31			.48	.40	·17		3
4	.39	.13		03	.39	.54			.08	.19	1·30		4
5	.08	.37			.38	.30	.03			.92	·18		5
6	.34	.16			.15	.12	N M		.01	.59	·65	.02	6
7	.15	.04			.43		.95			.87	1·01	.26	7
8		.07	?		.53	.22				.11	·17	.21	8
9	.03	.03	(4.00)		.02	.18	.02		.01	.04	·08	.12	9
10	.08	.41		.22	.02				.01	.11	-	.04	10
11	.21		~~3~~	.18	.04	.19	.35		.07	.01	-		11
12	.21	.13		.20	.74		.29	.24	.03	.20	-		12
13		.52		.14	.03		.01	.45		.16	-	.03	13
14	.01	.54		.10	.21			.35		.41	·05	.01	14
15		.96		.29	.16		.02	.10	.12	.06	-		15
16	.09	.25		.50			.03	.01		.22	-		16
17	.28	.27		.27					.66	.51	(1.00)		17
18	.15	.29	.33	.22				03	.16	.24	} ·65	(.20)	18
19	.30		.97	.47								.04	19
20	.09	.12	.29								·06	.75	20
21	.04		(.70)	.12	.12	.03	.15				·08	.05	21
22				.03		.03		.23		.46	·03	.30	22
23	.06		.11	.03		.01		.13		.12	·25	.33	23
24		?		.03	1.71	.02		.15		.88	·32	.22	24
25	.01	~~Insuf~~	.42			.15		.40		.15	·51		25
26	.11	(4.00)	.17			.06		.25	.61	.69	-		26
27	.07					.08		.19	.86	53	·04		27
28	.04		(1.90)			.03			.32	.60	·09	.75	28
29		43	.03			.49		.70		72	·03	.36	29
30		╳				.22		.03		.49	-	.09	30
31		╳		╳		╳		21	╳	.67	╳	25	31
Total	3.38	(10.65) ~~Insuf~~	(8.92) ~~Insuf~~	2.53	5.23	3.76	2.17	3.47	3.85	11.62	(7.52)	4.03	YEAR'S TOTAL ~~(67.43)~~ 65.45
Rain Days.	23	25	(22)	15	17	19	12	15	14	28	22	18	(230)

W. 8,000. X. 15.

see B.

3931

FORM A.
BRITISH RAINFALL.
18 FEB 19

REGISTER OF RAINFALL IN 1917

Kept at Black Mountains Cwm Grwyne Uchaf No 6 Inside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.04	.26	(1.00)		.74		.55	.05		.06	.14	1
2	.06	.01	.03	.12		.06		.02		.20	.29		2
3	.14	.20		(.20)						.68	.07		3
4		(.04)	(1.00)	.02			.02	.10		.62		.02	4
5	.51		.50	.20		.06		.03	.95	.58	.43		5
6			(1.25)	.04		.04		.16		.39	.32	.03	6
7	(1.50)		(.25)			.03	.51	.30		.43	.27	.04	7
8	~~.33~~		(.30)	(.50)			.23	1.47	.06	.65	.36	.21	8
9			(.50)	(.50)	.21			.29	.32	.08	.58		9
10	.31		.69	(.50)	.15			.37	.02	.05		.02	10
11	.42		.03	(.60)	.24			.70		.46	.27		11
12	03		.04	.07	1.11			10		.19		.02	12
13			.20			.03		.77	.21	.08		.07	13
14	.15			.38	.13			.23		.04		.02	14
15	(.07)			.25	.07		.14		.03	.17		.30	15
16	.08	.04		.10	.58	35		.50	.01			(.60)	16
17	.02	.04		.05	.36		1.61	.85	.17	.34			17
18		.03	.10	.01	.09	.06	.15	.12	1.15	.01			18
19	.02	.82	.60			.43		.01	.41		.04		19
20					1.59	.17	.01	10	.04		.07		20
21		.02	.35		.12	.02		.02		.09	.01		21
22	.04 ×	.03				01		.68		.23	.12		22
23		.28			.46			.91		.22	.02	.09	23
24	×	.06	.03			.28				.76	.08	.01	24
25	.02	16	.11			.30		1.12	.28	.22	.03		25
26			.01		.23	.18	.02	.35	.13	.05	.08		26
27			.01		.97	.22	76	1.13		.05	.08		27
28			.32		.03	33		.82					28
29			.07				.01	.10		1.11		.56	29
30	03	✕	.04		.02			.70		.06	.05		30
31	.06	✕	.04	✕	.31	✕	.07	55	✕	.04	✕	.02	31
Total	(3.50)	1.77	(6.73)	(4.54)	6.67	3.31	3.53	13.05	3.83	~~7.20~~ 7.80	3.23	2.09	YEAR'S TOTAL 60.05
Rain Days.	16	13	23	17	17	18	11	30	14	26	19	15	219

W. 8,000, VIII. 16

7932

FORM A.
BRITISH RAINFALL.

18 FEB 1918

cor. for diam. of funnel 2nd

REGISTER OF RAINFALL IN 1917

Kept at Black Mountain Cwm Gregiddlchaf No 6 footside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.04	.25	(1.00)		.73		.51	.05		.06	.08	1
2	.07	.01	.03	.10		.06		.02		.20	.30		2
3	.16	.20		(.20)						.68	.07		3
4		(.04)	(1.00)	.02			.02	}.10		.63		.01	4
5	.51		.43	.23		.06		.03	1.01	.60	.45		5
6			(1.25)	.04		.04		.15		.40	.33	.03	6
7			(.25)			.03	.53	.33		.46	.27	.04	7
8	}(1.50) ~~.33~~		(.30)	(.50)			.25	1.48	.05	.66	.37	.18	8
9			(.50)	(.50)	.22			.29	.34	.08	.58		9
10	.29		.71	(.50)	.15			.41	.02	.05		.02	10
11	.38		.03	(.60)	.23			.71		.49	.30		11
12	.01		.04	.06	1.12			.10		.20		.01	12
13			.21			.03		.80	.22	.07		.08	13
14	.10			}.32	.14			.24		.04		.02	14
15	(.07)			.23	.07		.15		.03	.20		.32	15
16	(.08)	.04		.06	60	.37		.51	.01			(.35)	16
17	.01	.04		.05	.38		1.78	.86	.17	.36			17
18		.03	.11	01	.10	.06	.16	.12	1.19	.01			18
19	.02	.80	.28			.42		.01	.38		.04		19
20					1.77	.20	.01	.10	.04		.10		20
21		.02	.14		.13	.02		.02		.09	.01		21
22	.04	.03				.01		.70		.25	.12		22
23		.29			.48			.88		.21	.03	.06	23
24		.06	.03			}.26				.77	.07	.01	24
25	.02	16	.10			.30		}1.19	.29	.22	.03		25
26			.01		.26	.19	.02	37	13	.05	.11		26
27			.01		1.04	.21	.82	1.23		.05	.10		27
28			.31		03	.32		.55					28
29			.07				.01	.10		1.23		.35	29
30	.03	✕	.04		.02			.72		.05	.06		30
31	.01	✕	04	✕	35	✕	.07	.56	✕	.04	✕	.01	31
Total	(3.35)	~~1.74~~ 1.76	(6.14)	(4.41)	~~7.29~~ 7.09	~~3.31~~	~~3.82~~	~~13.39~~	~~3.93~~	~~8.09~~	~~3.40~~	~~1.57~~	YEAR'S TOTAL ~~60.26~~
Rain Days.	18	13	23	17	17	18	11	30	14	26	19	15	221
					6.82	3.18	3.67	12.88	3.78	7.78	3.27	1.44	(58.48)

W. 8,000, VIII. 16

BLACK MOUNTAINS
GRWYNE FAWR
WAUN FACH
BRECON
1912, 13, 15-17

S. made ✓

REC 912

FORM A.
BRITISH RAINFALL.
28 APR 1913
~~12 JUN 1913~~

Kept at Grwyne Faw

in the County of Bre

by Referees, Abertillery (Insc

wdon

tion

uge 5 in.

ge above Ground 1 ft. — in.

Sea Level 2,650 ft.

NOTE.—Rain should be measu ay. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5			(3·05)										5
6	(2·29)				·57			3·04					6
7				·12		1·94							7
8		(1·80)					·80			·42	·43	(·75)	8
9									·39				9
10				·10									10
11													11
12													12
13											·60		13
14			(2·80)										14
15		·84			·70								15
16												2·60	16
17						1·17	·55						17
18			·46						·09	·48			18
19								3·17					19
20	(3·20)												20
21											·30		21
22		1·01		·10									22
23					·98		1·55						23
24						·87			·00	(1·32)		2·78	24
25													25
26													26
27													27
28													28
29		1·14						5·95					29
30						1·93			1·22		(2·20)		30
31	1·15		(3·00)		·14		3·21	·08		3·54		1·95	31
Total	(6·64)	(4·79)	(9·31)	·32	2·39	5·91	6·11	12·24	1·70	(5·76)	(3·53)	(8·08)	TOTAL for year
No. of Rain Days.													(66·78)

1,000, I. '12.
EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

I. made ✓

REC[illegible]912

Kept at Gwyne Fawr, Waun Fach No 8

in the County of Breconshire 7

by Referees, Abertillery W.B. Act (Inside Fence)

Lat. Long. [illegible]wdon

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level 2,650 ft.

FORM A. BRITISH RAINFALL.

~~28 APR 1913~~

~~12 JUN 1913~~

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5			(3·05)										5
6	(2·29)				·57			3·04					6
7				·12		1·94							7
8		(1·80)					·80			·42	·43	(·75)	8
9									·39				9
10				·10									10
11													11
12													12
13											·60		13
14			(2·80)										14
15		·84			·70								15
16												2·60	16
17						1·17	·55						17
18			·46						·09	·48			18
19								3·17					19
20	(3·20)												20
21											·30		21
22		1·01		·10									22
23					·98		1·55						23
24						·87			·00	(1·32)		2·78	24
25													25
26													26
27													27
28													28
29		1·14						5·95					29
30						1·93			1·22		(2·20)		30
31	1·15		(3·00)		·14		3·21	·08		3·54		1·95	31
Total	(6·64)	(4·79)	(9·31)	·32	2·39	5·91	6·11	12·24	1·70	(5·76)	(3·53)	(8·08)	TOTAL for year
No. of Rain Days.													(66·78)

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S, made Not cont. for Stc. Ex J.C.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
28 APR 1913

Kept at Gwyne Fawr, Waun Fach No 8

in the County of Breconshire

by (Outside fence)

Experimental g.

~~Lat.~~ ~~Long.~~ Talgarth

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " Sea Level 2,650 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2													2
3													3
4													4
5			2·21										5
6	1·66				·60			3·15					6
7				·13		1·86							7
8		·95					·78			·42	·45	·76	8
9									·47				9
10				·12									10
11													11
12													12
13											·56		13
14		Outer cylinder leaking	2·10										14
15		·81			·66								15
16		removed for repairs										2·60	16
17						1·21	·56						17
18			·35					funnel off	·09	·49			18
19								2·95					19
20	3·45												20
21											·35		21
22		1·35		·12									22
23				can replaced	·98		1·72						23
24						·90			·00	1·03		1·72	24
25					-								25
26													26
27													27
28													28
29		·98						6·05					29
30				-		2·00			1·47		1·24		30
31	·55		2·27		·14		3·29	·08		3·47		1·91	31
Total	5·66	4·09	6·93	·37	2·38	5·97	6·35	12·23	2·03	5·41	2·60	6·99	TOTAL for year 61·01
No. of Rain Days.													X

1,000, I. '12. * Estimated ·25 too low (see book)

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

✓ Copy.

REGISTER OF RAINFALL IN 1913.

corr for S

FORM A. BRITISH RAINFALL.

17 JUN 1914

Kept at Black Mountains Waun Fach No 8.

in the County of Breconshire 7 Enc. [illegible]

by The Referees Abertillery Water Board Act.

Lat. .... Long. ....

Time of Observation Gauge replaced by a new one July 1.

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5								·00					5
6											1·34		6
7		(2·00)					·48						7
8				·27						4·31		1·40	8
9					3·27	1·36			2·58				9
10			1·03										10
11													11
12	3·35	·68											12
13										·63			13
14									·70				14
15						·04	·27					·25	15
16				2·05	·77								16
17								1·70			3·34		17
18													18
19		·05											19
20	(2·00)						·33						20
21				1·10									21
22			(5·40)									·04	22
23					·28	·57			1·02	·84	1·72		23
24								1·40					24
25			·06										25
26													26
27												Snow	27
28		·23											28
29													29
30				(3·56)		·07			·13		·94		30
31	(2·00)		2·51		·37		·10	·28		2·71		1·70?	31
Total	(7·35)	(2·96)	(9·00)	(6·98)	4·69	2·04	1·18	3·38	4'43	8·49	7·34	3·39	YEAR'S TOTAL (61·23)
Rain Days.													

W.7,000, XI. 13

cwd fm S. 30.VI.16

470

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Black Mountains Waun Fach No 8 Inside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5								3.01					5
6			3.04 melted drift (.60) est	.53			.97				.02		6
7	2.55				2.38					.60			7
8						.17			.33				8
9		(4.12) .26											9
10												4.12	10
11													11
12				.75						.41			12
13			.21		~~.68+8~~ 18 in Sn		.93						13
14	1.31				(1.50)			1.51	.15				14
15						—					R & S. drift 3.55	.88	15
16		(3.60)	.01										16
17													17
18													18
19						—							19
20	1.12		.05	.14									20
21		(1.20)			1.94		2.61	.45	.04	.34			21
22											—		22
23													23
24													24
25										2.30			25
26													26
27												3.23	27
28		(.75)				1.02					18 in snow inside rails		28
29													29
30				.43	—	.31			.52		mostly R. .84		30
31	(.70)		.45		.00		1.39	.18		2.84		2.24	31
Total	(5.68)	~~4.83~~ (9.67)	(1.32)	1.85	(5.82)	1.50	5.90	5.15	1.04	6.49	4.41	10.47	YEAR'S TOTAL (59.30)
Rain Days.													

Jan.: 2 ft drift inside rails part melted

Jan.: 6 in. old drift inside rail

Jan.: drift all gone

Jan.: 30 in. clear drift inside, 6 in. clear S. outside, .45 water, 18 in. snowdrift on top of funnel excluded

Feb.: 18 in. S. in gauge, 2 ft. inside rail, S. not included

Feb.: S. in top of gauge not included

Feb.: 2 ft S. inside rail, S. in top of gauge not included

Feb.: Funnel free, 2 ft S. over top

March: Effective drift

W.7,000, XI. 13

cd for S. 30.VI.16

4171

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Black Mountains Waun Fach No 8 Outside
in the County of Breconshire
by The Referees Abertillery Water Board Act

Lat. ……… Long. ………
Time of Observation ………
Nearest Railway Station ………
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 2650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			2 effective drift										1
2													2
3	2 ft drift inside												3
4													4
5		6 in gauge snow exchanged			gauge disturbed			3.20					5
6			1.56 melted drift est. (.60)	.68			1.00				.02		6
7	~~1.25~~				~~3.50~~ (2.38)					.58			7
8	(2.00)					.19			.33				8
9		4.12											9
10												4.46	10
11													11
12		in gauge		.74						.42			12
13	(1.00)		.21		~~.75~~		1.02						13
14	~~.80~~				(1.50)			1.49	.20		?		14
15											R & Snow ~~2.48~~	.89	15
16		3.60	.01								(3.48)		16
17													17
18		3 in gauge											18
19													19
20	1.18		.04	.15									20
21		1.20			2.34		? tampered ~~1.33~~	.44	.06	.35			21
22							(2.61)						22
23													23
24													24
25										2.28			25
26	30 inches drift inside 6 inches outside .32 water in funnel												26
27		(.75) ~~.17~~										3.54	27
28						1.11							28
29													29
30				.44		.31			(.52)		Mostly R .75		30
31	(.70)		.43		.00		1.57	.18		3.41		2.41	31
Total	~~3.95~~	~~6.92~~	(1.29)	2.01	(6.22)	1.61	~~4.92~~	5.31	(1.11)	7.04	(4.25)	11.30	YEAR'S TOTAL (60.89)
Rain Days.	(4.88)	(9.67)					(6.20)						

W.7,000, XI. 13

Tampered with Tampered with Sep 52

4094

FORM A.
BRITISH RAINFALL.
26 JUN 19

REGISTER OF RAINFALL IN 1916

Kept at Black Mountains Waun Fach No 8 Inside
in the County of Breconshire
by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 2650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5												–	5
6						1.71							6
7							1.30		.91				7
8		2.31	(4.00)	.05						3.45			8
9					2.10			–					9
10										–	3.65		10
11						.46							11
12	1.73											.62	12
13													13
14					1.04								14
15								1.12		.58			15
16		2.00		1.30			.79						16
17	.41												17
18						–			.78			–	18
19													19
20													20
21		.56						.07		.86	(1.32)		21
22			1.41										22
23					.26		.57						23
24				.92					.01				24
25	.51												25
26		(4.00)				.34							26
27													27
28													28
29				–									29
30		X		–		.73			1.70		.98	[illegible]	30
31	.23	X	1.68✓	X	1.47	X	–	2.01	X	4.15	X	(3.46)	31
Total	2.88	(8.87)	(7.09)	2.27	4.87	~~2.90~~ 3.24	2.66	3.20	3.40	9.04	(5.95)	(4.08)	YEAR'S TOTAL (57.55)
Rain Days.													

[illegible] [illegible]

4100

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
22 JUN 1917

Kept at Black Mountains Waun Fach No 8 [illegible]

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5												–	5
6						1.88							6
7							1.33		.92				7
8		2.12	x 2	.04						3.81			8
9			(4.00)		1.92			–					9
10											3.83		10
11						.49							11
12	2.12											.57	12
13													13
14					1.16								14
15			~~2.60~~					1.14		.90			15
16		2.25		1.41			.72				–		16
17	.47												17
18						–			1.00				18
19													19
20													20
21		70						.07		.95	1.32		21
22			1.53										22
23					.28		.60						23
24				1.05					.01				24
25	.69	x 2											25
26		(4.00)				.36							26
27													27
28													28
29				–									29
30		X	(1.68)	.		.72			1.80		.96		30
31	.28	X	[illegible]	X	1.49	X	–	2.26	X	4.25	X	3.46	31
Total	3.56	(9.07) ~~[illegible]~~	(7.21) ~~[illegible]~~	2.50	4.85	~~3.09~~	2.65	3.47	3.73	9.91	6.11	4.03	YEAR'S TOTAL (60.54)
Rain Days.						3.45							

W. 8,000. X. 15.

3929

Est

FORM A. BRITISH RAINFALL. 18 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Black Mountains Waun Fach No. 8 inside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5										1.61			5
6												.12	6
7							.03	.77	1.01				7
8						1.10					1.06		8
9													9
10		(.30)	under dept supp										10
11													11
12										1.75		.31	12
13			~~5.12~~						.52		.60		13
14													14
15													15
16													16
17						.44							17
18								5.50					18
19							2.60			.59			19
20		1.57		est.	5.95	.66			1.72				20
21				(4.00) ~~3.99~~							.17		21
22				~~1.82~~									22
23													23
24			~~1.26~~									1.58	24
25										1.06			25
26								3.21					26
27													27
28		.52											28
29													29
30		×		.01		1.06			.33		.41		30
31	~~10~~	×	~~.56~~	×	2.10	×	.86	2.85	×	1.27	×	.80	31
Total	(3.00)	2.39	(6.00)	(4.01)	8.05	3.26	3.49	12.33	3.58	6.28	2.24	2.81	YEAR'S TOTAL 57.44
Rain Days.			est.	Est.									

W. 8,000, VIII. 16

3930

REGISTER OF RAINFALL IN 1917

2nd

FORM A. BRITISH RAINFALL.

10 FEB 1918

Kept at Black Mountains (Sawn Fach No 8 outside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5										1.60			5
6								.88				.14	6
7							.03		1.04				7
8						1.08					1.48		8
9													9
10		(.30)											10
11			[illegible]										11
12										2.31		.29	12
13			~~2.85~~						.61		.69		13
14													14
15													15
16													16
17						.51							17
18								5.57					18
19							2.71			.60			19
20		1.30		estd	5.80	.68			1.75				20
21				(4.00) ~~3.90~~							.23		21
22				[illegible] 4.20									22
23													23
24			~~.48~~									.90	24
25										1.22			25
26								3.19					26
27													27
28		.42											28
29													29
30		✕		.01		(1.06)			.38		.63		30
31	~~1.31~~	✕	~~.37~~	✕	2.02	✕	.88	3.10	✕	1.19	✕	(.30)	31
Total	(3.00)	2.02	(6.00)	(4.04)	7.82	3.33	3.62	12.74	3.81	6.92	3.03	1.633	YEAR'S TOTAL 57.93
Rain Days.			estd.										

W. 8,000, VIII. 16

S. made

RE 1912

~~GRWYNE FAWR~~
BLACK MOUNTAINS
TOP OF TARON ESGOB
BRECON
1912 - 1914

FORM A2.
BRITISH RAINFALL.
28 APR 1913

Snowdon

Kept at Grwyne Fawr, ... top 5 in.

... p above Ground 1 ft. – in.

in the County of Brec... „ Sea Level 2,075 ft.

by Alongside ... NO F... ation { Name ... Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												·15	1
2												·01	2
3												·14	3
4												–	4
5												·13	5
6												·05	6
7												·11	7
8												–	8
9												·75	9
10												·07	10
11											# ·08	·90	11
12											–	·17	12
13											–	·15	13
14											–	·08	14
15											–	·39	15
16											·04	·05	16
17											·16	·58	17
18											·01	·11	18
19											·05	·24	19
20											} NM	–	20
21											} ·10	·05	21
22											–	·33	22
23											·33	·10	23
24											·14	·31	24
25											·73	·82	25
26											·10	·16	26
27											–	·77	27
28											·37	·24	28
29											–	·03	29
30											–	·04	30
31												·13	31
Total												7·06	TOTAL for year
No. of Rain Days.												28	

W. 8,000, X. '11.

S. made

FORM A2.
BRITISH RAINFALL.
28 APR 1913

REGISTER OF RAINFALL IN 1912

Kept at Grwyne Fawr, Top of Taren Esgob

in the County of Breconshire

by Alongside revolving g
NO FENCE

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 2,075 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												·15	1
2												·01	2
3												·14	3
4												–	4
5												·13	5
6												·05	6
7												·11	7
8												–	8
9												·75	9
10												·07	10
11											# ·08	·90	11
12											–	·17	12
13											–	·15	13
14											–	·08	14
15											–	·39	15
16											·04	·05	16
17											·16	·58	17
18											·01	·11	18
19											·05	·24	19
20											NM	–	20
21											·10	·05	21
22											–	·33	22
23											·33	·10	23
24											·14	·31	24
25											·73	·82	25
26											·10	·16	26
27											·57	·77	27
28											·37	·24	28
29											–	·03	29
30											–	·04	30
31												·13	31
Total												7·06	TOTAL for year
No. of Rain Days.												28	

W. 8,000, X. '11.

Copy.

cond for S.R.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

17 JUN 1914

Kept at Top of Taren. yr. Resvr A

Snowdon No fence Ex. Mf.

in the County of Brecn

by ~~The Referees, A.E. Fuller, & D. W. Bd. Act.~~ J.R. Gelton Jones

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level 2100 T. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·08	·42	·20	-	-	-	-	·24	·05	·33	·01	1
2	·10	·44	·47	·09	·24	-	-	-	·03	·88	·30	·06	2
3	·54	·15	·07	-	·82	-	-	-	·01	·04	-	·31	3
4	·77	·32	·08	-	·28	·13	·11	-	2·24	} ·83 x	·18	·35	4
5	·06	·12	·07	-	·24	·21	·37	-	·25		·51	·05	5
6	·14	·85	·21	-	·24	·20	·04	-	-	1·25	·01	·50	6
7	·05	·02	·03	-	1·24	·22	-	-	-	·78	·18	-	7
8	·08	·27	·01	-	·27	-	·03	·28	-	·13	-	-	8
9	·01	·25	·09	·03	·44	·65	·09	-	·17	-	·47	·17	9
10	·76	-	·04	·47	·21	-	-	·57	-	·64	·17	-	10
11	·27	-	-	·02	·25	·01	-	-	-	-	·61	·10	11
12	·02	-	-	-	·55	·03	-	·27	·11	-	1·38	·08	12
13	·06	-	·76	·13	·02	-	·04	·04	·45	-	·23	-	13
14	·23	-	·09	·44	-	-	-	·12	-	·42	·13	-	14
15	·05	·02	·58	·95	-	-	-	·20	·01	-	·10	·12	15
16	·32	·02	} (1·00) x	·11	-	-	·02	·49	·18	-	·02	-	16
17	·15	-		·43	·01	-	·20	-	-	-	·34	-	17
18	·35	-	(·50)	·45	·01	·02	·21	-	-	-	-	-	18
19	·20	-	·42	·03	·02	·25	-	-	·11	·27	·16	·01	19
20	·26	-	} 1·16 x	·42	·03	-	-	-	-	·11	1·35	-	20
21	-	-		·06	·21	-	·08	·37	·06	·07	-	-	21
22	·53	-	·34	-	-	·12	-	1·06	·65	-	-	-	22
23	·14	-	·06	·01	-	·09	-	·04	·02	-	·22	·04	23
24	·06	·12	-	·20	-	-	-	-	-	-	·12	·03	24
25	-	·06	-	·83	-	-	-	-	·10	·10	·12	·46	25
26	-	-	-	1·20	·14	·01	-	·11	-	·02	-	·60	26
27	·29	-	·63	·58	-	-	-	-	-	·74	·02	·10	27
28	·05	-	107	·23	·07	-	-	-	-	·83	-	·25	28
29	-		1·11	·46	-	-	-	·10	-	·15	·02	-	29
30	·56		-	-	·05	-	-	-	·01	·46	·64	-	30
31	·03		·35		·01		·02	·05		·06		-	31
Total	6·15	2·72	(8·56)	7·34	5·35	1·94	1·21	3·70	4·64	7·83	7·61	3·24	YEAR'S TOTAL 60·29
Rain Days.	27	13	25	21	21	12	11	13	16	20	23	17	219

W.7,000, XI. ·13

Compared with originals 15.VII.15. cwd for S Ex. Mg

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

Kept at Black Mountains, Top of Taren-yr-Esgob (Snowdon) No Prec

in the County of Breconshire

by The Referees Abertillery Water Board Act.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·06	·08	·03		·07	T.S. ·43	·83			·50	·06	1
2			·15		·06		T.S. 1·02	·17		·01	·23	·42	2
3	·04		·48	·25	·37			·11		·01	·02	·97	3
4	·42		·21	·14	·33		·48	·04			1·32	·21	4
5	s(·40)		·20	·46	·45			·07			·19		5
6	(·10)	·32	·13	·16	·39	·09						·53	6
7	·04	·23	·45	·07	·49	·08	·25	·46				·72	7
8	·13		·32	·14	·34	1·15		·67	·01			·17	8
9	·12	·13	·04	·23	·15	1·61		·35	·23		·07		9
10		·45	·09	·29	·21				·45				10
11		·42	·26		·06	·62	·14		·14		·85	·64	11
12		·76	·20				·01		·31	·01	·43	·90	12
13		·56	·64	·01			·18		·53	·56	·14	·21	13
14		1·45	·48				·04	·18	·09	·32	·16		14
15	·01	·01	·60				·06	·12	·25		·39	·03	15
16	·03						·21		·36			·08	16
17	·02	·51	·26				·06		·06			·64	17
18		·08	s (·50) ~~·13~~			·01	·19		·14			·81	18
19		·06	·02				1·20		·16		·12	·04	19
20		·71	·09			·11						·48	20
21		·34	·10				·09			·30			21
22		·25	·11	·06		·07		·27		1·01			22
23		·03	·10		·24		·43	·11		·42			23
24	·04		·11	·03			·21	·11		·03	·21		24
25	·28	·03	·22				·17	·58		·36	·41	·21	25
26	·12		·11				·42	·03		·13	·45	·34	26
27	·07	·02								·22	·54	·51	27
28	·20	·36	·24		·20		·03			·10	·08	·70	28
29	·18		·24		·05					·34	1·01	·19	29
30	·05	×	·86	·01				·01		·30	·65	·94	30
31	1·18	×		×		×	·19	·02	×	1·00	×	·17	31
													YEAR'S TOTAL
Total	3·43	6·78	(7·29) ~~6·92~~	1·88	3·34	3·81	5·81	4·13	2·73	5·12	7·77	9·97	~~61·69~~ 62·06
Rain Days.	18	20	28	13	13	9	20	17	12	16	19	23	208

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Blaen y Cwm Grwyne Fawr
in the County of Breconshire
by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.99	.26	.12		.24			.24	.12	48	.02	.44	1
2	.10	.32	.35	.15		.11		1.44	.02	.12		.16	2
3	.22	.29	.16	.12	.07		.42	.35				.41	3
4	.30	.75	.03		.27		.09	.01				.79	4
5	.03	.77	.01					.15				1.51	5
6	.43	.18		.51			.75	.24				.33	6
7	.53	.90		.04	1.07 TS		.11	.02		.04		.82	7
8	.39	.58		.17				.01			.11	.02	8
9	.08	.52		.33							.46	.86	9
10	.49	06	.07	.05				.05		.17	.38	.07	10
11	.20	.	.09	.04				.05			1.18	.11	11
12	.17	.63		.21	.32 S			.42		.19	.75		12
13	.01	2.12			1.02 S			.23	.07		.12	.09	13
14	.02	.07						.35	.05		.05	.55	14
15	.98	.05			.15		.25	.19	.02	.03	.12	.25	15
16	.06	.70			.84		2.08	.16					16
17		.31	.04		1.29			.11					17
18	.01	1.03	.02										18
19	.01	.24			.09		.22						19
20	.61			.12	.20		.06	.01			Mostly Snow	.17	20
21	.36	.16			.02		.35			.20		.03	21
22	.08	.02	.27	.11		.01	.52		.01	.02		.61	22
23	.09	.16	.08				.15		.03	.79		.74	23
24	.03		.07	.02		.02	.14		.22	1.28		1.01	24
25				.04		.62				.07		.11	25
26		.25				.01	.41		.04			.95	26
27		.14				.08	.13			.53		.04	27
28		.52	.01			.10		.07	.24	.10		.14	28
29						.15					.45	.27	29
30	.25			.16		.66		.04		1.00	.51	.40	30
31	.01						.15	[illegible]		2.35		1.02	31
Total	6.45	11.03	1.32	2.07	5.58	1.76	5.83	4.14	.82	7.39	~~4.13~~ 4.18	11.90	YEAR'S TOTAL 62.44
Rain Days.	25	24	13	14	12	9	15	~~20~~ 19	10	15	~~10~~ 11	26	193

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Black Mountain Top of Waun-yr-Esgob Recording Gauge

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	.30	.04	.11	.25								1
2	.10	.23	.13	.12		.21							2
3	.12	.35	.07	.11	.10	–							3
4	.33	.44	.01		.15	–							4
5	.01	.83	.03	NM		–							5
6	.45	.16		× .40		–							6
7	.30	S. drift (.70)			1.46	–							7
8	.21	R & S .40		.10		–							8
9	.09	.15		.09		–							9
10	.35	S .01	.09	.06									10
11	.03	–	.02	.09									11
12	.14	+		.30	.38 S								12
13	.01	(2.00)+			S .44								13
14		–											14
15	.66	S .04			.12								15
16	.03	.70			1.57	Under Repair							16
17		R & sleet (.50)	.02		.50								17
18	.02	R & sleet .60	.01										18
19	.05	S .03		.12	* NM								19
20	.46				× .20								20
21	(.20)	S .03		.12	.02								21
22	.13	S .01	.22	.03									22
23	.01	(S .06)		.03									23
24	.01	S	.07	.04									24
25		S											25
26		S .07											26
27		.05											27
28		.18	.01										28
29													29
30	.14			.09									30
31	.01												31
Total	4.26	7.84	.72	1.81	5.19								YEAR'S TOTAL
Rain Days.	24	22	12	16	12								

477

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Black Mountain Top of Tarren-yr-Esgob (Snowdon) no fence

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.46	.45	.05	.12	.30			1.14	.11	.47		.22	1
2	.13	.30	.22	.14		.22	.07	.78		.02		.37	2
3	.15	.41	.09	.16	.14		.58	.63				.60	3
4	.36	.45	.02		.18		.01	.03	.01			31	4
5	.01	1.03	.04	– N M }				.13				1.39	5
6	.55	.20		+ .42 }			.71	.26				.37	6
7	.36	S. drift .72			1.47		.12			.03	.03	.61	7
8	.29	R .48		.11				.02			.30	.02	8
9	.12	Sleet & S .23		.12			02	.02			.28	.84	9
10	.42	S .02	.13	.07				.03		.14	.18	.06	10
11	.05	–	.02	.11				.51		.17	1.21	.02	11
12	.15	{ ×		.34	.43 S			.04		.02	(.45)		12
13	.01	(2.00) ×			.55 S			.22	.14		.12	.07	13
14		–						.14			.04	.58	14
15	.85	S .05			.15		.30	.19	.03	.04	.15	.16	15
16	.04	.91			1.68		1.80	.22					16
17		(.50)	.04		.52			.02					17
18	.03	Ra .78	.02										18
19	.06	S .04		.13	× N M }		.50						19
20	.61				× .20 }		.03	.01		.24		.20	20
21	.20	S .08		.14	.02		.50					.04	21
22	.15	S .02	.30	.03		.01	.53		.06	.19		N M × }	22
23	.02	S .06		.05			.24			1.03		1.63 }	23
24	.03	S .01	.11	.05		.02			.20	1.07		.74	24
25		S				.66				.02		.16	25
26		S .10				.01	.42		.07			.77	26
27		.08				.27	.12		.06	.68		.17	27
28		.20	.01			.08	.01	.12	.16	.02		.06	28
29						.46		02			.49	36	29
30	.21			.18		.01				.99	.47	{ N M ×	30
31	.01						.24	.09		2.12		{ 1.43	31
Total	5.27	~~9.67~~ 9.12	1.05	2.17	5.64	1.74	5.20	4.62	.84	7.25	3.72	11.18	YEAR'S TOTAL 58.80
Rain Days.	24	24	12	16	12	9	17	20	9	16	11	26	196

W.7,000, XI, 13

4110

FORM A. BRITISH RAINFALL.
22 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at Black Mountain Top of Tarren yr Esgob

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station —
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.30	.06			.02	.16	.03			.37	.14		1
2	13	.36	~~.40~~		.01	.12	.27		.38	.82	.62		2
3	.11	1.37			.24	.23			.44	.32	.09		3
4	.40	.10		.02	.40	.71			.07	.17	1.08		4
5	.19	.38			.37	.27	.04			.71	.16		5
6	.38	.05			.12	.03			.01	.58	.66	.01	6
7	.15	.02			.44	.03	.77			.80	.94	.24	7
8		.03	(4.00)		.60	.15				.10	.15	.18	8
9	.03	.03			.03	.23				.04	.10	.08	9
10	.08	.37		.19	.02				.01	.12	–	.04	10
11	.21			.22	.03	.26	.30		.05	.02	–		11
12	.17	.12		.24	.78		.17	.20	.02	.17	–		12
13		.40		.16	.02			.42		.14	–	.02	13
14	.01	.30		.09	.12			.44		.42	.05		14
15		.95		.28	.14		.01	.11	.10	.05	–	.01	15
16	08	.16		.50			.03			.26	–		16
17	.25	.21		.24				.05	.65	.44	(1.00)		17
18	.15	24	.40	.26					.17	22		(.20)	18
19	.21		.53	.37							.46		19
20	.11	.10	.18		.13						.06	.57	20
21	.03		.30	.12		.02	.12				.04	.04	21
22				.03		.02		.22		.40	.02	.22	22
23	.06		.08	.05	1.68	.01	–	.12		.10	.10	.36	23
24				.03		.02		.14		.95	.20	.09	24
25	.01	(4.00)	.12			.18		.40	.01	.11	.53	.07	25
26	.11		.10			02		.23	(.52)	.50	–		26
27	.05		(1.90)			05		.18	66	.50	.03		27
28	03								.43	.53	.04	.43	28
29			02			.46		.74		.40	.03	.35	29
30		╳				13		.03		.50	–	09	30
31		╳		╳	07	╳		.20	╳	.68	╳	.20	31
Total	3.15	(9.25)	(7.93)	2.80	5.17	3.04	1.74	3.48	3.52	10.39	(6.50)	3.20	YEAR'S TOTAL (60.17)
Rain Days.	23	(25)	(22)	15	18	19	9	14	14	28	22	18	(227)

W. 8,000. X. 15.

3940

FORM A.
BRITISH RAINFALL.

18. FEB 1

REGISTER OF RAINFALL IN 1917 2nd

Kept at Black Mountain Top of Varny Esgd

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04		.28			.83		.65	.06		.04	.08	1
2	.05	.01	.03	(1.50)		.07		.03		.16	.27		2
3	.12									.48	.07		3
4	.03	(.20)	(1.00)	.02			.01	.10		.24		.01	4
5	43		(.50)	.14		03		.06	.95	.45	.36		5
6			(1.25)	.05				.12		.34	.32	.04	6
7	(1.25)		(.25)			.02	.56	.17		.29	.20	.04	7
8			(.30)	(.50)			.31	.95	.05	.76	.31	.14	8
9			(.50)	(.40)	.25			.55	.35	.07	.92		9
10	(.30)		.72	(.50)	.14			.33	.01	.03		.02	10
11	.12		.04		.23			.49		.39	.21		11
12			.02	.06	1.31			.04		.25		.02	12
13			.21			.02		.61	.21	.08		.07	13
14	.12			(.35)	.10		.02	.30		.02		.03	14
15	(.07)			.08	.06		.14		.02	.09		.34	15
16	(.05)	.04		02	.50	.32		.35				(.50)	16
17	(.02)	.03		03	.30		1.27	.70	.16	.31			17
18		.02	.06		.09	.03	.12	.07	1.14	.01			18
19	.03	.92	.32			.51		~~.10~~ .11	.21		.05		19
20					(2.00)	.22	.03	.09	.12		.05		20
21	(.01)	.02	.15		.06	.03		.01		.08	.01		21
22		.02				.01		.70		.22	.12		22
23		.30			.39			.88		.18	.03	.03	23
24	.02	.07	.01			.27				.72	.07	.01	24
25	(.02)	.18	.14			.33		.70	.40	.16	.03		25
26			.01		.24	.20		.73	.02	.03	.08		26
27			.02		.83	.24	.64	1.08		.04	.11		27
28			.30			.33		.75			.02		28
29			.07				.01	.09		.93		(.70)	29
30	.03	✕	.02		.02			.58		.09	.06		30
31	02	✕	.04	✕	.28	✕		66	✕	.04	✕	.01	31
Total	(2.73)	1.81	(6.24)	~~4.00~~ (3.65)	6.80	3.46	3.11	1190	3.70	6.86	3.33	2.04	YEAR'S TOTAL 55.63
Rain Days.	(20) ~~18~~	12	23	14	16	17	10	29	13	26	20	15	215

W. 8,000, VIII. 16

~~GRWYNE FAWR~~
BLACK MOUNTAINS
TAREN ESGOB No 1
BRECON
1911- 1917

1911

FORM A2.
BRITISH RAINFALL.

-6 MAY 1912

Kept at Gwyne

in the County of Bre

by Dr HR Mill

of top 5 in.

top above Ground 1 ft. - in.

" " Sea Level 2040 ft.

ion

Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10		.08	.03	.27		.06	.29			.52		1
2	.02		.02	.03	.14	—		.27		.12		.29	2
3			.07		.32			.18	.11	.10	.23	.20	3
4			.20	.01		—		.42	.02		.37	.70	4
5	.08		.05					.07		.30	.08		5
6	.15		.15	.01				.06			.41	(1.07)	6
7	.02										.64	.01	7
8	.08		.27								.64	.74	8
9	.15		.06						.02		.78	.65	9
10	.06	.08	.14									.44	10
11	.18		.10		1.11				.02		.49	.14	11
12			.32		.27				.36		.61	.68	12
13	.03				.04				.19	.01	.06	.14	13
14	.01	.03								.05	.02	1.45	14
15		.12	.03			.05				.07	.43	.14	15
16	.01	.01			.17	.37				.06	.32	.50	16
17		.15		.03		1.66	.01				.16	.70	17
18		.23	.12	.30		.16				.10	.02	.13	18
19			.03	.28		.51		.02	1.04	.39	.02	.83	19
20		.06	.13	.11		.10			.18	.38		.59	20
21		.17	.19	.02		.11	.02	.83	.12	.23		.09	21
22	.01	.15	.13	.09		.18			.09	.60		.57	22
23		.05	.05		.04			.15	.44	.35		.22	23
24	.01	.08		.12		.82			.05	.07		.21	24
25	.04	.07		.10		.19			.12	.31		.26	25
26		.21		.41	.29	.01		.31	.04	.04	.20	.07	26
27		.50	.32	.18				.34	.50		.03	.17	27
28		.10		.39		.01	—	.16		.01	.25		28
29				.06		.30	.82	.15	.27	.97		.03	29
30				.01	.04	.04	.07			.01	.16		30
31			.01				.12			.03			31
Total	.95	2.01	2.47	2.18	2.69	4.51	1.10	3.25	3.57	4.20	6.39	(11.02)	TOTAL for year 44.34
No. of Rain Days.	15	15	20	17	10	14	6	13	16	20	21	26	193

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. -6 MAY 1912

Kept at Gwryne Fawr Taren Esgob No 1

in the County of Breconshire 7

by Dr H R Mill & H Rofe

RAIN GAUGE — Pattern	
Diameter of top	5 in.
Height of top above Ground	1 ft. - in.
" " " Sea Level	2040 ft.
Time of Observation	
Nearest Railway Station — Name	
Distance	Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10		.08	.03	.27		.06	.29			.52		1
2	.02		.02	.03	.14			.27		.12		.29	2
3			.07		.32			.18	.11	.10	.23	.20	3
4			.20	.01				.42	.02		.37	.70	4
5	.08		.05					.07		.30	.08		5
6	.15		.15	.01				.06			.41	(1.07)	6
7	.02										.64	.01	7
8	.08		.27								.64	.74	8
9	.15		.06						.02		.78	.65	9
10	.06	.08	.14									.44	10
11	.18		.10		1.11				.02		.49	.14	11
12			.32		.27				.36		.61	.68	12
13	.03				.04				.19	.01	.06	.14	13
14	.01	.03								.05	.02	1.45	14
15		.12	.03			.05				.07	.43	.14	15
16	.01	.01			.17	.37				.06	.32	.50	16
17		.15		.03		1.66	.01				.16	.70	17
18		.23	.12	.30		.16				.10	.02	.13	18
19			.03	.28		.51		.02	1.04	.39	.02	.83	19
20		.06	.13	.11		.10			.18	.38		.59	20
21		.17	.19	.02		.11	.02	.83	.12	.23		.09	21
22	.01	.15	.13	.09		.18			.09	.60		.57	22
23		.05	.05		.04			.15	.44	.35		.22	23
24	.01	.08		.12		.82			.05	.07		.21	24
25	.04	.07		.10		.19			.12	.31		.26	25
26		.21		.41	.29	.01		.31	.04	.04	.20	.07	26
27		.50	.32	.18				.34	.50		.03	.17	27
28		.10		.39		.01		.16		.01	.25		28
29				.06		.30	.82	.15	.27	.97		.03	29
30				.01	.04	.04	.07			.01	.16		30
31			.01				.12			.03			31
Total	.95	2.01	2.47	2.18	2.69	4.51	1.10	3.25	3.57	4.20	6.39	(11.02)	TOTAL for year 44.34
No. of Rain Days.	15	15	20	17	10	14	~~5~~6	13	16	20	21	26	193

W. 8,000, X. '11.

S. made Not cond. for S. etc. Oct. 1-4, g. in old position

FORM A2.
BRITISH RAINFALL.

28 APR 1913

REGISTER OF RAINFALL IN 1912

Ex [illegible]

Kept at Gwryne Fawr, top of Taren Esgob ~~Not~~ 100 yards E of no1 Revolving

in the County of Breconshire

by Removed Revolving G. to above on 4 th Oct. Experimental g. no fence

RAIN GAUGE
Pattern Talgarth (Revolving)
Diameter of top ______ in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 2.075 ft.

Time of Observation ______

Nearest Railway Station
Name ______
Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										(·58)	–	·15	1
2										(–)	–	·01	2
3										(–)	·02	·14	3
4										(–)	·28	–	4
5										–	·01	·14	5
6										–	·03	·05	6
7										–	1	·11	7
8										–	–	–	8
9										–	·13	·77	9
10										–	·30	·08	10
11										–	·07	·98	11
12										–	–	·19	12
13										·14	–	·16	13
14										–	–	·08	14
15										·12	–	·39	15
16										·10	·04	·05	16
17										–	·17	·66	17
18										·11	·01	·12	18
19										·16	·05	·24	19
20										·38	} NM	–	20
21										·58	} ·11	·05	21
22										·10	–	·36	22
23										·05	·37	·10	23
24										–	·14	·32	24
25										·57	·85	·86	25
26										·77	·10	·17	26
27										·79	–	·78	27
28										·45	·30	·25	28
29										·38	–	·03	29
30										·93	·03	·05	30
31										·02		·13	31
Total										(6·23)	3·01	7·42	TOTAL for year
No. of Rain Days										17	19	28	

9,000, IX. '10.

Not coord. for S. etc. coord. for arith. IV. 13

made ✓

REGISTER OF RAINFALL IN 1912

Ex JC

FORM A2. BRITISH RAINFALL.

28 APR 1913

Kept at Gwryne Fawr Taren Esgob No 1

in the County of Breconshire

by C (Outside adjoining gauge) Experimental g.

RAIN GAUGE
Pattern Talgarth
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 2,039 ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·36	–	·02	·78	–	·16					1
2	·02	(·10)	·61	·09	–	·46	·60	–					2
3	·22	(·05)	·52	–	·24	·18	·06	2·25					3
4	·27	(·05)	·55	–	·09	–	–	·10					4
5	·25	·16	·30	·01	·12	–	–	1·20					5
6	·54	·15	–	–	·06	·06	–	·11					6
7	–	·67	·55	–	·06	·37	·22	·08					7
8	·41	·05	·12	–	–	·04	–	–					8
9	–	·11	·63	·21	–	·48	·04	·75					9
10	·55	·20	–	–	–	–	·17	·11					10
11	–	·20	–	–	·17	–	·04	·01					11
12	·07	·35	·11	·12	·04	·02	·12	#					12
13	·05	·02	·02	–	–	·03	–						13
14	·06	·08	·65	–	·26	·02	–						14
15	·52	·03	·02	–	·35	·21	–						15
16	·61	–	·35	–	–	·05	–						16
17	}	–	·05	–	·02	·18	–						17
18	·53	·04	·07	–	–	–	–						18
19	·12	·35	–	–	–	–	·46						19
20	·11	·03	·52	–	–	–	·17						20
21	–	·19	·78	–	·71	–	·60						21
22	·34	·24	·17	–	·25	·03	·36						22
23	·46	·18	·37	–	–	·48	·01						23
24	·12	·03	·07	–	–	·28	·08						24
25	–	·15	–	–	–	·17	·16						25
26	–	·02	·07	–	–	–	·11						26
27	–	·02	·14	–	–	·45	1·61						27
28	–	·09	–	–	–	·46	·62						28
29	–	·16	·06	–	–	·11	·02						29
30	–		·23	–	·05	·11	·77						30
31	–		·14		·04		·19						31
Total	5·25	3·72	7·46	·43	2·48	4·97	6·41						TOTAL for year
No. of Rain Days	19	26	25	4	15	21	20						X

9,000, IX. '10.

S. made ✓

Cond. for S. 3·V·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
26 APR 1913

Kept at Gwyne Fawr, Taren Esgob Mol

in the County of Breconshire

by Referees Abertillery W.B. Act A (Inside Fence)

~~Lat.~~ Snowdon ~~Long.~~

Nearest Railway Station

Time of Observation Various

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " Sea Level 2,039 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·34	–	·02	·73	–	·16	·02	·59	–	·19	1
2	·02	see book (·10)	·68	·09	–	·46	·59	–	–	–	–	·02	2
3	·20	(·05)	·60	–	·23	·18	·06	2·17	·12	–	·03	·11	3
4	}(·90)	(·05)	·44	–	·08	–	–	·12	·07	–	·24	–	4
5		·15	·35	·02	·13	–	–	1·17	·10	–	·01	·12	5
6	·53	·22	–	–	·07	·06	–	·11	–	–	·03	·05	6
7	–	·69	·63	·01	·07	·37	·22	·08	·02	·01	–	·09	7
8	·54	·05	·12	–	–	·04	–	–	·06	·	–	–	8
9	–	·10	·65	·18	–	·48	·05	·76	·02	–	·11	·68	9
10	·56	·18	–	–	–	–	·21	·11	–	–	·27	·05	10
11	–	·19	–	–	·18	–	·04	·01	–	–	·10	·83	11
12	·07	·31	·14	·12	·04	·02	·12	·03	–	–	·01	·14	12
13	·07	·02	·02	–	–	·03	–	·16	·07	·11	–	·10	13
14	·06	·10	·70	–	·26	·02	–	·11	–	–	–	·05	14
15	·62	·04	·02	–	·25	·19	–	·08	–	·12	–	·32	15
16	·65	–	·38	–	–	·05	–	·23	·01	·09	·04	·05	16
17		–	·06	–	·02	·17	–	·38	–	–	·15	·69	17
18	}(·75)	·04	·09	–	·	–	–	·52	–	·12	·01	·11	18
19	·14	·38	–	–	–	–	·46	·55	–	·14	·04	·19	19
20	·11	·04	}(1·73)	–	–	–	·16	·04	–	·36	·08	–	20
21	–	·23		–	·72	–	·57	·35	–	·53	–	·05	21
22	·40	·29	·19	–	·24	·04	·34	·56	–	·10	–	·33	22
23	·52	·18	·38	–	–	·45	·01	·45	–	·06	·33	·10	23
24	·14	·03	·09	–	–	·27	·08	~~2·05~~	–	–	·09	·24	24
25	–	·17	–	–	–	·17	·16	2·05	–	·56	·57	·88	25
26	–	·02	·07	–	–	–	·11	·65	–	·60	·12	·16	26
27	–	·03	·17	–	–	·49	1·51	~~·63~~	–	·76	–	·56	27
28	–	·10	–	–	–	·47	·66	·63	·55	·37	·45	·23	28
29	–	·20	·06	–	–	·11	·02	·19	·94	·29	–	·03	29
30	–		·24	–	·05	·12	·73	–	·02	·78	·02	·04	30
31	–		·17		·04		·17	·06		·03		·12	31
Total	6·28	3·96	(8·32)	·42	2·40	4·92	6·27	11·73	2·00	5·62	2·70	6·53	TOTAL for year 61·15
No. of Rain Days.	19	26	25	5	15	21	20	26	12	18	19	28	234

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Not cord. for S. etc. ~~Ex J.C.~~ cont. by original IV. 13

FORM A2. BRITISH RAINFALL.

28 APR 1913

REGISTER OF RAINFALL IN 1912

Kept at Gwyne Fawr Taren Egob No1.

in the County of Breconshire

by B (Revolving Gauge)

Experimental g.

RAIN GAUGE { Pattern Talgarth (Revolving)
Diameter of top .... in.
Height of top above Ground 1 ft. – in.
„ „ „ Sea Level 2039 ft.

Time of Observation ....

Nearest Railway Station { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·28					·14	·02	·58			1
2	·02	see book (·10)	·62					–	–	–			2
3	·22	(·05)	·56					2·03	·11	–			3
4	·18	(·05)	·45					·10	·07	–			4
5	·24	·15	·24					1·15	·10	G removed			5
6	·56	·10	–					·11	–	to top of			6
7	–	·60	Gauge out of order, being repaired					·07	·03	Taren Egob			7
8	·37	·03						–	·07				8
9	–	·08						·71	·02				9
10	·48	·18		Gauge away for repairs				·10	–				10
11	–	·20						·01	–				11
12	·06	·31						·03	–				12
13	·04	·02						·16	·07				13
14	·05	·07						·11	–				14
15	·40	·03						·08	–				15
16	·61	–					Refixed	·22	·01				16
17	Snow Storm	–						·37	–				17
18	·45	·03						·48	–				18
19	·15	·37						·55	–				19
20	·09	·03					·17	·04	–				20
21	–	·18					·57	·36	–				21
22	·25	·18					·35	·46	–				22
23	·33	·17					·01	·36	–				23
24	·10	·03					·08	–	–				24
25	–	·14					·14	2·14	–				25
26	–	·02					·09	·70	–				26
27	–	·02					1·30	–	–				27
28	–	·08					·48	·59	·54				28
29	–	·14					·02	·18	·90				29
30	–						·61	–	·02				30
31	–						·16	·05					31
Total	4·60 ✓	3·36 ✓						11·30	1·96				TOTAL for year
No. of Rain Days.	19 ✓	26 ✓						26 ✓	12 ✓				✗

W. 8,000, X. '11.

Copy

and for S fr

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

17 JUN 1914

Kept at Black Mountains Taren-yr. Esgob No 1

in the County of Breconshire Esc Wg.

by The Referees Abertillery Water Board Act.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2039 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·09	·38	·18	-	-	-	-	·25	·06	·17	·01	1
2	·11	·43	·30	·09	·23	-	-	-	·04	·93	·16	·05	2
3	·52	·09	·05	-	·76	-	-	-	·01	·04	-	·22	3
4	·78	·21	·05	-	·30	·14	·12	-	2·28	} ·82 x	·17	·38	4
5	·06	·10	·04	-	·25	·17	·39	-	·27		·45	·08	5
6	·15	·50	·14	-	·21	·13	·05	-	-	1·38	·01	·49	6
7	·05	·02	·04	-	1·04	·19	-	-	-	·84	·20	-	7
8	·08	·20	·01	-	·24	-	·04	·25	-	·16	-	-	8
9	·01	·25	·06	·03	·38	·42	·09	-	·19	-	·51	·12	9
10	·93	-	·03	·41	·13	-	-	·50	-	·61	·15	-	10
11	·28	-	-	·02	·22	·01	-	-	-	-	·46	·04	11
12	·02	-	-	-	·54	·03	-	·22	·10	-	1·10	·10	12
13	·06	-	·63	·10	·02	-	·04	·03	·40	-	·21	-	13
14	·35	-	·26	·38	-	-	-	·12	-	·33	·12	-	14
15	·07	·02	·47	·73	-	-	-	·22	·01	-	·09	·06	15
16	·46	·03	} (1·00) x	·10	-	-	·02	·47	·20	-	·02	-	16
17	·15	-		·39	·01	-	·16	-	-	-	·22	-	17
18	·35	-	(·50)	·37	·01	·02	·18	-	-	-	-	-	18
19	·22	-	·49	·03	·03	·22	-	-	·12	·26	·08	·01	19
20	·25	-	} (1·50) x	·42	·02	-	-	-	-	·10	·96	-	20
21	-	-		·06	·19	-	·09	·25	·06	·06	-	-	21
22	·74	-	·47	-	-	·11	-	·82	·63	-	-	-	22
23	·09	-	·06	·01	-	·07	-	·03	·02	-	·21	·07	23
24	·05	·14	-	·18	-	-	-	-	-	-	·09	·03	24
25	-	·06	-	·70	-	-	-	-	·10	·04	·08	·19	25
26	-	-	-	·74	·14	·01	-	·11	-	·02	-	·29	26
27	·30	-	·57	·50	-	-	-	-	-	·75	·01	·10	27
28	·05	-	·05	·21	·07	-	-	-	-	·75	-	·25	28
29	-		1·29	·47	-	-	-	·13	-	·13	·02	-	29
30	·36		-	-	·04	-	-	-	·01	·45	·40	-	30
31	·05		·36		·01		·02	·05		·06		-	31
Total	6·61	2·14	(8·75)	6·12	4·84	1·52	1·20	3·20	4·69	7·79	5·89	2·49	YEAR'S TOTAL 55·24
Rain Days.	27	13	25	21	21	12	11	13	16	20	23	17	219

W.7,000, XI. 13

Compared with original 15.VII.15 Ex. MG.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

Kept at Black Mountains, Tavern-yr-Esgob No 1 (Inside)

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 2039 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04	·08	·02		·07	T.S. ·45	·78			·53	·06	1
2			·13		·05		T.S. 1·02	·17		·01	·24	·26?	2
3	·03		·30?	·24	·32			·10		·01	·02	·63?	3
4	·32		·13?	·11	·30		·54	·04			1·50	·15?	4
5	s(·40)		·12	·34?	·34?			·06			·19		5
6	(·10)	·28	·10	·11	·36	·09						·43?	6
7	·04	·19	·29?	·05	·35?	·07	·25	·40				·50?	7
8	·11		·30	·10	·28?	1·34		·42	·01			·14?	8
9	·09	·13	·05	·15	·13	1·67		·23	·22		·07		9
10		·28	·09	·27	·16				·43				10
11		·35	·25		·05	·61	·14		·12		·65?	·70?	11
12		·53	·16				·02		·32	·01	·25?	·95	12
13		·35	·56	·01			·17		·46	·68	·12	·20	13
14		·69?	·34?				·02	·21	·08	·31	·25		14
15	·01	·01	·40				·06	·12	·21		·36	·02	15
16	·02		·01				·22		·26			·07	16
17	·02	·28?	·31				·07		·05			·64?	17
18		·08	s(·50) ~~·80~~			·01	·22		·13			·66?	18
19		·05	·12				1·20		·16		·15	·05	19
20		·60	·20			·11						·51 s	20
21		·40	·11				·09			·29			21
22		·27	·10	·05		·07		·19		·87			22
23		·03	·08		·24		·38	·10		·45			23
24	·04		·12	·03			·19	·10		·03	·21		24
25	·25	·03	·24				·15	·50		·33	·18?	·19	25
26	·09		·09				·41	·03		·12	·32	·29?	26
27	·06	·02								·21	·43	·47	27
28	·14	·29	·23		·22		·03			·10	·06	(·70) 10 in s	28
29	·12		·23?		·05					·42	1·01?	·12?	29
30	·03	✕	·48	·01				·01		·36	·51	·82?	30
31	·65?	✕		✕		✕	·21	·02	✕	1·09	✕	·30?	31
Total	2·52?	4·90?	(6·42?)	1·49	2·85	4·04	5·84	3·48	2·45	5·29	7·05?	8·86?	YEAR'S TOTAL 54·89
Rain Days.	18	20	29	13	13	9	20	17	12	16	19	23	209

W. 8,000. X. 14.

4078

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Black Mountain Taren yr Esgob No 1 (outside)

in the County of Breconshire

by The Referees Abertillery Water Board

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2039 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.58	.34	.06	.11	.32			1.04	.10	.46		.20	1
2	.16	.27	.23	.13		.20	.06	.77		.02		.35	2
3	.16	.49	.10	14	.14		.60	.64				.61	3
4	.38	.46	.02		.20		.01	.03	01			.30	4
5	.01	1.02	.04	– NM }				.13				1.31	5
6	.48	.18		× .40 }			.67	.23				.30	6
7	.39	.74			1.58		.11			.03	(.03)	.57	7
8	.31	.48		.11				.02			.30	.02	8
9	.10	.31		.13			.02	.02			.29	.78	9
10	.43	.03	.13	.07				(.03)		.14	.18 ~~(.37)~~	.05	10
11	.05	-	.02	.12				.46		.15	about 15" in S. 12" deep .14	.03	11
12	.15	} (2.00) ×		.38	.46			.04		.02	.43		12
13	01	} Snow (est.) ×			.79			.20	.13		.18	.06	13
14		-						.13			.05	.55	14
15	.76	.04			.14		.27	.18	.03	.04	17	.15	15
16	.04	.83	} –		1.64		1.68	.22					16
17		.51	} .05		.60			(.02)					17
18	.03	.72	.03										18
19	.08	.04		.13	× NM }		.41						19
20	.60	–			× .20 }		.02	.01		.24		.17	20
21	.15	.10		.14	02		.42					.03	21
22	.18	.02	.31	.04		01	.46		.06	.20		NM × }	22
23	.02	.10		.06			.23			1.15		1.26 × }	23
24	.02	.01	.11	.06		.02			.20	1.12		.67	24
25		–				.69				.02		.16	25
26		.14				.01	.39		.07			.60	26
27		.10				.26	.10		.06	.69		.10	27
28		.30	.01			.07	.01	.12	.17	.02		.06	28
29						.48		.02			.48	.34	29
30	.20			.19		01				1.18	.45	NM ×	30
31	.01						.23	.10		2.56		1.05 ×	31
Total	5.30	9.23	1.11	2.21	6.09	1.75	5.69	4.41	.83	8.04	~~3.89~~ 3.76	9.72	YEAR'S TOTAL 58.08
Rain Days.	24	24	12	16	12	9	17	20	9	16	11	26	196

4477

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Black Mountain Taren-yr-Esgob No 1 Inside
in the County of Breconshire new gauge Feb 5.
by The Referees Abertillery Water Board

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 2039 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.41	·26	.06	.09	.31			1.06	.10	.48		.18	1
2	.18	·23	.21	.10		.20	.06	.76		.02		.34	2
3	.22	·42	.09	.10	.14		.64	.63				.59	3
4	.33	·42	.02		.19		.01	.04	01			.28	4
5	.01	·84	.03	– NM				.13				1.41	5
6	.45	·17		x 35			.67	.24				.30	6
7	.28	·60			TS 1.60		.10			03	.03	.54	7
8	.24	·42		.11				.02			.27	.02	8
9	.09	·50		.12			02	.02			.22	.83	9
10	.36	·04	.12	.07				03		.14	.14 ~~.37~~	.05	10
11	.05	-	.02	.11	12 hr. S [illegible]			.47		.16	about 7[illegible] 1.5 12" deep 1.43	.04	11
12	.12	(2·00)x		.36	.55			.04		02	.45		12
13	.01	S. storm [illegible] x			.85			.20	.13		.20	.06	13
14		-						.13			.06	.52	14
15	.65	·04			.14		.26	.17	.03	.04	.18	15	15
16	.04	·52	–		1.67		1.69	.22					16
17		·46	.05x		.61			.02					17
18	.03	·61	.03										18
19	.07	·04		.12	x NM		.39						19
20	.58	-			x .20		.02	01		.24		15	20
21	.17	·09		.14	.02		.40					03	21
22	.20	·02	.29	.04		.01	.42		.06	.20		NM x	22
23	02	·13		.05			.22			1.13		1.09 x	23
24	.03	·01	.11	.06		.02			.20	1.10		.63	24
25		-				.70				.02		.16	25
26		·15				.01	.36		.07			.63	26
27		·10				.26	.10		.06	.70		.04	27
28		·35	.02			.07	.01	.12	.17	.02		.06	28
29						.48		.02			.48	.34	29
30	.28			.15		02				1.22	.43	NM x	30
31	.01						22	.09		2.65		86	31
Total	4.83	8.42	1.05	1.97	6.28	1.77	5.59	4.42	.83	8.17	~~4.12~~ 3.89	9.30	YEAR'S TOTAL 56.52
Rain Days.	24	24	12	16	12	9	17	20	9	16	11	26	196

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

26 JUN 1917

Kept at Black Mountain Taren-yr-Esgob No 1 Inside

in the County of Breconshire

by The Referees Abertillery Water Board

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 2039 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.28	.05			.02	.11	.03			.36	.12		1
2	.15	.30			.01	.11	.25		.35	.80	.56		2
3	.07	1.35			.27	.21			.39	.31	.08		3
4	.23	.08		.03	.46	.65			.06	.14	1.00		4
5	.06	.35			.31	.26	.04			.68	.15		5
6	.25	.08			.11	.03	N M		.01	.46	.41	.01	6
7	13	.02			.41	.03	} .75			.72	.87	.21	7
8	.	.05	(4.00)		.58	.13				.07	.15	.20	8
9	.02	.03			.03	.21				.03	.08	.10	9
10	.06	.38		.19	.02				.01	.09	-	.07	10
11	.16			.21	.03	.24	.26		.05	.01	-		11
12	.11	.10		.19	.69		.16	.19	.02	.10	-		12
13		33		.11	.02			.36		.08	-	.03	13
14	.01	.39		.08	.12			.37		.24	.05	}	14
15		.60		.24	.14		.01	.11	.08	.04	-	.01	15
16	.06	.20		.43			.03			.24	-		16
17	.19	.19		.21				.04	.46	.38	(1.00)		17
18	.12	.23	.41	.26					.15	.19	}	(20)	18
19	.14		1.06	.30							.47	N M	19
20	.07	.13	.20		{.12}						.05	} .60	20
21	.02		.40	.11		.02	.12				.04	07	21
22				.03		.02		.20		.45	.02	.26	22
23	.04		.08	.04	{1.72}	.01		.11		.09	.13	(.50)	23
24				.03		.02		.12		.85	.16	(.24)	24
25	.08	(4.00)	.35			.19		.39	.01	.10	.37	.08	25
26	.06		.44			.02		.22	.52	.62	-		26
27	.03		(1.90)			.05		.16	.75	.44	.01		27
28	.02								.45	.41	.02	.50	28
29	-		.04			.45		.81		.40	.02	.25	29
30		X				.11		.03		.51	-	.04	30
31		X	.02	X	.04	X		17	X	.66	X	.15	31
Total	2.29	(8.86)	(8.90)	2.40	5.10	2.87	1.65	3.28	3.31	9.41	(5.76)	3.52	YEAR'S TOTAL (57 35)
Rain Days.	23	(25)	(23)	15	18	19	9	14	14	28	22	19	(229)

W. 8,000. X. 15.

cnd fr 3

4109

FORM A. BRITISH RAINFALL. 22 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at Black Mountain Tarren yr Esgob No 1 outside

in the County of Breconshire

by The Referees Abertillery Water Board

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2039 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.33	.05			.02	.12	.03			.36	.11		1
2	.16	.32			.01	12	.26		.34	.81	.47		2
3	.09	1.42			.28	.20			.35	.32	.08		3
4	.31	.10		.03	.46	.63			.06	.16	.98		4
5	.08	.40			.32	.23	.04			.67	.14		5
6	.32	.08			.12	.03			.01	.48	.54	.01	6
7	.15	.02			.40	.03	.76			.73	.96	.20	7
8		.04	7 8		.62	.11				.07	.15	.20	8
9	.03	.03	(4.00)		.03	.21				.03	.09	.10	9
10	.08	.38		.20	.02				.01	.10	–	.05	10
11	.22			.23	.03	.23	.25		.05	.01	–		11
12	.14	.12		.23	.70		23	(.19)?	.02	.12	–		12
13		.41		.14	.02			.37		.10	–	.03	13
14	.01	.36		.11	.13			.39		.21	.05		14
15		.88		.26	.15		.01	.11	.09	.04	–	.01	15
16	.07	.20		.51			.03			.22	–		16
17	.22	.22		.25				.04	.51	(.38)	(1.00)		17
18	.13	.24	.44	.27					.17	.22		(.20)	18
19	.17		1.12	.36							.45	NM	19
20	.09	12	.22		.13						.05	.60	20
21	.02		.25	.13		.02	.12				.04	.05	21
22				.03		.02		.21		.44	.02	.26	22
23	.05	(4.00)	.10	.05	1.65	.01		.11		.08	.12	(.50)	23
24				.03		.02		.11		.86	.16	.24	24
25	.01	7	.16			.19		.38	.01	.09	.39	.05	25
26	.09	T	.17			.02		.21	.55	.48	–		26
27	.04		7			.05		.16	.75	.35	.01		27
28	.02		(1.90)						.45	.36	.02	.54	28
29			.03			.46		.82		.38	.02	.30	29
30		X				.09		.03		.49	–	.07	30
31		X	.02	X	.04	X		.17	X	.63	X	.19	31
Total	2.83	(9.39) ~~comp~~	(8.41) ~~comp~~	2.83	5.13	2.79	1.73	3.30	3.40	9.19	(5.85)	3.60	YEAR'S TOTAL (58.45)
Rain Days.	23	(23)	(23)	15	15	19	9	14	14	28	22	19	(227)

W. 8,000. X. 15.

9d

3938

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

18. FEB 1918

Kept at Black Mountain Taren-y-Esgob No 1 Inside
in the County of Breconshire
by The Referees Abertillery Water Board

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 2039 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02		.24			.75		.58	.06		.04	.13	1
2	.03	01	.03	(1.50)		.05		.03		.17	.31		2
3	.05									.45	.08		3
4	.03	(.20)	(1.00)	.02			.01	10		.50		.02	4
5	.33		(.50)	.26		.02		05	.95	.43	.21		5
6			(1.25)	.08				16		.30	.30	.02	6
7	(1.25)		(.25)			.02	.62	.18		.20	.16	.03	7
8			(.30)	(50)			.35	.96	.05	.54	.23	.12	8
9			(.50)	(.40)	.22			.45	.36	.06	.74		9
10	(.30)		64	(50)	.13			34	.02	.02		.02	10
11	(.15)		03		.22			.53		.39	.19		11
12			02	(.10)	1.30			.05		.25		.01	12
13			18			.02		.63	.12	.07		.03	13
14	(.12)			(35)	.12		.02	.27		.02		.03	14
15	(.07)			(.20)	.07		.13		.02	.04		.40	15
16	(.05)	.04		.08	.54	.31		.35				.50	16
17	(.02)	.03		.04	.34		1.23	.67	.14	.28			17
18		.02	05		.10	.03	.14	.03	1.10	.01			18
19	.03	.81	.33			.47		~~15~~ .10	.14		.04		19
20					1.95	.16	.02	.08	.09		.03		20
21	(01)	.02	.26		.06	.02		.01		.06	.01		21
22		.02				.01		.66		.14	.09		22
23		.26			.38			.74		.20	.02	.08	23
24	.02	.06	.01			.22				.50	.05	.01	24
25	(.02)	17	.13			.30		.48	.29	.15	.02		25
26			.02		.22	.20		.56	.02	.03	.06		26
27			.02		.91	.26	.66	1.23		.04	06		27
28			.33			.37		.60			.01		28
29			.08				.01	.07		.89		.70	29
30	.03	X	.03		.02			.49		.08	.02		30
31	.02	X	.06	X	.23	X		41	X	.06	X	.02	31
Total	(2.55)	1.64	(6.29)	(4.03)	6.84	3.21	3.20	~~10.99~~ 10.81	3.36	5.68	2.67	2.12	YEAR'S TOTAL 52.57
Rain Days.	(20)	12	23	14	16	17	10	29	13	26	20	15	215

W. 8,000, VIII. 16

3939

FORM A.
BRITISH RAINFALL.

18. FEB 1917

REGISTER OF RAINFALL IN 1917

Gw

Kept at Black Mountain Taren-y-Esgob No 1 outside
in the County of Breconshire
by The Referees Abertillery Water Board

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 2039 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03		26			.79		.60	.06		.04	.09	1
2	.06	.01	.03	(1.50)		.06		.03		.16	.29		2
3	.13									.46	.08		3
4	03	(.20)	(1.00)	.02			.01	.10		.63		.01	4
5	.40		(.50)	.20		03		.05	.95	.46	.26		5
6			(1.25)	.07				.15		.29	.33	.02	6
7	(1.25)		(.25)			.02	.63	.17		.29	.20	.03	7
8			(.30)	(50)			(.35)	.88	.05	.63	.27	.10	8
9			(.50)	(.40)	.23			.44	.35	.07	.85		9
10	(.30)		.66	(.50)	.13			.30	.01	.03		.02	10
11	(.15)		.03		.22			.49		.34	.21		11
12			.02	10	1.33			.05		.26		.02	12
13			.20			.02		.59	.13	.07		.05	13
14	(.12)			(35)	.12		.02	.28		.02		.03	14
15	(.07)			.12	.08		.13		.02	.07		.28	15
16	(.05)	.04		03	.54	.30		.34				.40	16
17	(.02)	.03		04	.33		1.29	.68	.14	.28			17
18		.02	.06		.11	.03	.15	.03	1.12	.01			18
19	03	86	.35			.48		~~.13~~ .10	.10		.04		19
20					2.05	.21	03	.08	.08		.04		20
21	(01)	.02	.20		.08	.02		.01		.04	.01		21
22		.02				01		.65		.12	.11		22
23		.28			.37			.79		.22	.02	.05	23
24	02	.07	.01			.24				.51	.06	.01	24
25	(.02)	.17	.15			.30		.44	.25	.16	.02		25
26			.01		.23	.22		56	.02	.03	.07		26
27			.02		.80	.25	(.66)	1.23		.04	.10		27
28			.30			.30		.72			.01		28
29			.08				.01	.08		.93		.50	29
30	.03		.03		.02			.48		.09	.02		30
31	.02		06		.26			.41		.05		.02	31
Total	(2.74)	1.72	(6.27)	~~4.00~~ (3.83)	6.90	3.28	3.28	10.73	3.28	6.26	3.03	1.63	YEAR'S TOTAL 52.95
Rain Days.	(29)	12	23	14	16	17	10	29	13	26	20	15	215

W. 8,000, VIII. 16

Ex F.C.

RE … 19 11 …cards

~~GRWYNE FAWR~~
BLACK MOUNTAINS
TWYN-TAL-Y-CEFN
BRECON
1911-1917

FORM A2.
BRITISH RAINFALL.
12 JUN 1912

Kept at Gwyne F… …top 5 in.
…above Ground 1 ft. 0 in.
in the County of Bre… „ Sea Level circa 2130 ft.
9 a.m.
by H Rofe + Dr HR Mill… …tion { Name … Distance … Direction …
JR Getting…

IMPORTANT NOT… …should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	-	·12	-	·34	-	·05	·03	-	-	·42	-	1
2	·02	-	·03	·11		-	-	·30	-	·14	-	·40	2
3	-	-	·09	-	·52	-	-	·16	·12	·09	·17	·24	3
4	-	-	·18	·06	-	-	-	·58	·03	-	·37	·62	4
5	·16	-	·07	·02	-	-	-	·04	-	·28	·07	-	5
6	·13	-	·16	·01	-	-	-	·05	-	-	·35	·81	6
7	·02	-	-	-	-	-	-	-	-	-	·48	·01	7
8	·11	-	·27	-	-	-	-	-	-	-	·67	·75	8
9	·17	-	·01	-	-	-	-	-	·01	-	·78	·70	9
10	·04	·08	·26	-	-	-	-	-	-	-	-	·52	10
11	·12	-	·10	-	·90	-	-	-	·03	-	·51	·14	11
12	-	-	·34	-	·27	-	-	-	·52	-	·42	·60	12
13	·03	-	-	-	·03	-	-	-	·13	·01	·07	·18	13
14	-	·02	-	-	-	-	-	-	-	·06	·01	1·61	14
15	·01	·09	·05	-	-	·05	-	-	-		·36	·17	15
16	-	·02	-	-	·05	·89	-	-	-	·13		·52	16
17	·01	·22	-	·06	-	·86	·01	-	-	-	·43	·82	17
18	-	·41		·40	-		-	-	-	·11	·02	·20	18
19	-	-	·26	·34	-	·59	-	·03	1·26	·42	·03	·76	19
20	-	·09	·08	·13	-	·11	-	-	·14	·55	-	·54	20
21	-	·19	·19	·02	-	·09	·01	·71	·09	·36	-	·10	21
22	-	·29	·	·06	-	·15	·01	-	·10	·45	-	·55	22
23	-	·05	·13	-	·05	-	-	·18	·49	·32	-	·22	23
24	·02	·10	-	·15	-	·57	-	-	·05	·07	-	·18	24
25	·05	·06	-	·12	-	·13	-	-	·19	·22	·01	·22	25
26	-	·28	-	·38	·29	·01	-	·28	·05	·06	·21	·06	26
27	-	·42	·20	·22	-	-	-	·43	·45	-	·05	·14	27
28	-	·07	-	·42	-	·01	-	·23	·04	·01	·26	-	28
29	-		-	·02	-	·36	·74	·14	·19	·89	-	·03	29
30	-		-	·02	·04	·04	·09	-	-	·02	·18	-	30
31	-		-		-		·31	-		·04		-	31
Total	·91	2·39	2·54	2·54	2·49	3·86	1·22	3·16	3·89	4·23	5·87	11·09	TOTAL for year 44·19
No. of Rain Days.	14	15	19	18	10	14	7	13	17	19	22	26	194

W. 8,000, X. '11.

Ex F.C.

ards

RE 1911

FORM A2.
BRITISH RAINFALL.
12 JUN 1912

Kept at Gwyrne Fawr, Twyn Tal y Cefn 203

in the County of Brecon

by H Rofe + Dr HR Mill
JRGethin Jones

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level circa 2130 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	-	.12	-	.34	-	.05	.03	-	-	.42	-	1
2	.02	-	.03	.11		-	-	.30	-	.14	-	.40	2
3	-	-	.09	-	.52	-	-	.16	.12	.09	.17	.24	3
4	-	-	.18	.06	-	-	-	.58	.03	-	.37	.62	4
5	.16	-	.07	.02	-	-	-	.04	-	.28	.07	-	5
6	.13	-	.16	.01	-	-	-	.05	-	-	.35	.81	6
7	.02	-	-	-	-	-	-	-	-	-	.48	.01	7
8	.11	-	.27	-	-	-	-	-	-	-	.67	.75	8
9	.17	-	.01	-	-	-	-	-	.01	-	.78	.70	9
10	.04	.08	.26	-	-	-	-	-	-	-	-	.52	10
11	.12	-	.10	-	.90	-	-	-	.03	-	.51	.14	11
12	-	-	.34	-	.27	-	-	-	.52	-	.42	.60	12
13	.03	-	-	-	.03	-	-	-	.13	.01	.07	.18	13
14	-	.02	-	-	-	-	-	-	-	.06	.01	1.61	14
15	.01	.09	.05	-	-	.05	-	-	-		.36	.17	15
16	-	.02	-	-	.05	.89	-	-	-	.13		.52	16
17	.01	.22	-	.06	-	.86	.01	-	-	-	.43	.82	17
18	-	.41		.40	-		-	-	-	.11	.02	.20	18
19	-	-	.26	.34	-	.59	-	.03	1.26	.42	.03	.76	19
20	-	.09	.08	.13	-	.11	-	-	.14	.55	-	.54	20
21	-	.19	.19	.02	-	.09	.01	.71	.09	.36	-	.10	21
22	-	.29		.06	-	.15	.01	-	.10	.45	-	.55	22
23	-	.05	.13	-	.05	-	-	.18	.49	.32	-	.22	23
24	.02	.10	-	.15	-	.57	-	-	.05	.07	-	.18	24
25	.05	.06	-	.12	-	.13	-	-	.19	.22	.01	.22	25
26	-	.28	-	.38	.29	.01	-	.28	.05	.06	.21	.06	26
27	-	.42	.20	.22	-	-	-	.43	.45	-	.05	.14	27
28	-	.07	-	.42	-	.01	-	.23	.04	.01	.26	-	28
29	-		-	.02	-	.36	.74	.14	.19	.89	-	.03	29
30	-		-	.02	.04	.04	.09	-	-	.02	.18	-	30
31	-		-		-		.31	-		.04		-	31
Total	.91	2.39	2.54	2.54	2.49	3.86	1.22	3.16	3.89	4.23	5.87	11.09	TOTAL for year 44.19
No. of Rain Days.	14	15	19	18	10	14	7	13	17	19	22	26	194

W. 8,000, X. '11.

made ✓ Not cont. for S &c. Ex FC

FORM A2. BRITISH RAINFALL.

28 APR 1913

REGISTER OF RAINFALL IN 1912

Kept at Grwyne Fawr, Tal-y-cefn No 3

in the County of Breconshire

by (Outside Fence)

Experimental g.

RAIN GAUGE
Pattern Talgarth
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 2,130 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	NM	·33	-	·04	·74	-	·27	·02	·41	-	·18	1
2	·03	·07	·54	·07	-	·51	·53	-	-	-	-	·01	2
3		-	·51	-	·19	·22	·03	2·24	NM	-	·02	·11	3
4		(·10)	·44	-	·06	-	-	·14	·19	-	·31	-	4
5	·84	(·16)	·24	·03	·13	-	-	·96	·08	-	·01	·11	5
6	·34	·17	-	-	·06	·09	-	·16	-	-	·03	·05	6
7		·55	·56	·02	·06	·51	·26	·30	·02	·01	-	·10	7
8	·38	·05	·10	-	-	·05	-	-	·07	-	-	-	8
9	-	·12	·83	·14	-	·41	·02	·81	·03	-	·10	·73	9
10	·50	·18	-	-	-	-	·25	·07	-	-	·29	·09	10
11	-	·26	-	-	·19	-	·03	·02	-	-	·08	·96	11
12	·07	·30	·08	·11	·03	·02	·14	·02	-	-	·01	·13	12
13	·08	·03	·02	-	-	·02	-	·18	·06	·13	-	·23	13
14	·06	·05	·74	-	·32	·02	-	·12	-	-	-	·05	14
15	·72	·03	·02	-	·34	·16	-	·14	-	NM	-	·30	15
16	·55	-	·43	-	-	·04	-	·24	·01	·17	·03	·06	16
17		-	·07	-	·02	·15	-	·28	-	-	·16		17
18	·48	·04	·08	-	-	-	-	NM	-	·13	·01	·87	18
19	·13	·28	-	-	-	-	·54	1·10	-	·11	·02	?	19
20	·08	·03	·65	-	-	-	·17	·04	-	·29	NM	?	20
21	-	·21	·67	-	·85	-	heavy R NM	·33	-	·38	·09	?	21
22		·29	·18	-	·22	·03	1·09	·65	-	·11	·01	·60	22
23		·18	·28	-	-	·43	·04	·45	-	·05	·25	·07	23
24	·70	·02	·10	-	-	·28	·04	-	-	-	NM	·22	24
25	-	·18	-	-	-	·16	·14	2·75	-	NM	·80	·90	25
26	-	·03	·06	-	-	-	·12	·43	-	1·32	·11	·25	26
27	-	·03	·18	-	-	·60	1·37	-	-	NM	-	·37	27
28	-	·17	-	-	-	·51	·73	·72	·58	1·40	·37	·25	28
29	-	·24	·06	-	-	·14	·01	·18	·93	·35	-	·02	29
30	-		·22	-	·11	·03	NM	-	·02	·79	-	·02	30
31	-		·14		-		·75	·06		·01		·06	31
Total	4·96	3·77	7·53	·37	2·62	5·12	6·26	12·66	2·01	5·66	2·70	6·74	TOTAL for year 60·40
No. of Rain Days	19	25	25	5	14	21	20	26	12	18	20	28?	233?

9,000, IX. '10.

S. made

Cond. for S 3.V.13

REGISTER OF RAINFALL IN 1912

Ex J.C.

FORM A.
BRITISH RAINFALL.
28 APR 1913

Kept at Gwyne Fawr, Tal-y-Cefn No 3
in the County of Breconshire 7
by Referees Abertillery W.B. Act (Inside Fence)

~~Lat.~~ Snowdon
Nearest Railway Station
Time of Observation Various
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " Sea Level 2,130 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·36	–	·06	·72	–	·26	·02	·43	–	·18	1
2	·03	·07	·60	·07	–	·49	·49	–	–	–	–	·01	2
3	+	+	·54	–	·19	·22	·03	2·00	+	–	·02	·12	3
4	+	(·10) +	·36	–	·06	–	–	·18	+ ·18	–	·29	–	4
5	1·10 +	(·16)	·29	·03	·14	–	–	1·02	·07	–	·01	·12	5
6	·33	·17	–	–	·07	·08	–	·16	–	–	·03	·06	6
7	–	·58	·68	·02	·08	·50	·26	·29	·02	·01	–	·11	7
8	·53	·06	·10	–	–	·05	–	–	·06	–		–	8
9	–	·11	·82	·12	–	·41	·03	·78	·02	–	·09	·63	9
10	·53	·18	–	–	–	–	·23	·07	–	–	·25	·07	10
11	–	·27	–	–	·19	–	·03	·02	–	–	·09	·98	11
12	·07	·30	·08	·12	·03	·02	·14	·02	–	–	·01	·14	12
13	·07	·03	·02	–	–	·02	–	·16	·06	·14	–	·18	13
14	·06	·06	·74	–	·30	·02	–	·11	–	–	–	·06	14
15	·70	·04	·02	–	·32	·17	–	·15	–	NM +	–	·28	15
16	·64	–	·42	–	–	·05	–	·25	·01	·16 +	·03	·05	16
17	+	–	·08	–	·02	·15	–	·30	–	–	·14	+	17
18	·62 +	·04	·09	–	–	–	–	+	–	·14	·01	+ ·80	18
19	·12	·28	–	–	–	–	·53	+ 1·08	–	·11	·02	+	19
20	·08	·03	+	–	–	–	·16	·04	–	·27	·07	+	20
21	–	·20	(1·73) +	–	·85	–	NM +	·35	–	·35	–	+	21
22	+	·27	·16	–	·18	·03	1·06 +	·71	–	·10	·01	+ ·65	22
23	(1·00) +	·18	·29	–	–	·46	·04	·55	–	·05	·24	·08	23
24	+	·02	·09	–	–	·29	·04	–	–	–	NM	·24	24
25	–	·18	–	–	–	·15	·13	2·35	–	NM +	·74	·90	25
26	–	·03	·06	–	–	–	·11	·39	–	1·10 +	·10	·26	26
27	–	·03	·20	–	–	·57	1·46	–	–	NM +	–	·44	27
28	–	·16	–	–	–	·50	·74	·70	·60	1·35	·40	·24	28
29	–	·24	·06	–	–	·14	·01	·19	·95	·33	–	·02	29
30	–		·21	–	·11	·03	NM +	–	·02	·76	·04	·03	30
31	–		·17		–		·77 +	·05		·01		·07	31
Total	(5·88)	3·79	(8·17)	·36	2·60	5·07	6·26	12·18	2·01	5·32	2·59	6·72	TOTAL for year (60·95)
No. of Rain Days.	19	26	25	5	14	21	20	26	12	18	20	28	234

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Copy

FORM A2.
BRITISH RAINFALL.

17 JUN 1914

REGISTER OF RAINFALL IN 1913.

No 3.

Kept at Black Mountains Twyn Tal-y-Cefn

in the County of Breconshire 7 Ex. MJ

by The Referees Abertillery Water Board Act.

Rain Gauge: Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 2039 ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06	.08	.44	.14	-	-	-	-	.13	} .85	.21	.02	1
2	.12	.34	.28	.18	.30	-	.	.	.03		.20	.04	2
3	.49	.10	.09	-	.61	} .13	.	-	.01	.05	-	} .52	3
4	.94	.18	.05	-	.09		.13	-	1.86	} .88	.16		4
5	} 1.31	.10	.05	-	.31	.19	.37	-	.28		.55	.08	5
6		} .68	.14	-	.17	.14	.04	-	.	1.93	.01	.51	6
7			.04	-	1.14	.20	-	} .28	-	.66	.18	-	7
8		.24	.01	-	.31	.	.03		-	.15	} .53	-	8
9		.25	.07	} .30	.27	.53	.10	-	.18	-		.07	9
10		.	.03		.21	.	-	.58	-	.66	.13	-	10
11		-	-	.02	.30	.01	-	.	.	.	.64	.05	11
12	.02	-	-	-	.32	.02	-	.26	.09	-	.68	.08	12
13	.06	-	} .75	.08	.02	-	.04	.03	.45	-	.15	-	13
14	.45	-		.34	.	-	.	.09	-	.35	.08	-	14
15	} .61	.02	.57	.70	-	-	.	.19	-	.	.06	.06	15
16		.03	} 1.22	.09	-	-	.02	.18	.17	-	.02	-	16
17	.15	.		.48	.01	.	.15	-	-	-	.16	-	17
18	.38	-		.30	-	.02	.19	-	-	.	.03	.	18
19	.24	-	} (1.00)	.02	.	.24	.	-	.10	.26	.10	.01	19
20	.28	.		.30	.03	.	-	-	.	.13	1.28	-	20
21	-	-	} 1.59	.05	.17	} .14	.09	.28	.04	.13	.	.	21
22	.83	-		-	.		.	.75	.46	.	} .23	.	22
23	.06	-	.06	-	.	.10	.	.03	.01	.		.08	23
24	.03	.07	-	.18	-	.	.	-	-	.	.11	} .29	24
25	-	.04	-	.78	.	.	-	} .08	.11	.06	.10		25
26	} .23	-	} .58	.86	.48	.02	.		.	.02	-	.37	26
27		-		.49	.	.	.	-	.	.87	.03	.08	27
28	.03	'	.10	} .77	.08	-	.	.06	.	.91	.	.25	28
29	.		1.31		.	.	-	.12	.	.16	.03	-	29
30	.36		.	-	.06	-	.	-	.	.51	.39	-	30
31	.07		.41		.03		.02	.07		.03		.	31
Total	6.72	2.13	8.79	6.08	4.91	1.74	1.18	3.00	3.92	8.61	6.06	2.51	TOTAL for year 55.65
No. of Rain Days.	27	13	25	20	19	12	11	14	14	20	24	17	(216)

W. 8,000, X. '11.

4180

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Black Mountains Twyn Tal-y-Cefn No 3 Inside
in the County of Breconshire
by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 2130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.34	.30	~~40 mulled~~ (.06)	.09	.40			1.20	.26	.44		.23	1
2	.14	.23	.22	.11		26	.08	NM ×		.02		.32	2
3	.26	.25	.14	.09	.18		1.01	1.60 ×				.51	3
4	.30	.46	.03	–	.20		01	.04	NM ×			.24	4
5	NM ×	1.28	.03	– NM				.10	02 –			1.24	5
6	.36 ×	.13		× 35			.71	.27		–		.24	6
7	.29	.63		×	TS 1.53		.10	–		.02 ×	×	NM ×	7
8	.20	S. storm NM ×		× .05				.03 ×			.27 ×	.50 ×	8
9	.09	.78 ×	.17 ×	.09			.03	.03			×	.70	9
10	.34	.05	×	× NM			–	NM		.12	.37 ×	.05	10
11	NM ×	– ×		× .19			× .01	.80 ×		.14	1.27	.05	11
12	.18 ×	thg Snowstorm ×		.29	✓ .60 S			.06		.02	.48		12
13		(2.00)			~~.58~~ ✓ .98 S			.24	.16		.18	NM ×	13
14							NM –	.17	–		.05	.53 ×	14
15	.42	NM ×			× NM		26 ×	.23	.04 ×	.04	.12	.14	15
16	.03	.80 ×	NM –		× 1.75		1.61	.24					16
17	NM –	.58	.05 ×		.45			×					17
18	.02	.43	.03					.03 –					18
19	.05	.03		.09	.09		.46						19
20	.40	NM –			.10		.03	.02		.23		.15	20
21	.16	.08 ×	NM –	.19	.12		.37		–	NM –		.03	21
22	NM	.02	.31 ×	.06		.01	.47		.03 ×	.17 ×		.55	22
23	15 ×	.10		.05			.36		×	1.13		.52	23
24	01	.02	.13	×		.02			.21 ×	1.07		.65	24
25		NM		– .07	–	.72	NM –		–	.42		.15	25
26		13 ×				.01	.40 ×		.06 ×	NM –		NM ×	26
27		.11	–			.26	.07		.04	.60 ×		.73	27
28		.08	.03 ×			.07	.01	.10	.19	.02		.06	28
29						38		.02		–	.45	.33	29
30	26			.16		-	–			.98 ×	.40	.55	30
31	.02						× .24	.09		2.40		.75	31
Total	4.03	8.49	1.20	1.88	6.40	1.73	6.23	5.17	1.01	7.42	3.59	9.22	YEAR'S TOTAL 56.40
Rain Days.	24	24	12	16	12	8	18 ~~20~~	17	10	16	14	26	(195)

W.7,000, XI. 13

Reduced by 4% for diameter of funnel

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4080

Kept at Black Mountain Twyn Tal y Cefn No 3 outside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 2130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall. Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.34	.33	.06	.10	.40			1.28	.26	.42		.24	1
2	.14	.25	.20	.12		.25	.08	NM		.02		.30	2
3	.28	.26	.14	.10	.19		.89	1.61				.57	3
4	.29	.48	.03	–	21		.01	.04	NM			.24	4
5	NM	1.37	.03	NM				.10	02			1.18	5
6	.39	.15		.39			.69	.28		–		.23	6
7	.31	.68			1.58		.11	–		.02		NM	7
8	.21	Snowstorm NM		.06				.03			.26	.49	8
9	.09	92		.10			.03	.03				.69	9
10	.30	.05		NM			–	–		.11	(.37)	.05	10
11	NM	.	.18	.23			.01	.82		.14	1.22	.05	11
12	.17	[illegible]		.31	.38 ~~1.15~~			.06		.02	.45		12
13		(2.00)			(~~1.60~~) .77			.25	.16		.16	NM	13
14							NM	.17	–		.05	50	14
15	.44	NM					.27	.22	.04	.04	11	.14	15
16	.03	.75	NM		1.83		1.68	.24					16
17	NM	.58	.05		.52								17
18	.02	.48	03					.03					18
19	.05	.04		.10	.10		.47						19
20	.36	NM			.10		.03	.02		.21		.16	20
21	.15	.12	NM	.20	.12		(.37)		–	–		.03	21
22	NM	.02	.32	.07		.01	.46		.03	.16		.57	22
23	.13	.11		.05			.37			.93		.50	23
24	.01	.02	.12			.02			.20	.97		.61	24
25		NM		.07		.75	NM		–	.02		.14	25
26		.12				.01	.39		.06	–		NM	26
27		.11	–			.27	.07		.04	.63		.70	27
28		10	.02			.07	.01	.10	.19	.02		.06	28
29						.38		.02		–	.45	34	29
30	.23			.17			–			1.01	.36	.42	30
31	.02						(.24)	.09		(2.40)		1.48	31
Total	~~3.96~~	~~8.94~~	~~1.18~~	~~2.07~~	~~(6.20)~~	~~1.71~~	~~6.18~~	~~5.39~~	~~1.00~~	~~7.12~~	~~3.43~~	~~9.69~~	YEAR'S TOTAL ~~55.92~~
Rain Days.	23	24	12	16	12	8	18	19	~~9~~ 10	16	14	26	(195)
	3.81	8.58	1.13	1.99	(5.96)	1.69	5.93	5.19	.96	6.84	3.29	9.30	(54.65

W.7,000, XI. 13

Compared with original 15. VII. 15 ~~W. M. G.~~ cwd for S.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

Kept at Black Mountains, Twyn Tal-y-Cefn No 3 (Inside)

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 2130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05	·08	·02		·08	T.S. ·59	·88			·46	·06	1
2			·14		·06		T.S. 1·36	·17		·01	·20	·35	2
3	·03		·27	·23	·21			·12		·01	·02	·88	3
4	·41		·13	·10	·21		·59	·04			1·28	·18	4
5	NM		·12	·33	·29			·04			·17		5
6	(·50)	·38	·10	·15	·30	·10						·46	6
7	·04	·24	·36	·05	·36	·08	·29	·40				·47	7
8	·13		NM	·13	·20	1·40		·36				·15	8
9	·08	·14	·39	·13	·13	1·57		·22	·59		NM		9
10		·30	·08	·33	·16						·06		10
11		·29	·26		·06	·50	·15		·17		·56	·64	11
12		·53	·19	·01					·30	·01	·33	·96	12
13		·45	NM			NM	·19	NM	·48	·63	·07	·18	13
14		·97	NM				·03	·19	·06	·30	·17		14
15	·01		1·20				·06	·06	·20		·26	·02	15
16	·02		·04				·24		·25			NM	16
17	NM	·30	·34				·06		·05			·81	17
18	·02	·07	·55			NM	·36		·10			·68	18
19		·05	·08				1·17		·13		·14	NM	19
20		·42	·18			·09	—					·4~~7~~8	20
21		·43	·05				·12			·35			21
22	NM	·27	·08	·06		·06		·21		·89		—	22
23		·05	·07		·25		·40	·11		·41			23
24	·04		·17	·04		NM	·10	·14		·03	·19	NM	24
25	·31	·03	·16				·10	·42		·36	·17	·28	25
26	·10		·16				·31	·03		·10	·31	·36	26
27	·08	·01				NM			·01	·23	·39	·45	27
28	·12	·25	·24		·2~~4~~3		·01			·14	·06	NM	28
29	·10		NM		·04			NM		·47	1·06	(1·00) ~~·26~~	29
30	·02	✕	·80	·01				·01		·38	·44	·87	30
31	·55	✕		✕		✕	·24	·03	✕	1·30	✕	·55	~~31~~
Total	2·50	5·23	6·24	1·59	2·50	3·88	6·37	3·43	2·34	5·62	6·34	~~10·08~~ (9·82)	YEAR'S TOTAL 55·92
Rain Days.	18	19	29	13	13	8	19	17	12	16	19	23	206

W. 8,000. X. 14.

4411

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Black Mountains Taly Cefn No 3 Inside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. .... Long. ....

Time of Observation –

Nearest Railway Station –

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	NM	.04	07	NM	NM	.12	.04		NM	.29	.11		1
2	.44	.33		–	03	.09	.25		.32	.63			2
3	.06	1.40		NM	.30				.37	.27	.78		3
4	.26			.03	.44	76			.06	.16	1.12		4
5	.05	.42		NM	.30	.23	.05			.52	.19		5
6	.20	.08		–	NM	.04	NM			.30	.45	.02	6
7	.11	.02		NM	.40	.02	77		.01		.76	NM	7
8	NM	.06	(4.00)	–	.60	.09				80	.15	.38	8
9	.03	.04		–	.04	.16				.03	.07	.11	9
10	NM	.38		.20	NM				.02		–	.06	10
11	.22			.18	.05	.16	.27		.04	10	–		11
12	.13	.11		.15	.80		.16	.17	.02	.14	–		12
13	NM	39		.08	.03		.02	.28		.06		.02	13
14	.01			.06	.17			.27		.14			14
15	NM	1.11		.21	17		.02	08	.07	.03		.01	15
16	NM	.25		.36			.03	NM		.20			16
17	.23	.26		.18				.06	.43	.33	1.12		17
18	.09	.24	(2.00)	.17				.04	.10	.18		(.20)	18
19	.18			.28								NM	19
20	.06	.15		NM								.62	20
21	.03			.10	.12	.03	.11					.06	21
22	NM			NM				.18		.45	.02		22
23	.03		.10	.08		.03		.12		.08	.10	(.52)	23
24	NM			.02	1.65	.02		NM		.83	.20	(.06)	24
25	NM	(4.00)	.40	NM		.20		.48		.12	.29	07	25
26	.05			–		.02		.20	.53	60	–		26
27	.02		(2.00)	NM		.03	–	.17	.78	46			27
28	.02			–		.08		NM	.51		.02	.55	28
29	NM			–				.78		63	.01	.25	29
30	.	✕		–		.52		.03		.28	–	.09	30
31	.	✕		✕	.08	✕		.09	✕	60	✕	.23	31
Total	2.22	(9.28)	(8.57)	2.10	5.18	2.60	1.72	2.95	3.26	8.23	5.39	3.24	YEAR'S TOTAL (54.74)
Rain Days.	(~~23~~)	(25)	(21)	14	18	20	10	14	14	25	(21)	18	(226)

W. 8,000. X. 15.

4112

FORM A.
BRITISH RAINFALL.
22 JUN 1917

REGISTER OF RAINFALL IN 1916

✓ *Kept at* Black Mountain Talybont No 3 outside
in the County of Breconshire
by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 2130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	NM	.04	.05		NM	.12	.04			.28	·10		1
2	.46	.31			.03	.09	.24		.31	.62			2
3	.06	1.33			.34	NM			.35	.28	·90		3
4	.30			.03	.48	.73			.06	.16	1·21		4
5	.06	.40			.32	.24	.05			.54	·19		5
6	.24	.08			NM	.04	NM			.32	·47	.02	6
7	.14	.02			.42	.02	77		.01		·79	NM	7
8	NM	.05			.64	.09				.83	·15	.39	8
9	.04	.04		—	.05	.16				.03	·07	.09	9
10	NM	.40		.21	NM				.02		–	.06	10
11	29			.18	.05	.16	.26		.04	.10	–		11
12	.17	.11		.16	.81		.15	.16	.02	.13	–		12
13	NM	41		.10	.03		02	.28		.06		.02	13
14	.01	1.31		.07	17			.27		.17			14
15	NM		1.94	.23	.18		.02	.08	.07	.03		.01	15
16	NM	.28		.39			.03			.19			16
17	.24	.25		.19				.06	.47	.33	·85		17
18	.10	.26		.20				.04	(.10)	.17		(.20)	18
19	.20			.30								NM	19
20	.07	.13		NM								.59	20
21	.04			.10	.12	.03	.11					.06	21
22	NM			NM				.19		.37	·02		22
23	.04		.10	.08		03		12		.07	·11	(.52)	23
24	NM			02	1.65	.02		NM		.70	·20	(.06)	24
25	NM	imp	.22			.20		.47		.13	·27	.04	25
26	.07		~~[illegible]~~			.02		.21	.48	.52	–		26
27	.03					.03		.17	.78	39	·01		27
28	.02					.08		NM	.52			.60	28
29	NM							.82		60	·01	.30	29
30	.	×				.47		03		.26	–	.08	30
31	.	×		×	.07	×		.10	×	.59	×	.18	31
Total	2.58	imp	imp	2·26	5·36	2·53	1.69	3.00	3·33	7.87	5·35	3·22	YEAR'S TOTAL imp
Rain Days.	~~23~~		1	14	18	20	10	14	14	28		18	...

W. 8,000. X. 15.

probably Talgarth 9

3941

FORM A.
BRITISH RAINFALL.

18 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Black Mountain Tal y Cefn No 3 Inside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05		.20			.82		.63	.05		.07	.04	1
2	.07	(.01)				.07		.04		.17	.31		2
3	.09		.03					.02		.51	.07		3
4	.02	(.20)	(1.00)				.01	.12		.37		.01	4
5	.30		(.50)	(1.50)		.03		.05	1.08	.36	.21		5
6			(1.25)					.04		.30	.18	.04	6
7			(.25)			.02	.60	.26		.20	.13	.04	7
8			(.30)				.28	1.14	.05	.55	.18	.14	8
9			(.50)		.20			.51	.29	.07	.44		9
10			(.60)		.13			.29	.02	.03		.02	10
11			.03		.20			.57		.34	.22		11
12			.02	(1.50)	.78			.06		.22		.01	12
13			.18			.02		.82	.15	.08		.07	13
14							.01	.40		.03		.01	14
15					.15		.12		.02	.09			15
16	(200)	.04			.60	.46		.30				(.70)	16
17				(1.00) ~~(1.95)~~	.35		1.39	.69	.16	.24			17
18		.03			.10	.10	.16		1.05	.01			18
19		.88	.34			.42		10	.15		.04		19
20					1.73	.25	.08		.07		.06		20
21		.02	.17		.09					.05	.01		21
22		.04								.11	.09		22
23		.21			.40					.16	.03	.08	23
24		.07	.01			.21				.59	.04	.01	24
25		.14	.10			.29		2.19	.23	.08	.03		25
26					.20	.21		.52	.10	.02	06		26
27			.02		.88	.30	.76	1.22		.04	.07		27
28			.18			.42		51 ~~.80~~			.01		28
29			.07		03			.06		.86			29
30		☒	.03			.01		.58		.07	.03		30
31	.02	☒	.65	☒	.33	☒		.47	☒	.04	☒	.55	31
Total	(2.55)	1.64	(5.83)	(4.00)	6.37	3.63	3.41	~~11.65~~ 59	3.42	5.59	2.28	1.72	YEAR'S TOTAL 52.03
Rain Days.	...	11	23	...	16	16	9	29	13	26	20	13	...

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

28 FEB 19

REGISTER OF RAINFALL IN 1917

20

Kept at Black Mountain Tal y Cefn No 3 outside
in the County of Breconshire
by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 2130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	-	.21			.80		.65	05		.06	.03	1
2	.05	(.01)				.07		.04		.16	.30		2
3	.09		03					.02		.49	.08		3
4	.01	(.20)	(1.00)				.01	.12		.36		.01	4
5	.25		(.50)	(1.50)		03		.05	1.01	.37	.21		5
6			(1.25)					.04		.28	.18	.03	6
7			(.25)			.02	.65	.24		.21	.11	.03	7
8			(.30)				.33	1.00	.04	.46	.19	.11	8
9			(.50)		.18			.44	.31	.08	.46		9
10			(.60)		.12			.29	.01	.03		.02	10
11			.03		.20			.55		.32	.22		11
12			02	(1.50)	.90			.06		.22		.02	12
13			18			.02		.76	.16	.08		.06	13
14							.01	42		.03		.01	14
15					.15		.11		.02	.09			15
16	(2.00)	.04			.56	.48		27				(.70)	16
17				(1.00) ~~2.75~~	.32		1.22	.66	14	.24			17
18		.03			.10	.10	.14		1.07	.01			18
19		.90	26			.42		10	.13		.03		19
20					1.66	.31	.08		.06		.06		20
21		.02	.06		.09					.05	.02		21
22		.04								.10	.08		22
23		.20			.39			2.19		.18	.02	.04	23
24		.07	.01			.24				.56	.04	.01	24
25		.15	.08			(.29)			.22	.06	.03		25
26					.20	.20		.50	.10	.02	.06		26
27			.02		.89	.31	.74	1.28		.04	.06		27
28			.17			.45		.49 ~~.72~~			.01		28
29			.06		03			.07		.90			29
30		X	.03			.02		.55		.06	.03		30
31	.04	X	.06	X	.33	X		.46	X	.04	X	.47	31
Total	(2.44)	1.66	(5.62)	(4.00)	6.12	3.76	3.29	11.58 11.23	3.32	~~5.48~~ 5.44	2.24	1.54	YEAR'S TOTAL 50.68
Rain Days.	...	11	23	...	16	16	9	29	13	26	20	13	

W. 8,000, VIII. 16

J. C.

REC 11

BLACK MOUNTAINS

ABER CLYD

1911-20

FORM A2.
BRITISH RAINFALL.

12 JUN 1912

Kept at Gwynne

p 5 in.

bove Ground 1 ft. 0 in.

„ Sea Level circa 1880 ft.

in the County of B

9 a.m.

by H. Rofe & Dr. H.
G. R. Gethin

Name

Distance Direction

IMPORTANT NOTE. nd the result entered to the previous day. If an Obse niversal rule, he is earnestly requested to add the readi year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		-	·09	·03	-	-	·06	·12	-	-	·42	-	1
2		-	·03	·01	·36	-	-	·31	-	·13	·15	·32	2
3		-	·03	·02	·52	-	-	·23	·07	·03	·28	·35	3
4		-	·23	·01	-	-	-	·17	·07	·07	·43	·71	4
5		-	(·08)	·01	-	-	-	·46	-	·24	·17	·01	5
6		-	(·16)	-	-	-	-	·08	-	-	·48	1·07	6
7		-	-	-	-	-	-	-	-	-	·57	-	7
8		-	·32	-	-	-	-	-	·01	-	(77)	1·08	8
9	·87	-	·05	-	-	-	-	-	-	-	(35)	·55	9
10		·08	·28	-	-	-	-	-	-	-	·62	·84	10
11		-	-	-	·95	-	-	-	·02	-	·45	·09	11
12		·01	·54	-	·26	-	-	-	·38	-	·68	·34	12
13		-	-	-	·04	-	-	-	·18	·01	·19	·55	13
14		·02	-	-	-	-	-	-	-	·05	·03	1·49	14
15		·07	·02	-	-	·03	-	-	-	·06	·41	·19	15
16		·01	·03	-	-	·27	-	-	-	·06	·25	·18	16
17		·17	-	·03	·13	1·84	·01	-	-	-	·18	·91	17
18	-	·57	·14	·28	-	(·06)	-	-	-	·09	·04	·71	18
19	-	·02	·02	·29	-	·70	-	·03	1·11	·38	·02	·66	19
20	-	·07	-	·18	-	·11	-	-	·20	·15	·01	·69	20
21	·01	·24	·27	·01	-	·09	-	·87	·11	·52	-	·29	21
22	-	·12	·02	·07	-	·16	·01	-	·02	(·54)	-	·61	22
23	-	·22	·11	·01	·03	·01	·01	-	(·49)	(·30)	-	·20	23
24	·01	·11	-	-	-	·71	-	·16	(·18)	·25	-	(·27)	24
25	·03	·14	-	·27	-	·16	-	-	·13	·05	-	(·12)	25
26	-	·20	-	·41	·35	·03	-	·21	-	·26	(·17)	·29	26
27	-	·34	·19	·22	-	-	-	·50	·53	-	(·10)	·17	27
28	-	·38	-	·42	-	·01	-	·07	-	-	·26	-	28
29	-		-	·12	-	·28	·72	·10	·28	·79	-	·02	29
30	-		-	·03	·04	·09	·19	·19	-	·51	·17	·01	30
31	-		-				·16			·01			31
Total	·92	2·81	2·61	2·42	2·68	4·55	1·16	3·50	3·78	4·50	7·20	12·72	TOTAL for year 48·85
No. of Rain Days.	(13)	17	18	18	9	15	7	14	15	20	24	27	197

W. 8,000, X. '11.

J. C.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
12 JUN 1912

Kept at Gwynne Fawr, Aber Clyd No. 5

in the County of Brecon

by H. Rofe & Dr. H. R. Mill
J. R. Gethin-Jones.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level ~~circa~~ 1880 ft.

Time of Observation 9 a.m.

Nearest Railway Station ~~Name~~
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		-	·09	·03	-	-	·06	·12	-	-	·42	-	1
2		-	·03	·01	·36	-	-	·31	-	·13	·15	·32	2
3		-	·03	·02	·52	-	-	·23	·07	·03	·28	·35	3
4		-	·23	·01	-	-	-	·17	·07	·07	·43	·71	4
5		-	(·08)	·01	-	-	-	·46	-	·24	·17	·01	5
6		-	(·16)	-	-	-	-	·08	-	-	·48	1·07	6
7		-	-	-	-	-	-	-	-	-	·57	-	7
8		-	·32	-	-	-	-	-	·01	-	(·77)	1·08	8
9	·87	-	·05	-	-	-	-	-	-	-	(·35)	·55	9
10		·08	·28	-	-	-	-	-	-	-	·62	·84	10
11		-	-	-	·95	-	-	-	·02	-	·45	·09	11
12		·01	·54	-	·26	-	-	-	·38	-	·68	·34	12
13		-	-	-	·04	-	-	-	·18	·01	·19	·55	13
14		·02	-	-	-	-	-	-	-	·05	·03	1·49	14
15		·07	·02	-	-	·03	-	-	-	·06	·41	·19	15
16		·01	·03	-	-	·27	-	-	-	·06	·25	·18	16
17		·17	-	·03	·13	1·84	·01	-	-	-	·18	·91	17
18	-	·57	·14	·28	-	(·06)	-	-	-	·09	·04	·71	18
19	-	·02	·02	·29	-	·70	-	·03	1·11	·38	·02	·66	19
20	-	·07	-	·18	-	·11	-	-	·20	·15	·01	·69	20
21	·01	·24	·27	·01	-	·09	-	·87	·11	·52	-	·29	21
22	-	·12	·02	·07	-	·16	·01	-	·02	(·54)	-	·61	22
23	-	·22	·11	·01	·03	·01	·01	-	(·49)	(·30)	-	·20	23
24	·01	·11	-	-	-	·71	-	·16	(·18)	·25	-	(·27)	24
25	·03	·14	-	·27	-	·16	-	-	·13	·05	-	(·12)	25
26	-	·24	-	·41	·35	·03	-	·21	-	·26	(·17)	·29	26
27	-	·34	·19	·22	-	-	-	·50	·53	-	(·10)	·17	27
28	-	·38	-	·42	-	·01	-	·07	-	-	·26	-	28
29	-		-	·12	-	·28	·72	·10	·28	·79	-	·02	29
30	-		-	·03	·04	·09	·19	·19	-	·51	·17	·01	30
31	-		-				·16			·01			31
Total	·92	2·81	2·61	2·42	2·68	4·55	1·16	3·50	3·78	4·50	7·20	12·72	TOTAL for year 48·85
No. of Rain Days.	(13)	17	18	18	9	15	7	14	15	20	24	27	197

W. 8,000, X. '11.

S. made

not cord. for S&c.

Ex. H.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

28 APR 1913

Kept at Grwyne Fawr, Aber Clyd No. 5

in the County of Breconshire

by Talgarth Gauge outside Fence
Experimental g.

RAIN GAUGE
Pattern Talgarth
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 1,880 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·03	·81	–	·21	·02	·50	–	·19	1
2					–	·43	·51	–	–	–	–	·01	2
3					·18	·20	·03	2·05	·11	–	·02	·11	3
4				—	·07	–	–	·15	·04	–	·29	–	4
5					·14	–	–	1·10	·06	–	·01	·11	5
6					·09	·06	–	·14	–	–	·02	·05	6
7					·09	·37	·25	·11	·01	–	–	·11	7
8					–	·04	–	–	·06	–	–	–	8
9					–	·30	·05	·80	·02	–	·10	·81	9
10					–	·07	·25	·07	–	–	·29	·08	10
11		—			·17	–	·04	·02	–	–	·03	·76	11
12					·04	·01	·10	·01	–	–	·01	·15	12
13				–	–	·02	–	·12	·05	·13	–	·19	13
14				–	·27	·02	–	·14	–	–	–	·06	14
15				–	·31	·15	–	·14	–	·06	–	·37	15
16				–	–	·06	–	·31	·01	·16	·03	·05	16
17				–	·02	·19	–	·35	–	–	·18	·81	17
18				–	–	–	–	·40	–	·14	·01	·11	18
19				–	–	–	·50	·55	–	·14	·02	·15	19
20				–	–	–	·15	·05	–	·38	·08	–	20
21				–	·79	–	·47	·37	–	·60	–	·06	21
22				–	·26	·04	·47	·67	–	·11	–	·44	22
23				–	–	·54	·04	·43	–	·05	·32	·27	23
24				–	–	·31	·06	–	–	–	·26	·05	24
25				–	–	·17	·15	2·05	–	·60	·71	·55	25
26				–	–	–	·10	·48	–	·78	·17	·48	26
27				–	–	·61	1·49	–	–	·88	–	·54	27
28				–	–	·54	·97	·70	·57	·49	·40	·27	28
29				–	–	·11	·03	·24	·94	·35	–	·04	29
30				–	·06	·10	·44	–	·02	·77	–	·04	30
31					·04		·19	·06		·02		·11	31
Total					2·56 ✓	5·15 ✓	6·29 ✓	11·72 ✓	1·91 ✓	6·16 ✓	2·95 ✓	6·97	TOTAL for year
No. of Rain Days.					15 ✓	22 ✓	20 ✓	26 ✓	12 ✓	17 ✓	18 ✓	28 ✓	✓

W. 8,000, X. '11.

Dec. 15. ? tampered.

P. made ✓

Ex. Y.C.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
28 APR 1913

Kept at Grwyne Fawr, Aberclyd No 5

in the County of Breconshire 7

by Dr HR. Mill & H.J. Rofe, C.E.

Referees, Abertillery W. B. (per J. R. Gethin Jones)

~~Lat.~~ Snowdon ~~Long.~~

Nearest Railway Station

Time of Observation 9 am
(corrected to 9 am by recording gauge)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level 1,880 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·38	—	·03	·73	·01	·01	·02	·48	—	·18	1
2	·01	·08	·68	·09	·01	·51	·51	·21	—	—	—	·02	2
3	·10	·05	·31	—	·12	·20	·03	1·85	·12	—	·02	·07	3
4	·57	·03	1·10	—	·11	—	—	·35	—	—	·29	·07	4
5	·21	·03	·32	·03	·13	—	—	·65	·12	—	—	·02	5
6	·96	·32	—	—	·08	—	—	·63	—	—	·04	·10	6
7	·05	·33	·40	—	·10	·42	·26	·06	—	—	—	·15	7
8	·44	·42	·58	·01	—	·04	·01	·05	·07	—	—	·01	8
9	·07	·13	·94	·21	—	·24	·06	·79	·02	—	·10	·87	9
10	·57	·16	—	·01	—	·13	·13	·03	—	—	·21	—	10
11	—	·23	—	—	—	—	·15	·09	—	—	·13	·96	11
12	·05	·44	·12	·12	·21	·02	·11	—	—	—	—	·13	12
13	·08	·03	—	—	—	·02	·03	·01	·05	·12	·01	·19	13
14	·07	·01	·90	—	—	·01	—	·25	—	·01	—	·07	14
15	·57	·11	·01	—	·49	·16	—	·09	—	—	—	·38	15
16	·80	·02	·28	—	·09	·02	—	·22	·01	·25	·03	·01	16
17	·45	—	·18	—	·02	·24	—	·55	—	—	·04	·78	17
18	·21	·05	·09	—	—	—	—	·11	—	·14	·14	·18	18
19	·13	·36	·02	—	—	—	·47	·70	—	·06	·01	·24	19
20	·10	·03	·84	—	—	—	·10	·19	—	·44	·09	·04	20
21	—	·06	·85	—	·69	—	·06	·37	—	·58	—	·03	21
22	·37	·47	·21	—	·32	·02	·92	·51	—	·04	—	·23	22
23	·35	·30	·56	—	—	·42	·01	·71	—	·12	·32	·18	23
24	·56	·02	·06	—	—	·40	·10	·01	—	—	·02	·32	24
25	—	—	·02	—	—	·17	·11	1·23	—	·03	·44	·26	25
26	—	·25	·06	—	—	—	·14	1·50	—	1·24	·63	·75	26
27	—	·05	·12	—	—	·56	1·44	—	—	·90	·05	·83	27
28	—	·10	·11	—	—	·30	·65	·73	·48	·50	·45	·26	28
29	—	·23	·05	—	—	·30	·32	·24	·98	·29	—	·03	29
30	—	·23	·24	—	—	·20	·09	—	·02	·72	—	·04	30
31	—		·26		·10		·53	·07		·11		·12	31
Total	6·72	4·31	9·69	·47	2·50	5·11	6·24	12·21	1·89	6·03	3·02	7·52	TOTAL for year 65·71
No. of Rain Days.	21	26	27	6	14	21	23	28	10	17	18	30	241

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ex H

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

S. made

Kept at Grwyne Fawr, Aber Clyd No 5

in the County of Breconshire

by Referee, Abertillery W.B. Act (Snowdon Gauge) Inside

Lat. ______ Long. ______
Nearest Railway Station ______
Time of Observation Various
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 1,880 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·43	-	·04	·77	-	·22	·02	·48	-	·20	1
2	·02	·08	·80	·09	-	·47	·51	-	-	-	-	·01	2
3	·31	·05	·65	-	·17	·20	·03	2·11	·12	-	·02	·13	3
4	·41	·04	·55	-	·06	-	-	·15	·05	-	·29	-	4
5	·57	·18	·31	·03	·13	-	-	1·08	·07	-	·01	·12	5
6	·59	·18	-	-	·09	·06	-	·14	-	-	·03	·05	6
7	-	·68	·93	·01	·09	·36	·27	·11	·01	-	-	·11	7
8	·51	·06	·13	-	-	·04	-	-	·06	-	-	-	8
9	-	·12	·86	·22	-	·30	·06	·81	·02	-	·10	·87	9
10	·57	·19	-	-	-	·07	·28	·08	-	-	·29	·10	10
11	-	·29	-	-	·17	-	·04	·02	-	-	·05	·86	11
12	·08	·35	·12	·12	·04	·02	·10	·01	-	-	·01	·14	12
13	·06	·03	·03	-	-	·02	-	·12	·05	·13	-	·19	13
14	·06	·09	·88	-	·27	·02	-	·17	-	-	-	·06	14
15	·75	·05	·02	-	·31	·15	-	·17	-	·07	-	·38	15
16	? ·65	-	·37	-	-	·07	-	·33	·01	·18	·03	·05	16
17	Snow Storm	-	·08	-	·02	·19	-	·32	-	-	·17	·82	17
18	·63	·05	·10	-	-	-	-	·40	-	·14	·01	·10	18
19	·15	·36	-	-	-	-	·49	·56	-	·14	·02	·28	19
20	·08	·04	·99	-	-	-	·14	·04	-	·38	·08	-	20
21	-	·27	·84	-	·75	-	·48	·37	-	·56	-	·06	21
22	·55	·37	·24	-	·26	·04	·45	·70	-	·11	-	·38	22
23	·58	·18	·39	-	-	·53	·04	·53	-	·05	·32	·31	23
24	·15	·02	·08	-	-	·27	·06	-	-	-	·26	·05	24
25	-	·21	-	-	-	·17	·15	2·18	-	·58	·71	·65	25
26	-	·04	·06	-	-	-	·10	·55	-	·73	·17	·55	26
27	-	·05	·23	-	-	·63	1·45	-	-	·86	-	·60	27
28	-	·17	-	-	-	·53	·93	·73	-	·50	·45	·26	28
29	-	·21	·06	-	-	·11	·03	·24	·55	·33	-	·03	29
30	-		·34	-	·06	·10	·43	-	·91	·77	-	·04	30
31	-		·15		·04		·19	·07	·02	·02		·14	31
Total	6·72	4·36	9·64	·47	2·50	5·12	6·23	12·21	1·89	6·03	3·02	7·54	TOTAL for year 65·73
No. of Rain Days.	19	26	25	5	15	22	20	26	12	17	18	28	233

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Copy.

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL. 17 JUN 1914

Kept at Aberdyd No5 Grwyne Fawr
in the County of Brecon
by Referees, Abertillery & D. W. Bd. Act (per J. R. Gethin Jones)

Sn. WP

Lat. Long.
Time of Observation 9 a.m. (corrected G)
Nearest Railway Station Snowdon.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 1880 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·18	·44	·18	-	-	-	·01	·16	·10	·24	·03	1
2	·10	·50	·26	·22	·20	-	-	-	·03	·93	·23	·05	2
3	·30	·14	·15	-	·84	-	-	-	-	·05	-	·21	3
4	1·18	·19	·12	-	·16	·01	·10	-	1·93	·64	·14	·41	4
5	·03	·14	·07	-	·27	·33	·11	-	·28	·22	·51	·08	5
6	·19	·35	·20	-	·16	·17	·23	-	-	·84	·16	·51	6
7	·07	(·60)	·03	-	·60	·18	·04	-	-	1·18	·16	·03	7
8	·09	·28	·03	-	·42	·03	·02	·04	-	·28	-	-	8
9	·01	·27	·09	·03	·55	·62	·09	·25	·17	-	·51	·10	9
10	·46	-	·03	·05	·19	-	-	·49	-	·60	·08	-	10
11	·90	-	·02	·35	·10	·02	-	·10	-	·05	·69	·02	11
12	·03	-	-	-	·46	·02	-	·04	·11	-	·69	·11	12
13	·06	-	·45	·04	·01	-	·04	·23	·41	-	·68	-	13
14	·30	-	·32	·39	-	-	-	·03	·02	·37	·08	-	14
15	·08	·02	·95	·84	-	-	-	·12	·01	-	·08	·06	15
16	·48	-	·50	·06	-	-	-	·46	·17	-	-	-	16
17	·27	·04	·48	·21	·01	-	·17	-	-	-	·15	-	17
18	·13	-	·48	·67	·01	-	·04	-	-	-	·17	·02	18
19	·42	-	·28	·05	-	·21	·14	-	·09	·26	·05	·01	19
20	·52	-	·75	·11	·01	·03	-	-	·01	·11	·80	-	20
21	-	-	·55	·26	·25	-	·07	·10	-	·11	·28	-	21
22	·73	-	1·18	-	-	·10	·01	1·17	·50	-	-	-	22
23	·05	-	·07	-	-	·11	-	-	·06	-	·23	·04	23
24	·13	·08	-	·17	-	-	-	·02	-	-	·10	·01	24
25	-	·07	-	·54	-	-	-	-	·10	·07	·09	·24	25
26	-	-	-	1·08	·21	·02	-	·08	-	-	-	·51	26
27	·04	-	·27	·17	-	-	-	-	-	·81	-	·08	27
28	·28	-	·28	·63	·08	-	-	-	-	·56	·02	(·25)	28
29	-		1·11	·54	-	-	-	·12	-	·36	·01	-	29
30	·42		-	-	-	-	-	-	-	·50	·42	-	30
31	·09		·29		·07		-	·05		·05		-	31
Total	7·46	2·86	9·40	6·59	4·60	1·85	1·06	3·31	4·05	8·09	6·57	2·77	YEAR'S TOTAL 58·61
Rain Days.	27	13	26	20	19	13	12	16	15	20	24	19	224

W.7,000, XI. 13

Copy.

REGISTER OF RAINFALL IN 1913.

FORM A2.
BRITISH RAINFALL.
17 JUN 1914

Kept at Black Mountains Aber Clyd
No 5.
in the County of Breconshire 7
Fr. Wp.
by The Referees Abertillery Water Bd. Act

RAIN GAUGE
Pattern A. Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 1880 ft.
Time of Observation
Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·10	·47	·20	·	-	-	·	·17	·10	·24	·02	1
2	·13	·49	·31	·07	·30	-	·	·	·02	·93	·23	·05	2
3	·73	·16	·12	·	·80	·	·02	-	·07	·05	-	·31	3
4	·72	·21	·07	-	·10	·16	·09	·	1·86	(·64)	·18	·33	4
5	·03	·11	·07	·	·29	·19	·33	-	·28	(·22)	·60	·12	5
6	·22	·79	·20	-	·16	·17	·04	·	·	1·38	·03	·47	6
7	·05	·15	·06	-	·97	·20	-	·	-	·74	·16	·01	7
8	·08	·28	·01	·	·32	-	·03	·29	-	·18	-	·04	8
9	·01	·27	·09	·03	·29	·62	·08	-	·17	-	·55	·06	9
10	1·14	-	·04	·37	·18	·	-	·59	·	·65	·14	·	10
11	·22	·	·	·03	·21	·02	-	·	-	·	·62	·05	11
12	·03	-	-	·	·33	·02	-	·27	·11	-	1·13	·08	12
13	·06	-	·63	·09	·01	-	·04	·03	·43	-	·21	·	13
14	·36	-	·33	·44	-	·	-	·12	·	·37	·08	-	14
15	·09	·02	·76	·78	-	-	-	·19	·01	·	·08	·06	15
16	·47	·04	} 1.03	·10	-	·	·02	·27	·17	-	·03	·	16
17	·25	·		·51	·01	·	·15	·	·	·	·26	-	17
18	·42	-	·45	·32	·01	·01	·18	-	·	-	·63	·02	18
19	·29	·	·64	·02	·01	·23	·	-	·09	·26	·08	·01	19
20	·32	·	·51	·32	·06	·	·	-	·01	·11	1·05	-	20
21	·	·	1·11	·05	·19	-	·08	·23	·04	·11	-	-	21
22	·78	-	·51	-	-	·14	·	1·04	·51	·	·	·	22
23	·08	·	·04	-	-	·07	·	·02	·01	:	·23	·05	23
24	·05	·08	-	·17	-	-	-	-	·	·	·10	·04	24
25	-	·07	-	·83	-	-	·	·	·10	·07	·09	·26	25
26	-	-	-	·90	·21	·02	-	·08	·	·01	·	·45	26
27	·28	·	·52	·55	·	·	-	··	-	·80	·02	·08	27
28	·04	·	·15	·19	·08	-	·	:	·	·82	-	(·25)	28
29	·		·99	·49	·	-	·	·12	·	·10	·02	-	29
30	·47		-	-	·07	-	·	·	·	·51	·42	-	30
31	·13		·42		-		·01	·05		·04		-	31
Total	7·53	2·77	9·53	6·46	4·60	1·85	1·07	3·30	4·05	8·09	6·58	2·76	TOTAL for year 58·59
No. of Rain Days.	27	13	25	20	20	12	12	13	16	20	24	20	222

W. 8,000, X. '11.

Ex. M.G.

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

Kept at Black Mountains, Aber Clyd, No 5 Inside
in the County of Breconshire (Snowdon G.)
by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation various
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 1880 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·06	·08	·03		·09	·58	·90			·50	·07	1
2			·15		·08		1·01	·18		·01	·21	·36	2
3	·63		·33	·27	·34			·11		·01	·02	·87	3
4	·33		·18	·11	·25		·53	·03			1·37	·18	4
5	·35		·12	·41	·35			·05			·28		5
6	·06	·32	·08	·13	·35	·10	·01					·49	6
7	·02	·20	·40	·05	·40	·10	·30	·47				·58	7
8	·11		·30	·13	·23	1·25		·47	·01		·01	·16	8
9	·10	·15	·05	·16	·15	1·56		·28	·21		·06		9
10		·35	·11	·32	·19			·01	·44				10
11		·39	·32		·08	·54	·18		·15		·77	·70	11
12		·71	·23						·28	·01	·40	·99	12
13		·45	·58	·01			·21		·54	·58	·10	·22	13
14		1·10	·35				·04	·29	·09	·31	·20		14
15	·01	·01	·46				·08	·66	·24		·32	·03	15
16	·03		·04				·23		·28			·09	16
17	·03	·38	S. drifts ·36			·01	·07		·06			·82	17
18		·03	·46				·33		·12			·90	18
19		·09	·05				1·04		·15		·12	·06 S	19
20		·61	·18			·11						·39 S	20
21		·51	·20			·01	·10			·36			21
22		·33	·14	·07		·08		·19		·88			22
23		·05	·09		·24		·50	·10		·43	·01		23
24	·03		·18	·04			·11	·09		·02	·21		24
25	·28	·04	·18				·15	·49		·37	·21	·18	25
26	·09		·16				·37	·02		·12	·48	·35	26
27	·06	·02								·22	·48	·44	27
28	·16	·31	·22		·24		·01			·12	·07	10 in S.+ (·70)	28
29	·14		·28		·03					·43	1·44	·14	29
30	·06	×	·60	·01		·07		·02		·34	·48	·89	30
31	·95	×		×		×	·24		×	1·02	×	·40	31
Total	2·84	6·11	6·88	1·74	2·93	3·92	6·09	3·76	2·57	5·23	7·74	10·01	YEAR'S TOTAL 59·82
Rain Days.	18	20	29	13	13	11	20	17	12	16	21	23	213

W. 8,000. X. 14.

+ Estimated Driftsnow.

Ex MG.

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

Kept at Black Mountains, Aber Clyd No 5. Screen (Inside)

in the County of Brecon

by The Referees, Abertillery Water Board Act.

Lat.

Long.

Time of Observation 9 a.m. (corrected to)

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 1880 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·06	·08	·03		·09	·56	·79			·21	·07	1
2			·13		·05		1·09	·25		·01	·55	·32	2
3	·02		·28	·25	·37		·01	·13		·01	·02	·32	3
4	·33		·16	·12	·22		·32	·05			1·17	·77	4
5	·24		·21	·42	·38		·21				·29		5
6	·18	·14	·02	·03	·09	·02		·05			·19	·29	6
7		·38	·41	·12	·44	·11	·26	·28				·68	7
8	·05		·15	·04	·42	1·12	·05	·49	·01			·26	8
9	·18	·15	·25	·28	·12	1·70		·45	·19		·06		9
10		·35	·11	·31	·07	·06		·01	·42		·01		10
11		·39	·31	·01	·26	·54	·16		·04		·66	·70	11
12		·59	·18				·02		·42	·01	·37	·98	12
13		·57	·38	·01			·20		·55	·57	·24	·23	13
14		1·03	·58				·05			·23	·20		14
15	·01	·08	·49				·01	·35	·17	·09	·32	·02	15
16							·30		·34			·05	16
17	·06	·38	·37				·07		·16			·87	17
18			·32			·01	·03		·09			·77	18
19		·12	·18				1·33		·18		·12	·19	19
20		·59	·22			·08	·01					·28	20
21		·49	–			·03	·02			·27		·11	21
22		·30	·20	·07		·09	·08	·19		·97			22
23		·12	·19		·24		·30			·38			23
24	·01		·22	·04			·31	·19		·07	·22		24
25	·30		·16				·12	·49		·37	·07	·10	25
26		·04	·18				·38	·02		·12	·40	·43	26
27	·15						·02			·07	·65	·44	27
28	·15	·33	·20		·17		·01			·21	·12	(·70)	28
29	·15		·29		·07					·49	·97	·03	29
30	·02	X	·61	·01	·03			·02		·28	·95	1·00	30
31	·99	X		X		X	·24		X	1·03	X	·13	31
Total	2·84	6·11	6·88	1·74	2·93	3·85	6·16	3·76	2·57	5·18	7·79	9·74	YEAR'S TOTAL 59·55
Rain Days.	15	18	27	14	14	11	26	15	11	17	21	24	213

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Black Mountain's Aber Clyd No 5 Hyetograph

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1880 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.38	.26	.03	.09	.36			1.09	.15	.48	.02	.19	1
2	.11	.19	.14	.13		23	.08	.80		.02		.33	2
3	.18	.15	.09	.11	.14		.79	.74				.58	3
4	.32	.42	.02		.19		.01	.03	.01			.27	4
5		.94	.02	Nil				.10				1.24	5
6	.47	.12		.32			.65	.22				.29	6
7	.35	.82			1.80		.13			.02	.02	.47	7
8	.32	.44		.11				.02			.27	.01	8
9	.07	.44		.12			.02	.02			.24	.72	9
10	.30	.02	.15	.07						.11	.16	.06	10
11	.04		.02	.13	.04		.01	.62		.18	1.09	.02	11
12	.16	16?		.31	.58			.04		.03	.42		12
13	.01	1.32			.49			.24	.11		.16	.03	13
14	.01							.13			.04	.41	14
15	.58	01		.01	.16		.24	.22	.03	.04	.10	.14	15
16	.03	.50			1.53		1.71	.16					16
17		.50	.04		.48								17
18	.01	.64	.02										18
19	.05	.02		.09	.15		.45						19
20	.56				.06		.02	.01		.24		.12	20
21	.15	.06		.18	02		.29					.03	21
22	.14	.01	.28	.04		.01	.57		.05	.16		.62	22
23		.08		.05			.32		.01	1.01		.46	23
24	.01	.01	09	.03		.02			.17	(.99)		.88	24
25						.77				.02		.08	25
26		.13				.01	.42		.06			.68	26
27		.12				.23	.06		.04	.61		.06	27
28		.31	.01			.06	.02	.08	.18	.02		.02	28
29						.49		.01			.40	.29	29
30	.26			.15						1.00	.46	.51	30
31							.17	.12		2.24		81	31
Total	4.51	7.67?	.91	1.94	6.00	1.82	5.96	4.65	.81	7.17	3.38	9.32	YEAR'S TOTAL 54.14
Rain Days.	22	24	12	16	13	8	18	18	10	16	12	26	195

W.7,000, XI. 13

4174

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Black Mountains Aber Clyd No 5 Snowdon

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1880 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.44	.35	.06	.10	.36			1.15	.14	.53	.02	.23	1
2	.13	.22	.24	.13		25	.07	.73		.02		.40	2
3	.20	.22	.12	.12	.15		.77	.69				.68	3
4	.35	.43	.03		.19		.01	.03	.01			.30	4
5	.01	.85	.02	HM				.11				1.43	5
6	.48	.16		35			.67	.23				.32	6
7	.38	.87		.01	1.82 TS		.12			.03	.02	.50	7
8	.32	.54		.11				.02			.28	.03	8
9	.10	.55		.13			.02	.02			.24	.88	9
10	.30	.06	.14	.07						.12	.16	.07	10
11	.06		.02	.13	.04		01	.62		.18	1.41	.04	11
12	.15	~~1.50~~		.31	.62 S			.04		.03	.46		12
13	.01	(1.50)			.57 S			.24	.12		.18	.08	13
14	.01							.13			.06	.51	14
15	.61	.05		.01	.16		.29	.21	.03	.04	.12	.17	15
16	.04	.71			1.62		1.71	.16					16
17		.54	.04		.53								17
18	.02	.74	.02										18
19	.06	.04		.10	.15		.45						19
20	.56				.05		.02	.01		.25		.13	20
21	.16	.10		.18	.02		.33					.03	21
22	.19	.02	.31	.04		.01	.57		.06	.18		.64	22
23	.02	.08		.05			.33		.01	1.07		.51	23
24	02	.02	.10	.03		.02			.17	.99		.94	24
25						.76				.02		.11	25
26		.16				.01	.42		.06			.82	26
27		.13				.23	.06		.04	.65		.09	27
28		.31	.01			.06	.02	.08	.18	.02		.06	28
29						.47		.01			55	.35	29
30	.29			.16						1.10	.53	.65	30
31	.02						.17	.12		2.34		.95	31
Total	4.93	9.15	1.11	2.03	6.28	1.81	6.04	4.60	.82	7.57	4.03	10.92	YEAR'S TOTAL 59.29
Rain Days.	25	24	12	18	13	8	18	18	10	16	12	26	199

W.7,000, XI. 13

Jan 1 – Apr 9 reduced by 4% for size of funnel

477

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Black Mountains Aber Clyd No 5 Talgarth G. outside
in the County of Breconshire Snowdon on April 10
by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1880 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.48	.36	.06	.10	.37			1.17	.14	.53	.02	.24	1
2	.13	.23	.21	.12		.24	.07	.74		.02		.40	2
3	.22	.23	.12	.13	.16		.75	.71				.68	3
4	.36	.44	.03		.19		.01	.03	.01			.30	4
5	.01	1.31?	.02	–NM				.12				1.43	5
6	.49	.16		x 36			.65	.23				.33	6
7	.38	.86		.01	1.81		.12			.03	.02	.51	7
8	.32	.62		.11				.02			.29	.03	8
9	.12	.55		.11 .99			.02	.02			.25	.87	9
10	.35	.05	.15	.07						.12	.16	.07	10
11	.06		.02	.13	.04		.01	.62		.18	1.34	.04	11
12	.16	1.63		.33	.62			.04		.03	.44		12
13	.01	(1.39)			.63			.24	.12		.18	.08	13
14	.01							.13			.05	.54	14
15	.63	.04		.01	.17		.29	.22	.03	.04	.12	.17	15
16	.04	.81			1.67		1.73	.17					16
17		.56	.04		.57								17
18	.02	.76	.02										18
19	.06	.04		.10	.16		.45						19
20	.56				.06		.02	.01		.25		.13	20
21	.16	.10		.18	.02		.33					.03	21
22	.16	.02	.30	.04		.01	.57		.06	.18		.66	22
23	.02	.08		.05			.33		.01	1.10		.50	23
24	.02	.02	.09 ~~.10~~	.03		.02			.17	1.05		.93	24
25						.76				.02		.11	25
26		.15				.01	.42		.06			.86	26
27		.13				.23	.06		.04	.65		.10	27
28		.33	.01			.06	.02	.08	.18	.02		.06	28
29						.46		.01			.55	.36	29
30	.30			.16						1.21	.52	.68	30
31	.06						.17	.12		2.40		1.06	31
Total	~~5.63~~ ~~5.13~~	~~9.85~~	~~1.08~~ 1.07	~~2.04~~	6.47	1.79	6.02	4.68	.82	7.83	3.94	11.17	YEAR'S TOTAL ~~60.81~~
Rain Days.	25	24	12	17	13	8	18	18	10	16	12	26	199
	4.93	9.47	1.03	2.00									(60.15)

changed Talgarth funnel for Snowdon funnel

W.7,000, XI. 13

4104

FORM A.
BRITISH RAINFALL.

22 JUN 19

REGISTER OF RAINFALL IN 1916

Kept at Black Mountain Aber Clyd No 5 Snowdon inside
in the County of Breconshire
by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1880 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.35	.05	.06		.02	.15	.03			.38	·16		1
2	.15	·34	(1·20)		.01	.11	.26		.33	.80	·58		2
3	07	1.41			.26	.24			.48	.34	·09		3
4	.28	.10		.03	.38	.70			.07	.17	1·10		4
5	.06	.29	(·10)		.32	.29	.04			.61	·20		5
6	.25	.11			.12	.04	77		.01	.39	·58	.02	6
7	.12	.04	(·50)		.42	.02				.72	·83	.21	7
8		·07	(·70)		.53	.15				.08	·14	.19	8
9	.02	.03	.30		.02	.18	.02		.01	.04	·09	.09	9
10	.05	.39	(·30)	.20	.02				01	.09	–	.05	10
11	.17		(·50)	.20	.03	.19	.30		.03	.01	–		11
12	.14	.12	.04	.21	.70		.17	.18	.02	.17	–		12
13		.45	.19	.11	.02			.38		.10	–	.04	13
14	.01	·30	.47	.07	.14			.35		.20	·05	.01	14
15		.85	.15	.25	.15		.02	.10	.10	.05	–		15
16	.06	.25		.42			.02	.01		.20	–		16
17	.23	.25		23				.07	.49	.45	(1·00)		17
18	.12	.26	.37	.18				.01	.12	20		.12	18
19	.18	.	.90	.34							} ·64	.04	19
20	.08	.14	.27								·05	.63	20
21	.03		.69	.11	.09	.03	.13				·07	.06	21
22	–			.01		.02		.19		.32	·02	.27	22
23	.04	}	.12	03		.01		.12		.10	·13	.39	23
24		(3·00)		03	1.65	.02		.12		.76	·34	.18	24
25	.01		.31			.16		.31	.01	.11	·48		25
26	.08	}	.22			.03		.24	.54	.61	–		26
27	.04	·36	} (1·90)			.01		.18	81	.46	·02		27
28	.02	·60	} . ~~~~			.06			.41	.41	·07	.60	28
29		·42	.03			.40		.71		.48	·02	.28	29
30		X				21		.03		.44	–	.08	30
31		X		X		X		.18	X	.59	X	.20	31
Total	2.56	(9·83)	(9·32)	2·42	4·88	3·02	1·76	3·18	3·44	9·28	(6·66)	3·48	YEAR'S TOTAL (59·81)
Rain Days.	23	25	22	15	17	20	10	16	15	28	22	18	231

W. 8,000. X. 15.

4105

FORM A.
BRITISH RAINFALL.
22 JUN 1917

end pr S

REGISTER OF RAINFALL IN 1916

Kept at Black Mountain Aber Clyd No 5

in the County of Breconshire

by The Referees Abertillery Water Board Act

Gaye avoid Lat. Nov 7 Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1880 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.38	.05	.06		.02	.15	.03			.38	·15		1
2	.15	.40	?		.01	.11	.26		.34	.78	.75		2
3	.08	1.32	(1·20)		.26	.23			.45	.32	·13		3
4	.28	.12		.03	.38	.72			.07	.17	1·46		4
5	.06	·30	.14		.34	.29	.04			.63	·20		5
6	.25	.12			.12	.04	.78		.01	.44	·67	.02	6
7	.12	.04	?		.47	.02				.67	·84	.22	7
8		.07	(1·20)		.53	.16				.08	·14	.19	8
9	.02	.03	.12	—	.02	.18	.02		.01	.04	·09	.09	9
10	.07	.39	(·80)	.20	.02				.01	.09	–	.05	10
11	.18	-	?	.20	.03	.18	.31		.03	.01	–		11
12	.15	.12	.04	.21	.70		.17	.18	.02	.17	–		12
13		.48	.20	.11	.02			.38		.10	–	.04	13
14	.01	.33	.46	.07	.14			.35		.21	.05	.01	14
15		.83	.15	.26	·15		.02	.10	.10	.05	–		15
16	.07	.26		·43			.02	.01		·20	–		16
17	.24	.25		.24				.07	.47	.47	(1·00)		17
18	.13	.25	.37	.19				.01	.12	.21		.13	18
19	.18		.93	.34							·46	.04	19
20	.09	.14	.27								·05	.63	20
21	.03		(·69)	.11	·10	.03	.13				·07	.06	21
22		.		.01		.02		.19		.33	·02	.27	22
23	.04		.13	.03		.01		.12		.10	·14	.38	23
24		? (3·00)		.03	1.77	.02		.11		.90	·35	·18	24
25	.01		.32	—		.16		.32	.01	.11	·36		25
26	.08		.23	—		.04		.24	.52	.93	–		26
27	.04	·37	~~.20~~			.01		.18	.84	.57	·02		27
28	.02	·65	(1·90)			.06			.41	.53	·07	.65	28
29		·43	.03			.40		.70		.48	·02	.29	29
30		╳				.21		.03		.44	–	.08	30
31		╳		╳		╳		.18	╳	.60	╳	.19	31
Total	2·68	(9·95) imp	(9·24) imp	2·46	5·08	3·04	1·78	3·17	3·41	10·01	(7·04)	3·52	YEAR'S TOTAL (61·38)
Rain Days.	23	(25)	(22)	15	17	20	10	16	15	28	22	18	{231}

W. 8,000. X. 15.

Ex RR

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
22 JUN 1917

Kept at Black Mountain Aber Clyd No 5 Hyetog. ~~ph~~ ~~ide~~

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1880 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.33	.05	.02		.02	.14	.03			.38	.16		1
2	.15	.30	?		.01	.08	.26		.31	.75	.52		2
3	.06	1.36			.26	.23			.44	.30	.09		3
4	.28	.07	~~33~~?	.02	.37	.70			.06	.16	.89		4
5	.05	.21	.06		.30	.29	.04			.55	.19		5
6	.26	.08			.10	.03	.72		.01	.35	.59	.02	6
7	.12	.02			.41	.02				.74	.84	.18	7
8		.03	?		.45	.14				.08	.13	.11	8
9	.02	.02			.01	.18	.02		.01	.04	.08	.03	9
10	.04	.37		.19	.01				.01	.08	–	.03	10
11	.17			.19	.02	.19	.28		.02		–		11
12	.14	.10	.01	.22	.67		.16	.16	.02	.17	–		12
13		.44	.16	.12	.01			35		.08	–	.01	13
14	.01	.27	.40	.36	.14			(35?)		17	.05	–	14
15		.71	.08	.24	.13		.01	.09	.09	.05	–		15
16	.06	.21		.41			.02	.01		.17	–		16
17	.22	.19		.23				.07	.48	.44	(1.00)		17
18	.12	.25	.35	.18				.01	.12	.19	(.64)	.07	18
19	.18		83	.36								.02	19
20	.08	.06	.27								.03	.52	20
21	.02		.47	.11	.08	.03	.12				.05	.08	21
22				.01		.01		.18		.30	.01	.24	22
23	.04		.07	.02		.01		.10		.07	.09	.36	23
24		?		.02	1.65	.02		.10		.71	.34	.14	24
25	.01		.28			.15		.31	.01	.10	.38		25
26	.08		.18			.02		.24	.51	.60	–		26
27	.03	.31				.01		.18	.79	(.46)	.01		27
28	.02	.48	?			.05			.40	.40	.03	.56	28
29		.35				.39		.69		.45	.02	.24	29
30		×				.19		.02		.45	–	.05	30
31		×		×		×		18	×	.55	×	.13	31
Total	2.49	imp	imp	2.38	4.64	2.88	1.66	3.04	3.28	8.79	(6.14)	2.79	YEAR'S TOTAL imp
Rain Days.	23			15	17	20	10	16	15	27	22	17	

W. 8,000. X. 15.

3934

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Black Mountains Aber Clyd No. 5 Snowdon inside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1880 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.03	.22	(1.00)		.72		.53	.06		.05	.08	1
2	.04	.01	.03	.12		.04		.03		.17	.29		2
3	.10	.18		.20				.01		.59	.07		3
4		.03	(1.00)	.02			.02	.09		.47		.01	4
5	.46		45	.24		.07		.04	.97	.49	.29		5
6			(1.25)	.06		.02		.12		.38	.27	.02	6
7	(1.50)		(.25)			02	.54	28		.36	.19	.03	7
8	~~.45~~		(.30)	.42			.27	1.26	.05	.52	.27	.17	8
9			(.50)	.45	.23			.23	.34	.07	58		9
10	.28		.64	.42	.15			.34	02	04		.02	10
11	.39		.03	.65	.26			.56		.40	.23		11
12	03		03	06	1.16			05		.21		.01	12
13			.18	.06		02		.71	.16	.08		.05	13
14	.11			.34	.13			.14		.05		.02	14
15	.07			19	.06		.14		.01	09		.25	15
16	.05	.04		.06	.60	.36		.41	01			.25	16
17	.01	.04		.04	.37		1.35	.71	.15	.30			17
18		.03	.08	.01	.10	.07	.11	.10	1.08	.01			18
19	.03	.84	.33			.42		.01	.27		.02		19
20					2.11	.16	.01	.07	.03		.03		20
21	.01	.02	.19		.09	.02		.02		.06	.01		21
22	.04	.02				.01		.58		.18	.08		22
23		.27			.43			.84		.25	.03	.07	23
24	.02	.06	.02			.26		.14		.64	.06	.01	24
25		16	.12			.35		.70	.22	.16	.02		25
26			.01		.22	.18	.02	.33	.10	.03	.06		26
27			.01		.87	.23	.71	1.15		.05	.06		27
28			.27		.03	.36		.65					28
29			.09				.01	.07		.91		.60	29
30	.03		.03		.02			.52		.05	03		30
31			.07		.31			.51		.03		.01	31
Total	(3.20)	1.73	(6.10)	(4.34)	7.14	3.31	3.18	11.20	3.47	6.59	2.64	1.60	YEAR'S TOTAL 54.50
Rain Days.	18	13	23	17	17	18	10	30	14	26	19	15	220

W. 8,000, VIII. 16

3935

FORM A.
BRITISH RAINFALL.

2nd

REGISTER OF RAINFALL IN 1917

Kept at Black Mountains Aber Clyd No 5 ~~Talgarth~~ outside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1880 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.03	.23	(1.60)		.68		.55	.06		.05	.08	1
2	.04	.01	.03	.12		.04		.03		.16	.29		2
3	.10	.17		.22				.01		.60	.07		3
4		.03	(1.00)	.02			.02	.09		.50		.01	4
5	45		.44	.25		.07		.04	.97	.51	.32		5
6			(1.25)	.06		.62		.11		.39	.28	.02	6
7	(1.50)		(.25)			.02	.54	.27		.37	.20	.03	7
8	~~.45~~		(.30)	.41			.27	1.29	.05	.54	.22	.17	8
9			(.50)	.32	.24			.25	.37	.08	.63		9
10	.25		.59	.44	.15			.34	.02	.04		.02	10
11	.40		.03	.51	.26			.55		.44	.24		11
12	.03		.03	.05	1.13			.05		.21		.01	12
13			.19	.06		.02		.74	.16	.08		.04	13
14	.12			.36	.13			.14		.05		.02	14
15	.07			.18	.06		.14		.01	.10		.28	15
16	.05	.04		.06	.60	.35		.42	.01			.30	16
17	.01	.04		.04	.42		1.40	.74	.15	.31			17
18		.03	.08	.01	.10	.07	.12	.11	1.10	.01			18
19	.03	.90	.33			.43		.01	.28		.02		19
20					2.10	.16	.01	.07	.03		.03		20
21	.01	.02	.15		.09	.02		.02		07	.01		21
22	.04	.02				.01		.60		.19	.09		22
23		.26			.43			.77		.25	.03	.08	23
24	.02	.06	.02			.26		.14		.66	.06	.01	24
25	.02	.15	.12			.35		.77	.22	.16	.02		25
26			01		.22	.19	.02	.30	.11	.03	.07		26
27			.01		.85	.23	.72	1.20		.05	.05		27
28			.27		.03	.38		.66					28
29			.09				.01	.08		.81		.68	29
30	.03	✕	.03		.02			.53		.05	.04		30
31		✕	.06	✕	.30	✕		.52	✕	.03	✕	.01	31
Total	(3.21)	1.76	6.01	(4.11)	7.13	3.30	3.25	11.40	3.54	6.69	2.72	1.76	YEAR'S TOTAL 54.88
Rain Days.	18	13	23	17	17	18	10	30	14	26	19	15	220

W. 8,000, VIII. 16

2nd

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
18 FEB 1918

Kept at Black Mountain's Aber Clyd No 5 Hyetograph inside

in the County of Breconshire

by The Referees Abertillery Water Board act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1880 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.01	.20	.33?		.70		.56	05		.05	.08	1
2	.02		.01	.07		.03		.03		.17	.27		2
3	.08	.15		.23				.01		.59	.06		3
4		(.03)	(1.00)				.02	.09		.50		(.01)	4
5	.39		.25	.22		.07		.03	.97	.49	.27		5
6			(1.25)	.06		.03		.11		.39	.28	.01	6
7	(1.50)		(.25)			.02	.55	.28		.37	.18	.02	7
8	~~.26~~		(.30)	.45			.28	1.33	.05	.53	.24	.16	8
9			(.50)	.25	.22			.25	.28	.08	.56		9
10	.18		46	.36	.14			.34	.02	.04		.02	10
11	.32			(.65)	.26			.55		.40	.19		11
12	.01		.01	.04	1.10			.05		.22		.01	12
13			.14	.06		.01		.71	17	.08		.04	13
14	.06			.29	.13			.14		.05		.02	14
15	?			.16	.06		.13		01	.06		.10	15
16	.03	.02		.03	.59	.34		.37	01			.36	16
17		.02		.01	.33		1.28	.68	15	.29		.13	17
18			.06	.01	.10	07	.11	.11	1.09	.01			18
19		.69	.29			.41			.26		.01		19
20					2.01	.15	.01	.08	.03		.02		20
21		(.02)	.20		.08	.02		.02		.06	.01		21
22		.01				.01		.53		.18	.09		22
23		.25			.42			.79		.25	.03	.01	23
24		.04	.02			.24		.14		.60	.06	.01	24
25	.02	.14	.10			.34	-	.69	21	.16	.02		25
26					.21	.17	.02	.34	.11	.03	.06		26
27	.02				.90	.22	.74	1.18		.05	.06	.01	27
28			.24		.03	.35		.68					28
29			.05				.01	07		.81		.32	29
30	.01	╳	01		.02			53		.04	.01	.18	30
31		╳	.05	╳	.30	╳		.51	╳	02	╳		31
Total	unf ~~(2.62)~~	1.38	(5.39)	3.22?	6.90	3.18	3.15	11.20	3.41	6.47	2.47	1.49	YEAR'S TOTAL unf.
Rain Days.		11	20	16	17	18	10	29	14	26	19	17	

W. 8,000, VIII. 16

B. Made

69

FORM A.
BRITISH RAINFALL.

19 2·19

REGISTER OF RAINFALL IN 1918

FENCED

Kept at Aber Clyd, Black Mountains
in the County of Brecon
by The Abertillery & District Water Board.

Lat. 51·58·20 N. Long. 3·7·40. W.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1880 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·10	–	·22	·05	–	–	·38	·13	·09	1·55	–	1
2	–	·16	–	·08	–	–	–	·42	·04	·02	·28	·23	2
3	–	·25	–	·41	·65	–	–	·01	·61	·19	·05	–	3
4	–	·10	·03	·03	–	–	–	·10	·66	·37	·75	·65	4
5	–	·18	·02	·14	·42	–	–	·20	·30	·38	·05	·07	5
6	·06	·24	–	·27	–	·06	–	–	·04	·23	–	·17	6
7	–	·15	–	·01	·46	·01	–	–	·62	·08	·21	·19	7
8	·06	·31	–	–	–	–	–	–	·18	·20	·03	·04	8
9	·06	·37	–	·67	–	·32	·10	–	·35	·17	·11	·26	9
10	·22	·05	–	·17	–	–	·89	–	·18	·15	·08	·27	10
11	·04	·01	·10	·10	·06	–	·71	–	·08	·05	·16	·19	11
12	–	·19	·16	–	·11	–	·40	–	·09	–	–	·06	12
13	·04	·09	–	·01	·09	·05	·06	–	·27	·06	–	·22	13
14	·47	·01	·13	–	·06	·19	·19	–	·41	·02	–	·33	14
15	1·15	–	–	–	–	·03	·93	–	·08	–	–	·76	15
16	1·28 s	–	–	1·18	–	·02	·18	·07	1·08	–	–	·33	16
17	·33 s	–	·02	–	–	·05	·30	·06	·13	·19	–	·35	17
18	·97	–	–	–	–	·45	·27	–	·77	·06	–	·93	18
19	·29	·05	·64	·02	–	–	·13	·05	·03	·12	–	·32	19
20	·36	·22	–	·45	–	·20	·08	–	·53	·03	–	–	20
21	·24	·21	–	·50	–	·06	·07	–	·60	·04	–	·23	21
22	·01	·06	–	–	·42	–	·15	·03	·23	·03	–	·50	22
23	·18	–	–	–	·73	–	·17	–	·20	–	·10	–	23
24	·07	·08	–	–	–	–	·37	·34	·17	·01	·22	·19	24
25	–	–	–	–	·20	–	·63	·86	–	·09	·06	·09	25
26	·02	·04	–	–	–	–	·79	·07	·09	·03	·20	·40	26
27	–	·11	·37	–	–	·02	·08	·37	·28	–	·07	·20	27
28	–	·18	·96	·03	–	–	–	–	·02	–	·13	·32	28
29	–		·13	–	–	–	–	–	1·06	·02	–	·09	29
30	–	✕	·46	–	–	–	–	–	·12	·07	·05	·22	30
31	–	✕	·49	✕	–	✕	–	·31	✕	–	✕	–	31
Total	5·93	3·16	3·51	4·29	3·25	1·46	6·50	3·27	9·35	2·70	4·10	7·61	YEAR'S TOTAL 55·13
Rain Days.	19	22	12	16	11	12	19	14	29	24	17	26	221

W, 6,500, VII. 18. W W C

3740

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

3 FEB 20

Kept at Aber Clyd Black Mountains
in the County of Brecon.
by Abertillery and District Water Bd.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level 1880 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·46	—	·16	·01	·20	—	·14	—	·18	·54	—	·60	1
2	·12	—	·06	—	·01	* —	·03	·07	·17	·03	·02	·19	2
3	—	—	·01	—	·02	·22	·18	—	·08	—	·17	·25	3
4	·03 s	—	·30	—	—	—	·22	·09	·46	—	—	·20	4
5	·08 s	·03	·04	—	—	—	·02	—	—	—	·01	·43	5
6	·79 s	·19	·22	—	—	—	—	—	—	—	·02	·32	6
7	·63	—	·18	·20	·05	—	—	—	·07	—	—	·03	7
8	·36	—	·14	·16	·04	·12	—	—	—	—	—	—	8
9	·40 S.R.	—	·01	·14	—	—	—	—	—	—	·13	—	9
10	·24	—	·79	—	·16	—	—	—	—	—	·02	·51	10
11	·08	—	·98	·04	·16	·06	·23	—	—	·04	·15	·03	11
12	—	—	·31	·13	—	·73	·16	—	·05	·18	·06	—	12
13	·20	—	—	·50	—	—	·05	—	·84	·31	·09	·25	13
14	·45	·08	—	·45	—	—	—	—	·08	·15	—	·25	14
15	·58 H	·10	—	·13	—	—	—	·22	—	·11	—	·55	15
16	·15 T.L.R.	·39	—	—	—	—	—	·18	—	—	·19	—	16
17	·03	·61	—	·01	—	·07	—	·11	—	—	·35	·03	17
18	—	—	·56	—	—	—	—	·38	·10	—	·20	·08	18
19	·42	·35	·81	—	—	·22	·60	·42	·18	—	·07	·03	19
20	·54	·12	·46	—	—	·05	—	·03	—	—	·15	·26	20
21	·16	·90	·11	—	—	·02	·30	·02	·01	—	—	·16	21
22	—	·16	—	—	—	—	—	—	·25	—	·05	·59	22
23	—	—	—	—	—	·04	·02	·09	—	1·02	·16	·10	23
24	·03	—	—	·34	·05	·09	—	·02	·05	·55	·27	·39	24
25	·17 S.R.	—	—	·12	·05	·02	—	1·10	·01	—	·09	·03	25
26	·06	·01	·31	·08	—	·11	—	·27	·12	—	—	·43	26
27	·29 s s	—	·07	·27	—	—	—	·72	·10	—	—	·02	27
28	·02	—	·26	·02	—	—	—	·21	—	—	·20	·50	28
29	·07		·14	·09	—	·01	—	·01	—	·23	·08	·53	29
30	—		·03	·08	—	·23	—	·28	—	·04	·31	·62	30
31	—		·11		—		·04	—		—		·01	31
TOTAL	6·36	2·94	6·26	2·77	·74	1·99	1·99	4·22	2·75	3·20	2·79	7·39	YEAR'S TOTAL 43·40
Days with ·01 in. or more	24	11	22	17	9	14	12	17	16	11	21	27	201

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3639

11 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Aber Clyd

in the County of Breconshire Black Mountains

by J. F. Jupp Esq M. Inst. C.E.

Lat 51° 58' 20" N Long 3° 7' 40" W.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1880 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	·15	·36	·53	—	·88	·03	·15	·21	·05	·94	1
2	·18	·03	·03	·56	·02	—	·16	·11	·12	·18	—	·52	2
3	·10	·19	—	·30	·19	·03	1·23	·03	·09	2·22	—	·10	3
4	—	—	·06	·05	—	—	·03	·60	·04	·34	—	—	4
5	—	·02	·36	·08	·27	—	·62	·17	·16	·48	—	—	5
6	—	—	·51	·02	·32	—	·06	—	·01	·12	·02	·11	6
7	—	·12	·04	·11	·03	—	·38	—	—	—	—	—	7
8	·27	·02	—	·98	·25	—	·45	·38	—	·01	—	—	8
9	·56	·36	—	·54	—	·03	·18	·06	·08	—	—	—	9
10	·67	·26	·20	·12	—	1·28	·21	—	—	·09	·17	·01	10
11	·08	·02	·25	1·12	·38	·05	·09	—	—	·02	—	·01	11
12	·23	·11	·05	·48	·03	·85	·09	·19	—	·05	·18	—	12
13	·21	·14	·63	·38	—	—	—	—	—	—	·06	·05	13
14	·02	·07	·84	·98	—	·16	·19	—	1·16	·19	·75	·08	14
15	—	·32	·21	1·18	·12	·09	—	—	·02	·11	·04	—	15
16	—	·02	·20	·20	·03	·58	·43	—	·46	1·71	·08	—	16
17	·05	—	·06	—	·27	·05	·01	·29	1·48	·73	—	·05	17
18	·31	—	—	·08	·20	·05	·09	·08	1·22	—	—	·05	18
19	·04	·23	—	·39	·29	·28	—	—	·02	—	—	—	19
20	·04	·11	—	·48	·24	·08	—	—	—	·01	—	·46	20
21	—	—	—	·02	—	—	·16	—	·01	·04	—	·19	21
22	·09	—	—	·10	—	·02	·24	·20	·07	—	—	34	22
23	·07	—	·02	—	—	—	·47	·03	—	—	—	·53	23
24	·10	·01	·31	·05	—	—	·01	·01	—	—	·17	·34	24
25	·11	·04	·23	·03	—	·05	·72	·04	—	—	—	·08	25
26	(·39)	·14	·36	·10	·49	·13	·31	—	—	—	·32	·25	26
27	·56	·10	·48	·22	·02	·79	·7	—	—	—	·04	·86	27
28	·82	—	·27	·12	·18	·21	·01	—	·01	—	—	·06	28
29	·48	—	·42	·16	·39	·08	·49	—	—	—	·13	·98	29
30	·16	✕	·31	·36	·03	·36	·05	—	·66	·72	·47	·44	30
31	·11	✕	·30	✕	—	✕	·06	—	✕	·66	✕	·10	31
TOTAL	5·66	2·31	6·29	9·57	4·28	5·17	7·79	2·22	5·76	7·89	2·48	6·55	YEAR'S TOTAL 65·97
Days with ·01 in. or more	24	19	23	28	20	19	27	14	17	18	13	22	244
Days with ·04 in. or more	22	13	21	25	14	16	23	10	12	15	12	20	204

B. Made

63

REGIS

BLAEN-Y-CWM.
BLACK MOUNTAINS
– BRECON
1918 - 1920

8

FORM A.
BRITISH RAINFALL.

19 2. 19

Kept at Blaen-y-cwm, Pa

in the County of Breco

by Abertillery & Distric

ain Gauge 5 in.

bove Ground 1 ft. 0 in.

„ Sea Level ft.

IMPORTANT NOTE.—Rai nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·12	–	·20	·07	–	–	·48	·17	·07	1·61	–	1
2	–	·17	–	·10	–	–	–	·35	·02	·01	·27	·26	2
3	–	·34	–	·38	·56	–	–	·04	·65	·14	·14	–	3
4	–	·10	·02	·01	–	–	–	·13	·85	·38	·96	·59	4
5	–	·34	–	·34	·42	–	–	·14	·26	·58	·06	·07	5
6	·08	·24	–	·17	–	·06	–	–	·08	·26	–	·16	6
7	–	·24	–	·02	·44	–	–	–	·79	·09	·28	·28	7
8	·06	·27	–	–	–	–	–	–	·12	·29	H ·09	–	8
9	·14	·41	–	·57	–	·68	·05	–	·61	·21	F ·09	·25	9
10	·26	·05	–	·14	[illegible]	–	·82	–	·28	·09	·09	·35	10
11	·05	–	·14	·10	·09	–	·80	–	·13	·09	MIST. ·06	·16	11
12	–	·16	·14	–	·17	–	·33	–	·10	–	–	·07	12
13	·10	·07	–	–	·05	·02	·11	–	·32	·08	–	·23	13
14	·50	·01	·11	–	·05	·12	·12	–	·46	·03	–	·37	14
15	·67	–	–	·14	–	·01	·94	–	·26	–	–	·67	15
16	·84	–	–	1·08	–	·01	·10	·05	·59	–	–	·49	16
17	·28	–	·01	–	–	–	·28	–	·27	·13	–	·33	17
18	·85	–	–	–	–	·60	·16	–	·74	·03	–	1·43	18
19	·37	·09	·46	–	–	–	·13	–	·11	·12	–	·29	19
20	·40	·21	–	·45	–	·13	·13	–	·74	·03	–	–	20
21	·28	·26	–	·28	–	·04	·07	–	·63	·05	–	·29	21
22	–	·06	–	–	T+H ·42	–	·31	·02	·32	·04	–	·92	22
23	·23	–	–	–	1·29	–	·10	–	·09	–	·12	–	23
24	·05	·17	–	–	–	–	·35	·41	·12	–	·28	·22	24
25	–	–	–	–	·17	–	·61	·77	–	·03	·07	·01	25
26	·08	·05	–	·13	–	–	·60	·07	·14	·02	·18	·48	26
27	–	·17	·63	–	–	–	·06	·28	·61	–	·05	·16	27
28	–	·16	1·31	·03	–	–	–	–	·05	–	·13	·26	28
29	–		·16	–	–	–	–	–	1·25	·04	–	·19	29
30	–	╳	·44	–	–	–	–	–	·02	·14	·07	·23	30
31	–	╳	·67	╳	–	╳	–	·26	╳	–	╳	–	31
Total	5·27	3·68	4·09	4·14	3·73	1·67	6·07	3·00	10·78	2·95 ~~2·85~~	4·55	8·76	YEAR'S TOTAL 58·69 ~~58·59~~
Rain Days.	18	21	11	16	11	9	19	12	29	23	17	25	211

W. 6,500, VII. 18. w w c

B. made

63

FORM A.
BRITISH RAINFALL.

19 2. 19

REGISTER OF RAINFALL IN 1918

Kept at Blaen-y-cwm, Black Mountains

in the County of Brecon

by Abertillery & District Water Board

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·12	–	·20	·07	–	–	·48	·17	·07	1·61	–	1
2	–	·17	–	·10	–	–	–	·35	·02	·01	·27	·26	2
3	–	·34	–	·38	·56	–	–	·04	·65	·14	·14	–	3
4	–	·10	·02	·01	–	–	–	·13	·85	·38	·96	·59	4
5	–	·34	–	·34	·42	–	–	·14	·26	·58	·06	·07	5
6	·08	·24	–	·17	–	·06	–	–	·08	·26	–	·16	6
7	–	·24	–	·02	·44	–	–	–	·79	·09	·28	·28	7
8	·06	·27	–	–	–	–	–	–	·12	·29	H ·09	–	8
9	·14	·41	–	·57	–	·68	·05	–	·61	·21	F ·0[illegible]	·25	9
10	·26	·05	–	·14	·[illegible]	–	·82	–	·28	·09	·09	·35	10
11	·05	–	·14	·10	·09	–	·80	–	·13	·09	MIST. ·06	·16	11
12	–	·16	·14	–	·17	–	·33	–	·10	–	–	·07	12
13	·10	·07	–	–	·05	·02	·11	–	·32	·08	–	·23	13
14	·50	·01	·11	–	·05	·12	·12	–	·46	·03	–	·37	14
15	·67	–	–	·14	–	·01	·94	–	·26	–	–	·67	15
16	·84	–	–	1·08	–	·01	·10	·05	·59	–	–	·49	16
17	·28	–	·01	–	–	–	·28	–	·27	·13	–	·33	17
18	·85	–	–	–	–	·60	·16	–	·74	·03	–	1·43	18
19	·37	·09	·46	–	–	–	·13	–	·11	·12	–	·29	19
20	·40	·21	–	·45	–	·13	·13	–	·74	·03	–	–	20
21	·28	·26	–	·28	–	·04	·07	–	·63	·05	–	·29	21
22	–	·06	–	–	T+H ·42	–	·31	·02	·32	·04	–	·92	22
23	·23	–	–	–	1·29	–	·10	–	·09	–	·12	–	23
24	·05	·17	–	–	–	–	·35	·41	·12	–	·28	·22	24
25	–	–	–	–	·17	–	·61	·77	–	·03	·07	·01	25
26	·08	·05	–	·13	–	–	·60	·07	·14	·02	·18	·48	26
27	–	·17	·63	–	–	–	·06	·28	·61	–	·05	·16	27
28	–	·16	1·31	·03	–	–	–	–	·05	–	·13	·26	28
29	–		·16	–	–	–	–	–	1·25	·04	–	·19	29
30	–	X	·44	–	–	–	–	–	·02	·14	·07	·23	30
31	–	X	·67	X	–	X	–	·26	X	–	X	–	31
Total	5·27	3·68	4·09	4·14	3·73	1·67	6·07	3·00	10·78	2·95 ~~2·85~~	4·55	8·76	YEAR'S TOTAL 58·69 ~~55·59~~
Rain Days.	18	21	11	16	11	9	19	12	29	23	17	25	211

W. 6,500, VII. 18. w w c

E+RR

3736

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Blaen-y-cwm, Black Mountains
in the County of Brecon
by Abertillery & District Water Board

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level [illegible] ft.

3 FEB 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·52	—	·12	·03	·18	—	·14	—	·19	·55	—	·84	1
2	·17	—	·05	—	·02	—	·07	·08	·11	·07	·10	·22	2
3	·01	—	·17	—	·05	·18	·12	—	·07	—	·14	·43	3
4	s ·05	—	·25	—	—	—	·31	·07	·42	—	—	·22	4
5	—	·40	·06	—	—	—	·01	—	—	—	·03	·58	5
6	1·05	·10	·34	—	—	—	—	—	—	—	·01	·64	6
7	s ·39	—	·12	·14	·03	—	—	—	·04	—	—	·02	7
8	·53	—	·06	·14	·01	·07	—	—	—	—	—	—	8
9	·48	—	·02	·21	—	—	—	—	—	—	·26	—	9
10	s ·27	—	1·10	—	·13	—	—	—	—	—	·03	·74	10
11	·03	—	·83	·10	·16	—	·14	—	—	·02	·11	·03	11
12	—	—	·28	·20	—	·66	·12	—	·04	·19	·03	—	12
13	·32	—	—	·47	—	—	·03	—	·65	·65	·06	·15	13
14	·53	·16	—	·62	—	—	—	—	—	·10	—	·52	14
15	·88	·10	—	·24	—	—	—	·09	—	·10	—	·54	15
16	·05	1·17	—	—	—	—	—	·15	—	—	·20	—	16
17	—	·79	—	—	—	·03	—	·18	—	—	·54	·01	17
18	—	—	·88	—	—	—	—	·28	·07	—	·31	·10	18
19	s ·40	·37	1·18	—	—	·16	·70	·38	·21	—	·09	·03	19
20	·51	·14	·32	—	—	·07	—	·01	—	—	·24	·30	20
21	·11	·89	·15	—	—	—	·24	·02	·06	—	—	·35	21
22	—	·24	—	—	—	—	—	—	·38	—	·03	·62	22
23	—	—	—	—	—	·06	·01	·02	—	·92	·20	·17	23
24	—	—	—	·27	·06	·07	—	·07	·01	·53	·37	·59	24
25	·20	—	—	·18	—	·01	—	·78	·06	—	·12	·02	25
26	·05	—	·35	·20	—	·03	—	·21	·09	—	—	·46	26
27	s ·23	—	·08	·19	—	—	—	·83	·04	—	—	·01	27
28	·06 s	—	·25	—	—	—	—	·08	—	—	·27	·48	28
29	·04		·07	·14	—	·01	—	—	—	·25	·04	·65	29
30	—	✕	—	·10	—	·37	—	·26	—	·03	·38	·62	30
31	—	✕	·05	✕	—	✕	·04	—	✕	—	✕	·08	31
TOTAL	6·88 ✓	4·36 ✓	6·73	3·23	·64 ✓	1·72 ✓	1·93 ✓	3·51 ✓	2·44	3·41	3·56 ✓	9·42	YEAR'S TOTAL 47·83 ✓
Days with ·01 in. or more	22 ✓	10 ✓	21	15 ✓	8 ✓	12 ✓	12 ✓	16 ✓	15 ✓	11 ✓	21 ✓	27	190 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

4RB

3635

1 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Blaen-y-cwm Gwyne Faur Black Mountains

in the County of Breconshire

by J. F. Jupp. M. Inst. C.E.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·03	·41	·67	—	·95	·05	·11	·15	·02	·91	1
2	·18	·02	·03	·21	·01	—	·31	—	·09	·18	—	·55	2
3	·14	·20	—	·22	·16	·02	1·08	·10	·03	2·14	—	·26	3
4	—	—	·04	—	—	—	—	·66	·01	·50	—	—	4
5	—	·01	·20	·05	·23	—	·45	·19	·24	·16	—	—	5
6	—	—	·52	—	·13	—	·11	—	·01	·29	—	·07	6
7	—	·01	·04	·15	·01	—	·31	—	—	—	—	—	7
8	·43	·11	—	·95	·25	—	·30	·31	—	·01	—	—	8
9	·58	·45	—	·53	—	—	·07	—	·04	—	—	—	9
10	·97	·32	·12	·09	—	1·16	·34	—	—	·05	·08	·01	10
11	·27	·09	·36	1·00	·41	·04	·06	—	—	·04	—	·01	11
12	·27	·18	·03	·59	·03	·82	·09	·32	—	·05	·20	—	12
13	·22	·08	·79	·39	—	—	—	—	—	—	·01	·05	13
14	·02	·09	·67	·87	—	·14	·20	—	·82	·07	·87	·08	14
15	—	·45	·21	1·62	·08	·08	—	—	—	·21	·21	—	15
16	—	·01	·16	·35	·09	·60	·37	·32	·71	1·54	·12	—	16
17	·04	—	·06	—	·37	·02	—	·10	1·17	·57	—	·05	17
18	·36	—	—	·10	·25	·08	·01	—	·94	—	—	·04	18
19	·07	·21	—	·37	·42	·36	—	—	—	—	—	—	19
20	·04	·13	—	·93	—	·05	—	—	—	·01	—	·49	20
21	—	—	—	·03	—	—	·12	—	—	·09	—	·40	21
22	·14	—	—	·16	—	—	·21	·16	·05	—	—	·38	22
23	·01	—	·01	—	—	—	·60	—	—	—	—	·59	23
24	·10	·01	·36	·06	—	—	—	—	—	—	·17	·43	24
25	·10	·05	·33	·10	—	—	·78	·04	—	—	—	·05	25
26	·31	·06	·52	·09	—	·07	·29	—	—	—	·26	·14	26
27	·64	·20	·60	·33	·01	·60	·09	—	—	—	·06	·82	27
28	·70	—	·27	·12	·21	·25	·01	—	—	—	—	·21	28
29	·50	—	·45	·02	·30	·06	·56	—	—	—	·16	·89	29
30	·13	✕	·31	·30	·03	·28	·07	—	·41	—	·66	·49	30
31	·13	✕	·41	✕	—	✕	·05	—	✕	·67	✕	·18	31
													YEAR'S TOTAL
TOTAL	6·35	2·68	6·52	10·04	3·66	4·63	7·43	2·25	4·63	6·67	2·82	7·10	64·78
Days with ·01 in. or more	23	19	23	26	18	16	24	10	13	17	12	22	223
Days with ·04 in. or more	21	14	19	24	13	14	22	10	10	15	10	20	192

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Ex. F.C.

Co

RE 11

BLACK MOUNTAINS

(DAM SITE GRWYNE FAWR

BRECON

1911 - 1920

FORM A2.
BRITISH RAINFALL.
12 JUN 1912

Kept at Gwyne Fa

in the County of B

H. Rofe & Dr.

by J. R. Geth

5 in.

ve Ground 1 ft. 0 in.

Sea Level circa 1620 ft.

a.m

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		-	·10	·04	·33	-	·06	·05	-	-	·63	-	1
2		-	·02	·03	·42	-	-	·47	-	·12	·07	·40	2
3		-	·17	-	·31	-	-	·07	·14	·10	·25	·28	3
4		-	·11	·03	-	-	-	·61	·01	-	·57	·88	4
5		-	·18	-	-	-	-	·03	-	·25	·12	·01	5
6		-	·07	·01	-	-	-	·06	-	-	·57	1·34	6
7		-	-	-	-	-	-	-	-	-	·66	·02	7
8	1·00	-	·44	-	-	-	-	-	-	-	·82	1·21	8
9	estd.	-	·10	-	-	-	-	-	·02	-	·73	·85	9
10	6·III·12	·11	·44	-	-	-	-	-	-	-	-	·73	10
11		-	·24	-	1·39	-	-	-	·02	-	·51	·17	11
12		-	·38	-	·18	-	-	-	·50	-	·82	·81	12
13		-	-	-	·06	-	-	-	-	·01	·13	·21	13
14		·03	-	-	-	-	-	-	-	·04	·01	1·68	14
15		·13	·03	-	-	·04	-	-	-	·07	·47	·18	15
16		·01	-	-	·21	·44	-	-	-	·04	·36	·51	16
17		·34	·01	·05	-	1·70	·01	-	-	-	·18	·97	17
18	-	·49	·16	·41	-	·17	-	-	-	·12	·03	·44	18
19	-	-	·01	·42	-	·55	-	·02	1·18	·40	·02	·97	19
20	-	·24	·10	·18	-	·10	-	-	·12	·46	-	·68	20
21	·01	·29	·20	·04	-	·18	-	·69	·10	·42	-	·13	21
22	-	·42	·13	·14	-	·09	·01	-	·11	·44	-	·63	22
23	-	·12	·02	-	·02	-	-	·18	·54	·41	-	·32	23
24	-	·20	-	·21	-	·77	-	-	-	·07	-	·19	24
25	·04	·09	-	·14	-	·15	-	-	·17	·27	-	·31	25
26	-	·54	-	·51	·30	·01	-	·41	·04	·04	·21	·08	26
27	-	·61	·49	·21	-	-	-	·38	·55	-	·03	·17	27
28	-	·13	-	·54	-	·01	-	·15	-	·01	·26	-	28
29	-		-	·02	-	·31	·97	·11	·30	1·20	-	·01	29
30	-		-	·02	·05	·04	·04	-	-	·40	·19	-	30
31	-		-		-		·41	-		·02		-	31
Total	(1·05)	3·75	3·40	3·00	3·27	4·66	1·50	3·23	3·80	4·89	7·64	14·18	TOTAL for year (54·37)
No. of Rain Days.	(11)	15	20	17	10	14	6	13	14	20	22	27	(189)

W. 8,000, X. '11.

Ex. F.C.

Co

RE 11

FORM A2.
BRITISH RAINFALL.
12 JUN 1912

Kept at Gwyne Fawr, ~~[illegible]~~ [No 7.

in the County of Brecon

H. Rofe & Dr. H. R. Mill

by J. R. Gethin-Jones

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level circa 1620 ft.

Time of Observation 9 a.m

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		-	·10	·04	·33	-	·06	·05	-	-	·63	-	1
2		-	·02	·03	·42	-	-	·47	-	·12	·07	·40	2
3		-	·17	-	·31	-	-	·07	·14	·10	·25	·28	3
4		-	·11	·03	-	-	-	·61	·01	-	·57	·88	4
5		-	·18	-	-	-	-	·03	-	·25	·12	·01	5
6		-	·07	·01	-	-	-	·06	-	-	·57	1·34	6
7		-	-	-	-	-	-	-	-	-	·66	·02	7
8	1·00	-	·44	-	-	-	-	-	-	-	·82	1·21	8
9	estd.	-	·10	-	-	-	-	-	·02	-	·73	·85	9
10	6·III·12	·11	·44	-	-	-	-	-	-	-	-	·73	10
11		-	·24	-	1·39	-	-	-	·02	-	·51	·17	11
12		-	·38	-	·18	-	-	-	·50	-	·82	·81	12
13		-	-	-	·06	-	-	-	-	·01	·13	·21	13
14		·03	-	-	-	-	-	-	-	·04	·01	1·68	14
15		·13	·03	-	-	·04	-	-	-	·07	·47	·18	15
16		·01	-	-	·21	·44	-	-	-	·04	·36	·51	16
17		·34	·01	·05	-	1·70	·01	-	-	-	·18	·97	17
18	-	·49	·16	·41	-	·17	-	-	-	·12	·03	·44	18
19	-	-	·01	·42	-	·55	-	·02	1·18	·40	·02	·97	19
20	-	·24	·10	·18	-	·10	-	-	·12	·46	-	·68	20
21	·01	·29	·20	·04	-	·18	-	·69	·10	·42	-	·13	21
22	-	·42	·13	·14	-	·09	·01	-	·11	·44	-	·63	22
23	-	·12	·02	-	·02	-	-	·18	·54	·41	-	·32	23
24	-	·20	-	·21	-	·77	-	-	-	·07	-	·19	24
25	·04	·09	-	·14	-	·15	-	-	·17	·27	-	·31	25
26	-	·54	-	·51	·30	·01	-	·41	·04	·04	·21	·08	26
27	-	·61	·49	·21	-	-	-	·38	·55	-	·03	·17	27
28	-	·13	-	·54	-	·01	-	·15	-	·01	·26	-	28
29	-		-	·02	-	·31	·97	·11	·30	1·20	-	·01	29
30	-		-	·02	·05	·04	·04	-	-	·40	·19	-	30
31	-		-		-		·41	-		·02		-	31
Total	(1·05)	3·75	3·40	3·00	3·27	4·66	1·50	3·23	3·80	4·89	7·64	14·18	TOTAL for year (54·37)
No. of Rain Days.	(11)	15	20	17	10	14	16	13	14	20	22	27	(189)

W. 8,000, X. '11.

Cont. by original IV: 13

REGISTER OF RAINFALL IN 1912

Ex

FORM A. BRITISH RAINFALL. 28 APR 1913

Kept at Gwyne Fawr, Dam Site

in the County of Breconshire No 7

by (Inside) Referees, Abertillery W.B. Act.

~~Lat.~~ Snowdon Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level 1,620 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.43	-	.03	.79	-	.14	.02	.52	-	.23	1
2	.01	.09	.85	.08	-	.41	.46	.10	-	-	-	.01	2
3	.25	.04	.75	-	.21	.22	.04	2.08	.16	-	.02	.14	3
4	.43	.06	.72	-	.08	-	-	.17	.12	-	.32	-	4
5	.59	x (.15)	.25	.02	.13	-	-	1.10	.04	-	.01	.14	5
6	.59	.20	-	-	.16	.02	-	.14	-	-	.03	.10	6
7	-	.76	1.04	.01	.01	.35	.28	.10	.02	-	-	.10	7
8	.56	.09	.32	-	-	.05	-	-	.06	-	-	-	8
9	.07	.14	.77	.25	-	.47	.05	.79	.02	-	.14	.71	9
10	.67	.23	-	-	-	.09	.32	.10	-	-	.23	.12	10
11	-	.25	-	-	.19	-	.06	.02	-	-	.05	.96	11
12	.07	.32	.15	.12	.03	.01	.11	.01	-	-	.01	.11	12
13	.07	.03	.03	-	-	.03	-	.10	.04	.16	-	.18	13
14	.08	.12	.87	-	.29	.02	-	.20	-	-	-	.06	14
15	.83	.05	.02	-	.25	.17	-	.08	-	.15	-	.41	15
16	.65	-	.45	-	-	.06	-	.34	.01	.14	.03	.05	16
17	}	-	.07	-	.02	.19	-	.43	-	-	.16	.84	17
18	} .16	.06	.12	-	-	-	-	.29	-	.15	.01	.10	18
19	.13	.41	-	-	-	-	.40	.66	-	.14	.03	.29	19
20	.12	.04	1.10	-	-	-	.17	.05	-	.65	.08	-	20
21	-	.27	.84	-	.92	-	.09	.37	-	.43	-	.10	21
22	.58	.42	.36	-	.12	.04	.70	.75	-	.11	-	.34	22
23	.60	.21	.37	-	-	.57	.04	.51	-	.08	.37	.32	23
24	.25	.03	.10	-	-	.36	.04	-	-	-	.30	.02	24
25	-	.08	-	-	-	.21	.19	} 2.63	-	.62	.74	.68	25
26	-	.03	.07	-	-	-	.10	}	-	.85	.16	.66	26
27	-	.06	.19	-	-	.64	1.48	-	-	.83	.02	.70	27
28	-	.16	-	-	-	.45	.95	.82	.56	.44	.46	.23	28
29	-	.29	.06	-	-	.14	.04	.22	.91	.37	-	.05	29
30	-		.37	-	.06	.11	.60	-	.02	.87	.02	.05	30
31	-		.17		.04		.17	.07		-		.14	31
Total	7.21	4.59	10.47	.48	2.54	5.40	6.29	12.27	1.98	6.51	3.19	7.84	TOTAL for year 68.77
No. of Rain Days.	20	26	25	5	15	22	20	27	12	16	20	28	236

x Feb 5 g. half-full of drift

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.

28 APR 1913

[illegible] correct for [illegible] ·IV·13

~~REGISTER OF~~ RAINFALL IN 1912

Kept at Grwyne Fawr, Dam Site No 7
in the County of Breconshire
by outside
Experimental g.

~~Lat.~~ ~~Long.~~ Talgarth
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 1,620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·03	·81	-	·15	·02	·51	-	·24	1
2					-	·42	·52	·10	-	-	-	·01	2
3					·21	·23	·04	1·97	·17	-	·02	·14	3
4					·08	-	-	·18	·12	-	·33	-	4
5					·13	-	-	1·14	·04	-	·01	·15	5
6					·16	·02	-	·14	-	-	·03	·10	6
7					·01	·36	·23	·10	·02	-	-	·10	7
8					-	·05	-	-	·06	-	-	-	8
9					-	·48	·05	·80	·02	-	·16	·75	9
10					-	·09	·32	·11	-	-	·25	·11	10
11					·19	-	·06	·02	-	-	·05	1·05	11
12					·03	·01	·11	·01	-	-	·01	·13	12
13					-	·03	-	·10	·04	·16	-	·20	13
14					·31	·02	-	·21	-	-	-	·07	14
15					·29	·19	-	·08	-	·15	-	·41	15
16					-	·06	-	·35	·01	·14	·03	·05	16
17				Gauge fixed outside	·02	·21	-	·44	-	-	·16	·81	17
18				-	-	-	-	·28	-	·14	·01	·11	18
19				-	-	-	·46	·68	-	·14	·03	·30	19
20				-	-	-	·18	·05	-	·70	} NM	-	20
21				-	·93	-	·10	·38	-	·54	} ·10	·10	21
22				-	·12	·04	·72	·78	-	·11	-	·35	22
23				-	-	·58	·04	·53	-	·07	·39	·33	23
24				-	-	·36	·04	-	-	-	·35	·02	24
25				-	-	·22	·19	{ 2·77	-	·62	·84	·70	25
26				-	-	-	·10	{	-	·85	·17	·69	26
27				-	-	·64	1·53	-	-	·85	·02	·77	27
28				-	-	·46	1·03	·85	·56	·44	·44	·24	28
29				-	-	·14	·04	·23	·90	·39	-	·05	29
30				-	·06	·11	·61	-	·02	·90	·02	·05	30
31					·04		·19	·07		-		·14	31
Total					2·61	5·53	6·56	12·52	1·98	6·71	3·42	8·17	YEAR'S TOTAL
Rain Days.					15	22	20	27	12	16	20	28	

W. 7,500, XI. 12

Copy

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

17 JUN 1914

No 7.

Kept at Black Mountains Dam Site Grwyne Fawr

in the County of Breconshire 7 Ex yo.

by The Referees Abertillery Water Board Act.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·11	·50	·14	-	-	-	-	·22	·08	·31	·02	1
2	·15	·54	·45	·22	·46	-	-	-	·03	·95	·30	·06	2
3	·78	·16	·07	-	·68	-	·03	-	·08	·04	-	·51	3
4	·64	·23	·08	-	·28	·17	·07	-	1·95	} ·91 ×	·22	·32	4
5	·06	·13	·07	-	·29	·20	·33	-	·27		·54	·17	5
6	·22	·65	·21	-	·22	·20	·03	-	-	1·26	·02	·41	6
7	·07	·31	·03	-	1·47	·23	-	-	-	·76	·17	·01	7
8	·08	·35	·02	-	·38	-	·03	·27	-	·17	-	·05	8
9	·01	·29	·07	·03	·32	·63	·09	-	·14	-	·56	·08	9
10	1·12	-	·03	·40	·12	-	-	·50	-	·64	·19	-	10
11	·30	-	-	·06	·28	·01	-	-	-	-	·64	·05	11
12	·02	-	-	-	·48	·02	-	·26	·16	-	1·24	·08	12
13	·06	-	·74	·10	·02	-	·04	·02	·52	-	·30	-	13
14	·45	-	·28	·35	-	-	-	·13	-	·36	·12	-	14
15	·09	·02	·84	1·10	-	-	-	·27	·01	-	·09	·07	15
16	·40	·04	} 1·19 ×	·10	-	-	·02	·31	·17	-	·04	-	16
17	·30	-		·49	·01	-	·14	-	-	-	·29	-	17
18	·45	-	·53	·37	·02	·02	·19	-	·02	-	-	·01	18
19	·40	-	·54	·03	·01	·25	-	-	·13	·26	·10	·01	19
20	·26	-	·51	·53	·04	-	-	-	-	·20	1·43	-	20
21	·09	-	1·18	·05	·15	-	·09	·37	·08	·13	-	-	21
22	·82	-	·45	-	-	·13	-	1·21	·54	-	-	-	22
23	·09	-	·06	·01	-	·09	-	·05	·01	-	·21	·05	23
24	·04	·12	-	·19	-	-	-	-	-	-	·12	·04	24
25	-	·09	-	1·15	-	-	-	-	·09	·08	·10	·37	25
26	-	-	-	1·33	·11	·01	-	·09	-	·02	-	·51	26
27	·32	-	·67	·70	-	-	-	-	-	·91	·01	·09	27
28	·06	-	·26	·55	·08	-	-	-	-	·86	-	·22	28
29	-		·95	·09	-	-	-	·11	-	·13	·02	-	29
30	·46		-	-	·08	-	-	-	-	·55	·41	-	30
31	·12		·39		-		·02	·05		·05		-	31
Total	7·94	3·04	10·12	7·99	5·50	1·96	1·08	3·64	4·42	8·36	7·43	3·13	YEAR'S TOTAL 64·61
Rain Days.	28	13	25	21	20	12	12	13	16	20	23	20	223

W.7,000, XI. 13

Ex. W.G. cord, by orig

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

Kept at Black Mountains Dam Site Grwyne Fawr No 7 (Inside)
in the County of Breconshire
by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·05	·09	·03		·08	·59	·88	—		·39	·07	1
2			·16		·10		·92	·19		~~·01~~ ·00	·39	·56	2
3	·04		·37	·28	·52			·07		·02	·02	1·24	3
4	·46		·19	·15	·32		·65	·03			1·35	·22	4
5	·42		·17	·50	·37			·05			·19		5
6	·10	·43	·09	·18	·58	·09	·01				·06	·53	6
7	·04	·32	·40	·06	·45	·08	·32	·61				·84	7
8	·11	·01	·35	·18	·25	1·04		·76	·01			·17	8
9	·10	·15	·05	·19	·19	1·49		·37	·19		·07		9
10		·58	·10	·28	·22			·02	·46			·05	10
11		·43	·43		·09	·56	·13		·15		·98	1·00	11
12		·63	·23						·34	·01	·44	·99	12
13		·57	·72	·01			·21		·68	·53	·12	·22	13
14		1·58	·56				·05	·32	·07	·23	·54		14
15	·01	·02	·62			—	·07	·02	·23	·09	·16	·03	15
16	·02		·02				·19		·29			·12	16
17	·02	·54	·53			·01	·06		·08	—		1·04	17
18		·09	·65				·28		·16			1·02	18
19		·08	·05				1·20		·14		·12	·07	19
20		·88	·19			·10						·42	20
21		·63	·19			·03	·08	·03		·48	—		21
22		·40	·15	·06		·07		·23		·95			22
23		·06	·10		·21		·38	·10		·45	·01		23
24	·04		·19	·03			·21	·11		·03	·29		24
25	·36	·04	·23				·15	·65		·48	·31	·31	25
26	·11		·16				·40	·03		·16	·51	·55	26
27	·06	·02								·25	·64	·46	27
28	·16	·41	·28		·25		·02			·13	·08	10 in S. (·70)	28
29	·21		·41	—	·04					·33	1·85	·20	29
30	·06	✕	·81					·02		·35	·61	1·06	30
31	1·33	✕		✕		✕	·29		✕	1·18	✕	·91	31
Total	3·65	7·92	8·49	1·95	3·59	3·55	6·21	4·49	2·80	5·6~~8~~7	9·13	12·78	YEAR'S TOTAL 70·2~~4~~3
Rain Days.	18	21	29	12	13	10	20	18	12	1~~7~~6	21	24	21~~5~~4

W. 8,000. X. 14.

cord by Supt. Sta. 8.VI.15

4173

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Black Mountains Dam Site Grwyne Fawr No 7 Inside

in the County of Breconshire

by The Referee Abertillery Water Board Act

Lat. ……… Long. ………

Time of Observation ………

Nearest Railway Station ………

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.59	.53	.08	.11	.34			1.17	.15	.58	.01	.28	1
2	.20	.28	.31	.15		2	.06	.83		.03		.45	2
3	.21	.29	.18	.14	.15		.70	.64				.65	3
4	.36	.46	.03		.35		.01	.04	.01			.44	4
5	.02	1.16	.01	— N.M.				.16				1.59	5
6	.51	.22		× .52			.70	.25				.31	6
7	.52	1.05		.02	1.81		.12			.04	.03	.75	7
8	.34	.78		.11				.02			.30	.04	8
9	.12	.73		.16			.01	.02			.26	1.01	9
10	.51	.07	.16	.07				.02		.14	.22	.05	10
11	.08		.03	.12	.14			.46		.18	1.56	.04	11
12	.17	[illegible] .55		.27	.79			.05		.04	.54		12
13	.02	1.48			~~1.54~~ .58			.30	.13		.18	.07	13
14	.01							.13			.06	.76	14
15	.93	.04					.37	.18	.03	.04	.15	.15	15
16	.04	.93			.19		1.75	.18					16
17		.61	.04		1.61								17
18	.03	1.07	.03		.74		.01						18
19	.08	.05		.13			.43						19
20	.62				.12		.03	.01		.23		.15	20
21	.19	.13		.04	.18		.46					.03	21
22	.16	.03	.35	.13	.02	.01	.60		.07	.22		.78	22
23	.03	.10		.02			.41		.01	1.08		.64	23
24	.03	.01	.11	.05		.02			.19	.90		1.09	24
25						.73				.01		.13	25
26		.26				.01	.50		.05			1.05	26
27		.15				.21	.08		.01	.81		.05	27
28		.43	.01			.05		.07	.18	.02		.06	28
29						.60		.03			.60	.44	29
30	.28			.18						1.17	.59	.78	30
31	.02						.21	.11		2.28		1.18	31
Total	6.07	11.41	1.34	2.22	7.02	~~1.84~~ 1.85	6.45	4.67	.83	7.77	4.50	12.98 7	YEAR'S TOTAL 67.10
Rain Days.	25	24	12	~~16~~ 17	13	8	17	19	10	16	12	26	198

W.7,000, XI. 13

4103

FORM A.
BRITISH RAINFALL.

26 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at Black Mountains Dam Site Grwyne Fawr No 7 Inside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.39	.07	05		.03	.20	.04			.35	·19		1
2	.18	.36	(1·30)		.02	.24	.26		.40	83	·64		2
3	.11	1.68			.23	.26			.45	·41	·25		3
4	.36	.08		.03	.41	76			.07	.21	1·34		4
5	.08	.41	.11		.38	.36	.01			.74	·26		5
6	.30	.18			.19	.08	.94		.01	.67	·70	.01	6
7	.13	.04	(·60)		.48		.02			.71	·97	.26	7
8		·08	(·70)		.55	.15				.10	·18	.20	8
9		.03	(·20)		.02	.21	.02		.01	.04	·13	.10	9
10	.07	.40	(40)	.24	.03	.01			.01	.11	–	.06	10
11	.21		(·50)	.21	.04	22	.34		.05	.01	–		11
12	.14	.14	.04	.18	.68		·26	.23	.02	.15	–		12
13		·58	.19	.18	.03		.02	·40		.15	–	.03	13
14	.01	.58	·49	.10	.18			·40		.36	·03	.01	14
15		1.03	.15	.27	.15		.02	.08	.10	.06	–		15
16	.04	.28		.44			.02	.01		.18	–		16
17	·38	.24		·38					.57	.56	(1·00)		17
18	.15	.25	.31	22				.05	.15	.20	}·54	(.20)	18
19	.31	–	.98	.40								.04	19
20	.11	.14	.30								·06	.70	20
21	.03		.71	.10	.10	.03	.11				·04	·10	21
22				.03		.03		.22		.52	·03	.35	22
23	.04	}(3·00)	.13	.05		.01		.11		.13	·25	·34	23
24				.04	1.84	.01		.15		1.00	·28	·29	24
25	.01		.46			.06		.39		.21	·49		25
26	.10		23			.13		.24	.65	.85	–		26
27	.05	35	}(1·90)			.07		.18	.75	.68	·03		27
28	.03	(·70)							.36	.55	·10	.83	28
29		·45	.04			.50		.69		.61	·03	.35	29
30		X				.25		.03		.68	-	.09	30
31		X		X		X		.22	X	.67	X	.23	31
Total	3·23	(11·07)	(9·79)	2·82	5·36	3·58	2·06	3.40	3·60	11·74	7·54	4·19	YEAR'S TOTAL (68·38)
Rain Days.	22	25	22	15	17	19	12	15	14	28	22	18	229

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
18. FEB 1918

REGISTER OF RAINFALL IN 1917

2nd

Kept at Grwyn Fawr T opposite Dam Site G No 7
in the County of Brecon
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.42	.02		.02	.04	1
2								.02		[illegible] (.10)	.28		2
3										32	.11		3
4								.04		30			4
5								.03	72	.29	.06		5
6								.05		.12	.11		6
7								.25		.21	.07	.01	7
8								.68	.01	.23	.14	.09	8
9								.17	.36	.04	.54		9
10								.24	.01	.01		.01	10
11								.42		.25	.12		11
12								.16		.16			12
13								.32	.04	.05		.02	13
14								.12		.01		.01	14
15										02		.14	15
16								(.40)				.05	16
17								.62	09	.17			17
18								.07	.86	.01			18
19								.01	.13		.01		19
20								.06			.01		20
21								.01		.02			21
22								.41		.05	.03		22
23								.56		.08		.02	23
24										.24	.02		24
25								57	.07	07			25
26								.15	.10		.01		26
27								.94		02	01		27
28								.40					28
29								.10		.49		.09	29
30		X						.38		.03			30
31		X		X		X		26	X	.04	X		31
Total								~~7.46~~ 7.86	2.41	~~3.23~~ 3.33	1.54	.48	YEAR'S TOTAL
Rain Days.									11	25	15	10	

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.
18 FEB 1918

REGISTER OF RAINFALL IN 1917

2nd

Kept at Grwyn Fawr A opposite Dam Site No 7

in the County of Brecon

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.52	.03		.03	.06	1
2								.02		.15	.29		2
3										.47	.10		3
4								.08		.49			4
5								.04	.93	.42	.15		5
6								.07		.25	.27		6
7								.31		.38	.10	.02	7
8								1.02	.02	37	.17	.12	8
9								.20	.39	.06	.74		9
10								.36	.02	.03		.02	10
11								.57		.38	.14		11
12								.20		.18			12
13								.48	.08	.05		.03	13
14								.20		.03		.01	14
15										.04		20	15
16								.40				10	16
17								.65	.13	.22			17
18								.10	1.09	.01			18
19								.01	.20		.01		19
20								.09			.02		20
21								.01		.02			21
22								.65		.08	.06		22
23								.88		.18		.02	23
24								.01		.39	.03		24
25								.93	.12	.13	.01		25
26								.18	.14	.01	.02		26
27								1.16		.02	02		27
28								.50					28
29								.14		.91		.20	29
30		✕						.42		.04			30
31		✕		✕		✕		35	✕	.06	✕		31
Total								10.55	3.15	5.37	2.16	.78	YEAR'S TOTAL
Rain Days.								29	11	26	16	10	

W. 8,000, VIII. 16

3933

FORM A. BRITISH RAINFALL.

8 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Black Mountains Dam Site Grwyne Fawr No 7 inside

in the County of Breconshire

by The Reform Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.03	.25	(1.00)		.49		.50	.05		.07	.10	1
2	.05	.01	.03	.13		.06		.02		.18	.32		2
3	.12	.22		.24						.63	.09		3
4	.02	.04	(1.00)	.02			.03	.07		.57		.01	4
5	.60		.53	.24		.05		.04	.95	.52	.46		5
6			(1.25)	.04		.05		.09		.39	.40	.04	6
7			(.25)			.04	.56	.37		.46	.26	.04	7
8			(.30)	.50			.31	1.18	.05	.62	.33	.18	8
9	(1.25)		(.50)	.46	.24			.35	.38	.08	.74		9
10	.41		.70	.78	.15			.44	.02	.03		.02	10
11	.45		.03	.13	.24			.71		.51	.23		11
12	.03		.03	.08	1.34			.22		.18		.01	12
13			.21	.10		.04		.60	.21	.06		.06	13
14	.14			.41	.10			.22		.04		.02	14
15	.08			.28	.07		.12		.02	20		.32	15
16	.05	.03		.07	.68	.40		.46	.01			(.50)	16
17	.02	.04		04	.30		1.72	1.06	.18	.33			17
18		.04	.07		.10	.04	.12	.11	1.12	.01			18
19	.02	.85	.36			.41		.01	.43		.03		19
20			.01		1.95	.16		.11	.01		.04		20
21	.01	.02	.34		.10	.02		.01		.08			21
22	.05	.03	.01			.01		.77		.23	.09		22
23		.33			.40			1.28		.26	.02	.08	23
24	.03	.07	.03			.33		.01		.82	.07	.01	24
25		.15	.09			.26		1.14	.21	.22	.03		25
26			.02		.25	06		.25	.19	.04	.09		26
27			.02		.93	.47	.73	1.27		.04	.07		27
28			35		.01	.31		.68					28
29			.08					.18		1.41		.65	29
30	03	×	.04		03			.55		.06	06		30
31		×	.06	×	.46	×		.58	×	.07	×	.01	31
Total	(3.40)	1.86	(6.56)	(4.52)	7.35	3.20	3.59	13.28	3.83	8.04	3.40	2.05	YEAR'S TOTAL 61.08
Rain Days.	19	13	25	16	17	18	7	29	14	26	18	15	217

W. 8,000, VIII. 16

B. Made

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL.

19 2. 19

Kept at Dam Site, Grwyne Fawr, Black Mountains.

in the County of Brecon

by Abertillery & District Water Board.

Lat. 51·58·0N Long. 3·6·50 W.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·12	–	·21	·06	–	–	·42	·17	H ·10	1·73	–	1
2	–	·22	–	·11	–	–	–	·34	·06	·05	·38	·36	2
3	–	·35	–	·44	·63	–	–	·03	·68	·23	·07	–	3
4	–	·14	·02	·02	–	–	–	·18	·74	·49	1·08	·75	4
5	–	·28	·02	·22	·41	–	–	·21	·29	·69	·05	·12	5
6	·05	·34	–	·29	–	·08	–	–	·04	T.L. ·26	–	·20	6
7	–	·24	–	·01	·42	·01	–	–	·77	H ·12	·31	·27	7
8	·11	·49	–	–	–	–	–	–	·13	Fog ·24	·04	·03	8
9	·10	·55	–	·69	–	·44	·09	–	·49	·24	·14	·33	9
10	·19	·10	–	·18	–	–	1·04	–	·24	·18	·11	·34	10
11	·10	–	·13	·15	·06	–	·80	–	·11	·06	·14	·21	11
12	–	·23	·16	–	·18	–	·48	–	·09	–	–	·08	12
13	·07	·09	–	·01	·08	·07	·14	–	·35	·08	–	·24	13
14	·60	·01	·12	–	·07	·21	·21	–	·42	·03	–	·46	14
15	·91	·02	–	–	–	·03	·06	–	·13	Fog –	–	·89	15
16	1·01	–	–	·93	–	·02	·11	·07	1·11	–	–	·42	16
17	·39	–	·02	–	–	·03	·36	·04	·24	·16	–	·42	17
18	1·12	–	–	–	–	·69	·34	–	·71	Fog ·07	–	1·27	18
19	·39	·05	·69	·02	–	–	·16	·06	·05	Fog ·12	–	·22	19
20	·56	·30	–	·55	–	·22	·14	–	·67	·03	–	–	20
21	·31	·35	–	·40	–	·08	·08	–	·79	·04	–	·33	21
22	·02	·29	–	–	T.H.&R. ·57	–	·25	·02	·33	·03	–	·58	22
23	·28	·01	–	–	·82	–	·16	–	·48	–	·14	–	23
24	·12	·15	–	–	–	–	·35	·49	·20	·01	·27	·27	24
25	–	–	–	–	·18	–	·67	·99	–	·08	·07	·04	25
26	·05	·06	–	·05	–	–	·62	·06	·17	·03	·21	·58	26
27	–	·14	·61	–	–	·01	·04	·42	·38	–	·07	·27	27
28	–	·25	1·16	·04	–	–	–	–	·04	–	·17	·39	28
29	–		·18	–	–	–	–	–	S&R. 1·21	·03	–	·13	29
30	–	X	·69	–	–	–	–	·01	·03	·11	·08	·29	30
31	–	X	·71	X	–	X	–	·32	X	–	X	–	31
Total	6·43	4·78	4·51	4·32	3·48	1·89	6·10	3·66	10·82	3·48	5·06	9·49	YEAR'S TOTAL 64·02
Rain Days.	19	23	12	17	11	12	19	15	29	24	17	26	224

W, 6,500. VII. 18. w w c

3739

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

3 FEB 20

Kept at Dam Site, Black Mountains
in the County of Brecon
by Abertillery & District Water Board

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level 1620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·63	—	·23	·03 s	·24	—	·15	—	·22	·60	—	·76	1
2	·18	—	·08	—	·02	—	·02	·08	·17	·05	·09	·19	2
3	·01	—	·09 RS	—	·03	·22	·17	—	·08	—	·13	·28	3
4	·05 s	—	·26 RS	—	—	—	·24	·08	·54	—	—	·28	4
5	·03 s	·07 RS	·05	—	—	—	·02	—	—	—	·04	·50	5
6	1·15 RH	·28 RS	·36	—	—	—	—	—	—	—	·06	·38	6
7	·66	— R	·19	·20	·06	—	—	—	·07	—	—	·04	7
8	·70 RS	— F	·15	·17	·03	·14	—	—	—	—	—	—	8
9	63	— F	·02	·16	—	—	—	—	—	—	·16	—	9
10	·28	— F	1·26 RS	—	·18	—	—	—	—	—	·04	·79	10
11	·10	—	·95 RS	·07	·17	·08	·21	—	—	·03	·19	·04	11
12	—	—	·33	·21	—	·82	·18	—	·06	·20	·07	—	12
13	·29	— F	—	·64	—	—	·07	—	·88	·44	·07	·29	13
14	·60 RH	·22	—	·56	—	—	—	—	·07	·10	—	·61	14
15	·85 TLR	·15	—	·18	—	—	—	·16	—	·09	—	·55	15
16	·07	·50 SR	—	—	—	—	—	·19	—	—	·28	—	16
17	—	·72 s	—	·03	—	·07	—	·29	—	—	·42	·03	17
18	·08	—	·84	—	—	—	—	·33	·11	—	·29	·11	18
19	·59	·39	·86 RS	—	—	·26	·54	·47	·21	—	·06	·03	19
20	·71	·12	·72 RS	—	—	·03	—	·02	—	—	·19	·34	20
21	·16	·97	·16	—	—	·03	·35	·02	·06	—	—	·26	21
22	—	·22	—	—	—	—	—	—	·30	—	·07	·58	22
23	—	—	—	—	—	·04	·02	·08	—	1·06	·21	·10	23
24	·03	—	—	·37	·06	·09	—	·06	·06	·57	·39	·41	24
25	·19 SR	—	—	·15	·03	·02	—	1·10	·05	—	·10	·02	25
26	·07 s	·02	·39	·18 s	—	·11	—	·29	·13	—	—	·51	26
27	·35 s	—	·10	·35 s	—	—	—	·78	·07	—	—	·04	27
28	·01	—	·31	·03 s	—	—	—	·10	—	—	·23	·51	28
29	·06	X	·11	·15 s	—	·02	—	·26	—	·22	·08	·64	29
30	—	X	·04 s	·09 s	—	·34	—	—	—	·07	·40	·68	30
31	—	X	11 s	X	—	X	·04	—	X	—	X	·05	31
TOTAL	8·48	3·66	7·61	3·57	·82	2·27	2·01	4·31	3·08	3·43	3·57	9.02	YEAR'S TOTAL 51·83
Days with ·01 in. or more	25	11	22	17	9	14	12	16	16	11	21	27	201

3638

1 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dam Site, Grwyne Fawr, Black Mountains
in the County of Breconshire
by J. F. Jupp, M Inst. C.E.

Lat. 51° 58′ 10″ N, Long. 3° 6′ 50″ W
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·10	·33	·67	—	1·15	·09	·14	·29	·04	·97	1
2	·20	·06	·04	·42	·02	—	·18	·03	·14	·20	—	·65	2
3	·15	·23	—	·23	·25	·03	·95	·11	·08	2·48	—	·12	3
4	—	—	·05	·02	—	—	·02	·80	·06	·48	—	—	4
5	—	·03	·41	·06	·34	—	·63	·20	·25	·38	—	—	5
6	—	—	·55	·03	·36	—	·08	—	·01	·19	·01	·11	6
7	—	·08	·05	·10	·03	—	·39	—	—	—	—	—	7
8	·38	·02	—	1·11	·27	—	·40	·36	—	·01	—	—	8
9	·67	·50	—	·56	—	·04	·18	·07	·09	—	—	—	9
10	·91	·32	·23	·12	—	1·25	·27	—	—	·09	·19	·02	10
11	·15	·03	·44	1·09	·41	·06	·09	—	—	·03	—	·01	11
12	·29	·21	str ·06	·57	·04	·83	·12	·17	—	·05	·24	—	12
13	·21	·14	str ·93	·43	—	—	—	—	—	—	·08	·05	13
14	·03	·13	sm ·88	1·01	—	·15	·22	—	1·25	·16	1·01	·08	14
15	—	·39	s ·22	1·43	·13	·09	—	—	·02	·15	·06	—	15
16	—	·02	s ·23	·31	·02	·54	·47	—	·56	1·65	·08	—	16
17	·17	—	·07	—	·32	·07	·01	·29	1·40	·69	—	·06	17
18	·42	—	—	·13	·29	·09	·09	·11	1·10	—	—	7 ·04	18
19	·06	·27	—	·52	·37	·33	—	—	·01	—	—	—	19
20	·05	·06	—	·63	·31	·06	·01	—	—	·01	—	·54	20
21	—	—	—	·04	—	—	·16	—	—	·07	—	·34	21
22	·13	—	—	·13	—	·02	·25	·20	·05	—	—	·34	22
23	·12	—	·02	—	—	—	·58	·01	—	—	—	·59	23
24	·08	·04	·37	·07	—	—	—	·01	—	—	·18	·46	24
25	·19	·04	·33	·05	—	·06	·79	·04	—	—	—	·08	25
26	·34	·14	·62	·13	·11	·14	·34	—	—	—	·33	·25	26
27	·89	·18	·73	·22	·01	·78	·15	—	—	—	·05	·84	27
28	·82	—	·28	·12	·19	·22	·02	—	—	—	—	·11	28
29	·76	—	·43	·12	·35	·09	·51	—	—	—	·18	1·07	29
30	·20		·34	·37	·04	·30	·08	—	·58	·21	·53	·54	30
31	·14		·31		—		·09	—		·72		·09	31
													YEAR'S TOTAL
TOTAL	7·36	2·89	7·69	10·35	4·53	5·15	8·23	2·49	5·74	7·86	2·98	7·36	72·63
Days with ·01 in. or more	23	19	23	28	20	19	27	14	15	18	13	22	247
Days with ·04 in. or more	22	15	22	26	16	17	23	11	12	15	12	20	211

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

S. made

not coord. for

REGI

12

BLACK MOUNTAINS

GRWYNE ~~FAWR~~

PEN-Y-MALLWYN

1912 - 1917

FORM A2.
BRITISH RAINFALL.

28 APR 1913

wdon (n 7)

Kept at Gwyne Fawr R

5 in.

ve Ground 1 ft. – in.

in the County of Breco

Sea Level 2,512 ft.

by (Outsid

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2							·46						2
3													3
4													4
5			2·11										5
6	1·24				·50			2·90					6
7				·14		1·85							7
8		1·87		–						·42	·44	·61	8
9				·12					·42				9
10													10
11		—					·58						11
12													12
13		no drift ·58									·48		13
14			2·25										14
15					·72								15
16												2·63	16
17				·20		1·15	·12						17
18			·58						·10	·52			18
19				—				3·10					19
20	see book 3·28												20
21											·28		21
22		1·51											22
23					Gauge flat on ground	—	1·65	1·75					23
24						·83	funnel off		·00	·77		1·75	24
25					(1·00)								25
26													26
27													27
28													28
29		1·21						4·23					29
30				–		1·58			1·45		1·39		30
31	·75		2·08		G. disturbed by sheep		3·11	·08		3·43		1·92	31
Total	5·27	5·17	7·02	·46	(2·22)	5·41	5·92	12·06	1·97	5·14	2·59	6·91	TOTAL for year (60·14)
No. of Rain Days.		?	?										

W. 8,000, X. '11.

S. made

Not cord. for

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

28 APR 1913

Kept at Gwyne Fawr Pen-y-Mallwyn No 2

in the County of Breconshire

by (Outside Fence)

RAIN GAUGE
Pattern Snowdon (n [illegible])
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 2,512 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2							·46						2
3													3
4													4
5			2·11										5
6	1·24				·50			2·90					6
7				·14		1·85							7
8		1·87		–						·42	·44	·61	8
9				·12					·42				9
10													10
11							·58						11
12													12
13		no drift ·58									·48		13
14			2·25										14
15					·72								15
16												2·63	16
17				·20		1·15	·12						17
18			·58						·10	·52			18
19								3·10					19
20	see book 3·28												20
21											·28		21
22		1·51											22
23					Gauge flat on ground		1·65	1·75					23
24						·83	funnel off		·00	·77		1·75	24
25					(1·00)								25
26													26
27													27
28													28
29		1·21						4·23					29
30				=		1·58			1·45		1·39		30
31	·75		2·08		G. disturbed by sheep		3·11	·08		3·43		1·92	31
Total	5·27	5·17	7·02	·46	(2·22)	5·41	5·92	12·06	1·97	5·14	2·59	6·91	TOTAL for year (60·14)
No. of Rain Days.		?	?										

W. 8,000, X. '11.

S. made ✓

Cond for S. 2.V.13

REGISTER OF RAINFALL IN 1912

Ex F.C.

FORM A. BRITISH RAINFALL.

28 APR 1913

Kept at Gwyne Fawr, Pen-y-Manllwyn No2

in the County of Breconshire

by Referees at (Inside Fence) Weekly W.B. Act

~~Lat.~~ Snowdon ~~Long.~~

Nearest Railway Station

Time of Observation Various

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level 2,512 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2							·43						2
3													3
4													4
5			(3·00)										5
6	(1·92)				·47			2·86					6
7				·13		1·84							7
8		(1·60)								·40	·42	(·65)	8
9				·10					·35				9
10													10
11							·61						11
12													12
13		·51									·56		13
14			(2·59)										14
15					·73								15
16												2·52	16
17				·19		1·17	·13						17
18			·50						·09	·45			18
19								(3·00)					19
20	3·14												20
21											·28		21
22		1·03											22
23					·82		1·68	1·54					23
24						·75			·00	·79		(2·03)	24
25													25
26													26
27													27
28													28
29		·87						4·16					29
30						1·46			1·49		(1·69)		30
31	1·10		(2·70)		·14		3·14	·07		3·71		(2·00)	31
Total	(6·16)	(4·01)	(8·79)	·42	2·16	5·22	5·99	(11·63)	1·93	5·35	(2·95)	(7·20)	TOTAL for year (61·81)
No. of Rain Days.													

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

cord for 5 or

Copy.

REGISTER OF RAINFALL IN 1913.

FORM A2.
BRITISH RAINFALL.

17 JUN 1914

Kept at Black Mountains, Pen-y-Manllyn No. 2.

in the County of Breconshire

Ex. MJ

by The Referees Abertillery Water Board Act.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 2512 ft.

Time of Observation

Nearest Railway Station
Name
Distance
Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5								·00					5
6											1·38		6
7		1·99					·54						7
8				·30						4·30		1·11	8
9					3·03	1·26			2·02				9
10			1·05										10
11													11
12	2·72	·54											12
13										·57			13
14									·60				14
15						·04	·27					·22	15
16				1·61	·63								16
17								1·68			2·68		17
18													18
19		·05											19
20	1·85						·34						20
21				1·01									21
22			(5·05)									·03	22
23					·27	·56			·97	·96	1·55		23
24													24
25			·04					1·20					25
26													26
27													27
28		·13											28
29													29
30				3·55		·05			·02		·90		30
31	2·37		(2·15)		·78		·10	·24		2·66		1·20	31
Total	6·94	2·71	(8·29)	6·47	4·71	1·91	1·25	3·12	3·61	8·49	6·51	2·56	TOTAL for year
No. of Rain Days.													(56·57)

W. 8,000, X. '11.

cw pr S, 30.VI.16

4176

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Black Mountain Pen-y-Maellwyn No. 2 Outside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2512 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2	1 ft. 3 inside rails												2
3													3
4		no S. in gauge											4
5								Gauge disturbed (3.21) ~~3.21~~					5
6			.49	.75			.91				.02		6
7	1.08				1.94					.47			7
8	(1.80)					.31			.32				8
9		3.72											9
10	6 in. S inside rails											4.15	10
11													11
12		no S. in gauge		.44						.36			12
13			.17		S		1.04						13
14	.61							1.35	.21				14
15					~~.30 + Snow~~ (~~[illegible]~~)	-						.76	15
16		(2.50)			(1.25)						drifted ~~1.97~~		16
17											(2.25)		17
18		S. in gauge											18
19						-							19
20	.85		.02	.07									20
21		1.17			1.50		2.88	26	.05				21
22													22
23		1 ft. S. in gauge funnel filled with drift											23
24													24
25	18 in. drift inside rails and no S in funnel									1.97			25
26													26
27												3.85	27
28		(5.00)				.99							28
29													29
30				.43		.25			.47		.78		30
31	(.60)		.26		.00		1.35	.18		3.81		(3.95)	31
Total	~~2.74~~	~~6.48~~	.94	1.69	(~~4.94~~)	1.55	6.18	(5.00)	1.05	6.61	~~2.77~~	(10.71)	YEAR'S TOTAL (53.22)
Rain Days.	(3.86)	(7.89)	✓		(4.69)	✓	✓				(3.05)		

W.7,000, XI. 13

cod for S 30.VI.16

4175

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Black Mountains Pen y Maullwyn (No 2) Inside
in the County of Breconshire
by The Referees Abertillery Water Board Act

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 2512 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			effect[illegible]										1
2	ft S inside rail	in S. in gauge not included											2
3													3
4													4
5								3.21					5
6			1.21 melted drift est.	.55			1.01				.02		6
7	(1.80)		(.50)		2.39					.48			7
8	est.					.30			.38				8
9		3.54											9
10	6 in S inside rail											4.06	10
11													11
12		1 ft. S. in gauge not included		.61	2 ft drift inside					.36			12
13			.19		18 in. S on gauge		1.15						13
14	.88							1.53	.20				14
15					1.25							.74	15
16		2.50									drift 2.73		16
17		18 in drift & S. in gauge not melted											17
18													18
19													19
20	1.01		.04	.08									20
21		(1.00) ~~.83~~			1.78		2.73	.46	.05				21
22													22
23													23
24													24
25	18 in drift inside rail & 12 in S about funnel	Funnel Full								2.08			25
26													26
27												3.20	27
28		(.50) ~~.00~~				1.07							28
29											9 in S inside [illegible]		29
30				.46		.28			.51		.75		30
31	(.60)		37		.00		1.67	.19		2.52		1.50	31
Total	(4.29)	~~6.87~~	(1.10)	1.70	~~5.67~~	1.65	6.56	5.39	1.14	5.44	3.50	9.50	YEAR'S TOTAL (53.23)
Rain Days.	~~3 3~~	(7.54)			(5.42)								

W.7,000, XI. 13

4107

FORM A. BRITISH RAINFALL. 22 JUN 1917

cwd [illegible]

REGISTER OF RAINFALL IN 1916

Kept at Black Mountain Perry Manllwyr No 2 outside
in the County of Breconshire
by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 2512 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6						1.76							6
7			(4.00)				1.28		.70				7
8		2.43	7	.03						3.48			8
9					1.21			-					9
10											3.90		10
11						.30							11
12	2.08											.60	12
13													13
14					1.29								14
15			~~.35~~					.78		.75			15
16		2.48		N M			.68						16
17	.41										(1.48) ~~.32~~		17
18						-			.73				18
19													19
20													20
21		.61						.05		.80			21
22			(2.23)										22
23					.32		.53						23
24				2.13					.01				24
25	N M	T											25
26		(4.00)				.36							26
27			F										27
28			(1.75)										28
29				-									29
30		X		-		.85			(1.83) ~~1.05~~		.78		30
31	.97	X	~~.26~~	X	1.48	X	-	2.16	X	3.95	X	2.00	31
Total	3.46	(9.52)	~~8.08~~	2.16	4.30	~~2.91~~	2.49	2.99	~~2.49~~	8.98	(6.16)	2.60	YEAR'S TOTAL (57.18)
Rain Days.			(7.98)			3.27			(3.27)				

W. 8,000. X. 15.

cwd [illegible] 4406

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
26 JUN 1917

Kept at Black Mountain Pony Manllwyn No 2 Inside
in the County of Breconshire
by The Referees Aberbeeg Water Board Act

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 2512 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5													5
6						1.60							6
7							1.28		.72				7
8		2.65	(4·00)	.04						2.98			8
9					1.78			-					9
10									-		3·51		10
11						.38							11
12	1.51											·66	12
13													13
14					1.18								14
15			05					.74		·53			15
16		2·11		N M			.70						16
17	.30										1·48		17
18						-			.74				18
19													19
20													20
21		.52		—				.05		.80			21
22			2.20										22
23					·32		.52						23
24				1.87					.01				24
25	N M												25
26		(4·00)				·35							26
27													27
28													28
29				-									29
30		X		-		.74			1.83		.74		30
31	·45	X	1.75	X	1.61	X	-	2.05	X	4.03	X	2.68	31
Total	2.26	(9.28)	(7.95)	1.91	4.89	~~2.72~~	2.50	2.84	3.30	8.34	5.73	3.34	YEAR'S TOTAL (55.41)
Rain Days.						307							

W. 8,000. X. 15.

3936

18161 F

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Cw

Kept at Black Mountain Pen Manelwyn No 2 Inside
in the County of Breconshire
by The Referees Abertillery Water Board Act

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 2512 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5										1.28			5
6								.79			1.36	.09	6
7							.03	.33	1.14				7
8													8
9													9
10		(.25)											10
11			under drift										11
12										1.62		.25	12
13			~~2.96~~						.45		.54		13
14													14
15													15
16													16
17						1.80							17
18				est'd									18
19				(3.00) ~~2.98~~			2.41			.43			19
20		1.36		~~1.73~~	4.83	.81			1.46				20
21											.22		21
22													22
23													23
24			~~1.05~~									.52	24
25										.96			25
26								7.52					26
27													27
28		.37											28
29													29
30		X		02		1.29			.32		.36		30
31	~~1.05~~	X	~~.42~~	X	1.98	X	.94	2.69	X	1.10	X	.80	31
Total	(3.00)	1.98	(5.00)	(3.02)	6.81	3.90	3.38	11.33	3.37	5.39	2.48	1.66	YEAR'S TOTAL 51.32
Rain Days.			Est'd at 5.00										

W. 8,000, VIII. 16

13th [illegible] Snow

3937

FORM A. BRITISH RAINFALL.
FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Black Mountain Pen Maulbwyn No 2 outside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2512 A ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5										1.43			5
6								(.79)				.16	6
7					–		.03	(.33)	1.12				7
8											1.64		8
9													9
10		(.25)											10
11			[illegible]										11
12										2.32		.27	12
13			~~1.02~~						.58		.61		13
14													14
15													15
16													16
17						1.64							17
18				[illegible]									18
19				(3.00) ~~2.98~~			2.82			.62			19
20		1.24		[illegible] 1.18	4.10	.75			1.84				20
21											.31		21
22													22
23													23
24			~~.18~~									.25	24
25								(7.50)		1.52			25
26								~~3.9~~					26
27								77					27
28		.31											28
29													29
30		X		.02		1.16			.46		.64		30
31	~~.45~~	X	~~.15~~	X	2.10	X	.91	3.13	X	1.41	X	.10	31
Total	(3.00)	1.80	(5.00)	3.02	6.20	3.55	3.76	~~[illegible]~~	4.00	7.36	3.20	.72?	YEAR'S TOTAL 53.30
Rain Days.			Est'd at 5.00					(11.75)					

W. 8,000, VIII. 16

Sep 5.

Copy f

REGI

(#B)

11

BLACK MOUNTAINS

BLAN GAWYNE FAWR

1911 - 17

FORM A2.
BRITISH RAINFALL.
12 JUN 1912

Kept at Gwyne Fawr,
Blaen Gwyne
in the County of Bre
Dr. H. R. Mill &
by J. R. Gethin

5 in.
ve Ground 1 ft. 0 in.
Sea Level ~~Not exact~~ ft. 2120 ft.
m. No 4a · 2150 ft.
Name
Distance Direction

IMPORTANT NOTE.— d the result entered to the previous day. If an Observ iversal rule, he is earnestly requested to add the reading year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	-	·13	}	·35	-	·06	·02	-	-	·40	-	1
2	·02	-	·03	·10 }	{	-	-	·30	-	·14	-	·27	2
3	-	-	·09	-	·55	-	-	·13	·11	·07	·21	·24	3
4	-	-	·19	·06	-	-	-	·70	·02	-	·38	·48	4
5	·16	-	·06	·02	-	-	-	·06	-	·21	·07	-	5
6	·12	-	·17	·01	-	-	-	·06	-	-	·36	·84 ~~·53~~	6
7	·03	-	-	-	-	-	-	-	-	-	·62	·01	7
8	·12	-	·28	-	-	-	-	-	-	-	·79	·76	8
9	·18	-	·01	-	-	-	-	-	-	-	·61	·73	9
10	·05	·07	·21	-	-	-	-	-	-	-	-	·57	10
11	·30	-	·12	-	·97	-	-	-	·03	-	·43	·13	11
12	-	-	·40	-	·27	-	-	-	·48	-	·38	·56	12
13	·03	-	-	-	·04	-	-	-	·12	·01	·09	·12	13
14	-	·02	-	-	-	-	-	-	-	·06	·01	1·45	14
15	·01	·09	·04	-	-	·05	-	-	-	-	·39	·16	15
16	-	·02	-	-	·05	·93	-	-	-	·08	~~·44~~	·56	16
17	·01	·22	-	·07	-	·96	·01	-	-	-	·44	·81	17
18	-	·45	{	·45	-	{	-	-	-	·23	·03	·19	18
19	-	-	·23	·32	-	·70	-	·03	1·51	·27	·03	·63	19
20	-	·09	·05	·15	-	·13	-	-	·13	·48	-	·41	20
21	-	·20	·19	·02	-	·10	·01	·86	·09	·31	-	·10	21
22	·01	·27	·08	·07	-	·18	·01	-	·07	·51	-	·51	22
23	-	·05	·03	-	·05	-	-	·19	·58	·35	-	·20	23
24	·03	·10	-	·15	-	·56	-	·01	·06	·07	·01	·19	24
25	·06	·05	-	·13	-	·14	-	-	·24	·20	·01	·18	25
26	-	·37	-	·30	·24	·01	-	·45	·08	·07	·22	·07	26
27	-	·38	·41	·23	-	-	-	·48	·55	-	·04	·14	27
28	-	·04	-	·37	-	·01	-	·18	·05	·01	·21	-	28
29	-		-	·02	-	·37	·65	·17	·30	1·00	-	·03	29
30	-		-	·02	·03	·05	·07	-	-	·02	·15	-	30
31	-		·01		·03		·23	-		·06		-	31
Total	1·14	2·42	2·73	2·49	2·58	4·19	1·04	3·64	4·42	4·15	5·87	10.34 ~~10·03~~	TOTAL for year ~~44·70~~ 45·01
No. of Rain Days.	15	15	20	18	11	14	7	14	16	19	22	26	197

W. 8,000, X. '11.

Copy f … #B)

REGISTER OF RAINFALL IN 1911

Form A2. British Rainfall. 12 JUN 1912

Kept at ~~Gwyrne Fawr,~~ { No. 4 Jan–June / No. 4a. July. Dec.
~~Blaen Gwyrne Fawr No 4 B~~
in the County of Brecon]
Dr. H. R. Mill & H. Rofe, Esq.
by J. R. Gethin-Jones,

Rain Gauge { Pattern —
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level { ~~No. 4~~ ft. 2120 ft. / No 4a · 2150 ft.
Time of Observation 9 a. m.
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	-	·13	}	·35	-	·06	·02	-	-	·40	-	1
2	·02	-	·03	·10 }	{	-	-	·30	-	·14	-	·27	2
3	-	-	·09	-	{ ·55	-	-	·13	·11	·07	·21	·24	3
4	-	-	·19	·06	-	-	-	·70	·02	-	·38	·48	4
5	·16	-	·06	·02	-	-	-	·06	-	·21	·07	-	5
6	·12	-	·17	·01	-	-	-	·06	-	-	·36	·84 ~~·53~~	6
7	·03	-	-	-	-	-	-	-	-	-	·62	·01	7
8	·12	-	·28	-	-	-	-	-	-	-	·79	·76	8
9	·18	-	·01	-	-	-	-	-	-	-	·61	·73	9
10	·05	·07	·21	-	-	-	-	-	-	-	-	·57	10
11	·30	-	·12	-	·97	-	-	-	·03	-	·43	·13	11
12	-	-	·40	-	·27	-	-	-	·48	-	·38	·56	12
13	·03	-	-	-	·04	-	-	-	·12	·01	·09	·12	13
14	-	·02	-	-	-	-	-	-	-	·06	·01	1·45	14
15	·01	·09	·04	-	-	·05	-	-	-	-	·39	·16	15
16	-	·02	-	-	·05	·93	-	-	-	·08	~~·44~~	·56	16
17	·01	·22	-	·07	-	·96	·01	-	-	-	·44	·81	17
18	-	·45	{	·45	-	{	-	-	-	·23	·03	·19	18
19	-	-	{ ·23	·32	-	{ ·70	-	·03	1·51	·27	·03	·63	19
20	-	·09	·05	·15	-	·13	-	-	·13	·48	-	·41	20
21	-	·20	·19	·02	-	·10	·01	·86	·09	·31	-	·10	21
22	·01	·27	·08	·07	-	·18	·01	-	·07	·51	-	·51	22
23	-	·05	·03	-	·05	-	-	·19	·58	·35	-	·20	23
24	·03	·10	-	·15	-	·56	-	·01	·06	·07	·01	·19	24
25	·06	·05	-	·13	-	·14	-	-	·24	·20	·01	·18	25
26	-	·37	-	·30	·24	·01	-	·45	·08	·07	·22	·07	26
27	-	·38	·41	·23	-	-	-	·48	·55	-	·04	·14	27
28	-	·04	-	·37	-	·01	-	·18	·05	·01	·21	-	28
29	-		-	·02	-	·37	·65	·17	·30	1·00	-	·03	29
30	-		-	·02	·03	·05	·07	-	-	·02	·15	-	30
31	-		·01		·03		·23	-		·06		-	31
Total	1·14	2·42	2·73	2·49	2·58	4·19	1·04	3·64	4·42	4·15	5·87	10.34 ~~10·03~~	TOTAL for year ~~44·70~~ 45·01
No. of Rain Days.	15	15	20	18	11	14	7	14	16	19	22	26	197

W. 8,000, X. '11.

S. made ✓ Cond for S &c. 3 4 13

Ex of

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
28 APR 1913

Kept at Grwyne Fawr, Blaen Grwyne Fawr No 4

in the County of Breconshire

by (Inside Fence Referees, Abertillery W.B. Act

~~Lat.~~ Snowdon

Nearest Railway Station

Time of Observation 9 AM

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " Sea Level 2,150 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–		·35	–	·05	·71	–	·18	·02	·35	–	·20	1
2	·03	·08	·64	·06	–	·50	·46	–	–	–	–	·01	2
3			·55	–	·16	·20	·03	1·57	NM	–	·02	·13	3
4	(1·25)	(·10)	·43	–	·07	–	–	·18	·18	–	·27	–	4
5		(·16)	·25	·02	·13	–	–	·94	·07	–	·01	·11	5
6	·36	·16	–	–	·09	·05	–	·18	–	–	·03	·06	6
7	–	·53	·51	·02	·06	·50	·29	·30	·01	·01	–	·13	7
8	(·53)	·06	·11	–	–	·05	–	–	·06	–	–	–	8
9	–	·09	·82	·10	–	·52	·03	·74	·02	–	·10	·83	9
10	·44	·15	–	–	–	–	·24	·07	–	–	·27	·08	10
11	–	·23	–	–	·17	–	·03	·03	–	–	·10	1·04	11
12	·06	·28	·10	·18	·02	·02	·13	·02	–	–	·01	·13	12
13	·06	·03	·02	–	–	·02	–	·15	·07	·12	–	·16	13
14	·06	·06	·79	–	·29	·02	–	·11	–	–	–	·06	14
15	·66	·03	·02	–	·30	·22	–	·16	–	NM	–	·30	15
16	·57	–	·31	–	–	·04	–	·29	·01	·16	·03	·03	16
17		–	·07	–	·02	·16	–	·34	–	–	·15	NM	17
18	·57	·04	·10	–	–	–	–	NM	–	·13	·01	·79	18
19	·14	·26	–	–	–	–	·51	1·10	–	·10	·02	NM	19
20	·10	·04		–	–	–	·14	·04	–	·25	·07		20
21	–	·21	(1·57)	–	·77	–	heavy R. NM	·31	–	·30	–		21
22		·28	·14	–	·16	·03	1·06	·66	–	·10	·01	·85	22
23	(1·04)	·18	·27	–	–	·51	·03	·57	–	·05	·25	·18	23
24		·03	·09	–	–	·28	·04	–	–	–	NM	·24	24
25	–	·21	–	–	–	·16	·09	2·55	–	NM	·81	·88	25
26	–	·03	·05	–	–	–	·11	·33	–	1·14	·16	·30	26
27	–	·05	·19	–	–	·48	1·51	–	–	NM	–	·70	27
28	–	·18	–	–	–	·55	·83	·63	·54	1·44	·42	·26	28
29	–	·21	·05	–	–	·16	·01	·28	·90	·33	–	·03	29
30	–		·19	–	·10	·03	·50	–	·02	·72	·03	·04	30
31	–		·13		–		·25	·05		·01		·07	31
Total	(5·87)	3·68	(7·75)	·38	2·39	5·21	6·29	11·78	1·90	5·21	2·77	7·61	TOTAL for year 60·84
No. of Rain Days.	19	26	25	5	14	21	20	26	12	18	20	28	234

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S. made

Not cord. for S　cord. for arith. Ex 7 pt. estd. IV 13.

FORM A2. BRITISH RAINFALL.

28 APR 1913

REGISTER OF RAINFALL IN 1912

Kept at Gwryne Fawr, Blaen Gwryne Fawr (No 4

in the County of Breconshire

note on Aug. card

by (Outside Fence)

M+ by gauge

Experimental g.

RAIN GAUGE { Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 2,150 ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	NM	·47	–	·06	·70	–	·19	·02	·34	–	·21	1
2	·03	·08	·78	·07	–	·52	·49	–	–	–	–	·01	2
3			·66	–	·14	·20	·03	(1·57)	NM	–	·02	·12	3
4		(·10	·59	–	·06	–	–	·16	·20	–	·26	–	4
5	1·25	(·16)	·30	·03	·14	–	–	·96	·08	–	·01	·12	5
6	·37	·17	–	–	·10	·05	–	·17	–	–	·03	·07	6
7		·57	·52	·03	·07	·49	·28	·30	·02	·01	–	·15	7
8	·32	·06	·12	–	–	·05	–	–	·08	–	–	–	8
9	–	·09	·83	·13	–	·53	·02	·80	·02	–	·10	·77	9
10	·49	·14	–	–	–	–	·25	·07	–	–	·32	·07	10
11	–	·22	–	–	·16	–	·03	·03	–	–	·09	·99	11
12	·07	·29	·11	·19	·02	·03	·13	·02	–	–	·01	·18	12
13	·06	·03	·02	–	–	·02	–	·16	·07	·12	–	·25	13
14	·06	·06	·78	–	·31	·02	–	·12	–	–	–	·06	14
15	·67	·03	·02	–	·32	·23	–	·15	–	NM	–	·35	15
16	·48	–	·39	–	–	·04	–	·28	·01	·16	·03	·04	16
17		–	·08	–	·02	·15	–	·35	–	–	·15		17
18	·48	·04	·08	–	–	–	–	NM	–	·13	·01	·88	18
19	·11	·30	–	–	–	–	·56	1·11	–	·11	·03		19
20	·08	·05	·75	–	–	–	·15	·04	–	·28	NM		20
21	–	·28	·58	–	·78	–	heavy R NM	·32	–	·35	·09		21
22		·36	·17	–	·17	·03	1·04	·68	–	·11	·01	·85	22
23		·19	·37	–	–	~~·53~~	·03	(·57)		·04	·28	·78	23
24	·69	·03	·11	–	–	·31	·04	–	–	–	NM	·24	24
25	–	·24	[illegible]	–	–	·15	·09	2·81	–	NM	1·23	·88	25
26	–	·03	·06	–	–	–	·11	·40	–	·15	·25	·30	26
27	–	·05	·29	–	–	·49	1·56	–	–	NM	–	·70	27
28	–	·27	[illegible]	–	–	·56	·93	·59	·54	1·43	·39	·26	28
29	–	·27	·06	–	–	·16	·01	·28	·89	·35	–	·03	29
30	–		·22	–	·10	·03	·49	–	·03	·75	·03	·04	30
31	–		·09	–	–		·10?	·06			–	·10	31
Total	5·16	4·11	8·45	·45	2·45	5·29	6·34	12·19	1·96	5·33	3·34	7·85	TOTAL for year (62·92)
No. of Rain Days.	(20?) 19	2~~8~~6	25	5	14	21	20		12	17	(21?) 20	29	

W. 8,000, X. '11.

Copy.

FORM A2.
BRITISH RAINFALL.

17 JUN 1914

REGISTER OF RAINFALL IN 1913

No 4.

Kept at Black Mountains Black Gwyne Fawr

Esc. Mf.

in the County of Breconshire

by The Referees Abertillery Water Board Act.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 2150 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·10	·40	·13	-	-	·	-	·12	}·81	·20	·02	1
2	·06	·32	·26	·16	·27	·	·	-	·02		·20	·06	2
3	·42	·12	·07	·	·51	}·14	·	·	·01	·03	·	}·65	3
4	·96	·19	·05	-	·07		·12	-	1·51	}·80	·14		4
5	}1·27	·11	·06	·	·30	·20	·36	·	·27		·47	·08	5
6		}·86	·18	-	·16	·19	·04	·	-	1·62	·01	·51	6
7			·06	·	1·06	·22	-	}·29	-	·76	·17	-	7
8		·23	·01	-	·31	-	·03		-	·16	}·53	·	8
9		·25	·08	}·34	·18	·57	·09	·	·18	-		·06	9
10		-	·04		·13	·	-	·57	-	·61	·14	-	10
11		-	-	·03	·28	·01	·	-	-	-	·62	·05	11
12	·02	-	-	-	·30	·02	·	·25	·10	-	·69	·07	12
13	·06	·	}·83	·08	·04	-	·04	·03	·48	-	·14	-	13
14	·32	·		·33	-	·	-	·07	·	·40	·08	·	14
15	}·61	·02	·61	·71	-	·	-	·18	·	·	·05	·06	15
16		·03	}1·00	·09	·	·	·02	·16	·15	-	·02	-	16
17	·15	-		·45	·01	-	·16	·	-	-	·17	-	17
18	·36	-		·27	-	·02	·20	·	·	·	·03	-	18
19	·23	·	}1·00	·02	·	·26	·	·	·10	·28	·10	·01	19
20	·19	·		·26	·04	-	·	·	·	·18	1·18	-	20
21	·	-	}1·60	·04	·17	}·16	·09	·37	·04	·14	-	·	21
22	·69	-		-	·		·	·97	·47	-	}·23	·	22
23	·05	·	·06	-	-	·12	·	·04	·01	·		·08	23
24	·03	·06	-	·17	-	-	·	·	-	·	·12	}·27	24
25	-	·04	-	·75	-	-	·	-	·11	·10	·11		25
26	}·23	-	}·48	·81	·50	·02	-	·09	·	·02	·	·38	26
27		-		·43	·	-	-	·	·	·91	·04	·09	27
28	·03	-	·10	}·67	·08	·	·	·07	·	·92	-	·25	28
29	·		1·10		·	-	-	·13	-	·15	·03	·	29
30	·31		-	-	·08		-	·	-	·52	·35	·	30
31	·11		·44		·		·02	·06		·03		-	31
Total	6·14	2·33	8·43	5·74	4·49	1·93	1·17	3·28	3·57	8·44	5·82	2·64	TOTAL for year 53·98
No. of Rain Days.	(27)	13	(25)	20	18	12	11	14	14	20	24	17	(215)

cor for S+2

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

Kept at Black Mountains, Grwyne Fawr No 4. (Inside)

in the County of Breconshire

by The Referees Abertillery Water Board Act.

Lat. Long. —

Time of Observation

Nearest Railway Station —

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 2150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·06	·09	·02		·07	·63	·89			·39	·05	1
2			·14		·07		1·28	·18		·01	·18	·31	2
3	·03		·28	·22	·20	NM		·12		·02	·02	·77	3
4	·44		·16	·10	·20		·46	·04			1·18	·15	4
5	4 in 5 NM×		·10	·34	·31			·04			·14		5
6	(·50)	·33	·10	·14	·33	·10						·48	6
7	·04	·20	·35	·05	·34	·08	(·28)	·40				·46	7
8	·12		NM×	·14	·19	1·25		·46				·16	8
9	·09	·14	·40	·15	·12	1·48		·28	·62×		NM×	NM	9
10		·30	·07	·35	·14						·06		10
11		·30	·28		·05	·51	·16		·17		·59	·54	11
12		·61	·28	NM			·01		·31	·01	·34	·77	12
13		·48	NM×	·01		NM	·18	NM	·47	·61	·06	·19	13
14		1·01	NM×				·04	·18×	·07	·27	·18		14
15	·01		1·31				·05	·05	·21		·23	·02	15
16	·02		·04				·25		·23			×NM	16
17	NM	·27	·28				·07		·05			×·79	17
18	·02	·06	~~·77~~ (·50)			NM	·35		·09			·73	18
19		·06	~~·25~~ (·05)				1·04		·12		·12	×NM S	19
20		·45	~~·30~~ (·15)			·09						×·52	20
21		·37	·08				·15			·30			21
22	NM	·32	·06	·06		·07		·22		·84			22
23		·06	·06		·26		·39	·16		·40			23
24	·03		·20	·04		NM	·10	·15		·03	·20	NM	24
25	·30	·03	·17				·12	·38		·34	·20	×·25	25
26	·12		·15				·30	·03		·09	·33	·35	26
27	·09	·01				NM				·20	·48	·40	27
28	·11	·25	·20		·24				·02×	·11	·07	10 in S. ×NM	28
29	·09		NM×		·04			NM		·40	1·26	S drift ~~1·33~~ (1·00)	29
30	·03		·78×					·01×		·33	·48	9 in S ·80	30
31	·77						·24	·06		1·20		·40	31
Total	2·81	5·31	~~6·90~~ (6·28)	1·62	2·49	3·65	6·10	3·65	2·36	5·16	6·51	~~9·47~~ 9·14	YEAR'S TOTAL ~~55·99~~ 55·08
Rain Days.	18	19	29✓	12	13	8	19	17	12	16	19	23	205

S. drifts

W. 8,000. X. 14.

Ex. MG.

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

✓

Kept at Grwyne Fawr, Blaen-y-Cwm

in the County of Brecon.shire

by The Referees Abertillery Water Board Act.

Lat. Long.
Time of Observation Snowdon,
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										# (-)	·21	·09	1
2										-	·61	·72	2
3										-	·03	·43	3
4										-	1·05	·91	4
5										-	·40		5
6										-	·04	·42	6
7										-		·89	7
8										-		·19	8
9										-	·05		9
10										-			10
11										-	·91	1·09	11
12										·01	·50	1·01	12
13										·62	·19	·24	13
14										·23	·55		14
15										·05	·14	·02	15
16												·05	16
17												1·00	17
18												·65	18
19											·10	·14	19
20												·48	20
21										·40			21
22										·91			22
23										·43			23
24										·03	·26		24
25										·56	·05	·30	25
26										·17	·46	·53	26
27										·11	·67	·44	27
28										·20	·07	·72	28
29										·30	·89	·07	29
30		✕								·35	·85	·85	30
31		✕		✕		✕			✕	·86	✕	·48	31
Total										5·23	8·03	11·72	YEAR'S TOTAL Imp.
Rain Days.										15	20	23	-

W. 8,000. X. 14.

cwd [illegible] S 30.VI.16

4181

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Black Mountains Blaen Grwyne Fawr No 4 Inside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 2150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.38	.32	.06	.10	.40			1.22	.30	.48		.21	1
2	.15	.24	.18	.12		.30	.07	NM		.02		.30	2
3	(.26) ~~.51~~	.27	.15	.10	.15		.96	1.62				.49	3
4	.35	.44	.05	–	.21		.01	.04	NM			.22	4
5	NM	1.18	.03	NM				.11	.02			1.08	5
6	.34	.16		.36			.84	.24				.22	6
7	.24	.70			1.52 TS		.16			.02		NM	7
8	.21	Snowstorm NM		.06				.03			.29	.49	8
9	.10	.97		.10			.04	.03				.65	9
10	.35	.06		NM						.14	.33	.04	10
11	NM		.18	.19			.02	.78		.12	12" S 1.16	.05	11
12	.19	snow storm		.26	6in. S. [illegible] .54			.05		.02	.43		12
13					~~1.50~~ .96			.24	.17		.20	NM	13
14		(2.00)						.16			.04	.55	14
15	.43	NM			NM		.24	.24	.04	.04	.11	.15	15
16	.03	.80			1.43		1.63	.23					16
17	NM	.48	.06		.42								17
18	.02	.50	.03					.03					18
19	.04	.03		.09	.07		.55						19
20	.45	NM			.08		.04	.02		.23		.17	20
21	.17	.10	NM	.20	.08		.42					.03	21
22	NM	.02	.36	.07		.01	.53		.02	.18		.51	22
23	.16	.08		.06			.40			1.07		.58	23
24	.01	.03	.12			.02			.20	1.05		.81	24
25		NM		.07		.73	NM			.03		.11	25
26		.15				.01	.44		.05			NM	26
27		12				.28	10		.04	.56		.90	27
28		.08	.03			.07	.01	.11	.20	.02		.06	28
29						.29		.02			.44	.28	29
30	.40	melting drift		.18		.01	NM			.85	.42	.63	30
31	(01) ~~.12~~						.22	.08		1.71		.95	31
Total	~~4.65~~ 4.29	8.58	1.25	1.96	5.86	1.72	6.68	5.25	1.04	6.54	3.42	~~9.38~~ 9.48	YEAR'S TOTAL 56.17
Rain Days.	24	24	12	16	13	9	18	19	10	16	14	26	(197)

W.7,000, XI. 13

4181

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Black Mountains Blaen Gwyn Fawr No 4 outside
in the County of Breconshire
by The Referee Abertillery Water Board Act

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 2150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.36	.39	.06	.10	.42			1.24	.29	.46		.21	1
2	.14	.30	.20	.13		.30	.07	NM		.02		.29	2
3	.26	.33	.16	.11	.15		.90	1.66				.56	3
4	.36	.42	.06	—	.22		.01	.04	NM			.24	4
5	NM	1.57	.03	NM				.12	02			1.16	5
6	.35	.17		.42			.86	25				.23	6
7	.25	.81			1.59		.17			.02		NM	7
8	.23	Snow 15 NM		.06				.03			.28	.53	8
9	.12	1.20		.10			.04	.03				.68	9
10	.36	.05		NM						.13	.30	.04	10
11	NM	-	.20	.19	~~.10~~ ?		.02	.79		.12	12" S. .99	.05	11
12	.23	Snow storm		.25	~~1.75 Snow~~			.05		.02	.40		12
13					~~.24~~ ~~(1.50)~~			.24	.17		.18	NM	13
14		(2.00)			(150)			(.16)			.04	.53	14
15	.54	NM			NM gauge disturbed		.26	.23	.04	.04	.10	.16	15
16	.03	.68	—		1.40		1.71	.23					16
17	NM	.53	.06		.40								17
18	.02	.53	.03					03					18
19	.04	.03		.09	.07		.59						19
20	.40	NM			.08		.04	-02		.23		.17	20
21	.16	.09	NM	.20	.08		.51					.03	21
22	NM	.02	.35	.08		.01	.54		.02	.18		.54	22
23	.15	.09		.06			.38			1.05		.63	23
24	.01	.03	.11			.02			.19	1.04		.81	24
25		NM		.08		.74	NM			.03		.10	25
26		.13				.01	.42		.85			NM	26
27		.11	—			.29	.09		.04	.61		1.05	27
28		.03	.02			.07	.01	.11	.20	.02		.05	28
29						.29		.02			.43	.24	29
30	S drift (.42)			.18		.01	NM			.87	.44	55	30
31	.01						.22	.08		2.22		1.23	31
Total	4.44	~~8.51~~ 9.51	1.28	2.05	~~5.~~ (5.91)	1.74	6.84	5.33	1.02	7.06	3.16	10.08 ~~10.16~~	YEAR'S TOTAL (58.42)
Rain Days.	24	24	12	16	12	9	18	19	19	16	10	26	

W.7,000, XI. 13

4114

FORM A. BRITISH RAINFALL.
22 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at Black Mountains Blaen Gwygne Fawr No 4 Outside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	NM	.05	.05		NM	.16	.04		NM	.34	.12		1
2	50	.36			03	.10	.26		.28	.60			2
3	.06	1.56			.28				.34	.31	.70		3
4	.38			.03	.37	.82			06	.17	1.02		4
5	.06	.44			.27	.26	.06			.59	.22		5
6	.28	.07			NM	03	NM			.30	.52	.02	6
7	.15	.02	(4.00)		40	.03	.78		.01		.86	NM	7
8	NM	.05	~~Insuf~~		.52	07				.88	.16	.34	8
9	.04	.04			.04	.18			NM	.03	.08	.08	9
10	NM	.39		.22	NM				.02		–	.04	10
11	.31			.20	.05	.14	.29		.04	.09	–		11
12	.17	11		.14	.84		.17	.15	.02	.16	–		12
13	NM	.41		.09	.03		02	.30		.07		02	13
14	.01			.08	.20			.24		.16			14
15	NM	1.21	~~2.23~~	.21	.21		.03	.07	(.08)	.04		.01	15
16	NM	.26		.35			.03			.18			16
17	.28	.24		.22				.08	.48	.34	1.46		17
18	.12	.25		.17				.05	.11	.16		(.20)	18
19	.21		.99	.36								NM	19
20	.08	13	(.90)	NM								58	20
21	.06		~~Insuf~~	.12	.14	.03	.18					.05	21
22	NM			NM				.17		.38	.02	NM	22
23	.06		.10	.03		.03		.12		.07	.16	.60	23
24	NM	(4.00)		.03	1.50	.02		NM		.75	.24	.10	24
25	NM	~~Insuf~~	.20			.20		(.46)		.10	.34	.03	25
26	.08		.20					.18	.52	.49	–		26
27	.02		~~Insuf~~			.04		.17	.77	.35			27
28	.03		(2.20)			.09		NM	.45		.04	.76	28
29	NM		12					.78		.75	.01	.40	29
30	.	×				.60		.02		.37	–	.09	30
31	.	×		×	.06	×		16	×	.65	×	.26	31
Total	2.90 ~~3.00~~	(9.59) ~~Insuf~~	(8.24) ~~Insuf~~	2.25	4.94	2.78	1.78	2.95	3.18	8.33	5.95	3.58	YEAR'S TOTAL (56.47)
Rain Days.	(23)	(25)	(21)	14	18	9	11	14	14	28	(21)	19	(227)

W. 8,000. X. 15.

4097

FORM A.
BRITISH RAINFALL.
22 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at Blaen Cwm Grwyne Fawr
in the County of Breconshire
by The Referees Abertillery Water Board Act

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·49	.03	.04		.01	.17	.17			.22	·20		1
2	.17	.15	(1·20)		.03	25	.16		.30	.71	·52		2
3	.02	1·22			.20	·20			.44	.38	·28		3
4	·51	·35		.03	.48	.62			08	.20	1·42		4
5	.04	.18	12		.34	.53				.55	·30		5
6	.27	·30			.14	.26	.87		.01	.55	·60	.01	6
7	.28	·02	(·50)		.53		.15			.56	·78	·19	7
8		.03	(·70)		·54	.04				.09	·16	.17	8
9			(·20)		·02	.15			.01	.01	·09	.10	9
10	.04	.40	(·30)	.23	·03					.07	–	.05	10
11	·18		(·60)	·20	.04	.01			.04		–		11
12	.16	·09	.03	·18	·60		.59	.15	·01	.10	–		12
13		.36	.19	·22	.02		.01	.44		.05	–	.02	13
14	.02	.60	.51	.18	.20			.17		.30	·04	01	14
15		.98	·18	.24	.12			.33	.06	.07	–		15
16	.03	.22		.37				.43		.09	–		16
17	.22	.28		.67					.43	.58	(1·00)		17
18		.31	.18	.22					.33	15	·25	.24	18
19	.32		·98	.40							·13	.02	19
20	.15	.11	.28								·05	.50	20
21	.01		.65	.12	.08	.02	.10				·03	.15	21
22				.02		.03				.50	·03	.36	22
23	.03	(·90) ~~1·00~~	.10	.01		.01		.24		.04	·20	.23	23
24		.60	01	·02	1.71			.13		.81	–	.24	24
25		(.70)	44		.02	.04		.58		.24	·95		25
26	.07	(90)	06			.20		·24	.53	·92	–		26
27	.03	·30	}(1·90)			.14		.17	·78	·60	·02		27
28	.02	(.70)							·24	.43	·08	.80	28
29		.42	·02			.44		.75	.06	.45	·02	·49	29
30						.13		.02		.74	–	.06	30
31								.09		.51		·19	31
Total	3·06	(10·15)	(9·19)	3·11	5·11	3·24	2·05	3·74	3·32	9·92	(7·15)	3·83	YEAR'S TOTAL (63·87)
Rain Days.	3·06 20	24	23	15	18	17	7	13	14	27	21	18	217

W. 8,000. X. 15.

cond for S &c.

4113

FORM A.
BRITISH RAINFALL.

26 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at Black Mountains Blaen Grwyne Fawr No 4 Inside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	N M	.05	.06		N M	.13	.04		N M	.32	.12		1
2	.48	.32			.03	.10	.26		.27	.62			2
3	.06	1.51			.27				.33	.29	.73		3
4	[illegible] (.38)			.03	.36	.80			.06	.17	1.04		4
5	.05	.41			.27	.24	.06			.57	.21		5
6	.22	.07			N M	.03	N M			.33	.49	.02	6
7	.12	.02	(4.00)		.40	.03	.76		.01		.77	N M	7
8	N M	.05			.50	.07				.84	.15	.36	8
9	.03	.04			.04	.17				.03	.07	.08	9
10	N M	.36		.21	N M				.02		–	.05	10
11	.23			.18	05	.13	.28		.04	.08	–		11
12	.12	.10		.13	.80		.17	.16	.02	.14	–		12
13	N M	.38		.07	.03		.02	.29		.07		.02	13
14	.01			.06	.18			.26		.15			14
15	N M	1.04		.20	.20		.03	.07	.08	.04		.01	15
16	N M .27	.24		.33			.03			.18	[illegible]		16
17	.10	.26		.19				.08	.45	.31	(1.46)		17
18	.18	.27		.16				.05	.11	.17		(.20)	18
19	.07		1.21	.39								N M	19
20	.04	.14		N M								58	20
21	N M		(.90)	11	.14	.03	.10					.05	21
22	.04			N M				.17		.41	.02	N M	22
23	N M		.12	04		.03		.13		.07	.13	(.60)	23
24	N M			03	1.65	.02		N M		.80	.21	(.10)	24
25	.06	(4.00)				.21		.46		.10	.33	.06	25
26	.01							.18	.54	.56	–		26
27	.02					.04		.16	.77	.42			27
28	N M		(2.20)			.10		N M	.44		.04	.60	28
29	.							.76		70	.01	.30	29
30	.	╳				.57		.02		.33	–	.08	30
31	.	╳		╳	.09	╳		15	╳	.63	╳	.19	31
Total	~~2.50~~ 2.49	(9.26)	(8.49)	2.13	5.01	2.70	1.75	2.94	3.14	8.33	(5.78)	3.30	YEAR'S TOTAL (55.32)
Rain Days.	(23)	(25)	(21)	14	18	19	10	14	14	28	(21)	19	(226)

W. 8,000. X. 15.

3442

18 FEB 1918

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept Black Mountains Blaen Grwynefawr No 4 Inside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. ……… Long. ………

Time of Observation ………

Nearest Railway Station ………

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.63		.18			83		.62	.06		.07	.01	1
2	.04	(.01)				.08		.04		.17	.27		2
3	.08		.02					.08		.55	.05		3
4	.01	(.20)	(1.00)	(1.50)			.01	.17		.36		.02	4
5	.22		(.50)			.03		.05	1.17	.34	.26		5
6			(1.25)					.02		.37	.20	.04	6
7			(.25)			.03	.51	31		.26	.17	.04	7
8			(.30)				.23	1.49	.06	.62	.18	.19	8
9			(.50)	(1.50)	.18			.25	.21	.07	.39		9
10			(.60)		.12			.23	.02	.03		.02	10
11			.03		.18			.64		.38	.22		11
12			.02		.80			.06		.21		.01	12
13			.20			.02		.74	.16	.07		.08	13
14							01	.30		.03		.01	14
15					.13		.11		.02	.13			15
16		.04			.53	.49		.35					16
17	(2.00)			(1.00) ~~1.78~~	.29		1.40	.73	.20	.30			17
18		.03			.08	.12	.18		1.08	.01			18
19		1.02	.30			.43		12	.16		.04	(.70)	19
20					1.66	.20	.07		.09		.06		20
21		.02	.20		.10					.06	.02		21
22		.04								.12	.10		22
23		.22			.36					.17	.02	.07	23
24		.08	.01			.19				.68	.06	.01	24
25		.15	.09			.26		2.38	.23	.08	.03		25
26					.18	.18		.53	.12	.02	.06		26
27			.02		.83	.25	.77	1.14		.05	.05		27
28			.20			.38		.55			.01		28
29			.07		03			.07		1.11			29
30		X	.03			.01		61		.07	.03		30
31	.01	X	.04	X	.34	X	.01	.52	X	.03	X	.70	31
Total	(2.39)	1.81	(5.82)	(4.00)	~~5.87~~ 5.81	3.50	3.30	~~11.79~~ 11.95	3.58	6.29	2.29	1.90	YEAR'S TOTAL 52.64
Rain Days.	(2.39) …	11	23	…	16	16	10	29	13	26	20	13	?

W. 8,000, VIII. 16

3943

FORM A.
BRITISH RAINFALL.

18 FEB 1918

REGISTER OF RAINFALL IN 1917 (2)

Kept at Black Mountains Blaen Grwynefawr No 4 outside

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 2150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06		.18			(.83)		.65	.06		.07	.03	1
2	.05	(.01)				(.08)		.04		.17	.22		2
3	.12		.03					.03		.57	.05		3
4	.01	(.20)	(1.00)	(1.50)			.01	.18		.36		.02	4
5	.23		(.50)			(03)		.05	1.16	.33	.41		5
6			(1.25)					.02		.39	.22	.05	6
7	Big Snow Storm		(.25)			.03	.50	.30		.28	.19	.04	7
8			(.30)				.21	1.47	.06	.70	.25	.19	8
9			(.56)	(1.50)	.18			.25	.23	.08	.42		9
10			(.60)		.12			.23	.02	.03		.02	10
11			.03		.18			.64		.38	.22		11
12			.02		.77			.06		.21		.02	12
13			.21			.02		.72	.19	.07		.08	13
14							.01	.31		.03		.01	14
15					.13		.11		.02	.13			15
16	(2.00)	.04			.50	(.49)		.36					16
17				(1.00) ~~4.20~~ ?	.30		1.58	.76	.20	.29			17
18	Snow drifts	.03			.08	.12	.21		1.08	.01			18
19		.99	.23			.41		13	.18		.03	(.70)	19
20					1.64	.23	.07		09		.10		20
21		.02	.14		.10					.06	.02		21
22		.04								.13	.13		22
23		.24			.38					.20	.03	.04	23
24		.07	.01			21				.76	.07	.01	24
25	.05	.17	.07			.27		2.58	.23	.08	.03		25
26					.19	.18		.53	12	.03	.07		26
27			.02		.82	.26	.76	1.16		.05	.08		27
28			.17			.39		.58			.01		28
29			.06		.03			.08		1.22			29
30		X	02			.01		.60		07	.06		30
31	.03	X	.04	X	(.34)	X	.01	.54	X	.03	X	(.70)	31
Total	(2.52)	1.81	(5.63)	(4.00)	5.76	3.56	3.47	12.27	3.64	~~6.56~~ 6.66	2.68	1.98	YEAR'S TOTAL 53.91
Rain Days.	..	11	23	..	16	16	10	29	13	26	20	13	

W. 8,000, VIII. 16

Est.

3927

FORM A. BRITISH RAINFALL.

18 FEB 1918

REGISTER OF RAINFALL IN 1917

2nd

Kept at Blaeny Cwm Grwyne Fawr

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. ______ Long. ______

Time of Observation 9 A.M.

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.03	.22	(1.25)		.46		.39			.06	.13	1
2	.05	~~.05~~		.11		.03		.01		.10	.34		2
3	.14	.05 ~~.21~~	.03	.18						.66	.05		3
4	.02	.21	(1.00)	.02			.03	.04		.77			4
5	.78		.55	.20		.05		.04	.97	.61	.34		5
6			(1.25)	.03		.06				.48	.51	.02	6
7	(1.25)		(.25)			.02	.21	.24		.65	.30	.04	7
8	~~.92~~		(.30)	.30			.80	1.03	.02	.49	.29	.19	8
9			(.50)	(.60)	.19			.63	.37	.11	1.10		9
10	.23		.58	.28	.15			.41		.02		.01	10
11	.19		.02	.29	.06			.58		.53	.14		11
12	.18		.02	.03	1.51			.06		.16			12
13			.18	.10		.05		.63	.15	.05		.03	13
14				.42	.06			.06		.02		.02	14
15	.13			.24	.08		.06		.02	.14		.30	15
16	.05	.01		.06		.16						.49	16
17	.05	.02		.06	.90		1.01	1.12	.14	.28			17
18		.03			.12		.81	.12	1.21	.01			18
19	.02	.56	.38			.38		.09	.17				19
20			.04		1.82	.05		.10			.02		20
21		.01	.24		.07	01	.04	.01		.02			21
22	.06	.01	.01					.61		.18	.04		22
23		.26			.26	.05		.75		.25	.02	.01	23
24	.02	.06	.02			.11		.57		.75	.14		24
25		.04	.10					1.48	.04	.18	.01		25
26			.01		.21	.04		.08	.20	.05	.04		26
27			.01		.80	.40	.60	1.14		.01	.03		27
28			.18		.29	.43		.40					28
29			.08			.04		.60		1.36		.72	29
30	.03	╳	.08		.01			.43		.07	.04		30
31		╳	.08	╳	.20	╳		.36	╳	.08	╳	.02	31
Total	(5.23) ~~2.90~~	1.29	(613)	4.69	6.73	2.34	3.56	11.98	3.29	~~7.03~~ 8.03	3.47	1.98	YEAR'S TOTAL 56.20
Rain Days.	17	12	24	16	16	16	8	28	10	26	17	12	201

W. 8,000, VIII. 16

4202
BLACK ~~MOU~~NTAINS
BLAENY-CWM BUNGALOW

1914 - 20

FORM A.
BRITISH RAINFALL.

-1 FEB 1915

REG

Kept at Blaen-y Cwm
Grwy

in the County of

by Baldwin La

5 in.

Ground 1 ft. · in.

Sea Level 1423·29 ft.

IMPORTANT NOT he result entered to the previous day. If an Ob sal rule, he is earnestly requested to add the read in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					-	·07	·44	·82	.	-	·21	·14	1
2					·08	·01	·81	·03	-	-	·57	·22	2
3					·44	-	·04	·12	.	·03	·03	·40	3
4					·26	-	·43	·03	.	.	1·07	1·15	4
5					·50	-	·14	-	.	-	·34	-	5
6					·13	·06	-	·07	.	-	·05	·42	6
7					·62	·04	·30	·27	.	-	-	·82	7
8					·65	·78	·06	·68	.	-	-	·26	8
9	GAUGE INSTALLED			·50	·16	1·65	-	·62	·20	-	·04	-	9
10				·22	·12	·07	.	-	·49	-	-	-	10
11				·07	·29	·53	·12	-	·05	-	·77	1·18	11
12				-	.	-	-	-	·49	-	·46	1·04	12
13				-	.	-	·19	.	·77	·65	·38	·22	13
14				-	.	-	·07	.	·02	·18	·32	.	14
15				.	.	-	·01	·37	·05	·07	·39	.	15
16				-	-	-	·14	.	·31	.	.	.	16
17				-	-	-	·07	-	·16	.	-	1·12	17
18				-	-	-	·04	.	·13	-	-	·72	18
19				-	-	-	1·32	-	·19	.	·10	·30	19
20				-	.	·13	-	-	.	.	-	·42	20
21				-	.	·02	·41	·01	.	·32	·02	.	21
22				·05	·01	·07	·03	·18	.	·96	-	-	22
23				-	·12	.	·29	-	-	·46	-	-	23
24				·01	-	-	·31	·26	-	·03	·27	-	24
25				.	-	-	·18	·83	-	·55	·06	·30	25
26				.	.	-	·45	·01	-	·16	·42	·60	26
27				-	.	-	·01	-	.	·09	·74	·49	27
28				.	·15	.	-	-	-	·18	·09	·38	28
29				.	·08	-	-	-	-	·30	1·00	·03	29
30		X		·01	·01	-	.	-	-	·22	·93	1·14	30
31		X		X	-	X	·28	·01	X	·99	X	·33	31
Total				~~·86~~	3·62	3·43	6·14	4·31	2·86	5·19	8·26	11·68	YEAR'S TOTAL ~~46·35~~
Rain Days.				~~6~~	15	11	23	15	11.	15	21	21	~~138~~

W. 8,000. X. 14.

REG

FORM A.
BRITISH RAINFALL.

-1 FEB 1915

Kept at Blaen-y-Cwm Bungalow Grwyne Fawr
in the County of Brecon
by Baldwin Latham

Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1423·29 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					-	·07	·44	·82	-	-	·21	·14	1
2					·08	·01	·81	·03	-	-	·57	·22	2
3					·44	-	·04	·12	-	·03	·03	·40	3
4					·26	-	·43	·03	-	-	1·07	1·15	4
5					·50	-	·14	-	-	-	·34	-	5
6					·13	·06	-	·07	-	-	·05	·42	6
7					·62	·04	·30	·27	-	-	-	·82	7
8					·65	·78	·06	·68	-	-	-	·26	8
9	GAUGE INSTALLED			·50	·16	1·65	-	·62	·20	-	·04	-	9
10				·22	·12	·07	-	-	·49	-	-	-	10
11				·07	·29	·53	·12	-	·05	-	·77	1·18	11
12				-	-	-	-	-	·49	-	·46	1·04	12
13				-	-	-	·19	-	·77	·65	·38	·22	13
14				-	-	-	·07	-	·02	·18	·32	-	14
15				-	-	-	·01	·37	·05	·07	·39	-	15
16				-	-	-	·14	-	·31	-	-	-	16
17				-	-	-	·07	-	·16	-	-	1·12	17
18				-	-	-	·04	-	·13	-	-	·72	18
19				-	-	-	1·32	-	·19	-	·10	·30	19
20				-	-	·13	-	-	-	-	-	·42	20
21				-	-	·02	·41	·01	-	·32	·02	-	21
22				·05	·01	·07	·03	·18	-	·96	-	-	22
23				-	·12	-	·29	-	-	·46	-	-	23
24				·01	-	-	·31	·26	-	·03	·27	-	24
25				-	-	-	·18	·83	-	·55	·06	·30	25
26				-	-	-	·45	·01	-	·16	·42	·60	26
27				-	-	-	·01	-	-	·09	·74	·49	27
28				-	·15	-	-	-	-	·18	·09	·38	28
29				-	·08	-	-	-	-	·30	1·00	·03	29
30		X		·01	·01	-	-	-	-	·22	·93	1·14	30
31		X		X	-	X	·28	·01	X	·99	X	·33	31
Total				~~86~~	3·62	3·43	6·14	4·31	2·86	5·19	8·26	11·68	YEAR'S TOTAL ~~46·35~~
Rain Days.				~~6~~	15	11	23	15	11.	15	21	21	~~138~~

W. 8,000. X. 14.

13 VII·16

·97 & ·05 from Dec 9 & 21

10·VIII·16

FORM A.
BRITISH RAINFALL.

1 - FEB 1916

REGISTER OF RAINFALL IN 1915.

Kept at Blaen-y-Cwm Bungalow, Grwyne Fawr,

in the County of Brecon.

by Baldwin Latham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1423·29 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·15 SR	·25 F	·09 SR	–	·36	–	–	·25	·15	·42	·06	·30	1
2	·13	·41 SR	·35 F	·16	–	·13	–	1·81	·03	·19	– F	·53	2
3	·16 S	·27	·20 F	·18	·08	–	·53	·06	–	·01	– F	·35	3
4	·26	·73	·03	–	·25	–	·11	·19	–	–	– F	·92	4
5	·04	·86	·02	–	–	–	–	·15	–	–	–	1·56	5
6	·46	·15	·01	·58	–	–	·74	·03	–	–	–	·32	6
7	·57 H	·95	–	·04	1·40	–	·15	·22	–	·03	–	·51	7
8	·39 S	·72 SR	– F	·13 SH	–	–	–	·03	–	–	·09	·01	8
9	·05	·45 SR	– F	·21 SR	–	–	–	–	–	–	·53	1·97	9
10	·55 F	·10 SF	·10 F	·07	–	–	–	·02	–	·15	·29 SR	·12	10
11	·18 S	– F	·04	·03	–	–	–	·13	–	–	1·14 SR	·09	11
12	·12	·48 F	–	·22	·30	–	–	·08	–	·20	·75	–	12
13	·04	1·74 SR	–	–	·79	–	–	·15	·06	–	·16 S	·21	13
14	·02	– F	–	–	·01	–	–	·52	·07	–	·10 S	·52	14
15	·88	·06 FH	–	–	·19	–	·10	·14	·02	·04	·10 S	·49	15
16	·08 S	·67	–	·01	·80	–	1·87	·15	–	–	–	–	16
17	–	·55	·02 S	–	1·28	–	–	·11	–	–	–	–	17
18	·01 F	1·08 SR	·01 FS	–	·03	–	–	–	–	–	–	–	18
19	–	·08 SR	– F	·10	·18	–	·30	–	–	–	–	–	19
20	·60	– F	– F	·06	–	–	·07	·14	–	·03	–	·15	20
21	·19	·17	– F	–	–	–	·39	–	–	·18	–	·75	21
22	·01	– F	·28	·13	–	–	·54	–	–	–	–	·75	22
23	·10 S	·05 SF	·08	–	–	–	·12	–	·05	·75	·02	·73	23
24	·02	– F	·03	·06	–	·03	·14	–	·22	1·23	–	·92	24
25	·01 F	– F	·09	–	–	·65	–	–	–	·05	–	·28	25
26	– F	·26	– F	–	–	·01	·38	–	·04	–	–	·85	26
27	– F	·12 S	– F	–	–	·11	·15	–	–	·60	–	·21	27
28	– F	·48 SR	·01 S	–	–	·15	–	·03	·22	·19	–	·10	28
29	– F	X	– F	–	–	·11	–	·04	·01 H	–	·49	·16	29
30	·29 FS	X	– F	·08	–	·55	–	·02	–	·94	·53	·69	30
31	–	X	– F	X	–	X	·19	·02	X	2·06	X	1·21	31
Total	6·31	10·63	1·36	2·06	5·67	1·74	5·78	4·29	·87	7·07	4·26	14·70	YEAR'S TOTAL 64·74
Rain Days.	24	22	15	15	12	8	15	21	10	16	12	26	196

W. 8,000. X. 15.

S. made

Abertillery and District Water Board
Rainfall at the Bungalow, Blaen-y-cwm.
1916.

audited C F Jupp CE

Brecon

J. FRANCIS JUPP
Assoc. M. Inst. C. E.
GRIFFIN CHAMBERS
NEWPORT, MON.

2 JUL 1917

Day of Month.	Jany. inch	Feby. inch	March inch	April inch	May inch	June inch	July inch	Augt. inch	Sept. inch	Octr. inch	Novr. inch	Decr. inch
1	·26	·05	·04	—	—	·17	·26	—	·34	·44	·14	—
2	·37	·16	·24	—	·05	—	·16	—	—	·82	·25	—
3	·02	StR 1·32	·03	—	·30	·18	—	—	·44	·42	·10	F —
4	·48	StR ·29	—	·02	·31	1·04	—	—	·09	·17	·96	F —
5	·06	·27	s ·02	—	·12	·53	·07	—	—	·70	·29	F —
6	·19	·31	s ·03	—	·19	—	1·04	—	—	·56	·63	F —
7	·38	7.D.	·40	—	·87	·01	—	—	—	·60	·83	·19
8	7.D.	s ·04	s ·45	—	StR ·47	·04	—	—	—	·12	·22	·28
9	·01	7.D.	s ·02	—	·06	T ·12	—	—	—	—	·16	·08
10	·05	H.S.R. ·41	·05	RH ·26	·04	·09	·03	—	—	·14	·20	·08
11	·19	S.H.R ·03	s ·25	·19	·04	T ·11	—	—	—	—	—	·03
12	·16	·16	s ·04	·11	·60	—	·60	·18	·03	·10	—	—
13	7.D.	·51	StR ·18	·20	—	—	—	·45	·01	·10	—	F ·02
14	7.D.	s ·41	·18	·12	·06	—	—	·26	—	·43	·03	—
15	·02	s 1·07	S.tR. ·40	·27	·25	—	—	·11	—	·07	s —	F —
16	·02	s ·22	—	·61	—	—	·01	T.L. ·12	·27	·44	s —	F —
17	·27	StR ·24	—	·47	—	—	—	·02	·53	·24	s ·42	F —
18	7.D.	·26	·27	HtR. ·28	—	—	—	—	·21	·17	StR ·25	s ·25
19	·37	7.D.	·98	·35	—	—	—	—	·02	—	StR. 05	s —
20	T.L. ·17	RH ·14	·21	—	—	—	—	·01	—	—	s —	RH. ·28
21	·09	7.D.	·43	·10	·07	·01	·11	—	—	—	·03	—
22	7.D.	7.D.	—	HtR. ·02	—	·06	—	—	—	·55	—	s ·52
23	·05	s ·30	—	—	—	—	—	·24	—	·07	·19	s ·89
24	7.D.	s ·29	—	·10	—	—	—	·17	—	·97	—	RH 25
25	7.D.	s ·04	·25	—	1·73	·02	—	·57	·01	·16	·68	·04
26	·07	s ·15	RH ·33	—	—	·27	—	·31	T.L. ·53	·87	—	—
27	·13	s ·50	RH ·62	—	—	·15	—	·12	·85	·72	—	—
28	·05	s 1·20	s ·71	—	—	—	—	—	·33	·62	·13	·58
29	7.D.	StR ·44	—	—	—	·57	—	·68	·08	·49	·03	45
30	7.D		—	—	—	·15	—	·02	—	·55	—	·11
31	7.D.		—		—		—	·17		·47		·23
Total	3·41 ✓	8·81 ✓	6·13 ✓	3·10 ✓	5·16 ✓	3·52 ✓	2·28 ✓	3·43	3·74 ✓	10·99 ✓	5·54 ✓	4·28 ✓
	21 ✓	24 ✓	22 ✓	14 ✓	15 ✓	16	8 ✓	15 ✓	14 ✓	26	19 ✓	60·39 ✓ 16 200

3928

FORM A.
BRITISH RAINFALL.

6 MAY 1918

REGISTER OF RAINFALL IN 1917

Kept at Bungalow, Blaen-y-cwm.

in the County of Brecon

by The Abertillery & District Water Board

J. FRANCIS JUPP
M. Inst. C. E.
[illegible] CHAMBERS
NEWPORT, MON.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1423 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	—	·25	·78	—	·39	—	·48	·10	—	·06	·16	1
2	·08	·12	·08	·14	—	·12	—	—	—	·16	·32	—	2
3	·17	—	—	·10	—	—	—	·04	—	·51	·08	—	3
4	—	·06	·34	·08	—	—	·02	·06	—	·91	—	·01	4
5	·81	—	·26	·04	—	·08	—	·04	·99	·62	·43	—	5
6	—	—	1·06	—	—	·07	—	—	—	·44	·45	·05	6
7	·41	—	—	—	—	—	·56	·19	—	·45	·22	·06	7
8	·62^{s}	—	·25^{s}	·56	—	—	·32	1·02	·05	·73	·26	·19	8
9	—	—	·28	·19	·20	—	—	·68	·37	·14	1·06	—	9
10	·41	—	·41	·54	·23	—	—	·41	—	·04	—	·02	10
11	·19	—	·02	·10	·13	—	—	·77	—	·38	·13	—	11
12	·15	—	·03	·02	1·27	—	—	·04	—	·34	—	—	12
13	—	—	·20	·32	—	·05	—	·74	·19	·04	—	·07	13
14	—	—	—	·10	·02	—	·17	·06	—	·05	—	·02	14
15	·03	—	—	·33	·15	—	·02	·02	·04	·18	—	STR. ·24	15
16	·10	·06	·03	·06	·02	·41	—	—	—	—	—	·01^{s}	16
17	—	—	—	·06	·79	—	1·49	1·17	·19	·29	—	—	17
18	—	·04	—	—	·14	·08	·17	·12	1·21	·03	—	—	18
19	·06	·67	STR ·47	—	—	·36	—	·09	·03	—	·04	—	19
20	—	·02	—	—	1·25	·09	—	·09	·30	—	·05	—	20
21	·01^{7}	—	·23^{s}	—	·12	—	—	·07	—	·06	—	—	21
22	—	·19	—	—	—	·02	—	·65	—	·28	·10	—	22
23	—	·14	—	—	·28	·09	—	·78	—	·42	·04	·06	23
24	—	·03	—	—	—	·14	—	·44	—	·48	·16	—	24
25	—	·16	·10	—	—	·08	—	·68	—	·17	·04	—	25
26	—	—	—	—	·18	·33	—	·89	·34	·10	·08	—	26
27	—	—	·03	—	·88	·18	·61	1·12	—	—	·09	—	27
28	—	·03	·39	—	·04	·35	—	·41	—	·03^{s}	—	—	28
29	—		—	—	—	—	—	·49	—	·87	—	STR. ·53	29
30	—	✕	·08	—	—	—	—	·60	—	·48	·07	·06	30
31	—	✕	·07	✕	·42	✕	—	·39	✕	·10	✕	—	31
Total	3·09	1·52	4·58	3·42	6·12	2·84	3·36	12·54	3·81	8·30	3·68	1·48	YEAR'S TOTAL 54·74
Rain Days.	13	11	19	15	16	16	8	28	11	26	18	13	194

W. 8,000, VIII. 16

B Made

Esc J.L

62

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 19 2. 19

Kept at The Bungalow, Blaen-y-cwm, (Black Mountain)

in the County of Brecon.

by Abertillery & District Water Board.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1423 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·13	–	·21	·06	–	–	·45	·22	·10	1·64	–	1
2	–	·18	–	·12	–	–	–	·31	·04	·04	·39	·32	2
3	–	·31	–	·39	·61	–	–	·04	·67	·17	·15	–	3
4	–	·10	·02	·01	–	–	–	·17	·79	·50	1·03	·64	4
5	–	·42	–	·31	·42	–	–	·24	·26	·65	·06	·12	5
6	·10	·37	–	·21	–	·10	–	–	·07	·26	–	·18	6
7	–	·32	–	·02	·40	–	–	–	·78	·12	·31	·30	7
8	·09	·41	–	–	–	–	–	–	·13	·30	·07	·03	8
9	R.S. ·17	·49	–	·60	–	·67	·05	–	·60	·24	·14	·30	9
10	·20	·08	–	·14	–	–	·90	–	·30	·13	·13	·44	10
11	·07	–	·14	·11	·10	–	·96	–	·14	·07	·11	·19	11
12	–	·21	·15	–	·22	–	·47	–	·08	–	–	·09	12
13	·11	·07	–	·01	·07	·06	·12	–	·37	·08	–	·27	13
14	·57	·02	·11	–	·06	·12	·17	–	·46	·04	–	·43	14
15	1·10	·01	–	·03	–	·03	1·03	–	·21	–	–	·75	15
16	1·33	–	–	·86	–	·02	·11	·07	·85	–	–	·50	16
17	·30	–	·02	–	–	–	·37	·01	·28	·16	–	·37	17
18	·77	–	–			·73	·35	–	·76	·05	–	1·50	18
19	·24	·09	·60		–	–	·14	·03	·15	·15	–	·32	19
20	·11	·26	–	·48	–	·19	·12	–	·96	·02	–	–	20
21	·09	·36	–	·30	–	·06	·08	–	·72	·05	–	·32	21
22	–	·10	–	–	·57	–	·31	·03	·38	·04	–	·93	22
23	·28	·01	–	–	1·22	–	·13	–	·12	–	·17	–	23
24	·07	·17	–	–	–	–	·35	·45	·15	·02	·31	·21	24
25	–	–	–	–	·19	–	·69	·94	–	·06	·07	·13	25
26	·08	·07	–	·21	–	–	·61	·08	·18	·03	·21	·56	26
27	–	S&R. ·14	·63	–	–	–	·07	·36	·61	–	·06	·26	27
28	–	S&R. ·26	1·29	·04	–	–	–	–	·05	–	·17	·38	28
29	–		·19	–	–	–	–	–	1·18	·04	–	·21	29
30	–	×	·52	–	–	–	–	–	·04	·12	·10	·30	30
31	–	×	·78	×		×	–	·31	×	–	×	–	31
Total	5·69	4·58	4·45	4·05	3·92	1·98	7·03	3·49	11·55	3·44	5·12	10·05	YEAR'S TOTAL 65·35
Rain Days.	18	23	11	17	11	9	19	14	29	24	17	26	218

W. 6,500, VII. 18. w w c

3735

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

3 FEB 20

Kept at The Bungalow, Black Mountains
in the County of Brecon
by Abertillery & District Water Board

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1423 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·56	—	·17	·03 s	·23	—	·17	—	·20	·66	—	·81	1
2	·18	—	·06	—	·02	—	·07	·09	·14	·07	·09	·21	2
3	—	—	·13	—	·05	·23	·14	—	·08	—	·13	·38	3
4	·04	·07	·23	—	—	—	·31	·05	·45	—	—	·25	4
5	·03 s	·05 RH	·06	—	—	—	·03	—	—	—	·04	·57	5
6	1·08 RS	·26	·41	—	·05	—	—	—	—	—	·05	·58 s	6
7	·49	—	·15	·17	·02	—	—	—	·06	—	—	·03	7
8	·54	—	·10	·15	—	·13	—	—	—	—	—	—	8
9	·56	—	·02	·18	—	—	—	—	—	—	·14 s.	—	9
10	·32 s	—	1·24 R.S.	—	·16	—	—	—	—	—	·04 STR	·72	10
11	·05	—	·85 SR	·09	·18	—	·14	—	—	·04	·18 s	·03	11
12	·01	—	·30	·23	—	·91	·07	—	·07	·18	·06 s	—	12
13	·30	—	—	·56	—	—	·07	—	·77	·56	·06	·16	13
14	·58	·39	—	·62	—	—	—	·03	·04	·10	—	·55	14
15	·96	·11	—	·22	—	—	—	·11	—	·11	—	·56	15
16	·07	·76 rs	—	—	—	—	—	·22	—	—	·23	—	16
17	·02	·82	—	·02	—	·06	—	·28	—	—	·59	·03	17
18	·05 s	—	·73 rs	—	—	—	—	·36	·10	—	·35	·14	18
19	·54	·40	·95 rs	—	—	·24	·57	·45	·21	—	·09 rs	·03	19
20	·62	·10	·40	—	—	·05	—	·02	—	—	21	·36	20
21	·14	·95	·12 s	—	—	·02	·37	·03	·07	—	—	·28	21
22	—	·26	—	—	—	—	—	—	·40	—	·06	·74	22
23	—	—	—	—	—	·07	·02	·05	—	·98	·23	·09	23
24	·02	—	—	·34	·07	·09	—	·07	·04	·57	·43	·57	24
25	·21	—	—	·17	·02	·02	—	1·00	·08	—	·13	·03	25
26	·07 s	·02 s	·40 SR	·17	—	·07	—	·32	·12	—	—	·45	26
27	·33	—	·07 s	·27	—	—	—	·80	·05	—	—	·03	27
28	·07	—	·27 s	—	—	—	—	·09	—	—	·25	·48	28
29	·03	✕	·12	·16	—	·03	—	—	—	·23	·05	·64	29
30	—	✕	·02	·11	—	·40	—	·27	—	·04	·38	·64	30
31	—	✕	·09	✕	—	✕	·04	—	✕	—	✕	·06	31
Total	7·87	4·19	6·89	3·49	·80	2·32	2·00	4·24	2·88	3·54	3·79	9·42	Year's Total 51·43
Days with ·01 in. or more	26	12	22	16	9	13	12	17	16	11	21	27	202

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3634

1 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bungalow. Grwyne Fawr
in the County of Black Mountains Breconshire
by J. F. Jupp. M. Inst. C.E.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1423 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·04	·40	·68	—	1·03	·01	·12	·32	·03	·91	1
2	·19	·04	·04	·29	·02	—	·32	·10	·14	·19	—	·58	2
3	·12	·20	—	·19	·31	·02	·94	—	·04	2·93	—	·24	3
4	—	—	·04	·01	—	—	·01	·71	·02	·45	—	—	4
5	—	·02	·25	·06	·26	—	·54	·20	·21	·20	—	—	5
6	—	—	·46	—	·23	—	·12	—	·01	·25	·01	·09	6
7	—	·03	·05	·12	·01	—	·34	—	—	—	—	—	7
8	·42	·10	—	1·06	·28	—	·37	·31	—	·01	—	—	8
9	·61	·51	—	·50	—	—	(·05)	·09	·08	—	—	—	9
10	·96	·36	·15	·10	—	1·19	·29	—	—	·06	·13	·02	10
11	·27	·07	·39	·95	·40	·05	·07	—	—	·04	—	·01	11
12	·28	·22	·04	·56	·04	·82	·11	·27	—	·06	·23	—	12
13	·25	·10	·76	·43	—	—	·01	—	—	·01	·09	·05	13
14	·02	·08	·69	·87	—	·14	·26	—	·93	·09	·95	·08	14
15	—	·44	·20	1·40	·08	·09	—	—	—	·18	·20	—	15
16	—	·02	·23	·37	·09	·55	·36	—	·73	1·49	·12	—	16
17	·04	—	·07	—	·36	·04	—	·32	1·34	·57	—	·06	17
18	·43	—	—	·10	·27	·09	·03	·11	1·13	—	—	·04	18
19	·07	·22	—	·40	·47	·33	—	—	·02	—	—	—	19
20	·05	·11	—	·88	·02	·05	·01	—	—	·02	—	·40	20
21	—	—	—	·03	—	—	·13	—	·02	·08	—	·44	21
22	·15	—	—	·11	—	—	·25	·20	·05	—	—	·33	22
23	·02	—	·02	—	—	—	·65	—	—	—	—	·59	23
24	·10	·03	·36	·07	—	—	—	·02	—	—	·18	·39	24
25	·10	·05	·35	·09	—	·02	·84	·03	—	—	—	·06	25
26	·32	·13	·55	·11	·01	·09	·31	—	—	—	·27	·16	26
27	·65	·20	·56	·31	·01	·72	·12	—	—	—	·06	·58	27
28	·75	—	·26	·14	·20	·22	·02	—	·01	—	—	·19	28
29	·52	—	·43	·05	·34	·05	·60	—	—	—	·17	·84	29
30	·15		·34	·36	·05	·29	·09	—	·46	·05	·55	·45	30
31	·16		·30				·09	—		·70		·16	31
TOTAL	6·63	2·93	6·58	9·96	4·13	4·76	7·96	2·37	5·31	7·70	2·99	6·67	YEAR'S TOTAL 67·99
Days with ·01 in. or more	23	19	23	27	20	17	27	12	16	19	13	22	238
Days with ·04 in. or more	21	15	22	25	15	15	22	9	11	16	11	20	202

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BRECO~~N~~

THE LAURELS

1911–15

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGIS 1

Kept at The Laurel 5 in.
Ground 1 ft. 0 in.
in the County of Breckno
Sea Level 492 ft.
a m
by Charles J. E.
Name Brecon
Distance 1004 Direction W. S. W.

IMPORTANT NOTE.—Ra daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·00	·05	·10	·08	·00	·01	·05	·00	·00	·04	·07	1
2	·01	·00	·02	·01	·25	·00	·00	·10	·00	·03	·04	·51	2
3	·01	·00	·00	·02	·87	·00	·00	·12	·08	·00	·23	·25	3
4	·01	·00	·10	·00	·01	·00	·00	·21	·04	·01	·40	·79	4
5	·34	·00	·04	·05	·00	·00	·00	·17	·00	·18	·22	·01	5
6	·37	·00	·05	·01	·00	·00	·00	·06	·00	·00	·35	1·12	6
7	·01	·00	·01	·00	·00	·00	·00	·00	·00	·01	·73	·02	7
8	·09	·00	·13	·00	·00	·00	·00	·00	·00	·00	·41	1·25	8
9	·05	·00	·04	·00	·00	·00	·00	·00	·00	·00	·42	·65	9
10	·03	·05	·27	·00	·00	·00	·00	·00	·00	·00	·01	·80	10
11	·12	·00	·00	·00	·53	·00	·00	·05	·05	·00	·32	·04	11
12	·00	·00	·30	·00	·03	·00	·00	·00	·60	·01	1·01	·24	12
13	·00	·00	·01	·00	·03	·00	·00	·00	·10	·11	·17	·29	13
14	·00	·01	·00	·00	·00	·00	·00	·00	·00	·01	·01	·97	14
15	·00	·04	·01	·00	·00	·05	·00	·00	·00	·00	·70	·11	15
16	·00	·01	·04	·00	·00	·37	·00	·00	·00	·00	·30	·46	16
17	·00	·06	·00	·03	·00	·76	·02	·00	·00	·00	·71	1·05	17
18	·00	·59	·04	·45	·00	·06	·00	·00	·00	·07	·05	1·27	18
19	·00	·19	·00	·52	·00	·37	·00	·06	·41	·53	·07	·59	19
20	·00	·03	·00	·05	·00	·05	·00	·00	·11	·10	·02	·38	20
21	·00	·27	·13	·01	·00	·04	·00	·47	·03	·80	·00	·27	21
22	·00	·16	·01	·01	·00	·07	·00	·00	·03	·50	·03	·62	22
23	·13	·34	·03	·00	·06	·03	·00	·03	·22	·35	·00	·34	23
24	·00	·04	·00	·00	·00	·52	·00	·12	·02	·12	·00	·13	24
25	·01	·15	·00	·07	·00	·09	·00	·00	·21	·04	·00	·08	25
26	·00	·13	·00	·15	·01	·00	·00	·15	·02	·22	·10	·14	26
27	·00	·27	·21	·08	·00	·00	·00	·38	·33	·00	·03	·12	27
28	·00	·25	·01	·26	·00	·00	·00	·06	·00	·00	·04	·00	28
29	·00		·00	·08	·00	·00	·38	·15	·16	·55	·01	·02	29
30	·00		·00	·00	·00	·04	·01	·07	·00	·50	·08	·01	30
31	·00		·00		·01		·10	·00		·05		·00	31
Total	1·20	2·59	1·50	1·90	1·88	2·45	·52	2·25	2·41	4·19	6·50	12·60	TOTAL for year 39·99
No. of Rain Days.	13	16	19	16	10	12	5	16	15	19	26	29	196

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGIS 1

Kept at The Laurels : Brecon
5· Wales

in the County of Brecknock

by Charles J. E. Large

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 492 ft.

Time of Observation 9· a m

Nearest Railway Station
Name Brecon
Distance 100yds Direction W. S. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·00	·05	·10	·08	·00	·01	·05	·00	·00	·04	·07	1
2	·01	·00	·02	·01	·25	·00	·00	·10	·00	·03	·04	·51	2
3	·01	·00	·00	·02	·87	·00	·00	·12	·08	·00	·23	·25	3
4	·01	·00	·10	·00	·01	·00	·00	·21	·04	·01	·40	·79	4
5	·34	·00	·04	·05	·00	·00	·00	·17	·00	·18	·22	·01	5
6	·37	·00	·05	·01	·00	·00	·00	·06	·00	·00	·35	1·12	6
7	·01	·00	·01	·00	·00	·00	·00	·00	·00	·01	·73	·02	7
8	·09	·00	·13	·00	·00	·00	·00	·00	·00	·00	·41	1·25	8
9	·05	·00	·04	·00	·00	·00	·00	·00	·00	·00	·42	·65	9
10	·03	·05	·27	·00	·00	·00	·00	·00	·00	·00	·01	·80	10
11	·12	·00	·00	·00	·53	·00	·00	·05	·05	·00	·32	·04	11
12	·00	·00	·30	·00	·03	·00	·00	·00	·60	·01	1·01	·24	12
13	·00	·00	·01	·00	·03	·00	·00	·00	·10	·11	·17	·29	13
14	·00	·01	·00	·00	·00	·00	·00	·00	·00	·01	·01	·97	14
15	·00	·04	·01	·00	·00	·05	·00	·00	·00	·00	·70	·11	15
16	·00	·01	·04	·00	·00	·37	·00	·00	·00	·00	·30	·46	16
17	·00	·06	·00	·03	·00	·76	·02	·00	·00	·00	·71	1·05	17
18	·00	·59	·04	·45	·00	·06	·00	·00	·00	·07	·05	1·27	18
19	·00	·19	·00	·52	·00	·37	·00	·06	·41	·53	·07	·59	19
20	·00	·03	·00	·05	·00	·05	·00	·00	·11	·10	·02	·38	20
21	·00	·27	·13	·01	·00	·04	·00	·47	·03	·80	·00	·27	21
22	·00	·16	·01	·01	·00	·07	·00	·00	·03	·50	·03	·62	22
23	·13	·34	·03	·00	·06	·03	·00	·03	·22	·35	·00	·34	23
24	·00	·04	·00	·00	·00	·52	·00	·12	·02	·12	·00	·13	24
25	·01	·15	·00	·07	·00	·09	·00	·00	·21	·04	·00	·08	25
26	·00	·13	·00	·15	·01	·00	·00	·15	·02	·22	·10	·14	26
27	·00	·27	·21	·08	·00	·00	·00	·38	·33	·00	·03	·12	27
28	·00	·25	·01	·26	·00	·00	·00	·06	·00	·00	·04	·00	28
29	·00		·00	·08	·00	·00	·38	·15	·16	·55	·01	·02	29
30	·00		·00	·00	·00	·04	·01	·07	·00	·50	·08	·01	30
31	·00		·00		·01		·10	·00		·05		·00	31
Total	1·20	2·59	1·50	1·90	1·88	2·45	·52	2·25	2·41	4·19	6·50	12·60	TOTAL for year 39·99
No. of Rain Days.	13	16	19	16	10	12	5	16	15	19	26	29	196

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
4 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at "The Laurels" Brecon
in the County of Brecknock S. Wales
by Charles J. E. Large

Lat. 51·80 N Long. West 3·15
Time of Observation 9 a.m.
Nearest Railway Station Brecon
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·47	·00	·04	·57	·01	·02	·03	·35	·00	·23	1
2	·00	·00	·66	·06	·00	·54	·04	·10	·00	·01	·00	·03	2
3	·09	·00	·18	·00	·09	·07	·01	1·34	·06	·00	·04	·05	3
4	·44	·00	1·65	·00	·06	·09	·00	·29	·00	·00	·24	·02	4
5	·40	·01	·24	·01	·06	·03	·00	·35	·05	·00	·01	·10	5
6	·64	·24	·05	·00	·08	·00	·00	1·50	·00	·00	·01	·08	6
7	·03	·65	·25	·00	·03	·37	·13	·21	·00	·00	·00	·10	7
8	·62	·29	·16	·04	·00	·13	·00	·03	·03	·00	·00	·00	8
9	·08	·11	·18	·14	·00	·26	·01	·62	·00	·00	·03	·35	9
10	·21	·10	·00	·00	·00	·07	·02	·06	·00	·00	·30	·01	10
11	·01	·04	·02	·00	·00	·00	·01	·00	·00	·00	·19	·69	11
12	·01	·26	·06	·14	·18	·06	·11	·00	·00	·00	·02	·04	12
13	·10	·00	·00	·04	·00	·10	·06	·00	·00	·08	·02	·19	13
14	·14	·02	·48	·00	·00	·00	·00	·22	·00	·01	·00	·06	14
15	·79	·04	·02	·00	·12	·25	·00	·01	·01	·00	·00	·36	15
16	·46	·02	·31	·00	·04	·02	·00	·10	·00	·16	·00	·07	16
17	·36	·00	·09	·00	·00	·21	·00	·35	·00	·01	·09	·57	17
18	·24	·03	·06	·00	·00	·00	·00	·19	·00	·07	·00	·06	18
19	·11	·11	·02	·00	·00	·01	·07	·60	·00	·01	·04	·03	19
20	·09	·05	·43	·00	·00	·03	·04	·15	·00	·36	·07	·01	20
21	·02	·03	·54	·00	·35	·00	·00	·51	·00	·35	·00	·01	21
22	·17	·39	·08	·00	·36	·02	1·09	·50	·00	·04	·00	·11	22
23	·09	·14	·29	·00	·01	·33	·02	·31	·00	·13	·11	·08	23
24	·18	·02	·04	·00	·00	·39	·01	·03	·00	·00	·03	·43	24
25	·01	·00	·00	·00	·00	·07	·08	1·10	·00	·01	·47	·63	25
26	·00	·17	·14	·00	·00	·00	·06	·80	·00	·88	·88	·61	26
27	·00	·03	·08	·00	·00	·49	1·21	·01	·00	·86	·05	·79	27
28	·00	·29	·02	·00	·00	·57	·94	·55	·20	·35	·30	·12	28
29	·00	·33	·08	·00	·00	·22	·20	·19	·47	·40	·01	·03	29
30	·01		·13	·01	·00	·15	·04	·03	·01	·61	·01	·01	30
31	·00		·10		·03		·20	·03		·02		·03	31
Total	5·30	3·37	6·83	·44	1·45	5·05	4·36	10·20	·86	4·71	2·92	5·90	YEAR'S TOTAL 51·39
Rain Days.	24	22	28	7	13	24	21	28	8	19	20	30	224

244

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
5 - JAN 1914

Kept at The Laurels. Brecon

in the County of Brecon. S. Wales

by Charles J. E. Large

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Brecon

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·10	·47	·12	·06	·00	·00	·00	·06	·14	·18	·00	1
2	·03	·40	·18	·27	·03	·00	·00	·00	·00	·93	·36	·02	2
3	·17	·05	·30	·01	·26	·00	·06	·00	·00	·12	·01	·31	3
4	·97	·09	·09	·00	·06	·00	·01	·00	1·23	·24	·05	·42	4
5	·34	·05	·10	·00	·03	·08	·01	·00	·21	·17	·35	·05	5
6	·27	·28	·50	·00	·03	·04	·50	·00	·01	·40	·15	·49	6
7	·05	1·14	·02	·00	·60	·17	·02	·00	·00	1·05	·18	·02	7
8	·03	·34	·00	·00	·58	·01	·03	·05	·00	·08	·01	·00	8
9	·00	·15	·03	·00	·19	·69	·38	·18	·01	·01	·45	·04	9
10	·42	·00	·00	·02	·12	·01	·00	·37	·00	·34	·18	·00	10
11	·64	·01	·01	·31	·08	·00	·01	·01	·00	·05	·75	·00	11
12	·01	·00	·00	·01	·09	·00	·00	·03	·02	·01	·44	·01	12
13	·08	·00	·30	·01	·00	·00	·01	·06	·55	·00	·37	·00	13
14	·38	·00	·34	·12	·01	·00	·00	·00	·17	·30	·08	·00	14
15	·26	·00	·90	1·29	·00	·00	·00	·38	·09	·01	·10	·00	15
16	·30	·00	·51	·10	·00	·00	·00	·19	·10	·00	·06	·00	16
17	·15	·01	·58	·30	·00	·00	·12	·01	·00	·00	·09	·00	17
18	·07	·00	·50	·29	·03	·04	·02	·00	·00	·00	·11	·00	18
19	·38	·00	·22	·02	·00	·38	·02	·00	·05	·52	·04	·00	19
20	·24	·00	·60	·08	·00	·00	·00	·00	·00	·51	·70	·00	20
21	·01	·00	·46	·12	·16	·00	·34	·04	·00	·25	·19	·00	21
22	·60	·00	1·29	·01	·00	·13	·01	·56	·42	·01	·01	·00	22
23	·02	·00	·04	·00	·00	·02	·00	·04	·05	·00	·10	·20	23
24	·07	·15	·01	·05	·00	·00	·00	·02	·00	·00	·11	·01	24
25	·00	·02	·00	·32	·00	·00	·00	·00	·09	·00	·06	·06	25
26	·00	·00	·00	2·91	·07	·03	·00	·00	·01	·66	·00	·50	26
27	·03	·00	·20	·44	·00	·00	·00	·00	·00	·66	·01	·26	27
28	·19	·00	·24	·69	·11	·00	·00	·00	·00	·45	·00	·10	28
29	·00		·44	·48	·03	·00	·00	·06	·00	·30	·01	·00	29
30	·41		·00	·01	·02	·00	·00	·01	·00	·03	·10	·00	30
31	·02		·26		·00		·00	·06		·05		·00	31
Total	6·22	2·79	8·64	7·98	2·56	1·60	1·54	2·07	3·07	7·29	5·25	2·49	YEAR'S TOTAL 51·50
Rain Days.	27	13	25	23	19	11	14	16	15	24	28	14	229

W.7,000, XI. 13

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 JAN 1915

Kept at The Laurels
in the County of Brecknock
by Charles J. E. Large

Lat. 57·80 N. Long. 3·15 W.
Time of Observation 9 a. m
Nearest Railway Station Brecon
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·08	·11	·00	·00	·15	·22	·96	·00	·00	·11	·09	1
2	·00	·00	·09	·00	·04	·02	1·85	·27	·00	·01	·25	·79	2
3	·00	·00	·55	·07	·38	·00	·01	·05	·00	·02	·01	1·09	3
4	·44	·00	·14	·15	·15	·00	·17	·07	·00	·00	·56	·98	4
5	·19	·00	·25	·41	·14	·00	·04	·00	·00	·00	·26	·03	5
6	·12	·06	·07	·02	·02	·03	·02	·00	·00	·00	·12	·39	6
7	·01	·57	·25	·06	·40	·03	·50	·06	·09	·00	·01	·72	7
8	·15	·00	·17	·07	·54	·38	·06	·15	·01	·00	·00	·18	8
9	·17	·08	·10	·28	·08	·89	·00	·10	·07	·00	·02	·01	9
10	·00	·70	·06	·45	·03	·25	·00	·00	·24	·00	·40	·01	10
11	·00	·39	·36	·03	·20	·33	·04	·00	·01	·00	·24	·62	11
12	·00	1·55	·18	·00	·00	·01	·00	·00	·24	·00	·29	·12	12
13	·00	·55	·58	·02	·00	·00	·08	·00	·43	·22	·22	·12	13
14	·01	1·00	·36	·00	·00	·00	·02	·07	·01	·04	·34	·00	14
15	·00	·07	·38	·00	·00	·00	·04	·12	·06	·02	·00	·07	15
16	·05	·02	·07	·00	·00	·00	·09	·00	·16	·00	·01	·02	16
17	·00	·33	·24	·00	·00	·00	·08	·00	·08	·00	·00	1·09	17
18	·00	·02	·54	·00	·00	·00	·04	·00	·13	·00	·05	·30	18
19	·00	·10	·13	·00	·00	·00	·88	·00	·15	·00	·00	·27	19
20	·00	·70	·18	·00	·00	·22	·00	·00	·00	·00	·00	·25	20
21	·00	·49	·01	·00	·00	·01	·04	·03	·00	·24	·01	·01	21
22	·00	·25	·00	·02	·00	·04	·05	·13	·00	·58	·00	·00	22
23	·00	·04	·20	·00	·13	·00	·08	·00	·00	·20	·00	·01	23
24	·00	·00	·12	·00	·00	·00	·09	·07	·00	·03	·13	·00	24
25	·15	·02	·18	·00	·00	·00	·45	·24	·00	·30	·03	·29	25
26	·00	·02	·01	·00	·00	·00	·26	·05	·00	·13	·37	·82	26
27	·03	·00	·00	·00	·00	·00	·01	·00	·00	·07	·63	1·06	27
28	·05	·05	·15	·00	·12	·00	·00	·00	·00	·09	·10	·52	28
29	·14	X	·28	·00	·08	·00	·00	·00	·00	·12	·84	·03	29
30	·04	X	·38	·00	·00	·00	·00	·00	·00	·08	·70	1·44	30
31	·74	X	·01	X	·02	X	·23	·00	X	·60	X	·23	31
Total	2·29	7·09	6·15	1·58	2·33	2·36	5·35	2·37	1·68	2·75	5·70	11·56	YEAR'S TOTAL 57·21
Rain Days.	14	21	29	11	14	12	24	14	13	16	23	28	219

W. 8,000. X. 14.

Slip made

ccd fr ault 16.X.16

4168

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Laurels
in the County of Brecknock
by Charles J. E. Large

Lat. 51·80 N. Long. 3·15 W.
Time of Observation 9. a.m.
Nearest Railway Station Brecon
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·69	·07	·07	·00	·15	·00	·00	·52	·06	·31	·00	·27	1
2	·45	·35	·17	·19	·00	·02	·00	·60	·12	·03	·00	·15	2
3	·02	·48	·05	·04	·06	·00	·50	·09	·00	·00	·00	·40	3
4	·16	·35	·01	·02	·12	·00	·44	·02	·07	·00	·01	·66	4
5	·01	·81	·02	·07	·01	·00	·08	·05	·00	·00	·00	1·25	5
6	·20	·05	·03	·21	·00	·00	·54	·21	·00	·00	·00	·24	6
7	·28	·65	·00	·03	·43	·00	·10	·09	·00	·00	·01	·45	7
8	·28	·58	·00	·04	·00	·00	·00	·04	·00	·00	·17	·02	8
9	·09	·68	·00	·16	·00	·00	·00	·01	·00	·00	·44	·70	9
10	·37	·04	·03	·07	·00	·00	·00	·03	·00	·12	·23	·06	10
11	·22	·00	·01	·00	·00	·00	·00	·07	·00	·07	1·09	·04	11
12	·10	·27	·00	·06	·36	·00	·00	·13	·01	·05	·50	·00	12
13	·01	·44	·00	·02	·47	·00	·00	·03	·06	·00	·14	·02	ǂ 13
14	·03	·03	·00	·00	·00	·00	·00	·35	·02	·00	·01	·36	14
15	·64	·01	·00	·00	·22	·00	·05	·04	·00	·08	·15	·12	15
16	·06	1·48	·00	·00	·35	·00	1·11	·05	·00	·00	·01	·00	16
17	·01	·53	·00	·00	·71	·00	·00	·03	·00	(·00)	·00	·02	17
18	·03	·76	·06	·00	·01	·00	·00	·00	·00	·00	·01	·00	18
19	·02	·05	·00	·08	·22	·00	·37	·00	·00	·00	·00	·01	19
20	·36	·01	·00	·03	·04	·00	·05	·01	·00	·10	·00	·04	20
21	·20	·09	·00	·00	·31	·00	·07	·00	·00	·05	·00	·06	21
22	·13	·00	·07	·24	·00	·00	·40	·00	·00	·01	·00	·64	22
23	·07	·10	·06	·00	·00	·28	·09	·00	·00	·61	·00	·33	23
24	·01	·02	·02	·08	·00	·01	·18	·00	·07	·48	·00	·60	24
25	·02	·00	·03	·00	·00	·57	·06	·00	·01	·02	·02	·24	25
26	·00	·22	·00	·00	·00	·03	·33	·08	·03	·00	·00	·90	26
27	·00	·14	·00	·00	·00	·03	·16	·00	·01	·06	·01	·49	27
28	·00	·37	·01	·00	·00	·09	·00	·02	·18	·02	·00	·04	28
29	·00	—	·00	·00	·00	·05	·02	·02	·02	·49	·39	·10	29
30	·20	✕	·00	·02	·00	·11	·01	·00	·01	·47	·31	·62	30
31	·06	✕	·00	✕	·00	✕	·17	·04	✕	·01	✕	1·27	31
Total	4·72	8·58	·64	1·36	3·46	1·13	4·73	2·45 2·45	·67	2·98	3·50	10·10	YEAR'S TOTAL 44·32 44·32
Rain Days.	27	25	14	16	14	9	19	21	13	17	16	28	219

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Entd. 17.XI.13

REGIS

BRE~~CON~~
FFRWDGRECH

1911-12, 1915

FORM A1.
BRITISH RAINFALL.

11 JAN 1912

Kept at Ffrwdgrech, Brec
in the County of Brecknoc
by J. D. D. Evans

in.
Ground ft. in.
Sea Level 570 ft.
m.
Name Brecon
Distance 2 m. Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·	·12	·09	1
2										·05	·16	·64	2
3										·	·24	·30	3
4										·	·53	·96	4
5										·13	·28	·00	5
6										·	·36	1·59	6
7										·	·80	·00	7
8										·	·44	1·13	8
9										·	·11	·81	9
10										·	·00	1·00	10
11										·	·30	·06	11
12										·	1·11	·31	12
13										·08	·09	·29	13
14										·02	·16	1·00	14
15										·	·53	·09	15
16										·	·26	·38	16
17										-	Thunder ·67	1·26	17
18										·06	·07	1·45	18
19										·39	·09	·74	19
20										·14	·00	·45	20
21										·93	·00	·16	21
22										·52	·02	·71	22
23									·06	·39	00	·42	23
24									·00	·12	00	·14	24
25									·30	·07	00	·08	25
26									-	·24	11	·13	26
27									·31	··	00	·11	27
28									·	··	04	·00	28
29									·16	very wet blown away	00	·02	29
30									·	·75	14	00	30
31										·05			
Total									·83	3·94 3·94	6·63	14·32	
No. of Rain Days												14.32	

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2

Entd. 17.XI.13

REGIS

FORM A1.
BRITISH RAINFALL.

11 JAN 1912

Kept at Ffrwdgrech, Brecon
in the County of Brecknockshire
by J. D. D. Evans

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level 570 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Brecon
Distance 2 m. Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Orga[illegible]ation are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·	·12	·09	1
2										·05	·16	·64	2
3										·	·24	·30	3
4										·	·53	·96	4
5										·13	·28	·00	5
6										·	·36	1·59	6
7										·	·80	00	7
8										·	·44	1·13	8
9										·	·11	·81	9
10										·	·00	1·00	10
11										·	·30	·06	11
12										·	1·11	·31	12
13										·08	·09	·29	13
14										·02	·16	1·00	14
15										·	·53	·09	15
16										·	·26	·38	16
17										-	Thunder ·67	1·26	17
18										·06	·07	1·45	18
19										·39	·09	·74	19
20										·14	·00	·45	20
21										·93	00	·16	21
22										·52	02	·71	22
23									·06	·39	00	·42	23
24									·00	·12	00	·14	24
25									·30	·07	00	·[illegible]5	25
26									-	·24	11	·43	26
27									·31	··	00	·11	27
28									'	··	04	·00	28
29									·16	very wet blown over	00	·02	29
30									·	·75	14	00	30
31										·05			31
Total									·83	3·94 394	6·63	14·32	
No. of Rain Days												14·32	

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2

Es JC

REGISTER OF RAINFALL IN 1912

FORM A1.
BRITISH RAINFALL
11 JAN 19

Kept at Ffrwdgrech, Brecon.

in the County of Brecknockshire

7

by J.D.D. Evans.

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 570 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Brecon
Distance 2 m. Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	12 deg ·00	·62	·00	·01	·71	·02	·02	·03	·45	·00	·35	1
2	·00	23 deg ·00	·92	·05	·00	·61	·02	3 degrees ·07	..	~~·00~~	·00	·00	2
3	·11	16 deg ·00	·30	·00	·05	·05	·01	1·31	·08	·00	·04	·08	3
4	1·66	12 d. 00	2·12	·00	·06	·03	·00	·25	·00	·00	·21	·03	4
5		Snow 00	·25	·02	·05	·01	·00	2·82	·03	·00	·00	·13	5
6		·30	·05	·00	·07	·00	·00		·00	·60 P.T.O. *	·00	·12	6
7	·02	·70	·37	·00	·02	·40	·13	·09	·01	·00	·00	·13	7
8	·62	·33	·23	·05	·00	·15	·00	·00	·04	·00	00 ·02	·00	8
9	·09	·11	·00	·17	·00	·35	·02	·70	·00	·00	·03	·40	9
10	·27	·11	·28	·00	·00	·09	·02	·10	·00	·00	·35	·02	10
11	·00	·03	·01	·00	00	·12	·01	·01	·00	·00	·31	·84	11
12	·00	·12	·12	·14	·16	·00	·12	·00	·00	·00	·03	·04	12
13	·13	·00	·00	·03	·00	·05	·03	·00	·00	·17	·02	·25	13
14	·14	·03	·60	·00	·00	·00	·00	·12	·01	·00	·00	·08	14
15	·95	·03	·02	·00	·11	·29	·00	·01	·00	·00	·00	·39	15
16	·67	·00	·47	·00	·03	·01	·00	·11	·00	·13	·00	·09	16
17	Snow ·33	·00	·08	·00	·00	·20	·00	·36	·00	·00	·08	·65	17
18	·00	·04	·07	·00	·00	·01	·00	·24	·00	·06	·00	·06	18
19	·15	·16	·00	·00	·00	·02	·06	·79	·00	·01	·02	·07	19
20	·09	·03	·57	·00	·00	·01	·05	·10	·00	·44	·08	02	20
21	Snow ·00	·05	·92	·00	·37		·13	·64	·00	·26	·00	·02	21
22	·22	·54	·07	·00	·41	44	·90	·63	·00	·04	·00	·15	22
23	Snow ·27	·13	·26	·00	·00		·02	·26	·00	·12	·11	·10	23
24	·12	·01	·03	·00	·01	45	·00	·01	·00	·08	·04	·47	24
25	·00	·00	00	·00	·00	10	·03	·88	·00	·03	·66	·73	25
26	·00	·26	·13	·00	·00	·00	·04	·63	·00	1·02	1·04	·95	26
27	·00	·04	·09	·00	·00	·60	1·15	·00	·00	1·07	·06	1·01	27
28	17 degrees ·00	·32	·02	·00	·00	·52	·93	·68	·26	·44	·37	·12	28
29	18 degrees ·00	·43	·09	·00	·00	·16	·22	·29	·45	·59	·00	·03	29
30	00		·18	·01	·00	·33	·04	·01	·00	·81	·00	·02	30
31	00		·12		·03		·24	·04		·01		·16	31
Total	5·84	3·77	8·99	·47	1·38	5·71	4·19	11·17	·91	5·73	3·45	7·51	TOTAL for year 59·12
No. of Rain Days	18	20	27	7	13	26	22	27	8	17*	16	29	230

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

JL [illegible] 26.iv.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 JAN 1915

Kept at Ffrwdgrech Brecon.
in the County of Brecknockshire
by J. D. D. Evans

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Brecon
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.00	.13	.12	.00	.00	.12	.19	.88	.00	.00	.16	.12	1
2	.00	.00	.07	.00	.03	.00	1.36	.32	.00	.00	.23	.82	2
3	.00	.00	.60	.10	.52	.00	.00	.04	.00	.00	.00	2.20	3
4	.55	.00	.17	.24	.23	.00	.24	.08	.00	.01	.62	.22	4
5	.23	.00	.25	.38	.16	.00	.04	.00	.00	.00	.30	.00	5
6	.00	(wet)	.03	.02	.03	.02	.02	.00	.00	.00	.17	.47	6
7	.09	88	.30	.07	.52	.05	.55	.07	.10	.00	.00	.47	7
8	.19	.00	.21	.10	.54	.33	.00	.39	.00	.00	.00	.60	8
9	.18	.09	.11	.31	.08	.90	.00	.17	.08	.00	.03	.00	9
10	.00	.94	.04	.44	.03	.19	.00	.00	.09	.00	.00	.00	10
11	.00	.52	.49	.01	.28	.39	.10	.00	.00	.00	.40	.83	11
12	.00	1.70	.10	.00	.00	.00	.00	.00	.25	.00	.27	.17	12
13	.00	.88	.92	.01	.00	.00	.11	.00	.47	.22	.41	.00	13
14	.00	1.50	.58	.00	.00	.00	.02	.07	.00	.04	.09	.13	14
15	.00	.06	.44	.00	.00	.00	.07	.07	.04	.00	.33	.05	15
16	.00	.63	.20	.00	.00	.00	.02	.00	.22	.00	.00	.02	16
17	.07	.00	.37	.00	.00	.00	.08	.00	.09	.00	.00	1.54	17
18	.00	.03	.56	.00	.00	.00	.05	.00	.28	.00	.00	.58	18
19	.00	.12	.13	.00	.00	.00	1.03	.00	.12	.00	.07	.15	19
20	.00	1.05	.24	.00	.00	.13	.00	.00	.00	.00	.00	.21	20
21	.00	.41	.00	.00	.00	.00	.00	.00	.00	.30	.00	.00	21
22	.00	.34	.00	.01	.12	.08	.03	.00	.00	.76	.00	.00	22
23	.00	.09	.18	.00	.03	.00	.06	.11	.00	.21	.00	.00	23
24	.01	.00	.14	.00	.00	.00	.19	.07	.00	.01	.12	.00	24
25	.19	.00	.23	.00	.00	.00	.55	.29	.00	.40	.14	.35	25
26	.02	.03	.02	.00	.00	.00	.18	.03	.00	.20	(wet	.67	26
27	.03	.00	.00	.00	.00	.00	.00	.00	.00	.02	wet	1.16	27
28	.05	.06	.17	.00	.11	.00	.00	.00	.00	.06	1.24)	.59	28
29	.27		.24	.00	.09	.00	.00	.00	.00	.12	1.40	.09	29
30	.08	×	.46	.02	.00	.00	.00	.00	.00	.14	.59	1.72	30
31	1.24	×	.00	×	.00	×	.37	.00	×	.69	×	.45	31
Total	3.20	9.46	7.37	1.71	2.77	2.21	5.26	2.59	1.84	3.18	6.53 6.57	13.62	YEAR'S TOTAL 59.78 59.78
Rain Days.	14	18	27	12	14	9	20	13	11	14	19	23	195 195

W. 8,000. X. 14.

cmd for auth 28. VI. 16 ~~WLMcC~~

4167

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

9. JUN. 1916

Kept at Ffrwdgrech Brecon

in the County of Brecon

by Capt J D Evans

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·64	44	00	22	·16	00	00	·71	·06	·36	00	26	1
2	·54	10	17	02	00	00	00	·90	·13	·02	00	29	2
3	00	64	07	00	00	00	51	·04	00	·00	00	45	3
4	16	37	00	00	00	00	00	07	05	·00	00	1·00	4
5	·01	1·04	03	·10	00	00	50	04	00	·00	00		5
6	19	18	00	·34	00	00	66	27	00	·00	00	1·74	6
7	·05	90	00	·06	10	00	11	07	00	·00	00	58	7
8	30	67	00	07	00	00	00	03	00	·00	45	00	8
9	15	66	00	11	00	00	00	01	00	·00	rain	91	9
10	45	00	04	06	00	00	00	07	00	11	2·00	00	10
11	17	01	00	00	00	00	00	18	00	9	rain	00	11
12	10	83	00	04	68	00	00	01	01	00	27		12
13	00	20	00	00	Snow 30	00	00	05	00	00	11		13
14	02	·01	00	00	6% 00	00	00	40	05	02	49		14
15	78	82	00	01	16	00	04	12	07	00	00		15
16	09	1·90	00	00	43	00	1·04	8	00	00	00		16
17	03	75	00	00	62	00	00	00	00	00	00		17
18	00	67	00	00	00	00	00	00	00	00	00		18
19	00	00	00	11	04	00	·53	00	00	00	00		19
20	02	00	00	00	30	00	·04	[illegible]	00	00	00		20
21	73	14	00	00	07	00	·11	00	00	21	00		21
22	00	06	09	12	00	00	·46	00	00	00	00		22
23	06	00	12	00	00	34	13	00	00	79	00		23
24	00	00	04	07	00	00	00	00	05	42	00		24
25	00	00	00	00	00	50	11	00	01	00	00		25
26	00	53	00	00	00	00	39	00	00	60	00		26
27	00	12	00	00	00	10	15	00	22	56	00		27
28	00	40	00	00	00	·10	00	00	·02	04			28
29	00		00	00	00	03	00	07	00	00	87		29
30	28		00	00	4% ·00	00	00	07	04	60			30
31	04		00		00	~~1·07~~	23	07		33			31
Total	4·81 4·81	11·41 11·41	·46	1·24	2·86	1·07	5·01	2·90	·64	3·53	4·39 4·30	12·40	YEAR'S TOTAL 5074
Rain Days.	20	22	7	13	10	5	15	19	10	12	8		

W. 7,500, XI. 12

81

479

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

BRECON
NEW INN
1911- 1920

REC 911

Kept at New Inn,
in the County of Brec
by Mr. W. Will

op .... in.
above Ground .... ft. .... in.
„ Sea Level .... ft.

on Name
Distance .... Direction

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·90				·20	1
2	·40		·19		·90	·06		·20			·20	1·30	2
3	·12		·40		1·00			·11			·86		3
4	·17			·10				·40			·06	·30	4
5	·09			·16				·44			1·00	·16	5
6		·06	·60								·47	·90	6
7	1·01	·06									1·01	1·00	7
8	·24	·09	·11								·16	1·80	8
9			·05						·09		·59	·30	9
10			1·10				·11		·12			1·01	10
11	·20	·16			·30				·06		·74	1·80	11
12	·16		·40		·07		·06				·39	·65	12
13	·30									·10	·16	·11	13
14	·29	·11								·04	·59	·97	14
15								·12	·47		·72		15
16						·07			·02		·34	·49	16
17						1·55					·60	1·11	17
18		1·00		1·00							·06	1·90	18
19		·17		·60		·17			1·09	·40			19
20	·06	·15		·55		·13			·06	·27		·60	20
21	·04	·95	·16			·20		·31	·10	1·12		1·66	21
22		1·15	·12	·11		·61		·55		·65	·10	·90	22
23			·02	·17		·11			·16	·45	·20	·61	23
24		·60				·60			·13	·16			24
25						·14	·09	·11	·55				25
26		1·01		·36			·04	·20		·37		·27	26
27		·49		·66				·60	·45				27
28		·06						·50			·26		28
29				·34		·46		·15	·20	1·24	·31	·14	29
30				·25		·11		·08		1·29	·11		30
31										·07	·06		31
Total	3·08	6·06 6·06	3·15	4·30	2·27	4·21	·30	4·67	3·50 3·50	6·16	8·99	18·18	TOTAL for year 64·87
No. of Rain Days	12	14	10	11	4	12	4	14	13	12	22	22	150

9,000, IX. '10.

82

FORM A2.
BRITISH RAINFALL.
26 JAN 1912
479

REC 911

Kept at New Inn, Brecon

in the County of Brecon 7

by Mr. W. Williams

RAIN GAUGE Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.
Time of Observation ....
Nearest Railway Station Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·90				·20	1
2	·40		·19		·90	·06		·20			·20	1·30	2
3	·12		·40		1·00			·11			·86		3
4	·17			·10				·40			·06	·30	4
5	·09			·16				·44			1·00	·16	5
6		·06	·60								·47	·90	6
7	1·01	·06									1·01	1·00	7
8	·24	·09	·11								·16	1·80	8
9			·05						09		·59	·30	9
10			1·10				·11		·12			1·01	10
11	·20	·16			·30				·06		·74	1·80	11
12	·16		·40		·07		·06				·39	·65	12
13	·30									·10	·16	·11	13
14	·29	·11								·04	·59	·97	14
15								·12	·47		·72		15
16						·07			·02		·34	·49	16
17						1·55					·60	1·11	17
18		1·00		1·00							·06	1·90	18
19		·17		·60		·17			1·09	·40			19
20	·06	·15		·55		·13			·06	·27		·60	20
21	·04	·95	·16			·20		·31	·10	1·12		1·66	21
22		1·15	·12	·11		·61		·55		·65	·10	·90	22
23			·02	·17		·11			·16	·45	·20	·61	23
24		·60				·60			·13	·16			24
25						·14	·09	·11	·55				25
26		1·01		·36			·04	·20		·37		·27	26
27		·49		·66				·60	·45				27
28		·06						·50			·26		28
29				·34		·46		·15	·20	1·24	·31	·14	29
30				·25		·11		·08		1·29	·11		30
31										·07	·06		31
Total	3·08	6·06 6·06	3·15	4·30	2·27	4·21	·30	4·67	3·50 3·50	6·16	8·99	18·18	TOTAL for year 64·87
No. of Rain Days	12	14	10	11	4	12	4	14	13	12	22	22	150

9,000, IX. '10.

82

cor for arith 3.III.13

W F

476

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at New Inn

in the County of Brecon

by W. Williams

7

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			1·30			·84	·20					·24	1
2	·40		·50	·16		·51	·21	·16	·11	·11		·36	2
3	·27		·52	·44	·06	·06	·26	·40	·16	·19			3
4	1·06		1·87					·61			·11		4
5	·30	·60	·36				·14	1·03	·20		·03	·14	5
6	·06	·06				·30	·16	·12	·16			1·01	6
7	1·40	·14	·70		·11	·19	·11	1·00	·14	·06			7
8			·30			·20	·50		·04		·16		8
9		·20				·11		·16				·97	9
10		·16		·21		·09		·70		·12			10
11	·06	·40					·11	·11		·11		1·46	11
12	·20	·24	1·00		·20		·14					·26	12
13	·40	·06	·10			·35					·30		13
14	·16		·95		·30	·20						·21	14
15					·28			·83		·09		·49	15
16			·64			·06		·11				1·04	16
17	·96	·16	1·00			·24					·14	·56	17
18	·20	·27	·70					1·01		·20	·27		18
19	·40	·11				·12	·06	·29		·30	·11	·15	19
20			·70			·10	·14	1·06		·40			20
21	·13	·40	·25		·34		·20	1·53		·50			21
22		1·00			·42			·69		1·00	1·06	·60	22
23	·24		·30			·16		·60		·12		·06	23
24	·77	·41				·86				·40	·27	1·16	24
25		·29	·26					·21		1·00	·11	·90	25
26			·16			·21	·60			·30	1·20	1·09	26
27	·06	·06	·18			·80		·74		·48		·90	27
28	·04	·16				·20	·90	·50	1·00	·14	·40	·05	28
29		·11	·16			·11	1·16	·41	·80	·86	1·01	1·00	29
30			·21			·04	·29		·11	1·40		·41	30
31			·11		·10		·56					·97	31
Total	7·11	4·83	12·27	·81	1·81	5·75	5·74	12·27	2·82 2·72	7·78	5·17	14·03	TOTAL for year 80·29
No. of Rain Days.	18	18	22	3	8	21	17	21	9	19	13	22	191

W. 8,000, X. '11.

82 Cnd for auth 28. IV. 14 W 88

FORM A.
BRITISH RAINFALL.

31 JAN 1914

485

REGISTER OF RAINFALL IN 1913

Kept at New Inn

in the County of Brecon

by W. Williams

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·19		·35	·40							·06	·04	1
2	·20	·97		·11						1·04		·11	2
3	1·00	1·20	1·00	·69	·44	·19				·66	1·20	·16	3
4		·15	1·06		·12	·11					·49		4
5		·05			·14	·16				·84	·40	·20	5
6	·11	·40	·65		1·00					·50	·11	·11	6
7	·16	2·07			·04		·27			·31	·06		7
8	·11	·06		1·27	1·40		·11	·12	·16				8
9	·50		·06	·11	·11			·17			·40		9
10			·15			1·00		·06	·09		·16		10
11						·35	·27				·19	1·01	11
12			·11				·06				1·00	·16	12
13	·70		·16	·14					1·65			·17	13
14	1·16		·96	·16	·16			·14	1·51		1·07		14
15	·60		1·12	1·09	·11			·40		·91	·18		15
16	·19		·41	·06				·39		·60			16
17	1·00		1·09	1·11					·06	·64		·11	17
18			·91						·19	·14	·20	·20	18
19			·50	·22	·09						·31	·24	19
20	·14		·28	·40	·12	·60			·30	·27	·27	·06	20
21	·06		1·02		·04	·46				·24	·06	·04	21
22			1·08					1·07	·15	·06			22
23								·11					23
24	1·40	·06		·10						·84	·16		24
25	·90	·04	·11	1·41						·31	·30		25
26		·10		·16						·20			26
27	·16			·27						·40			27
28			·60	1·09						·21			28
29	2·01			·10						·30			29
30	·30		·44							·31			30
31	1·00		·57							·19			31
Total	11·89	5·10	12·57	8·89	3.77 ~~4·13~~	2·87	·71	2·46	4·11	8·97	6·62	2·61	YEAR'S TOTAL 70·57
Rain Days.	20	10	21	18	12	7	4	8	8	20	18	13	159

W. 7,500, XI. 12

81 Jany estd · 23.IV45 L X M L 467

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

22 JAN 1915

Kept at New Inn
in the County of Brecon
by W. Williams

7

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											1.09		1
2		·06					·69	1.00			·16		2
3		·20	·95	·11	·16		·11	·60			·14	·11	3
4		·21		·40	·70		·24	·11	·16		·41	1.20	4
5			·40	·56	·30	·11		·14			·54	1.61	5
6		·06	1.07		·19		·11	·06	·10				6
7				·16	·10		·70				·06	·14	7
8		·43	·11	·40	·12	·70			·11		·20		8
9			·16	·56	·40	1.10			·09		·41	1.04	9
10		·11		·60	·80	·06			·04		·15	·66	10
11		1.10	·49								·16	·06	11
12		·50	·10	·06							·11		12
13		1.59	1.00					·06	·20			·17	13
14		·78	·90	·04				·14	·14				14
15		2.05	·20				·27		·06			·26	15
16		·60	·15			·14	·06					1.01	16
17	·16		·40			·16	·40		·11			1.06	17
18					·11		·11		·16			·24	18
19		·78	·12		·16		1.09		·11			·61	19
20	·04	·24	·40				·06		·06			1.05	20
21			·30			·20	·11						21
22			·37			·18			·03	1.57		·40	22
23		·11	·30		·06					·11		·11	23
24		·06	·16				·80			·20		·20	24
25							·40	·76		·40			25
26		·20	·30				·16	·29		·34	2.12	·60	26
27		·24	·19				·04				·11	·13	27
28			1.00								1.70	·29	28
29			·16							·20	·16	1.00	29
30			·10					·10		·17	·24		30
31			·06				·60					·41	31
Total	3·00 ~~·20~~	9.32	9.39	2.89	3.10	2.65	5.95	3.26	1.37	2.99	7.76	12.36	YEAR'S TOTAL (64·04)
Rain Days.	~~2~~	18	24	9	11	8	17	10	13	7	16	22	157

W.7,000, XI. 13

DL

cord for auth 16. V. 16

4160
~~449~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at New Inn

W. 81

in the County of Brecon

by W. Williams

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·60	·30	·11					·14			·74	·20	1
2	·20	·27	·30					·27			·27	·11	2
3		·11									·14	·06	3
4	·13							·11				1·01	4
5	·04	1·01		·06			·16	·20				1·28	5
6	·12	·17	·20								·11		6
7		·15					1·00	·44			·40	·31	7
8	·11	·06					·11	·10		·40	·60	·11	8
9	·09	·14	·27								·21	·20	9
10	·41		·06					·60		·60		1·04	10
11		·04		·11				·19	·09		1·00	·56	11
12	·90			·91	·50					·12	1·41	·16	12
13	·20	·11		·16	1·05		·40	·46		·30	·06	·20	13
14	·49	·19	·16	·50							·12		14
15	·21							·11			·16	·21	15
16	·04	2·40		·04			·11	·16					16
17		·06			·11		·55	·11	·21			·11	17
18		1·90			·20			·04					18
19				·11	·06		·49			·09		·27	19
20	·16	·12		·06			1·00			·16		·14	20
21	·40			·08								·16	21
22	·11	·10		·02		·40	1·09		·07			·12	22
23							·14					1·06	23
24	·20						1·01			·40			24
25	·46					·11				·20			25
26		1·00				·77			·39	·11		·61	26
27		·16				1·00	·20		·40	·06		·44	27
28		·14				·06	·24	·09	·20			·20	28
29						·24	·40	·10	·09		·97	·95	29
30		X				·10	·16				·74		30
31		X		X		X	·11		X		X	·11	31
Total	4·87	8·43 8·43	1·10	2·05	1·92	2·68	7·17	3·12	1·45 1·45	2·44	6·93	9·62	YEAR'S TOTAL 51·78 ~~49·80~~
Rain Days.	18	19	6 ~~25~~	10	5	7	16	15	7	10	14 ~~17~~	24	151

W. 8,000. X. 14.

8h

corrd per auth WD

H ~~8h~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30. JAN 1917

[illegible]
408

Kept at New Inn

in the County of Brecon

by W. Williams

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·11				·20		1
2	·24	1·17			·27		·16		·11	·40	·65	·04	2
3	1·00	·14			·16	·06			·27	·90	1·00	·11	3
4	·46	1·53			·14	·09			·40	1·40			4
5	·96	·13									1·40		5
6	·20	·67					·06			·16	·76		6
7				·11	·40		·14			·69	·06		7
8		·27		·24		·27	·11			·70			8
9						·14	·60			·11		·44	9
10	·06	·35		·19						·60	·74	·65	10
11	·09	·09		·26	·11		·16	·14	·11				11
12							·27	·40	·29	·10	·60	·16	12
13			1·16	·10				·06		·16		·14	13
14			·11			·21				·19			14
15	·19			1·01						·97			15
16				·09			·06	·60	·30				16
17				·10				·27	·34	·14			17
18	·70			·17				·16		·40			18
19	·40	·11	·29					·39		·20			19
20		·27	1·00								·16		20
21	1·60		·50	·67									21
22		·98		·04						·29	·13		22
23		·60		·40				·16		1·06	·11		23
24					1·90	1·13		·40		1·20			24
25			·16	·20				·16		1·60	·47		25
26			·29	·06				·39	·16	·51	·29		26
27		·11	·40		·11	·20		1·02	·04		·30	·40	27
28		·17	·60			·40		·11		1·00		1·60	28
29					·06	·50			·14	·89		·20	29
30		✕				·16		·40		·61		·05	30
31	–	✕	–	✕	–	✕ ·11	–	·47	✕	·27 ·20	✕ –	·04	31
Total	5·90	6·59	4·51	3·64	3·15	~~3·16~~ 3·27	~~1·67~~ 1·56	5·13	2·16	~~14·55~~ 14·75	~~6·87~~ 6·67	~~3·79~~ 3·83	YEAR'S TOTAL ~~60·61~~ 61·16
Rain Days.	~~11~~	~~14~~	9	14	8	10	9	15	10	24	14	10	~~148~~

W. 8,000. X. 15.

81 Jan & Feb est. 39·20

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at New Inn, Brecon

in the County of Brecon

by W. Williams

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04							·20	·11				1
2				·41		·60		·60	·20				2
3	·06			·46					·17		·60		3
4		·11		·04				1·00	·11	·12	·16		4
5		·04	·60					·24		·20	·14		5
6			·24	·27				·19	·40	·46	·90		6
7			·16	·06				·17	·60	1·02			7
8								·40		·27	·60		8
9			·10	·26			·20	·07		·36	·20		9
10							·17	·04		·12		·16	10
11				·20	1·01		·11		·14	·06		·15	11
12				·14	·97			·99	·99			·15	12
13			·47					·55	·11	·46		·20	13
14			·29					·27		·60			14
15			·60						·11	·99			15
16									·14			·11	16
17				·11	·11			1·57	·24			·14	17
18					·16				·16				18
19				·06	·27			·15					19
20		·07			·04		1·01	·14					20
21		·12	·17				·26		·11	·22			21
22			·13					·61		·13			22
23		·06	·02							·31	·03		23
24					·10			1·00	·06		·16	·16	24
25		·09	·16		·09			·90		·90	·40	·40	25
26		·14	·27		·06		·07	·40		·16	·20	·11	26
27			·11		·17		·04	·60		·24			27
28			·10										28
29					·16			·27		1·40			29
30					·30			·29			·25		30
31					·41								31
Total	(2·50) ~~·10~~	(2·90) ~~·63~~	3·42	2·01	3·85	·60	1·86	10·65	3·65	8·02	3·64	1·58	YEAR'S TOTAL (43·78) ~~40·01~~
Rain Days.	~~2~~	7	14	10	13	1	7	22	15	18	11	9	~~129~~

W. 8,000, VIII. 16

8h

Ex Od

~~361~~ 54

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

22.1.19

Kept at New Inn
in the County of Brecon
by W. Williams

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge — in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·27		·20	·91			·06				·16	1
2		·30		·16	·15				·10	·27	·16	·24	2
3									·04		·14		3
4		·38		·91					1·00	·50	1·00		4
5		·27	·11						·66	·20		·27	5
6	·20	·47	·16	·16			·06			·11	·40	·11	6
7	·30	·12			·21		·17		·27		·29		7
8	·16	·30							1·20		·60	·44	8
9	·27	·19		·07			1·08		·44	1·01		·20	9
10		·11		·10				·19	1·00	·99	1·07	·11	10
11		·40				·09		·14		·14	·07		11
12	·40	·09				·45	·20	·01	·14			·90	12
13	·20	·08	·24				·60					·79	13
14	·56						·40		·24	·06		·11	14
15				·20			·70		·14	·12		·60	15
16	·26			·40			·20		·76	·16		·30	16
17	·46	·16	·16	·11			·71		·24	·14		·24	17
18	1·60			·05		1·01			·44			·70	18
19		·11	·21					·11	·16				19
20	1·40	·21						·15	1·00	·11		·11	20
21	·60							·04	·90			·06	21
22		·04					·24		·10			·61	22
23	·20				·87				·07	·06			23
24	·21				·40		·39			·04	·60		24
25					·31	·09	·60		·24	·10	·14	·16	25
26		·06					·47		·40		·16	·24	26
27		·04					·06	·16	·11			·11	27
28			2·00					·12	·06	·07	·09	·09	28
29			24					·40	·49	·03	·11	·10	29
30		X	·26					·16	·10	·07	·04		30
31		X	2·06	X		X			X	·11	X	1·04	31
Total	6·82	3·60	5·44	2·36	2·85	1·64	5·88	1·54	10·30	4·29	4·87	7·69	YEAR'S TOTAL 57·28
Rain Days.	14	18	9	10	6	4	14	11	25	19	14	23 ~~22~~	167

W. 8,000, IX. 17.

8L W D 3777

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at New Inn

in the County of Brecon

by W. Williams

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					.06					.65		.50	1
2	.60		.20		.14								2
3	.14		.27		.03								3
4													4
5	.99								.20			1.01	5
6	.24								.27			.11	6
7	.17		1.04										7
8	.40								.47				8
9	.96			11								.61	9
10	1.06		.17						.51	.04			10
11			.47	.40			.40		.20	.01			11
12	.14		.60	.39						.22		.11	12
13	.16		.77	.60		1.30						.29	13
14						.06				.30		.60	14
15										.15		.16	15
16	.16				.11		.06		.27		.21		16
17	.11	.60									.60		17
18	.91	.70	.40					1.45					18
19	.14	.15	.90			.40		.43	.40		.20	.15	19
20	.70	1.00	.16								.10	.21	20
21	.29	.27		.11					.41			.16	21
22		1.04		.24								.70	22
23		.31	.07	.06						.37	.27		23
24		.04	.11	.14						.15	.43	.11	24
25						.04	.03	1.24				.91	25
26	.11							.11				.21	26
27	.17											.40	27
28	.04							.70	.11			.44	28
29				.21					.06				29
30				.16				.65			1.35	.27	30
31												.30	31
													YEAR'S TOTAL
Total	7.49	4.11	5.16	2.42	.34	1.80	.49	4.58	2.90	1.89	3.16	7.25	41.59
Rain Days.	19	8	12	19	4	4	3	6	10	8	7	19	110

W, 6,500, VII. 18. w w c

5-39 3027

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Brecon, New Inn

in the County of Brecon

by W. Williams

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·29			·05				·27					1
2	·20						·11	·39	·16	·29			2
3	·61	·55	·30		·30		·27	·54	·40	1·17		1·04	3
4			·21	·06	·41		·30	·60	·09	·40		1·19	4
5			·20	·17			·04		·25	·29		·27	5
6	·45		·40	·16	·27		·14		·31	·70			6
7	·24			·21	·41			·06	·29				7
8	·17	·21			·11	·27	·60	·44					8
9		·44		·14		·11	·12			·04			9
10	·14	·40	·87	·30	·16	·17				·16	·11		10
11	·60		·26	·40	·24	·40		·09		·09	·16		11
12	·55		·50	·11	·21	·20	·11	·27					12
13	·29		·39	·90	·37		·09		·10		·07		13
14	·11		·22	1·40		·10	·14			·11	·80		14
15		·70	·11	1·70		·14	·06	·11			1·01		15
16				·35		·31		·06	1·71		·27		16
17	·30	·14			·16	·73			·16				17
18	·25	·11		·14	·10			·17	·23				18
19				·55			·11						19
20	·40			1·00	·14		·17					·40	20
21	·16				·14		·07					·60	21
22		·11			·11		·30					·17	22
23	·24	·14	·16			·17	·46					·24	23
24	·29		1·10	·11	·27	·14						·39	24
25			·27	·06		·10	·20						25
26			1·40	·20		·09	·14					1·16	26
27	·80		1·00	·17		·11	·27				·07	1·70	27
28	·35	·21	·26			·20	·15				·10	1·00	28
29	1·00		·40			·44					·46	·40	29
30			·30	·27		·36	·14		·40			1·00	30
31			·76				·09			1·60		·50	31
TOTAL	7·44	3·01	9·11	8·45	3·40	4·04	4·08	3·00	4·10	4·85	3·05	10·06	YEAR'S TOTAL 64·59
Days with ·01 in. or more	20	10	19	21	15	17	22	11	11	10	9	14	~~179~~
	20	10	19	21	15	17	22	11	11	10	9	14	169

(4[illegible]). Wt. 21958—213. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

5-JAN 1912

BUILTH WELLS
TYN - Y - BERLLAN
BRECON
1911 - 1920

Corr for [illegible] mss. [illegible] 23.[illegible]

REGIS

1

sh Rainfall Assn

Kept at Tyn-y-berllan, B

in the County of Brecons

by Dr.W.W.Baldock Fry

5 in.

e Ground 1 ft. in.

Sea Level 430 ft.

a.m.

Name Builth Wells.

Distance ½M Direction N byE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	-	.25	.03	-	-	-	-	-	-	.16	.02	1
2	.01	-	-	001	.23	-	-	.13	-	-	.10	.28	2
3	-	-	.02	.01S	.80	-	-	.08	- (.18)	-	.19	.29	3
4	-	-	.09	.01 S	.03	-	-	.51	-	-	.45	.60	4
5	.34	-	.07	.02 S	-	-	-	.25	-	.15	.11	.03	5
6	.19	-	.15	-	-	-	-	.05	-	-	.28	.86	6
7	-	-	-	-	-	-	-	-	-	-	.59	-	7
8	.11	-	.18	-	-	-	-	-	-	-	.40F	.69	8
9	.08	-	.04	-	-	-	-	-	-	-	.26	.39	9
10	.07	.10	.13	-	-	-	-	-	-	-	- F	.67	10
11	.17	-	-	-	.16 T	-	-	-	.05	-	.28	.28	11
12	.-	.01	.31	-	.19 T	-	-	-	1.03	-	1.23	.08	12
13	.-	-	-	-	-	-	-	-	.04	.07	.12	.25	13
14	-	.04	.[illegible]	-	-	-	-	-	-	-	.05	.69	14
15	.01	.10	.02	-	-	.02	-	-	-	-	.35	.13	15
16	.-	.03	.02	-	-	.18	.01	-	-	-	.15	.23	16
17	.-	.09	-	.03	-	1.34	-	-	-	-	.57	.55	17
18	.-	.53	.11	.30	-	.29	-	-	-	.04	.06	.49	18
19	.01	.02	.07	.42	-	.39	-	.04	.41	.31	.02	.77	19
20	.02	.11	-	.12	-	.04	-	.01 T	.16	.14	-	.25	20
21	-	.40	.13	-	-	.07	-	.91 T	.04	.86	-F	.14	21
22	.-	.08	-	.06	-	.02	-	-	-	.62	- F	.43F	22
23	.-	.21	-	-	.03	.07	-	-	.18	.64	- F	.28	23
24	.03	.10	-	.-	-	.28	-	.11	.07	.18	- F	.19F	24
25	.03	.19	-	.04	-	.03	-	-	.08	.20	- F .06	.27	25
26	-	.20	-	.35	-	-	-	.06	-	.33	.06	.15	26
27	-	.31	.11	.11	.01	-	-	.66	.45	-	.09	.01	27
28	-	.33	-	.34	-	.02	-	.14	.03	-	.04	-	28
29	-		-	.31	-	.29	.21 T	.02	.19	.44	.01	-	29
30	-		.02	-	.04	.04	.02	.03	.01	.50	.02	.02	30
31	-		-		-		.03	-	2.92	.15		-	31
Total	1.08	2·85 2.86	1·72 1.73	2.16	1.49	3·08 3.08	0.27	3·00 3.00	2.92✓	4·63 4.63	5.59	9·04 9.04	TOTAL for Year 37·83
No. of Rain Days.	13 13	17	16	15	8	14	4	14	15✓	14	23	27	180 180

W. 8,000, X. '11.

[illegible]

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Tyn-y-berllan, Builth Wells,

in the County of Breconshire. 8

by Dr. W. W. Baldock Fry

RAIN GAUGE
Pattern British Rainfall Assn
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 430 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Builth Wells.
Distance ½M Direction N byE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	-	.25	.03	-	-	-	-	-	-	.16	.02	1
2	.01	-	-	.001	.23	-	-	.13	-	-	.10	.28	2
3	-	-	.02	.01S	.80	-	-	.08	- (·18)	-	.19	.29	3
4	-	-	.09	.01 S	.03	-	-	.51	-	-	.45	.60	4
5	.34	-	.07	.02 S	-	-	-	.25	-	.15	.11	.03	5
6	.19	-	.15	-	-	-	-	.05	-	-	.28	.86	6
7	-	-	-	-	-	-	-	-	-	-	.59	-	7
8	.11	-	.18	-	-	-	-	-	-	-	.40F	.69	8
9	.08	-	.04	-	-	-	-	-	-	-	.26	.39	9
10	.07	.10	.13	-	-	-	-	-	-	-	- F	.67	10
11	.17	-	-	-	.16 T	-	-	-	.05	-	.28	.28	11
12	.-	.01	.31	-	.19 T	-	-	-	1.03	-	1.23	.08	12
13	.-	-	-	-	-	-	-	-	.04	.07	.12	.25	13
14	-	.04	.-	-	-	-	-	-	-	-	.05	.69	14
15	.01	.10	.02	-	-	.02	-	-	-	-	.35	.13	15
16	.-	.03	.02	-	-	.18	.01	-	-	-	.15	.23	16
17	.-	.09	-	.03	-	1.34	-	-	-	-	.57	.55	17
18	.-	.53	.11	.30	-	.29	-	-	-	.04	.06	.49	18
19	.01	.02	.07	.42	-	.39	-	.04	.41	.31	.02	.77	19
20	.02	.11	-	.12	-	.04	-	.01 T	.16	.14	-	.25	20
21	-	.40	.13	-	-	.07	-	.91 T	.04	.86	-F	.14	21
22	.-	.08	-	.06	-	.02	-	-	-	.62	- F	.43F	22
23	-	.21	-	-	.03	.07	-	-	.18	.64	- F	.28	23
24	.03	.10	-	.-	-	.28	-	.11	.07	.18	- F	.19F	24
25	.03	.19	-	.04	-	.03	-	-	.08	.20	- F	.27	25
26	-	.20	-	.35	-	-	-	.06	-	.33	.06	.15	26
27	-	.31	.11	.11	.01	-	-	.66	.45	-	.09	.01	27
28	-	.33	-	.34	-	.02	-	.14	.03	-	.04	-	28
29	-		-	.31	-	.29	.21 T	.02	.19	.44	.01	-	29
30	-		.02	-	.04	.04	.02	.03	.01	.50	.02	.02	30
31	-		-		-		.03	-	2.92	.15		-	31
Total	1.08	2·85 2.85	1·72 1.72	2.16	1.49	3·08 3.08	0.27	3·00 3.00	2.92✓	4·63 4.63	5.59	9·04 9.04	TOTAL 37·83
No. of Rain Days.	13 13	17	16	15	8	14	4	14	15✓	14	23 23	27	180 180

W. 8,000, X. '11.

corrd by own stats 3.11.13 ~~[illegible]~~ 7.6.

FORM A2.
BRITISH RAINFALL.
2 JAN 1913
JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Builth Wells

in the County of Breconshire 8

by W. W. Baldock Esq. M. B.

RAIN GAUGE
Pattern Brit. Rainfall Assoc
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 430 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Builth Wells
Distance ½ m Direction N.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·26	–	–	·49	·02	·15	·01	–	–	·23	1
2	·02	–	·45	·04	–	·82	·06	–	–	–	–	–	2
3	·10	–	·07	–	·13	·08	·07	·64	·06	–	·03	·12	3
4	·50	–	1·49	–	·14	·08	–	·19	–	–	·19	–	4
5	·62	·05	·42	–	·11	–	–	·24	·05	–	–	·05	5
6	·35	·24	·04	–	·10	–	–	·14	–	–	·01	·10	6
7	·01	·35	·20	–	·05	·42	–	·21	–	–	–	·05	7
8	·65	·19	·25	·04	–	·10	·10	·36	·01	–	–	–	8
9	·06	·20	·15	·29	–	·12	·01	·42	–	–	·03	·39	9
10	·34	·01	–	–	–	·20	·03	·32	–	–	·62	·01	10
11	–	·04	–	–	–	–	–	–	–	–	–	·67	11
12	·01	·28	·18	·13	·04	·04	·13	–	–	–	·05	·05	12
13	·08	–	–	–	–	·02	·03	·03	·01	·18	–	·34	13
14	·07	·03	·53	–	·04	–	–	·12	–	·05	–	·16	14
15	·11	·09	·17	–	·15	·13	–	·02	–	·01	–	·34 51	15
16	·13	–	·39	–	·07	·05	–	·04	–	·14	·01	·15	16
17	·40	·04	·11	–	–	·13	–	·34	–	–	·13	·79	17
18	·03	·04	·14	–	–	–	–	·27	–	·09	·01	·18	18
19	·03	·10	·03	~~·42~~	–	·08	·13	·68	–	·05	·01	·04	19
20	·04	–	·59	~~·12~~	·25	·12	·01	·12	–	·41	·05	·01	20
21	·02	·02	·48	–	·18	–	–	·72	–	·41	–	·04	21
22	·27	·29	·16	~~·06~~	–	–	·45	·49	–	·05	·05	·16	22
23	·06	·04	·26	–	–	·42	–	·44	–	·07	·16	·04	23
24	(·06)	·02	·06	–	–	·33	–	–	–	·07	·02	·47	24
25	–	–	–	~~·04~~	–	·19	·02	1·20	–	·03	·70	·55	25
26	–	·18	·19	~~·35~~	–	–	·11	·87	–	1·04	·61	·45	26
27	–	·03	·13	~~·11~~	–	·62	1·30	–	–	1·25	·17	·57	27
28	–	·20	–	~~·34~~	–	·40	·70	·47	·14	·19	·48	·01	28
29	–	·14	·12	~~·31~~	–	·03	·29	·09	·53	·39	–	·03	29
30	–		·18	–	·04	·08	·06	·01	–	·49	–	–	30
31	–		·12		–		·24	·05		·02		·02	31
Total	3·96	2·58	7·17	0·50	1·30	4·95	3·76	8·63	·81	4·88	3·33	6·02	TOTAL for year 47·89
No. of Rain Days	22	21	26	4	12	22	18	26	7	18	18	27	220

9,000, IX. '10.

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
5 - JAN 1914

Kept at Builth Wells
in the County of Brecon:
by W. W. B. Fry

8

Lat. 52·9' Long. 3°24'
Time of Observation 9 a.m.
Nearest Railway Station ½ m:
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·04	·12	·30	·22	·13	—	—	—	·01	–	·13	·01	1
2	·02	·34	·28	·24	·12	–	—	—	·02	·35	–	·04	2
3	·04	·04	·19	—	·34	—	—	—	–	—	—	·33	3
4	·82	·07	·08	–	·03	—	—	—	·95	·38	–	·71	4
5	·23	·13	·07	–	·33	·21	·02	—	·03	·26	·31	·02	5
6	·12	·24	·41	–	·03	–	·36	–	—	·28	·02	·42	6
7	—	·76	·02	–	·59	·23	·04	—	—	·91	·15	·02	7
8	–	·30	·03	—	·32	·21	·05	·17	–	·07	—	—	8
9	—	—	–	·02	·24	1·03	·25	·47	·01	–	·36	·05	9
10	·45	·01	·08	·01	·20	—	—	·17	·01	·18	·21	—	10
11	·23	–	–	·31	·08	—	–	—	—	·08	·89	·01	11
12	—	–	–	–	·09	—	—	·04	·03	—	·29	·07	12
13	—	–	·34	·03	—	—	–	—	·54	–	·26	–	13
14	·36	–	·58	·12	—	—	—	—	·16	·25	·28	–	14
15	·30	·01	1·24	1·32	—	—	—	·08	—	—	·03	·03	15
16	·15	–	·39	·06	—	—	—	·40	·10	–	·09	—	16
17	·11	–	·22	·24	—	[illegible]	·08	—	—	—	·17	—	17
18	·23	–	·50	·43	·06	·06	—	—	–	—	·10	—	18
19	·39	–	·16	·01	·01	·11	–	—	·07	·36	·05	—	19
20	·13	–	·47	·10	·01	·08	–	–	·02	·20	·64	–	20
21	—	–	·28	·28	·15	—	·23	·10	–	—	·13	—	21
22	1·49	–	·95	–	—	·20	—	·70	·47	·11	·13	—	22
23	·04	–	·09	–	—	·06	—	·03	·21	—	—	–	23
24	·19	·02	–	·04	—	—	—	–	—	–	10	—	24
25	–	·02	—	·36	—	—	—	—	·12	·02	·09	·11	25
26	—	—	—	1·40	·30	–	—	–	·01	—	·02	·67	26
27	·04	–	·12	·49	—	—	—	—	—	·34	–	·05	27
28	·18	–	·19	·80	·07	—	—	—	—	·53	·05	·13	28
29	—	–	·49	·35	–	—	—	—	—	·71	·03	–	29
30	·33	–	–	·03	·01	—	—	—	—	·22	·08	–	30
31	·25	–	·35	—	·06	—	–	·06	–	·08	–	—	31
Total	6·14	2·06	7·83	6·86	3·17	2·19	1·03	2·22	2·56	5·33	4·60	2·67	YEAR'S TOTAL 46·66
Rain Days.	22	12	24	21	20	9	7	10	16	18	24	15	198

W. 7,500, XI. ·12

Cwdly mm vals 26.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Builth Wells

in the County of Breconshire 8

by W. W. B. Fry.

~~Lat.~~ Long. 3°24.W. ~~Long.~~ Lat. 52°9.N.

Time of Observation 9 a.m.

Nearest Railway Station Builth Wells

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·13	·12	—	—	·20	·13	·80	—	—	·43	·50	1
2	—	—	·07	—	·03	—	·91	·37	—	—	·06	·24	2
3	—	—	·49	·08	·37	—	—	·06	—	—	·27	·68	3
4	·37	—	·17	·21	·17	—	·23	—	—	—	·48	·81	4
5	·35	—	·30	·49	·37	—	·09	—	—	—	—	}(·70)	5
6	—	·10	·03	·05	·07	·02	·02	—	—	—	—	—	6
7	·10	·25	·33	·15	·20	—	·60	—	·09	—	·25	·27	7
8	—	—	·18	·04	—	·21	·01	·34	—	—	·11	·48	8
9	·22	—	·13	·22	·46	·94	—	—	·12	—	—	·10	9
10	·01	·50	·21	·42	—	—	—	—	—	—	—	·03	10
11	—	·55	·36	—	·03	·21	·08	—	·31	—	—	·65	11
12	—	1·20	·15	—	—	—	—	—	·25	—	·27	·16	12
13	—	·50	·56	—	—	—	·06	—	·25	—	·32	14	13
14	—	·92	·56	—	—	—	·01	—	·04	·24	·32	—	14
15	—	·02	·45	—	—	—	—	·15	·04	—	·26	·03	15
16	—	—	·09	—	—	—	·03	—	·20	·06	·13	·13	16
17	—	·45	·20	—	—	—	·08	—	·05	—	—	·93	17
18	—	—	·30	—	—	—	—	—	·04	—	—	·35	18
19	—	—	·11	—	—	—	·49	—	·10	—	—	·19	19
20	—	·84	·21	—	—	·29	—	—	—	—	·10	·23	20
21	—	·17	—	—	—	·55	·30	·15	—	—	—	·13	21
22	—	·23	·05	·02	·13	·02	—	·14	—	:24	—	—	22
23	—	·31	·17	—	·01	—	·07	—	—	·73	—	—	23
24	·10	·07	·14	—	—	—	·26	·14	—	·27	—	—	24
25	·08	—	·19	—	—	—	·20	·28	—	—	·9	·35	25
26	·28	—	·22	—	—	—	·02	·12	—	—	·23	·52	26
27	·02	—	—	—	—	—	—	—	—	·17	·58	1·39	27
28	·11	·15	·19	—	·15	—	—	—	—	·15	—	·49	28
29	·18	—	—	—	·08	—	—	—	—	—	—	·01	29
30	·02	×	·31	—	—	—	—	—	—	·10	·47	·98	30
31	·78	×	·02	×	—	×	·09	—	×	—	×	·29	31
													YEAR'S TOTAL
Total	2·62	6·39	6·31	1·68	2·07	2·44	3·68	2·55	1·49	1·96	4·37	10·78	46·34
Rain Days.	13	16	28	9	12	8	19	10	11	8	16	26	176

W. 8,000. X. 14.

4193

FORM A.
BRITISH RAINFALL.
5. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Builth Wells (Ty-n-y-Berllan)

in the County of Brecon.

by W. Black Jones. M.D.

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Builth Wells

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·73	·19	·08	—	·28	—	—	·59	·24	·35	—	—	1
2	·19	·26	·29	·18	—	·03	—	1·61	·10	·03	—	·33	2
3	·02	—	·07	·10	·06	—	·69	·07	—	—	—	·22	3
4	·11	·20	—	—	·15	—	·72	·19	·06	—	—	1·04	4
5	—	·40	—	·07	—	—	·05	·04	—	—	—	·69	5
6	—	·62	·07	·15	—	—	·61	·17	—	—	—	·13	6
7	—	·83	—	·09	·80	—	·03	·08	—	—	—	·41	7
8	·90	·63	—	·09	—	—	—	·03	—	—	·21	—	8
9	·06	·67	—	·06	—	—	·03	—	—	—	·31	·67	9
10	·60	·03	—	·08	—	—	—	·01	—	·11	·17	·06	10
11	·16	—	·08	·04	—	—	—	—	—	·01	1·40	·10	11
12	·14	·28	—	·08	·52	—	—	·02	—	·11	·60	—	12
13	·02	·35	—	—	·41	—	—	·39	·03	—	·08	·08	13
14	·54	—	—	—	—	—	—	·35	·01	—	·03	·30	14
15	·43	·06	—	—	·15	—	·05	·15	—		·10	·07	15
16	·09	1·02	—	—	·44	—	1·20	·03	—	·07	—	·03	16
17	—	·51	—	—	·58	—	—	·02	—	—	—	·02	17
18	—	·51	·01	—	—	—	—	—	—	—	—	—	18
19	·02	·02	—	—	·13	—	·45	—	—	·02	—	—	19
20	·34	—	—	·12	—	—	·02	—	—	—	—	·05	20
21	·16	—	—	·03	·02	—	·18	—	—	·17 ~~·02~~	—	·01	21
22	—	·12	—	—	—	—	·29	—	—	·02 ~~—~~	—	·40	22
23	·05	·03	·12	—	—	·23	·02	—	—	·64 ~~·17~~	—	·33	23
24	—	—	·04	·07	—	·06	·10	—	·15	·41 ~~·02~~	—	·39	24
25	—	—	—	—	—	·63	—	—	·07	·02 ~~·64~~	—	·17	25
26	—	·13	—	—	—	—	·61	—	·03	·40 ~~·41~~	—	·71	26
27	—	·14	—	—	—	·08	·58	—	—	·07 ~~·02~~	—	·37	27
28	—	·34	—	—	—	·13	·01	—	·09	— ~~·40~~	—	·06	28
29	—	X	—	—	—	·78	—	—	·04	·07 ~~·07~~	·30	·08	29
30	·16	X	—	·03	—	·14	—	·01	—	·32	·17	·36	30
31	—	X	—	X	—	X	·17	·15	X	·50	X	·53	31
Total	4·72	7·34	·76	1·19	3·54	2·08	5·89	3·91	·82	3·32	3·37	7·61	YEAR'S TOTAL 44·47
Rain Days.	18	21	8	14	11	8	18	17	10	17	10	26	178.

W. 8,000. X. 15.

[illegible] 4W 4125

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

13 FEB 1917

Kept at Builth Wells
in the County of Brecon
by W. Black Jones. M.D.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·02	·05	–	–	·15	·16	–	–	·19	·35	–	1
2	·64	·17	·21	–	–	–	·15	–	·33	·73	·12	–	2
3	·02	1·34	–	–	·06	·05	–	–	·06	·31	·49	·01	3
4	·26	Snow ·15	–	·01	·30	·20	·04	–	·05	·10	·52	–	4
5	·08	·05	·01	–	·18	·25	–	–	–	·60	·14	–	5
6	·11	·60	·03	–	·13	·06	·33	–	–	·32	·43	–	6
7	·17	·07	·08	–	·20	–	·01	–	·04	·40	·32	·12	7
8	–	Snow ·13	–	–	·23	·03	–	–	–	·13	·07	–	8
9	·01	·03	·04	–	·10	·06	·01	–	–	·04	–	·12	9
10	·02	·31	·01	·09	·03	–	·03	–	–	·04	–	–	10
11	·12	–	·05	·36	·06	–	–	–	·02	–	–	–	11
12	·05	·15	·02	·17	·20	·03	·22	·17	–	·12	–	–	12
13	–	·19	·11	·09	–	–	·01	·21	–	·10	–	·06	13
14	–	·29	·20	·07	·07	–	–	·31	–	·15	·01	–	14
15	·01	·40	·08	·09	·15	–	·01	·18	·02	·10	–	–	15
16	–	·60	–	20	·08	–	·02	·01	–	·04	–	–	16
17	·17	·56	–	·42	–	–	–	–	·40	·10	Snow ·22	–	17
18	·10	·10	·20	·20	–	–	–	–	·12	·20	Snow ·17	·10	18
19	·21	–	·51	·24	–	–	–	·01	–	·02	·20	–	19
20	·14	·06	·20	·23	–	–	–	–	–	–	·10	·25	20
21	·07	–	·41	·01	–	·03	·04	–	–	–	–	·32	21
22	·03	–	–	·02	–	·02	–	–	–	·43	·03	–	22
23	–	Snow 05	·01	–	–	·25	–	·15	–	·10	·06	·30	23
24	–	Snow ·18	–	·10	2·24	·04	–	·09	–	·55	·07	·17	24
25	–	Snow ·08	·30	–	·01	·06	·04	·19	·02	·15	·40	·03	25
26	–	Snow ·09	·10	–	·28	·18	–	·26	·28	·28	·01	–	26
27	·03	·03	Snow ·72	–	·10	–	–	·62	·41	1·15	–	–	27
28	·01	·50	06	–	04	–	–	–	·02	·20	·04	·45	28
29	–	·11	–	–	–	·25	–	·62	–	·29	–	·37	29
30	–	✕	·01	–	–	·04	–	·02	–	·30	–	·01	30
31	–	✕	–	✕	–	✕	–	·07	✕	·72	✕	18	31
Total	2·33	6·26	3·41	2·30	4·46 4·46	1·73	1·07	2·91	1·77	7·86	3·69	2·39	YEAR'S TOTAL 40·18
Rain Days.	20	25	22	15	18	16	13	14	12	25	19	14	216

W. 8,000, VIII. 16

3952

FORM A. BRITISH RAINFALL.
14. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Tyn-y-Berllan, Builth Wells
in the County of Brecon
by W. Black Jones. M.D.

Lat. 52° 9′ N Long. 3° 24′ W
Time of Observation 9 am
Nearest Railway Station Builth Wells
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following: Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	Snow .18	—	.35	—	.22	.17	—	.06	.15	1
2	—	—	.11	Snow .12	—	.09	—	—	—	.03	.05	Snow .03	2
3	.35	.06	.01	Snow .11	—	.02	—	—	—	.30	.01	Snow .03	3
4	—	—	.08	.03	—	—	—	.01	—	.30	—	—	4
5	—	—	.27	.25	—	.08	—	—	—	.43	.20	—	5
6	—	—	.22	—	—	.04	—	—	.88	.15	.35	.08	6
7	—	—	—	—	—	—	.15	.09	—	.27	.16	.08	7
8	—	—	Snow .21	.24	—	—	.68	.42	.01	.60	.15	.15	8
9	.35	—	.04	Snow .24	.14	—	—	.18	—	.08	.50	—	9
10	—	—	.45	.10	.45	—	—	.16	—	.08	—	—	10
11	.32	—	.08	.25	—	—	—	.33	—	.20	.13	—	11
12	—	—	.01	.01	.90	—	—	.26	—	.18	—	—	12
13	—	—	.04	.06	—	.01	—	1.10	.14	.03	.01	—	13
14	—	—	.04	.17	—	—	.02	.24	—	.18	—	.05	14
15	—	—	—	.02	.05	—	.09	.01	.01	.15	—	.37	15
16	—	.05	.01	.12	—	.08	.26	.02	—	—	—	.32	16
17	—	.02	.01	.05	.17	—	.40	.65	.35	—	.04	—	17
18	—	—	.02	—	.07	—	.65	.15	.71	.15	—	—	18
19	—	.25	.19	—	—	.25	—	.01	.02	.02	.03	—	19
20	.05	.08	—	—	.48	.23	—	.03	.18	—	—	—	20
21	—	.01	.02	Nil	.01	.04	—	.07	—	.07	.05	—	21
22	—	—	.01	—	.02	.01	—	.35	.02	.05	.05	—	22
23	—	.11	—	—	.31	—	—	.56	.01	.17	.01	.02	23
24	—	—	—	—	.01	.13	—	.16	—	.60	.12	—	24
25	—	.06	.08	—	—	—	—	.09	—	.17	.11	—	25
26	—	—	.02	—	.26	.09	—	.48	.14	.08	.25	—	26
27	—	.02	.02	—	.77	.51	.52	.71	—	.12	.05	—	27
28	—	—	.24	—	.18	.01	.01	.39	—	.10	.02	—	28
29	—		.12	—	.11	—	.04	.15	—	.37	—	.28	29
30	—		—	—	—	—	—	.21	—	.37	—	—	30
31	—		.04		.25		—	.18		—		—	31
Total	1.07 ✓	.66 ✓	2.34 ✓	1.95 ✓	4.18 ✓	1.94 ✓	2.82 ✓	7.23 ✓	2.64 ✓	5.25 ✓	2.35 ✓	1.56 ✓	YEAR'S TOTAL 33.99
Rain Days.	4 ✓	9 ✓	24 ✓	15 ✓	16 ✓	15 ✓	10 ✓	27 ✓	12 ✓	26 ✓	20 ✓	11 ✓	189 ✓

33·99

W. 8,000, IX. 17.

Cor. for auth

87

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

8·4·19

Kept at Builth Wells

in the County of Brecon

by W. Black Jones M.A.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·40

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.		*Date.*
1	—	—	—	·17	·04	—	—	·10	·30	·05	·68	—	–	1
2	—	·12	—	·07	·14	—	–	·40	·06	·04	·08	–	–	2
3	—	·13	—	·06	—	—	—	·06	·52	·15	·03	—	–	3
4	·01	·10	—	·01	—	—	—	·06	·27	·39	·77		·35	4
5	—	·08	·02	·18	·38	—	—	·04	·07	·58	—	·35	·05	5
6	·05	·49	—	·20	—	·06	—	—	·09	·49	—	·05	·06	6
7	·01	·13	—	·02	·44	—	—	—	·30	·23	·44	·06	·02	7
8	·12	·38	—	—	—	—	·02	—	·23	·20	·03	·02	·03	8
9	·08	·66	—	—	—	—	·09	—	·42	·14	·05	·03	·16	9
10	·08	·03	—	·04	—	—	·34	—	·05	·06	·01	·16	·25	10
11	—	·02	·06	·16	·03	·39	·44	—	·14	·08	·10	·25	·14	11
12	—	·12	·03	—	·06		·19	—	·16	·01	·25	·14	·05	12
13	Suns ·01	·01	—	—	·02	·05	—	—	·16	·04	—	·05	·09	13
14	—	—	—	—	·02	·04	·18	—	·37	·04	—	·09	·35	14
15	Suns ·98	—	—	—	—	·11	·68	—	·19	—	—	·35	·51	15
16	·12	—	—	·38	—	·01	·08	·03	·29	—	—	·51	·14	16
17	·62	—	·03	—	·03	—	·15	·04	·04	·10	—	·14	·38	17
18	·65	—	·01	—		·38	·10	—	·46	·13	—	·38	·50	18
19	·24	03	·16	·05		·04	·15	—	·18	·04	—	·50	·23	19
20	·57	17	·01	·11		·05	—	—	·46	·01	—	·23	·01	20
21	·18	26	—	·27	·08	—	·11	—	·61	—	—	·01	·08	21
22	·03	01	—	—	·25	—	·07	—	·09	·02	—	·08	·56	22
23	·19	—	—	—	·78	—	·06	—	·12	—	·02	·56	·01	23
24	·01	04	—	—	—	—	·04	·08	·11	·08	·26	·01	·20	24
25	—	—	—	—	·15	—	·33	·77	·02	·08	·03	·20	·07	25
26	·02	·01	—	—	—	—	·15	·02	·08	·04	·16	·07	·23	26
27	·02	·09	·35	—	—	·04	—	·18	·38	·02	·12	·23	·47	27
28	—	·06	·84	—	—	—	—	—	·05	—	·10	·47	·28	28
29	—	—	·08	—	—	—	—	—	·75	—	—	·08	·08	29
30	—	X	·25	—	—	—	—	·01	·03	—	·05	·12	·12	30
31	—	X	·61	X	—	X	—	·10	X	—	X	·10	·10	31
Total	3·99	2·94	2·45	1·72	2·42	1·17	3·18	1·89	7·00	3·02	3·18	5·58 ~~5·54~~	YEAR'S TOTAL ~~38·50~~ 38·54	
Rain Days.	19	20	12	13	13	10	17	13	30	23	17	28	215	

W. 8,000, IX. 17.

3751

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Tyn-y-Berllan, Builth Wells

in the County of Brecon

by W. Black Jones. M.D.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Builth Wells

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	—	·06	—	·18	—	·50	—	·02	·36	·01	·61	1
2	·32	—	·14	—	·01	—	·01	—	·14	·09	·03	·28	2
3		·01	·06	—	·03	·14	·03	—	·05	—	·02	·32	3
4		·23	·20	—	—	·02	·12	·08	·13	·01	—	·22	4
5	·04	—	—	—	—		—	—	·07	—	·02	·70	5
6	·20	·02	·42	—	—		—	—	·04	—	—	·27	6
7	·06	—	·12	·05	—		—	—	—	—	—	·03	7
8	·61	—	·06	·02	—	·10	—	—	—	—	·01	—	8
9	·32	—	·02	·08	—		—	—	—	—	·01	—	9
10	·30	—	·74	·05	·03		—	—	—	·06	—	·34	10
11	·02	—	2·59	·65	·08	·01	·12	—	—	·02	—	·04	11
12	—	—	·23	·08	—	·88	—	—	—	·09	Snow ·11	—	12
13	·33	·02	·01	·51	—		—	—	·62	·15	—	·12	13
14	·22	—	—	·67	—		·10	—	·08	·08	—	·13	14
15	·43	·01	·01	·11	—		—	—	—	·08	—	·50	15
16	·32	·84	—	—	—		—	·28	—	—	·14	22	16
17	·04	Snow ·46	—	·02	—	·03	—	·10	—	—	·20	—	17
18	·06	·01	·62	—	—	—	·02	·46	·05	—	·54	·02	18
19	·17	·22	Snow ·46	—	—	·17	—	·37	·15	—	·22	·10	19
20	·21	·30	·28	—	—	·02	—	·09	·10	—	·21	·21	20
21	—	·34		—	—	·02	·17	·03	·06	—	·02	·27	21
22	—	·07		—	—	·01	·03	—	·29	—	·04	·55	22
23	—	—		—	—	·01	—	·01	·02	·39	·08	·12	23
24	—	—		·07	·01	·10	—	—	—	·23	·28	·32	24
25	·14	—		·15	09	·01	—	·41	·04	—	·23	·02	25
26	·17	—		·06	—	·02	—	·30	·08	—	—	·57	26
27	·36	·04	·40	Snow ·29	—		—	·45	·02	—	·01	—	27
28	·02	—	Snow ·21	·07	—		—	·21	·01	·08	Snow ·02	32	28
29	04	—	Snow ·10	·02	—		—	·08	—	—	·01	·21	29
30	—	✕	Snow ·06	·07	—	·13	—	·17	·02	·02	·31	·31	30
31	·01	✕	·11	✕	—	✕	·04	—	✕		✕	·07	31
TOTAL	4·79	2·57	6·90	2·97	0·42	1·67	1·14	3·04	1·99	1·66	2·52	6·87	YEAR'S TOTAL 36·54
Days with ·01 in. or more	23	13	~~8~~ 21	17	7	15	10	14	19	13	21	26	~~200~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1919

WDL cnd for cut

3649

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

12 MAR 1921

Kept at Builth Wells

in the County of Brecon

by W. Black Jones M.D.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
·54

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·02	·02	·07	·41	–	·40	·01	·07	·42	–	·42	1
2	·12	01	–	·34	·10	–	·10	·03	·02	·02	–	·25	2
3	·01	10	–	·15	·05	·01	·29	·01	·03	·95	–	·28	3
4	–	–	–	·01	·02	–	·01	·53	·04	·08	–	–	4
5	–	(03)	·04	·08	·21	–	·27	·09	·09	·07	–	·01	5
6	–	–	·80	·04	·12	–	·01	–	–	·28	–	·03	6
7	·03	·06	Snow ·05	·14	–	–	·09	–	–		–	–	7
8	·33	·12	–	·66	19	–	·18	·13	–		·01	–	8
9	·55	·60	·01	·49	–	–	·05	·01	–		–	–	9
10	1·14	·28	·04	·01	–	·71	·12	–	–		·04	·01	10
11	·17	·02	–	·45	·25	–	·11	–	–		–	–	11
12	·25	–	·01	·31	·01	·87	·08	·21	·01		·14	–	12
13	·10	·09	·50	·48	–	17	–	–	–		·03	Snow ·01	13
14	·05	·02	·65	·56	–	·25	·07	·01	·80	·42	·63	Snow ·04	14
15	–	·18	·14	·91	04	·07	–	–	–		·27		15
16	–	·01	·12	·23	·09	·23	·32	–	21	·99	·11		16
17	·01	–	·01	·07	·26	·48	·01	·14	75	·08	·01		17
18	·11	·39		·07	18	·01	·06	·06	40		–		18
19	–	–		·46	·09	·05	·01	–	–			·02	19
20	·30	·04		·28	–	·07	–	–	02			·17	20
21	·10	–		·04	–	·03	·19	–	–	·04		·28	21
22	–	–		·06	–	–	·10	·14	–			·20	22
23	–	–	·02	–	–	–	·30	–	–			·10	23
24	·15	·01	·36	·04	–	–	–	–	–		·10	·60	24
25	·04	·12	·23	·03	T	·01	(·67)	–	–			·04	25
26	·10	·15	·87	·15	1·27	·01	·16	–	–		·10	·07	26
27	·82	·05	·92	·18	·02	·35	·08	–	–		·05	·36	27
28	·50	–	·42	·14	·08	·08	·01	–	–		·01	·22	28
29	·31	–	·19	·20	·14	·21	·23	–	–		·13	·95	29
30	·13		·71	·21	·07	·06	·03	–	·27	·02	·39	·44	30
31	·18		·28		–		·03	–		·76		·07	31
Total	55.0	2·29	6·34	6·86	3·60	3·67	3·98	1·37	2·74	4·13	2·02	4·57	YEAR'S TOTAL 47·12
Days with ·01 in. or more	22 ~~1·14~~	19 ·60	21 ·92	29 ·91	19 1·27	18 ·87	27 ·67	12 ·53	12 ·80	12 ·99	14 ·63	21 ·95	226
Days with ·04 in. or more	19	12	16	26	16	13	20	7	8	10	10	16	173

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.
18 MAY 1914

BUCKLAND GDNS
BWLCH
BRECKNOCK

1913-14

REGIST

Kept at Bucklan ... n. a.m
in the County of Breckn ... Talybont on Usk.
... 8 in.
by Ernest Be ... bove Ground ft. 8½ in.
... Sea Level ... ft.

IMPORTANT NOTE.— ... nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.50	.38	.08	-	/	/	/	.10	.22	.26	.04	1
2	.26	.05	.33	.32	.04	/	/	/	/	.62	.40	.03	2
3	1.00	.12	.18	—	.23	/	/	/	/	.26	.01	.30	3
4	.08	.08	.07	.36	.07	/	/	/	1.22	.42	.05	.26	4
5	.26	.28	.39	-	.06	.60	/	/	.23	.14	.47	.05	5
6	.06	1.10	-	-	.06	.12	.26	/	/	.60	.16	.48	6
7	.08	.60	-	-	.50	.31.	/	/	/	.85	.12	.01	7
8	—	.34	.04	-	.79	/	/	.03	/	.08	—	.02	8
9	.53	-	.03	/	.28	.38	.47	.27	.03	.01	.47	/	9
10	.71.	-	-	.23	.15	/	/	.24	/	.50	.06	/	10
11	—	-	—	-	.03	/	/	.02	/	.04	.78	.04	11
12	.05	-	.52	-	.20	/	/	-	.07	-	.35	.01	12
13	.38	.	.64	.31	-	/	/	.10	.74	/	.42	/	13
14	.17	-	1.00	1.37	-	/	/	/	.04	.11	.06	/	14
15	.35	-	.40	.19	-	/	/	.28	.03	/	.07	.03	15
16	.11	-	.65	.31	/	/	/	.10	.11	/	.01	/	16
17	.22	-	.74	.40	/	/	/	/	/	-	.09	/	17
18	.36	-	.17	.10	.02	.03	/	/	/	/	.17	/	18
19	.28	.	.66	-	-	.15	/	/	.05	.20	.12	-	19
20	.01.	-	.48	.21	/	/	/	/	.11	.18	1.20	-	20
21	.60	-	-	-	.11	/	.20	.07	-	.13	.08	-	21
22	.03	-	.93	-	/	.06	/	.75	.32	/	—	-	22
23	.16	.23	.02	.05	/	.07	/	.03	.04	/	.09	.22	23
24	—	.05	-	.46	/	/	x	.02	/	/	.22	/	24
25	—	-	-	3.27	/	/	/	-	.08	.10	/	.04	25
26	.05	.	-	.47	1.15	/	/	.06	/	/	/	.85	26
27	.18	.	.05	.64	.01	/	/	/	/	1.48	/	.05	27
28	—	.32.	.61	.62	-	/	/	/	/	.62	/	.17	28
29	.45		.47	-	/	/	/	.03	/	.55	/	-	29
30	.13		-	-	.07	/	/	/	/	.43	.06.	-	30
31	.24		.27.		.10.		/	.05.		.11		/	31
Total	6.83	3.67	9.03	9.39	3.87	1.22	.93	2.05	3.17	7.65	5.72	2.60	YEAR'S TOTAL 56.13
Rain Days.	26.	11.	22	17	17.	8.	3.	14.	14.	21.	23.	16	192

W.7,000, XI. 13

REGIST

FORM A. BRITISH RAINFALL. 18 MAY 1914

Kept at Buckland

in the County of Brecknockshire

by Ernest Beckett.

Gre. Mf.

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Talybont on Usk.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 8½ in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·50	·38	·08	–	/	/	/	·10	·22	·26	·04	1
2	·26	·05	·33	·32	·04	/	/	/	/	·62	·40	·03	2
3	1·00	·12	·18	–	·23	/	/	/	/	·26	·01	·30	3
4	·08	·08	·07	·36	·07	/	/	/	1·22	·42	·05	·26	4
5	·26	·28	·39	–	·06	·10	/	/	·23	·14	·47	·05	5
6	·06	1·10	–	–	·06	·12	·26	/	/	·60	·16	·48	6
7	·08	·60	–	–	·50	·31	/	/	/	·85	·12	·01	7
8	—	·34	·04	–	·79	/	/	·03	/	·08	–	·02	8
9	·53	–	·03	/	·28	·38	·47	·27	·03	·01	·47	/	9
10	·71	–	–	·23	·15	/	/	·24	/	·50	·06	/	10
11	–	–	–	–	·03	/	/	·02	/	·04	·78	·04	11
12	·05	–	·52	–	·20	/	/	/	·07	/	·35	·01	12
13	·38	·	·64	·31	–	/	/	·10	·74	/	·42	/	13
14	·17	–	1·00	1·37	/	/	/	/	·04	·11	·06	/	14
15	·35	–	·40	·19	/	/	/	·28	·03	/	·07	·03	15
16	·11	–	·65	·31	/	/	/	·10	·11	/	·01	/	16
17	·22	–	·74	·40	/	/	/	/	/	/	·09	/	17
18	·36	–	·17	·10	·02	·03	/	/	/	/	·17	/	18
19	·28	·	·66	–	–	·15	/	/	·05	·20	·12	/	19
20	·01	–	·48	·21	/	/	/	/	·11	·18	1·20	/	20
21	·60	–	–	–	·11	/	·20	·07	–	·13	·08	–	21
22	·03	–	·93	–	/	·06	/	·75	·32	/	—	/	22
23	·16	·23	·02	·05	/	·07	/	·03	·04	/	·09	·22	23
24	—	·05	–	·46	/	/	x	·02	/	/	·22	/	24
25	—	–	–	3·27	/	/	/	/	·08	·10	/	·04	25
26	·05	·	–	·47	1·15	/	/	·06	/	/	/	·85	26
27	·18	·	·05	·64	·01	/	/	/	/	1·48	/	·05	27
28	—	·32	·61	·62	–	/	/	/	/	·62	/	·17	28
29	·45		·47	–	/	/	/	·03	/	·55	/	/	29
30	·13		–	–	·07	/	/	/	/	·43	·06	–	30
31	·24		·27		·10		/	·05		·11		/	31
Total	6·83	3·67	9·03	9·39	3·87	1·22	·93	2·05	3·17	7·65	5·72	2·60	YEAR'S TOTAL 56·13
Rain Days.	26	11	22	17	17	8	3	14	14	21	23	16	192

W.7,000, XI. 13

E∞ DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Buckland Gardens
in the County of Brecknockshire
by Ernest Beckett

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Talybont-on-Usk
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 9. in.
" " " " Sea Level 486 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·06	·07			·07	·41	·45			·12	·15	1
2			·06		·06	·01	1·22	·02			·32	·75	2
3			·23	·10	·48			·10				·68	3
4	·53		·03	·16	·15		·26	·06			·55	1·51	4
5	·20		·08	·33	·28		·08				·33	—	5
6	·07	·09	·05	·33	·05	·02		·05			·02	·58	6
7	·01	·68	·45	·08	·41	·07	·28	·09	·13			·86	7
8	·05		·10	·04	·39	·52	·04	·34				·30	8
9	·07	·08	·18	·60	·03	·89			·08				9
10		·65	·04	·25	·02	·19			·17				10
11		·35	·45	·01	·20	·23	·12				·35	·87	11
12	·01	1·15	·06						·10		·30	·30	12
13		1·00	·70				·14	·09	·30	·28	·21	·18	13
14		1·45	·41				·01	·18		·03	·27		14
15		·02	·41				·01		·05		·23	·08	15
16			·04				·09		·30			·09	16
17	·04	·58	·26				·03		·04			1·48	17
18		·03	·40				·01					·23	18
19		·09	·14				1·18		·18		·08	·21	19
20		·62	·11			·21						·30	20
21		·35					·02	·21		·28			21
22		·38				·03	·40			·72			22
23		·04	·16		·19		·06			·25			23
24	·09		·11				·12	·21		·03	·07		24
25	·21		·10		·01		·40	·25		·43	·04	·45	25
26		·02	·05				·13	·02			·44	·58	26
27	·01	·01					·07			·04	·54	·67	27
28	·08	·09	·24		·11					·16	·12	·60	28
29	·30		·25		·09					·25	1·04		29
30	·06	X	·39					·02		·10	1·11	1·27	30
31	1·33	X		X	·01	X	·26		X	·82	X	·25	31
Total	3·06	7·74	5·57	1·90	2·48	2·24	5·34	2·09	1·35	3·39	6·14	12·39	YEAR'S TOTAL 53·69
Rain Days.	15	20	27	9	15	10	22	14	9	12	18	22	193

W. 8,000. X. 14.

FORM A2.
BRITISH RAINFALL.

from

REGIS

CAPEL-~~Y~~FFIN
LLANTHONY

1911 – 19

Kept at ~~Gwyrne Fawr~~ Llanthony

in the County of Brecons

by J. R. Gethin

5 in.
Ground 1 ft. 0 in.
Sea Level ft.
Name
Distance Direction

IMPORTANT NOTE.—I … the result entered to the previous day. If an Observer … rsal rule, he is earnestly requested to add the reading a … r in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.11	.04			.04	.41		.	.55		1
2			.01		.40			.28		.06	.15	.41	2
3			.02	.03	.81			.21	.07		.33	.32	3
4			.22	.03				.20	.08	.08	.72	1.08	4
5			.07	.03				.38		.25	.08		5
6			.20	.01				.07			.60	1.39	6
7											.74		7
8	1.00		.36								1.05	1.46	8
9			.15								.95	.75	9
10		.08	.34								.09	.93	10
11					.98				.02		50	.11	11
12		.01	.60		.38				.32		1.12	.48	12
13					.08				.18	.01	.15	51	13
14		.02								.05	.03	1.67	14
15		.15	.02			.03				.08	.59	.18	15
16		.01				.26				.07	.44	.30	16
17		.24		.04	.11	1.96	.01				.30	.99	17
18		.52	.19	.40		.04				.10	.03	.70	18
19			.01	.37		.45		.02	1.18	.48	.02	.85	19
20		.14	.02	.22		.08			.17	.07		.66	20
21		.36	.30	.01		.14		.65	.16	.73		.25	21
22	.01	.22	.02	.11		.16			.05	63		.73	22
23		.25	.22		.02			.10	.47	.30		.36	23
24		.16				.79		.08	.04	.21		.25	24
25	.04	.09		.30		.13			.17	.15		.17	25
26		.34		.48	.27	.01		.20	.01	.32	.19	.24	26
27		.60	.46	.37				.46	.46		.09	.16	27
28		.40	.01	.38				.10			.31		28
29				.15		33	.75	.11	.26	.98		.01	29
30				.01	.03	.03	.07	.14		.56	.23		30
31			.01		.01		.09			.04		.02	31
Total	(1.05)	3.59	3.34	2.98	3.09	4.41	96	3.41	3.64	5.17	9.26	14.98	TOTAL of year 55.88
No. of Rain Days.	(12)	16	20	17	10	13	5	15	15	19	23	26	191

W. 8,000, X. '11.

from
REGIS

FORM A2.
BRITISH RAINFALL.

Kept at Llanthony ~~Gwyrne Fawr~~ Capel y ffin (No 9)

in the County of Breconshire 8

by J. R. Gethin Jones

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.11	.04			.04	.41			.55		1
2			.01		.40			.28		.06	.15	.41	2
3			.02	.03	.81			.21	.07		.33	.32	3
4			.22	.03				.20	.08	.08	.72	1.08	4
5			.07	.03				.38		.25	.08		5
6			.20	.01				.07			.60	1.39	6
7											.74		7
8	1.00		.36								1.05	1.46	8
9			.15								.95	.75	9
10		.08	.34								.09	.93	10
11					.98				.02		50	.11	11
12		.01	.60		.38				.32		1.12	.48	12
13					.08				.18	.01	.15	51	13
14		.02								.05	.03	1.67	14
15		.15	.02			.03				.08	.59	.18	15
16		.01				.26				.07	.44	.30	16
17		.24		.04	.11	1.96	.01				.30	.99	17
18		.52	.19	.40		.04				.10	.03	.70	18
19			.01	.37		.45		.02	1.18	.48	.02	.85	19
20		.14	.02	.22		.08			.17	.07		.66	20
21		.36	.30	.01		.14		.65	.16	.73		.25	21
22	.01	.22	.02	.11		.16			.05	63		.73	22
23		.25	.22		.02			.10	.47	.30		.36	23
24		.16				.79		.08	.04	.21		.25	24
25	.04	.09		.30		.13			.17	.15		.17	25
26		.34		.48	.27	.01		.20	.01	.32	.19	.24	26
27		.60	.46	.37				.46	.46		.09	.16	27
28		.40	.01	.38				.10			.31		28
29				.15		.33	.75	.11	.26	.98		.01	29
30				.01	.03	.03	.07	.14		.56	.23		30
31			.01		.01		.09			.04		.02	31
Total	(1.05)	3.59	3.34	2.98	3.09	4.41	96	3.41	3.64	5.17	9.26	14.98	TOTAL for year 55.88
No. of Rain Days.	(12)	16	20	17	10	13	5	15	15	19	23	26	191

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
28 APR 1913

Kept at Capel-y-ffin, Monastery
Nr. 9 B

in the County of Breconshire

by from Capelyffin to Monastery July 29
Gethin Jones Lodgings

~~Lat.~~ Snowdon ~~Long.~~

Nearest Railway Station

Time of Observation 9 AM

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " Sea Level 1,200 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								–	·01	·61	–	·21	1
2								·14	·01	–	–	–	2
3								1·96	·10	–	·02	·08	3
4								·19	–	–	·30	–	4
5								·69	·06	–	–	·05	5
6								·53	–	–	–	·09	6
7								·02	–	–	–	·15	7
8								·16	·05	–	–	–	8
9								·65	·01	–	·05	·65	9
10								·15	–	–	·20	·01	10
11								·02	–	–	·13	1·07	11
12								·01	–	–	–	·15	12
13								·07	·06	·12	–	·23	13
14								·22	–	–	–	·03	14
15								·02	–	–	–	·35	15
16								·17	–	·17	·02	·03	16
17								·60	–	–	·11	·81	17
18								·19	–	·07	–	·14	18
19								·66	–	·08	·01	·20	19
20								·15	–	·50	·02	–	20
21								·34	–	·56	–	·05	21
22								·55	–	·05	–	·30	22
23								·37	–	·11	·35	·18	23
24								·02	–	–	·01	·35	24
25								1·25	–	·05	·58	·71	25
26								1·04	–	1·25	·60	·58	26
27								–	–	·80	–	·92	27
28							#	·86	·49	·47	·63	·21	28
29							·01	·16	·91	·50	–	·01	29
30							·90	–	·01	·90	–	·01	30
31							·16	·05		·09		·08	31
Total							imp.	11·24	1·71	6·33	3·03	7·65	TOTAL for year
No. of Rain Days.								28	10	16	14	27	

Gauge removed from Capelyffin to Gethin Jones new address

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S made ✓

July 29 – Aug. 11 estd. from Monastery

REGISTER OF RAINFALL IN 1912

Ex H.

28 APR 1913 FORM A. BRITISH RAINFALL

Kept at Capel-y-ffin No 9 A 8

in the County of Breconshire

by J R Gethin Jones

Lat. .... Long. ....

~~Nearest Railway Station~~ Snowdon (to July 29)

~~Time of Observation~~ 9AM Talgarth (from Aug. 12)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " Sea Level 1,200 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	.57	–	–	.65	.08			.52			1
2	–	.10	1.06	.09	.02	.37	.42						2
3	.15	–	.45	–	.20	.18	.04						3
4	.49	.05	1.41	–	.07	–	–						4
5	.65	.15	.41	.01	.11	–	–	(5.00)					5
6	.58	.29	–	–	.06	–	–						6
7	–	.48	.70	.01	.05	.37	.24				.36	.70	7
8	.57	.44	.30	.01	–	.06	–		.27				8
9	.08	.12	.75	.27	–	.37	.02	Estimated		–		.75	9
10	.60	.27	.06	–	–	.19	.02						10
11	–	.20	–	–	–	–	.20					1.17	11
12	.04	.44	.18	.12	.20	–	.23						12
13	.08	.05	–	–	–	.04	.01						13
14	.08	.02	.82	–	.27	.03	–						14
15	.61	.12	–	.01	.22	.28	–		.07				15
16	.85	.02	.37	–	.11	.02	–					.81	16
17	.65	–	.16	–	.02	.17	–				.71		17
18 9in*	.23	.05	.12	–	–	–	–					1.15	18
19	.10	.40	–	–	–	–	.36	1.85					19
20	.12	.02	.73	–	–	–	.10						20
21	–	.08	1.15	–	.71	–	.04			1.65			21
22	.45	.55	.15	–	.30	.02	.68				.10	.66	22
23	.63	.23	.72	–	–	.46	.01						23
24	.19	.02	.05	–	–	.52	.08		.01				24
25	–	.03	.08	–	–	.21	.10						25
26	–	.25	.08	–	–	–	1.10	4.05			1.72	1.91	26
27	–	.06	.11	–	–	.46	1.58	–					27
28	–	.09	.09	–	–	.35	# .92	.88		2.85			28
29	–	.32	.08	–	–	.30	# (.01)		1.45				29
30	–		.27	–	–	.06	(.90)		.01	1.46	.56		30
31	–		.24	–	.10		(.16)	.22		.03		1.43	31
Total	7.15	4.85	11.11	.52	2.44	5.11	(6.30)	(12.00)	1.81	6.51	3.45	8.58	TOTAL for year (69.83)
No. of Rain Days.	19	26	26	7	14	20	22	–	–	–	–	–	

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Copied

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

17 JUN 1914

Kept at Capel-y-ffin, Monastery. Jan 1st – June 6th, Chapel House near Church – from June 6th

in the County of Brecon 8 Gr. Mp.

by J. B. Gethin Jones.

Lat. .... Long. ....

Time of Observation .... Snowdon.

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1200 Monastery / 1047 Chapel Ho. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.05	.53	.15	-	-	.	-	.20	-	.31	.	1
2	.12	.73	.23	.25	.25	.	-	-	.04	.92	.26	.01	2
3	.25	.08	.31	-	.67	.	-	-	.01	.01	-	.28	3
4	1.01	.22	.14	-	.24	.14	.08	-	2.72	.59	.17	.56	4
5	.10	.23	.08	-	.20	.19	.04	-	.25	.08	.25	.06	5
6	.15	.41	.33	-	.32	*.23	.13	-	-	.99	.01	.49	6
7	.08	.66	.01	-	1.26	.22	.03	-	-	.89	.19	.02	7
8	.07	.38	.01	-	.39	-	.03	.19	-	.29	-	-	8
9	-	.29	.03	.03	.40	.61	.11	-	.10	-	.48	.06	9
10	.85	-	.01	.03	.12	.	-	.34	-	.70	.15	-	10
11	.84	-	-	.43	.21	-	-	.08	-	-	.85	.03	11
12	.02	-	-	-	.59	.01	-	.03	.09	-	.78	.06	12
13	.05	-	.53	.09	.01	-	.04	.05	.52	-	.87	-	13
14	.46	-	.55	.48	-	-	-	.02	.05	.26	.16	-	14
15	.15	.01	1.09	1.30	-	-	-	.40	.01	-	.10	.06	15
16	.38	.01	.95	.08	-	-	-	.73	.16	-	-	-	16
17	.22	-	.06	.38	.01	-	.10	-	-	-	.11	-	17
18	.09	-	.54	.53	.02	.02	.09	-	-	-	-	.02	18
19	.61	-	.63	.06	.01	.21	.02	-	.10	.19	.21	.01	19
20	.38	-	.61	.32	.02	-	-	-	-	.18	1.26	-	20
21	.	-	.62	.31	.20	-	.07	.21	-	.06	.22	-	21
22	1.10	-	1.10	-	-	.11	-	1.10	.62	-	-	-	22
23	.12	-	.03	-	-	.07	-	.02	.07	-	.14	.03	23
24	.09	.16	-	.14	-	-	-	-	-	-	.10	-	24
25	.	.10	-	.87	-	-	-	-	.09	.08	.05	.23	25
26	-	.	-	1.65	.08	.01	-	.16	-	.02	-	.58	26
27	.29	-	.42	.43	-	-	-	-	-	1.05	-	.05	27
28	.03	-	.24	.71	.10	-	-	-	-	.34	-	.20	28
29	-		1.08	.70	-	-	-	.08	-	.42	-	-	29
30	.43		.	-	.05	-	-	.02	-	.51	.32	-	30
31	.05		.25		.01		.01	.04		.06		-	31
Total	8.02	3.33	10.38	8.94	5.16	1.82	.75	3.47	5.03	7.64	6.99	2.75	YEAR'S TOTAL 64.28
Rain Days.	26	13	25	20	21	11	12	15	15	19	21	17	215

W.7,000, XI. 13

*Removed to Chapel House

Esc Ufg. compared with originals 15 and 7 September.

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

Kept at Capel-y-ffin {Nr. Church Swordn.
Monastery - Oct. 13th
in the County of Brecnshire
by The Referees, Abertillery Water Board Act.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 1047 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·07	·07	·02		·04	·44	·70					1
2			·10	·	·05		·72	·25					2
3	·03		·42	·23	·46		·10	·02		–			3
4	·48		·12	·15	·34		·43	·03				2·95	4
5	·28		·17	·60	·40		·09						5
6	·15	·37	·07	·16	·10	·05		·07					6
7	·02	·40	·39	·05	·78	·05	·23	·31	·02		2·12		7
8	·04		·35	·12	·45	·65		·48	·01				8
9	·09	·12	·08	·25	·07	1·66		·38	·26				9
10		·56	·06	·21	·14	·22			·38	–			10
11		·48	·37		·15	·48	·10		·02				11
12		·80	·19						·42				12
13		·64	·73	·01			·18		·44			3·10	13
14		1·32	·71				·02	·15	·02		1·60		14
15	·01	·02	·75				·02	·12	·10				15
16	·02		·01				·10		·42				16
17	·01	·39	·53				·05		·12	·77			17
18		·01	·60				·14		·15				18
19		·08	·09				1·09		·14			3·04	19
20		·80	·14			·08							20
21		·75					·15				·13		21
22		·40	·19	·05		·05		·14					22
23		·12	·02		·18		·21						23
24	·02		·14	·01			·10	·21		1·07			24
25	·32	·03	·14				·14	·81				·92	25
26	·10		·03				·31	·02					26
27	·02	·01					·01						27
28	·15	·27	·26		·18		·03				2·87		28
29	·17		·29		·05								29
30	·02	X	·75	·01							·97		30
31	1·13	X		X		X	g. upset (·20)	·02	X	2·54	X	3·50	31
Total	3·06	7·64	7·77	1·87	3·35	3·28	4·86	3·71	2·50	4·38	7·69	13·51	YEAR'S TOTAL 63·62
Rain Days.	18	20	28	13	13	9	22	15	13				

W. 8,000. X. 14.

✓

Overflowed. Dec. est

Esc. W.9

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

Kept at Capel-y-ffin, Waun Goch

in the County of Brecanshire

by The Referees. Abertillery Water Bd. Act.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·07	·08	·03		·07	·43	·80					1
2			·14		·06		·90	·15					2
3	·04		·44	·25	·48			·09					3
4	·47		·15	·16	·39		·58	·04					4
5	·24		·18	·61	·47			·08					5
6	·12	·42	·09	·16	·41	·08							6
7	·03	·36	·43	·08	·64	·07	·28	·50	·01				7
8	·09		·34	·11	·35	·97		·49	·01				8
9	·08	·13	·05	·24	·12	1·62		·34	·24				9
10		·51	·07	·26	·14				·45				10
11		·48	·39		·14	·54	·09		·13				11
12		·83	·21						·30				12
13		·57	·73	·01			·19		·50				13
14		1·65	·68				·02	·18	·10				14
15	·01	·02	·75				·04	·13	·21				15
16	·02						·13		·36				16
17	·02	·50	·46				·06		·08	not in Obs bk			17
18		·01	·38				·21		·15	·88			18
19		·10	·08				1·11		·15				19
20		·86	·12			·09							20
21		·67	·08				·10						21
22		·36	·13	·06		·08		·17					22
23		·10	·08		·22		·36	·10					23
24	·03		·10	·02			·17	·11					24
25	·35	·03	·21				·18	·75					25
26	·10		·19				·26	·02					26
27	·06	·01											27
28	·18	·34	·25		·20		·02						28
29	·21		·28		·04								29
30	·04	✕	·88	·01				·01			not in Obs bk		30
31	1·31	✕		✕		✕	·21	·01	✕	5·07	✕		31
Total	3·40	8·02	7·97	2·00	3·66	3·52	5·34	3·97	2·69	5·95	7·30	~~10·50~~ overflowed	YEAR'S TOTAL (66·82)
Rain Days.	18	20	28	13	13	8	19	17	13			(13·00) est.	

W. 8,000. X. 14.

cnd by mm stats 22.VI.16

4185

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Capel y ffin Monastery A

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2	.37												2
3										.51			3
4				.42					.12			1.55	4
5						.20							5
6		2.53									–		6
7			.57		1.76								7
8													8
9													9
10	3.50					~~.25~~				.20			10
11	.10			.92								3.51	11
12						-							12
13		4.67									2.75		13
14			–										14
15													15
16													16
17				.31						.19			17
18									.15			.96	18
19		2.62				-							19
20											.20		20
21			–										21
22					3.63								22
23				(.23)									23
24							(4.27)						24
25	2.11								.36	.85		2.79	25
26						.51							26
27											–		27
28		1.04	.33										28
29													29
30				.21		.55			.36	2.91	1.10		30
31	.40		–		(IV-M)		.84			1.81	F.	3.25	31
Total	6.48	10.86	.90	2.09	5.39	1.26	(5.11)	(4.00)	99	6.47	4.05	12.06	YEAR'S TOTAL 59.66
Rain Days.	✓	✓	✓	✓	✓				✓		✓	✓	

W.7,000, XI. 13

4186

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Capel y ffin Waun Goch B

in the County of Breconshire

by ~~The Referee Abertillery Water Board Ltd~~ D A Rowell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4									.14				4
5													5
6													6
7					1.59								7
8													8
9													9
10													10
11	3.20 ✓												11
12		Gauge damaged & removed – New gauge placed March 30											12
13													13
14													14
15													15
16													16
17													17
18													18
19												6.45	19
20													20
21													21
22													22
23													23
24							4.80						24
25	2.06 ✓												25
26													26
27													27
28													28
29													29
30		X				1.26			.68				30
31	.38	X		X	3.12	X	.79		X		X	7.05	31
Total	5.64	(10.00)	(1.00)	1.94	4.71	1.26	5.59	3.82	.82	7.12	4.11	13.50	YEAR'S TOTAL (59.51)
Rain Days.	✓			✓	✓		✓	✓	✓	✓	✓	✓	

W. 8,000. X. 14.

cond for autho . cond for 5

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
22 JUN 1917

Kept at Capel y ffin Monastery A

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2				-									2
3									.33			-	3
4						.40							4
5		2.45	~~7~~								2.30		5
6								-					6
7					1.10								7
8			(4.00)	-						3.48			8
9	1.26						1.25						9
10									.40			.45	10
11						1.02							11
12		.55	~~.81~~								2.12		12
13							.38	.21					13
14					1.41								14
15				.96						.66			15
16	.20						-						16
17									.05			.18	17
18						.15				.64			18
19		2.60	(1.50)								.30		19
20								.84					20
21					.19								21
22	.75			1.00						.17			22
23							.28						23
24		(4.00)							.44			1.50	24
25			(3.50)			.05							25
26											1.30		26
27			~~.75~~					1.00					27
28					1.85								28
29				05						3.68			29
30		X		-		1.03			1.48		.05		30
31	.15	X		X	-	X	-	.99	X	1.80	X	1.33	31
Total	~~2.45~~ 2.30	(9.60)	(9.00)	2.01	4.55	2.65	1.91	3.04	2.70	10.43	6.07	3.46	YEAR'S TOTAL (57.72)
Rain Days.													

W. 8,000. X. 15.

confn S. Nov. est.

4119

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
22 JUN 1917

Kept at Capel y ffin Warn Loch B

in the County of Breconshire

by H. Referees Abertillery Water Board Act

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10		2.71											10
11													11
12													12
13							1.51						13
14													14
15													15
16													16
17													17
18										4.02			18
19													19
20		(7.00)										1.42	20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X				3.09							30
31		X		X		X	.23		X	5.75	X	2.06	31
Total	1.95	(9.71)	~~2.85~~ (9.00)	3.84	4.48	3.09	1.74	3.09	3.18	9.77	~~1.75~~	3.48	YEAR'S TOTAL (59.33)
Rain Days.											(6.00)		

W. 8,000. X. 15.

3946

FORM A.
BRITISH RAINFALL.

18 FEB 1918

Ed

REGISTER OF RAINFALL IN 1917

Kept at Capel y Ffin Monastery A

in the County of Breconshire

by The Referee Abertillery Water Board Act

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2									09			.08	2
3						.74							3
4		.24	.10								.38		4
5								.43					5
6					–								6
7	.52									1.42			7
8				1.12			.26						8
9									.96			.17	9
10						.31	.52						10
11		–	3.16								1.59		11
12								2.32					12
13					1.80								13
14	1.25									1.50			14
15				1.36			–						15
16									.48			.25	16
17						.59							17
18		.10	.23								25		18
19								1.92					19
20					1.67								20
21	–									.42			21
22				.30			1.75						22
23						.33			1.58			.98	23
24						.20							24
25			.37								.10		25
26		1.36						3.00					26
27					1.38								27
28	–	.15								1.08			28
29							.56						29
30		✕				.92			26		.04	.52	30
31		✕	.40	✕	1.08	✕	.05	2.58	✕	1.17	✕		31
Total	1.77	1.85	4.26?	2.78	5.93	3.09	3.14	10.25	3.37	5.59	2.36	2.00	YEAR'S TOTAL 46.39
Rain Days.													

W. 8,000, VIII. 16

Ew

3947

FORM A.
BRITISH RAINFALL.
18 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Capel y Ffin Warn Goch B

in the County of Breconshire

by The Referees Abertillery Water Board Act

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5									.82				5
6								.56		1.62			6
7											1.17	.13	7
8													8
9								1.68					9
10													10
11										2.12			11
12												.15	12
13								1.67	.61		1.04		13
14										.41			14
15													15
16													16
17													17
18													18
19									1.47	.44	.03		19
20													20
21													21
22													22
23												.65	23
24						2.20							24
25								3.94		1.33	.14		25
26													26
27													27
28													28
29									.52				29
30						1.01					.09		30
31								3.54		1.53		.64	31
Total	2.00	1.75	3.40	2.43	6.10	3.21	3.02	11.39	3.42	7.45	2.47	1.57	YEAR'S TOTAL 48.21
Rain Days.													

W. 8,000, VIII. 16

8L

+V D L end for month

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
~~336~~ 82
22.1.19

Kept at Chapel-y-ffyn

in the County of ~~Monmouth~~ ? Brecon

by Mr George ?

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3		·25									1·34		3
4								·70					4
5					·60								5
6	·03									1·04			6
7				·89									7
8									2·56			1·31	8
9						·06							9
10		1·80	·04								1·25		10
11													11
12					·09								12
13	·27									·72			13
14				·58			1·80						14
15									1·54			1·18	15
16						·29							16
17		·43	·35										17
18								·06					18
19													19
20	3·48									·37			20
21				1·41			2·34						21
22									3·31			3·10	22
23						·66							23
24		·50	·48								·10		24
25								·04					25
26					·85								26
27	·94									·06			27
28		·30		·23			2·02						28
29									1·69			1·05	29
30		X		·05					·08		·48		30
31	·07	X	1·60	X		X			X	·49	X	·47	31
Total	4·79	3·28	~~2·95~~ 2·47	3·16	1·54	1·01	6·16	·80	9·18	2·68	3·17	7·11	YEAR'S TOTAL 45·35 ~~46·83~~
Rain Days.	~~5~~												

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.
15 JAN 1915

REGISTE

CARDIFF W W
PONT AR DAR
1914-20

Kept at "Pont-ar-daf
in the County of Brecknock
by

w.

5 in.
ound 1 ft. — in.
a Level 850 ft.

IMPORTANT NOTE.—Ra result entered to the previous day. If an Observer l rule, he is earnestly requested to add the reading at the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·10	·05	·03	·	·77	·19	·95	·	·	·07	·08	1
2	·	·	·06	·01	·14	·	·97	·24	·	·	·22	·60	2
3	·04	·	·76	·29	·62	·	·04	·24	·	·02	·01	·64	3
4	·71	·	·29	·33	·29	·	·53	·06	·	·	·32	1·31	4
5	S ·24	·	·59	·60	·42	·	·01	·02	·	·	·18	·08	5
6	·10	·13	·13	·11	·16	·06	·06	·13	·	·	·02	·81	6
7	·08	·96	·90	·27	·94	·03	·61	·09	·12	·	·02	1·11	7
8	·65	·	·27	·06	·50	·39	·06	·99	·07	·	·11	·44	8
9	·67	·15	·75	·36	·29	·98	·	·59	·05	·	·14	·	9
10	·11	·73	S ·07	·34	·04	·19	·	·02	·34	·	·04	·	10
11	·	·50	·61	·03	·16	·27	·02	·	·01	·	·48	·74	11
12	·	1·02	·30	·	·	·	·	·	·27	·	·56	·22	12
13	·	1·39	·70	·04	·	·	·16	·	·98	·21	·77	·16	13
14	·	1·49	·63	·	·	·	·12	·11	·04	·03	·37	·	14
15	·	·05	·69	·	·	·	·07	·60	·19	·02	·43	·02	15
16	·01	·	·21	·	·	·	·14	·	·63	·	·	·18	16
17	·08	·66	·29	·	·	·	·12	·	·17	·	·	1·29	17
18	·	·06	S ·60	·	·	·	·05	·	·09	·	·	·53	18
19	·	·23	·41	·	·	·	1·94	·	·09	·	·07	·36	19
20	·	1·01	·34	·	·	·18	·06	·	·	·	·	S ·16	20
21	·	·61	·05	·	·	·10	·03	·03	·	·32	·	·	21
22	·	·36	·02	·08	·02	·11	·02	·43	·	·83	·	·	22
23	·	·12	·28	·	·13	·	·11	·02	·	·25	·	·06	23
24	·09	·06	·26	·	·01	·03	·15	·11	·	·02	·30	·	24
25	·37	·	·35	·	·	·	·39	·44	·	·44	·21	·58	25
26	·02	·05	·06	·	·	·	·26	·15	·	·33	·83	·91	26
27	·03	·04	·	·	·	·	·02	·	·	·09	·68	·75	27
28	·20	·29	·35	·	·09	·	·	·	·	·14	·20	·54	28
29	·78		·25	·03	·16	·	·	·02	·	·30	1·24	·04	29
30	·21	X	·55	·	·	·	·02	·02	·	·08	1·14	1·15	30
31	1·38	X	·	X	·05	X	·49	·	X	1·36	X	·28	31
Total	5·77 ✓	10·01 ✓	10·22 ✓	2·56 ✓	4·02 ✓	2·51 ✓	6·64 ✓	5·26 ✓	3·05 ✓	4·44 ✓	8·41 ✓	13·01	YEAR'S TOTAL 75·92 ✓
Rain Days.	18	21	29	14	16	11	26	20	13	15.	23	25	231 ✓

W. 8,000. X. 14.

REGISTE

FORM A.
BRITISH RAINFALL.
15 JAN 1915

Kept at "Pont-ar-daf"
in the County of Brecknockshire
by

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 850 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·10	·05	·03	·	·77	·19	·95	·	·	·07	·08	1
2	·	·	·06	·01	·14	·	·97	·24	·	·	·22	·60	2
3	·04	·	·76	·29	·62	·	·04	·24	·	·02	·01	·64	3
4	·71	·	·29	·33	·29	·	·53	·06	·	·	·32	1·31	4
5	s ·24	·	·59	·60	·42	·	·01	·02	·	·	·18	·08	5
6	·10	·13	·13	·11	·16	·06	·06	·13	·	·	·02	·81	6
7	·08	·96	·90	·27	·94	·03	·61	·09	·12	·	·02	1·11	7
8	·65	·	·27	·06	·50	·39	·06	·99	·07	·	·11	·44	8
9	·67	·15	·15	·36	·29	·98	·	·59	·05	·	·14	·	9
10	·11	·73	s ·07	·34	·04	·19	·	·02	·34	·	·04	·	10
11	·	·50	·61	·03	·16	·27	·02	·	·01	·	·48	·74	11
12	·	1·02	·30	·	·	·	·	·	·27	·	·56	·22	12
13	·	1·39	·70	·04	·	·	·16	·	·98	·21	·77	·16	13
14	·	1·49	·63	·	·	·	·12	·11	·04	·03	·37	·	14
15	·	·05	·69	·	·	·	·07	·60	·19	·02	·43	·02	15
16	·01	·	·21	·	·	·	·14	·	·63	·	·	·18	16
17	·08	·66	·29	·	·	·	·12	·	·17	·	·	1·29	17
18	·	·06	s ·60	·	·	·	·05	·	·09	·	·	·53	18
19	·	·23	·41	·	·	·	1·94	·	·09	·	·07	·36	19
20	·	1·01	·34	·	·	·18	·06	·	·	·	·	s ·16	20
21	·	·61	·05	·	·	·10	·03	·03	·	·32	·	·	21
22	·	·36	·02	·08	·02	·11	·02	·43	·	·83	·	·	22
23	·	·12	·28	·	·13	·	·11	·02	·	·25	·	·06	23
24	·09	·06	·26	·	·01	·03	·15	·11	·	·02	·30	·	24
25	·37	·	·35	·	·	·	·39	·44	·	·44	·21	·58	25
26	·02	·05	·06	·	·	·	·26	·15	·	·33	·83	·91	26
27	·03	·04	·	·	·	·	·02	·	·	·09	·68	·75	27
28	·20	·29	·35	·	·09	·	·	·	·	·14	·20	·54	28
29	·78	X	·25	·03	·16	·	·	·02	·	·30	1·24	·04	29
30	·21	X	·55	·	·	·	·02	·02	·	·08	1·14	1·15	30
31	1·38	X	·	X	·05	X	·49	·	X	1·36	X	·28	31
Total	5·77 ✓	10·01 ✓	10·22 ✓	2·58 ✓	4·02 ✓	2·51 ✓	6·64 ✓	5·26 ✓	3·05 ✓	4·44 ✓	8·41 ✓	13·01	YEAR'S TOTAL 75·92 ✓
Rain Days.	18	21	29	14	16	11	26	20	13	15.	23	25	231 ✓

W. 8,000. X. 14.

Ex D L [illegible] 23.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 JAN 1915

Kept at Pont-ar-daf.
in the County of Brecknockshire 4
by

Lat. Long.
Time of Observation 9.0 a.m
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 850 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.10	.05	.03	.	.17	.19	.95	.	.	.07	.08	1
2	.	.	.06	.01	.14	.	.97	.24	.	.	.22	.60	2
3	.04	.	.76	.29	.62	.	.04	.24	.	.02	.01	.64	3
4	.71	.	.29	.33	.29	.	.53	.06	.	.	.32	1.31	4
5	S .24	.	.59	.60	.42	.	.01	.02	.	.	.18	.05	5
6	.10	.13	.13	.11	.16	.06	.06	.13	.	.	.02	.81	6
7	.08	.96	.90	.27	.94	.03	.61	.09	.12	.	.02	1.11	7
8	.65	.	.27	.06	.50	.39	.06	.99	.07	.	.11	.44	8
9	.67	.15	.15	.36	.29	.98	.	.59	.05	.	.14	.	9
10	.11	.73	.07	.34	.04	.19	.	.02	.34	.	.04	.	10
11	.	.50	.61	.03	.16	.27	.02	.	.01	.	.48	.74	11
12	.	1.02	.30	.	.	.	.	.	.27	.	.56	.22	12
13	.	1.39	.70	.04	.	.	.16	.	.98	.21	.77	.16	13
14	.	1.49	.63	.	.	.	.12	.11	.04	.03	.37	.	14
15	.	.05	.69	.	.	.	.07	.60	.19	.02	.43	.02	15
16	.01	.	.21	.	.	.	.14	.	.63	.	.	.18	16
17	.08	.66	.29	.	.	.	.12	.	.17	.	.	1.29	17
18	.	.06	.60	.	.	.	.05	.	.09	.	.	.53	18
19	.	.23	.41	.	.	.	1.94	.	.09	.	.07	.36	19
20	.	1.01	.34	.	.	.18	.06	.	.	.	.	S .16	20
21	.	.61	.05	.	.	.10	.03	.03	.	.32	.	.	21
22	.	.36	.02	.08	.02	.11	.02	.43	.	.83	.	.	22
23	.	.12	.28	.	.13	.	.11	.02	.	.25	.	.06	23
24	.09	.06	.26	.	.01	.03	.15	.11	.	.02	.30	.	24
25	.37	.	.35	.	.	.	.39	.44	.	.44	.21	.58	25
26	.02	.05	.06	.	.	.	.26	.15	.	.33	.83	.91	26
27	.03	.04	.	.	.	.	.02	.	.	.09	.68	.75	27
28	.20	.29	.35	.	.09	.	.	.	.	.14 ~~.13~~	.20	.56	28
29	.78		.25	.03	.16	.	.	.02	.	.30 ~~.24~~	1.24	.04	29
30	.21	×	.55	.	.	.	.02	.02	.	.08 ~~.13~~	1.14	1.15	30
31	1.38	×	.	×	.05	×	.49	.	×	1.36 ~~.78~~	×	.28	31
Total	5.77	10.01	10.22	2.58	4.02	2.51	6.64	5.26	3.05	4.44 ~~3.84~~	8.41	13.01	YEAR'S TOTAL 75.92
Rain Days.	18	21	29	14	16	11	26	20	13	15	23	25	231

W. 8,000. X. 14.

4115

FORM A.
BRITISH RAINFALL
8 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Pont-ar-daf

in the County of Brecknockshire

by

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 850 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.99	.65	.14	.	.68	.	.	.52	.04	.40	.01	.62	1
2	.29	.51	.45	.21	.	.02	.03	.60	.04	.15	.	.10	2
3	.01	.61	.49	.38	.05	.	.46	.02	.	.	.	.53	3
4	.10	.66	.05	.	.20	.05	.21	.06	.	.	.	1.04	4
5	.29	.84	.02	.13	.02	.04	.03	.13	.	.	.	1.52	5
6	.39	.13	.01	.44	.	.	.45	.05	.	.	.	.50	6
7	.44	.83	.02	.08	.	.	.12	.26	.	.	.01	.82	7
8	.40	.46	.	.01	.	.	.	.06	.	.	.40	.05	8
9	.19	.50	.	.38	.	.	.	.01	.	.	.40	1.43	9
10	.84	.05	.10	.12	.	.	.03	.12	.	.12	.28	.13	10
11	.20	.	.01	.	.	.	.	.21	.	.05	1.10	s .11	11
12	.33	.46	.	.04	.32	.	.	.03	.	.21	.82	s .01	12
13	.04	1.04	.	.	.93	.	.	.	.11	.04	.04	.09	13
14	.38	.01	.	.	.	.	.	.32	.22	.	.	1.01	14
15	1.10	.	.	.	.14	.	.08	.03	.23	.03	s .14	.56	15
16	.21	1.24	.	.	.32	.	1.30	.06	.01	.	.	.01	16
17	.	.61	.	.	.34	.	.01	.03	.	.	.	.	17
18	.	.84	.	.	.01	.	.11	.	.	.	.	.	18
19	.01	.05	.	.31	.36	.	.93	.	.	.	.	.	19
20	.88	.	.	.04	.08	.	.01	.03	.	.09	.	.08	20
21	s .34	.14	.	.01	.02	.	.48	.	.	.16	.	.16	21
22	.	s .05	.23	.11	.	.	.69	.	.01	.04	.	.42	22
23	.06	.02	.18	.	.	.30	.21	.	.18	1.24	.	.66	23
24	.	.	.01	.04	.	.	.10	.	.06	.39	.	1.11	24
25	.	.	.	.	.	.54	.01	.	.06	.03	.02	.35	25
26	.	.62	.	.	.	.03	.65	.	.04	.	.	1.18	26
27	.	.09	.	.	.	.18	.19	.	.01	.68	.	.35	27
28	.	.35	s .02	.	.	.19	.	.02	.24	.08	.	.05	28
29	.		.	.	.	.06	.20	.	.04	.02	.89	.20	29
30	.32	X	.	.24	.	.	.15	.	.	.44	.49	.53	30
31	.	X	.	X	.	X	.40	.18	X	.94	X	1.14	31
Total	4.90	11.15	2.03	2.60	3.50	1.41	4.15	2.44	1.32	5.14	4.90	15.12	YEAR'S TOTAL 64.99
Rain Days.	21	23	13	15	13	9	23	19	14	18	12	28	208

H. Priestley.

W. 8,000, X. 15.

4042

FORM A.
BRITISH RAINFALL.

9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at "Pont-ar-daf"
in the County of Brecknockshire
by C. N. Priestley

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 850 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.44	.03	.04	.	.01	.64	.54	.	.	.36	.50	.	1
2	1.45	.61	s .07	.	.	.20	.26	.	.33	1.84	.48	.01	2
3	.04	1.52	.	.	.14	.10	.	.	.23	.55	.72	.01	3
4	.83	.52	.	.01	.20	.94	.	.	.17	.77	.89	.	4
5	.25	.57	s .02	.	.07	.21	.02	.	.	.60	.14	.	5
6	.69	.25	s .02	.	.17	.06	.46	.	.	.97	1.00	.01	6
7	.18	s .01	s .04	.	.26	.01	.03	.	.	1.03	1.06	.19	7
8	.04	s .04	s .04	.	.38	.06	.	.	.	.05	.07	.14	8
9	.01	s .18	s .02	.	.11	.01	.	.	.	.10	.06	.12	9
10	.02	.47	s .01	.20	.09	.	.08	.	.	.23	.07	s .20	10
11	.05	.09	.02	.50	.07	.03	.	.	.08	.06	.02	.	11
12	.18	.31	.01	.30	.40	.	.52	.23	.	.45	.	.	12
13	.	.41	.29	.15	.	.	.05	.90	.	.75	.	.	13
14	.06	s .74	.01	.03	.13	.	.	.29	.	.20	.	.01	14
15	.02	1.84	.10	.24	.02	.	.04	.73	.04	.11	.	.	15
16	.05	.06	.	.59	.02	.	.04	.02	.	.13	.	.	16
17	.50	.42	.	.36	.	.	.	.08	.98	.58	s .25	.	17
18	.04	.72	.32	.26	.	.	.	.	.26	.15	s .05	s .17	18
19	.67	.09	.59	.43	.	.	.	.	.07	.	.05	s .07	19
20	.39	.07	.26	.03	.	.	.	.	.	.	.11	.69	20
21	.87	.	.13	.19	.05	.02	.	.	.	.	.06	s .18	21
22	.01	.	.	.	.	.03	.	.01	.	.69	.06	s .38	22
23	.12	s .12	.01	.15	.	.22	.	.28	.	.41	.43	.23	23
24	.	s .03	.01	.33	1.70	.02	.	.15	.	.59	.08	s .21	24
25	.03	s .09	.38	.	.	.04	.	1.29	.05	.56	.74	.10	25
26	.40	s .02	.07	.	.05	.26	.04	.30	.74	.53	.15	.01	26
27	.08	s .04	.22	.	.	.34	.	.26	.65	1.00	.	.01	27
28	.02	.13	.01	.	.	.	.	.	.07	.72	.25	1.70	28
29	.	.16	.09	.	.	.72	.	.47	.	.82	.03	1.34	29
30	.	X	.	.	.	.10	.	.02	.	.87	.	.08	30
31	.	X	.	X	.03	X	.	.26	X	.71	X	.21	31
Total	7.44	9.57	2.78	3.77	3.90	4.04	2.08	5.29	3.64	15.83	7.27	6.07	YEAR'S TOTAL 71.71
Rain Days.	26	24	24	15	18	19	11	15	12	28	23	22	24

W. 8,000, VIII. 16

3877

FORM A.
BRITISH RAINFALL.

9 JAN 19

REGISTER OF RAINFALL IN 1917

Kept at "Pont-ar-daf"

in the County of Brecknockshire

by Mr C H Priestley

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 850 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	.	.20	s .34	.	.80	.	.19	.41	.	.15	.19	1
2	.05	.	.03	s .09	.	.04	.	.01	.	.30	.33	.	2
3	.33	s .26	.04	s .07	.	.05	.01	.	.	.85	.20	s .02	3
4	.18	.	s .39	.	.	.	.25	.05	.	.36	.01	.	4
5	.76	.	.47	.45	.	.03	.	.15	.26	.47	.47	.	5
6	.08	.	s .45	.	.	.02	.	.01	.	.67	.50	.26	6
7	s .66	.	s .08	.	.	.	.13	.10	.	.27	.29	.25	7
8	.12	.	s .29	.28	.	.05	.65	1.00	.11	.95	.46	.27	8
9	.	.	.14	s .10	.12	.	.	.23	.16	.05	.78	.	9
10	s .42	.	.72	s .39	.12	.07	.	.46	.03	.06	.04	.	10
11	.16	.	.	s .23	.	.	.	.92	.	.65	.19	.	11
12	.13	.	.03	s .04	.99	.	.	.27	.	.38	.	.	12
13	s .06	.	.18	.29	.	.04	.	2.14	.42	.13	.01	.04	13
14	.	.	.02	.09	.02	.	.	.07	.01	.01	.	.06	14
15	.	.	.	s .07	.21	.	.22	.05	.11	.40	.	s .31	15
16	.	.10	.	.32	.	.07	.	.	.	.02	.01	s .13	16
17	.	.04	.07	.16	.15	.	.99	1.38	.26	.22	.05	.	17
18	.	.	.07	.02	.05	.	1.33	.07	1.15	.04	.	.	18
19	s .01	.72	.25	.	.	.32	.	.01	.02	.	.04	.	19
20	s .02	.11	.06	.	.92	.20	.01	.09	.16	.	.07	.	20
21	.	.	s .01	.	.08	.	.	.03	.	.16	.	.	21
22	.	.02	.	.	.01	.	.	.56	.	.25	.03	.	22
23	.	.32	.	.	.29	.15	.	1.02	.	.19	.03	.02	23
24	.	.07	.01	.	.01	.20	.20	.67	.	1.01	.25	.05	24
25	.	.08	.21	.	.	.	.01	.43	.07	.07	.22	.	25
26	.	.	.	.	.44	.14	.02	.56	.51	.02	.44	.	26
27	.	.01	.02	.	.34	.34	.29	.80	.	s .05	.03	.	27
28	.	.01	.26	.	.09	.33	.	.68	.	.	.12	s .01	28
29	.	X	.31	.	.	.	.01	.09	.	1.26	.11	.37	29
30	.	X	.11	.	.	.	.	.61	.	.23	.18	.	30
31	.	X	.03	X	.39	X	.	.51	X	.05	X	.	31
Total	3.03	1.74	4.45	2.94	4.23	2.85	4.12	13.16	3.68	9.12	5.01	1.98	YEAR'S TOTAL 56.31
Rain Days.	14	11	25	15	16	16	13	29	14	27	25	13	218

W. 8,000, IX. 17.

C. H. Priestley

Ex: MSS

12

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
101 . 9

Kept at Pontardaf

in the County of Brecknockshire

by Mr C. H. Priestley

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 850 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.24	.	.14	.02	.	.	.14	.03	.02	1.26	.02	1
2	.	.29	.	.40	.	.	.	.28	.02	.08	.24	.93	2
3	.	.34	.	.09	.35	.	.	.	.38	.19	.05	.04	3
4	.	.14	.	.	.	.	.	.04	.61	.64	1.44	.48	4
5	.	.10	.02	.18	.06	.03	.	.35	.14	1.33	.06	.06	5
6	.03	1.15	.	.41	.	.01	.	.09	.22	.56	.	.28	6
7	.	.39	.	.02	.21	.06	.01	.02	1.05	.32	.50	.16	7
8	s .15	.18	.	.	.	.	.	.	.04	.43	.03	.06	8
9	.10	.48	.	.21	.	.68	.11	.	.59	.69	.20	.48	9
10	.15	.40	.	.25	.	.	1.00	.	.26	.14	.46	.52	10
11	.15	.40	.09	.	.	.	.65	.	.33	.12	.08	.41	11
12	s .10	.41	.06	.	.22	.	.66	.	.15	.	.	.40	12
13	s .04	.03	.	.	.02	.05	.01	.	.60	.12	.	.58	13
14	.83	.	.05	.	.10	.04	.28	.02	.60	.06	.	.55	14
15	s .45	.	.	.	.03	.10	.91	.	.22	.	.	.68	15
16	s .25	.	.	.95	.	.05	.12	.13	.68	.	.	.24	16
17	.51	.	.05	.	.	.06	.56	.13	.53	.06	.	.33	17
18	1.24	.	.02	.	.	.66	* .15	.	.33	.04	.	.64	18
19	.44	.13	.42	s .03	.	.01	.12	.02	.14	.01	.	.26	19
20	.48	.42	.	.24	.	.18	.03	.02	.65	.	.	.03	20
21	.20	.36	.	.04	.	.04	.14	.	1.05	.01	.	.18	21
22	.06	.06	.	.	.48	.	.34	.01	.23	.01	.	.86	22
23	.81	.	.	.	.99	.	.20	.	.26	.	.10	.04	23
24	.01	.28	.	.	.	.	.33	.15	.25	.	.26	.12	24
25	.	.	.	.	.08	.	.69	.85	.04	.18	.09	.03	25
26	.12	.01	.	.01	.	.	.35	.01	.28	.11	.19	.40	26
27	.03	s .15	.43	.	.	.	.26	.59	.69	.04	.35	.43	27
28	.	.03	.62	.01	.	.	.	.	.	.06	.21	.44	28
29	.		.16	.	.	.	.	.	1.54	.01	.	.23	29
30	.	X	.45	.	.	.	.	.03	.03	.15	.09	.33	30
31	.	X	.81	X	.	X	.	.05	X	.05	X	.04	31
Total	6.18	6.32	3.48	3.01	2.56	2.00	6.98	2.96	12.06	5.49	5.61	11.24	YEAR'S TOTAL 64.89
Rain Days.	20	21	12	14	11	13	20	18	29	25	14	31	231 mss

* Gauge tampered with.

W, 6,500, VII. 18. w w c

3636

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Pont-ar-daf

in the County of Brecknockshire

by

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 850 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.73	.	.24	.01	.50	.	.71	.	.27	.44	.	.94	1
2	.25	.	.17	.	.09	.	.03	.09	.32	.02	.01	.54	2
3	.05	.	.05	.	.15	.	.	.	.06	.	.02	1.42	3
4	.01	S .27	.32	.	.03	.19	.21	.06	.50	.	.	.38	4
5	.07	S .41	.04	.	.02	.	.	.	.01	.	.02	.97	5
6	.90	.08	.90	.	.	.	.	.	.03	.	.	.45	6
7	.24	.	.53	.11	.	.	.	.	.08	.	.	.07	7
8	.57	.	.06	.05	.	.18	.	.	.	.	.	.	8
9	.73	.	.09	.26	.	.	.	.	.	.	S .14	.01	9
10	.33	.	1.30	.10	.05	.	.	.	.	.10	S .01	.98	10
11	.22	.	.95	.30	.24	.04	.09	.	.	.03	.	.08	11
12	.04	.	.15	.25	.05	1.08	.	.	.	.21	S .05	.01	12
13	.65	.02	.	.73	.	.	.	.	.63	.34	.	.11	13
14	.73	.05	.	.48	.60	.	.04	.03	.08	.07	.	.30	14
15	.89	.05	.	.20	.	.	.	.04	.	.26	.	.56	15
16	.15	※ .80	.	.	.	.08	.03	.07	.	.	.29	.04	16
17	.	S .12	.	.05	.	.16	.	.17	.	.	1.26	.10	17
18	S .11	S .04	.85	.	.	.	.23	.56	.08	.	.38	.25	18
19	.56	.48	.78	.	.	.52	.	.52	.06	.	.36	.04	19
20	.50	.35	.30	.	.	.	.	.09	.19	.	.13	.76	20
21	.01	1.33	.	.	.	.	.21	.07	.18	.	.05	.17	21
22	.	.30	.	.	.	.15	.02	.	.81	.	.10	1.19	22
23	.	.	.	.	.	.	.	.04	.	.75	.50	.26	23
24	.02	.	.	.03	.	.06	.	.	.09	.40	.41	.47	24
25	.35	.	.	.05	.02	.	.	1.24	.11	.01	.10	.26	25
26	S .05	.04	.50	.15	.	.04	.	.03	.06	.	.	.98	26
27	S .35	.	.17	.26	.	.	.	.60	.	.	.	.	27
28	S .03	.	S .19	.02	.	.	.	.19	.	.	S .06	1.03	28
29	S .02		.02	.05	.	.02	.	.07	.	.18	S .01	.75	29
30	.		.	.12	.	.20	.	.49	.01	.03	.61	.97	30
31	.		S .08		.		.12	.		.		.09	31
TOTAL	8.56	4.34	7.69	3.22	1.75	2.72	1.69	4.36	3.57	2.84	4.51	14.18	YEAR'S TOTAL 59.43
Days with ·01 in. or more	26	14	20	18	10	12	10	17	18	13	19	29	206

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W. ※ Assumed, gauge tampered with.

4 FEB 1921

3582

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Pont-ar-daf

in the County of Brecknockshire

by Mr. C. H. Priestley

Lat. .... Long. ....

Time of Observation 9.0 a.m.

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 850 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.06	.06	.21	.81	.	1.19	.02	.10	.01	.03	.90	1
2	s .28	.10	.	.23	.04	.	.29	.09	.16	.21	.	.65	2
3	.06	.32	.	.07	.16	.	.62	.08	.09	2.30	.	.19	3
4	.	.	.02	.01	.04	.	.	.92	.09	.14	.	.	4
5	.	.01	.35	.	.45	.	.20	.20	.19	.20	.	.	5
6	.	.	.47	.02	.54	.	.04	.	.01	.25	.	.	6
7	.37	.	s .03	.19	.17	.	.11	.	.	.	.01	.	7
8	.02	.05	.	.94	.45	.	.17	.35	.	.	.	.	8
9	1.20	1.27	.03	.80	.	.	.26	.05	.03	.	.03	.	9
10	2.02	1.14	.24	.03	.	.37	.41	.02	.	.	.21	.	10
11	.89	.03	.42	.72	.45	.10	.12	.	.	.	.	.	11
12	.74	.35	.08	.51	.09	.70	.27	.06	.	.05	.21	.	12
13	.10	.13	.98	.86	.	.	.01	.01	.	.02	.05	.	13
14	.35	.06	s .68	.94	.	.02	.34	.	1.35	.15	2.34	.	14
15	.14	.28	.23	1.14	.06	.12	.01	.	.	.02	.18	.	15
16	.05	.02	.24	.29	.08	.80	.40	.01	.78	.79	.03	.	16
17	.54	.	.04	.	.41	.72	.	.52	1.80	.11	.	.	17
18	.49	.	.	.21	.36	.10	.15	.10	.71	.	.	s .04	18
19	.05	.25	.	.55	.19	.20	.02	.04	.	.	.	.	19
20	.11	.01	.	1.02	.	.15	.09	.	.	.	.	.60	20
21	.	.	.	.04	.	.	.21	.	.	.19	.	.35	21
22	.19	.	.	.22	.	.04	.43	.07	.	.	.	.26	22
23	.03	.	.15	.01	.	.	.58	.	.	.	.	.79	23
24	.10	.05	.65	.07	.	.01	.04	.	.	.	.12	.71	24
25	.06	.11	.31	.07	.	.	.66	.	.	.	.	.17	25
26	.43	.17	.61	.21	.18	.18	.05	.	.	.	.22	.36	26
27	1.04	.19	1.17	.44	.08	.68	.13	.	.	.	.08	.39	27
28	s .45	.08	.52	.11	.01	.31	.05	.	.	.	.	.16	28
29	.78	.02	.17	.21	.28	.06	.58	.	.	.	.28	1.25	29
30	.62		.23	.22	.08	.57	.20	.	.81	.10	.42	.81	30
31	.37		.57		.		.06	.		.95		.91	31
TOTAL	11.48	4.70	8.25	10.34	4.93	5.13	7.69	2.54	6.12	5.49	4.21	8.54	YEAR'S TOTAL 79.42
Days with ·01 in. or more	26	21	23	28	20	17	29	15	12	15	14	16	236
Days with ·04 in. or more	24	16	20	24	19	15	26	11	10	12	10	16	203

FORM A. BRITISH RAINFALL.

17 JAN 1914

4155

CARDIFF W.W

CANTREF RES

1913-20

REGIST 9 13

Kept at Cantref Reservoi Long. —

in the County of Brecknock n 9.0 A.M.

by C. H. Priestley tation —

Gauge 5 in.

auge above Ground 1 ft. — in.

„ Sea Level 1.120 ft.

IMPORTANT NOTE.— m. and the result entered to the previous day. If an Observer ost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·39	·62	·25	·06				·08	·09	·25	·07	1
2	·08	·43	·61	·37	·09	·06				·80	·56	·48	2
3	·33	·19	·59		·55	·04				·11	·01	·42	3
4	1·12	·17	·83		·19				1·15	·10	·21	·33	4
5	·12	·14	·12		·21	·41	·05		·16	·02	·72	·10	5
6	·53	·33	·42		·19	·47	·46			·42	·29	·47	6
7	·18	·98			·81	·60	·01			·78	·20	·08	7
8	·06	·83	·04		·50	·05	·06			·06		·37	8
9		·40	·48		·23	1·18	·12	·20	·02	·01	·59	·25	9
10	·62		·43	·01	·33			·50		·31	·25		10
11	·80		·07	·48	·07		·01	·06	·04	·04	1·07	·24	11
12					·18	·06	·03	·01	·14		·86		12
13	S. ·06		·94	·03	·01		·14	·14	·90		·61		13
14	·50		1·05	·80					·24	·63	·08	·08	14
15	·41		·77	1·67				·43			·06	·20	15
16	·30		S. ·85	·14		·01	·08	·79			·54		16
17	·30		·07	·44			·24				·87		17
18	·25		·90	·92	·04	·07	·02				·53		18
19	·39		·24	·02	·12	·38	·07		·14	·70	·23		19
20	·53		·77	·21	·05					·66	2·33		20
21			·51	·33	·30		·17	·43	—	·37	·34		21
22	1·14		1·19		·15	·31		·91	·46				22
23	·21		·05	·07	·06	·16		·06	·08		·17	S ·15	23
24	·53	·14		·25							·39	·09	24
25		·07		·67					·12	·04	·37	·41	25
26				2·64		·05			·02	·01		1·08	26
27	·03		·15	·61						·60	·02	·03	27
28	·43		·36	·86	·03					·46		S ·07	28
29		×	·60	·43	·11			·07		·40	·19	·03	29
30	·86	×			·01			·01		·45	·46		30
31	·05	×	·37	×	·08			·04	×	·14	×		31
Total	9·88	4·07	13·03	11·20	4·37	3·85	1·46	3·65	3·52	7·20	12·20	4·95	YEAR'S TOTAL 79·38
Rain Days.	25	11	25	20	23	14	13	13	13	22	26	19	224

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1913

Kept at Cantreff Reservoir

in the County of Brecknockshire

by C. H. Priestley

4

Lat. — Long. —

Time of Observation 9.0 AM.

Nearest Railway Station —

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 1.120 ft.

FORM A.
BRITISH RAINFALL.
17 JAN 1914
4155

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·39	·62	·25	·06				·05	·09	·25	·07	1
2	·08	·43	·61	·37	·09	·06				·80	·56	·48	2
3	·33	·19	·59		·55	·04				·11	·01	·42	3
4	1·12	·17	·83		·19				1·15	·10	·21	·33	4
5	·12	·14	·12		·21	·41	·05		·16	·02	·72	·10	5
6	·53	·33	·42		·19	·47	·46			·42	·29	·47	6
7	·18	·98			·81	·60	·01			·78	·20	·08	7
8	·06	·83	·04		·50	·05	·06			·06		·37	8
9		·40	·48		·23	1·18	·12	·20	·02	·01	·59	·25	9
10	·62		·43	·01	·33			·50		·31	·25		10
11	·80		·07	·48	·07		·01	·06	·04	·04	1·07	·24	11
12					·18	·06	·03	·01	·14		·86		12
13	S. ·06		·94	·03	·01		·14	·14	·90		·61		13
14	·50		1·05	·80					·24	·63	·08	·08	14
15	·41		·77	1·67				·43			·06	·20	15
16	·30		S. ·85	·14		·01	·08	·79			·54		16
17	·30		·07	·44			·24				·87		17
18	·25		·90	·92	·04	·07	·02				·53		18
19	·39		·24	·02	·12	·38	·07		·14	·70	·23		19
20	·53		·77	·21	·05					·66	2·33		20
21			·51	·33	·30		·17	·43		·37	·34		21
22	1·14		1·19		·15	·31		·91	·46				22
23	·21		·05	·07	·06	·16		·06	·08		·17	S ·15	23
24	·53	·14		·25							·39	·09	24
25		·07		·67					·12	·04	·37	·41	25
26				2·64		·05			·02	·01		1·08	26
27	·03		·15	·61						·60	·02	·03	27
28	·43		·36	·86	·03					·46		S ·07	28
29		×	·60	·43	·11			·07		·40	·19	·03	29
30	·86	×			·01			·01		·45	·46		30
31	·05	×	·37	×	·08			·04	×	·14	×		31
Total	9·88	4·07	13·03	11·20	4·37	3·85	1·46	3·65	3·52	7·20	12·20	4·95	YEAR'S TOTAL 79·38
Rain Days.	25	11	25	20	23	14	13	13	13	22	26	19	224

Ex Jf

REGISTER OF RAINFALL IN 1914

51488928

FORM A.
BRITISH RAINFALL
6 - JAN 1915
4155

Kept at Cantreff Reservoir

in the County of Brecknockshire 4

by

Lat. Long. 11205

Time of Observation 9·0 am.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ „ „ „ Sea Level 1,120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	·13	·07	·03	.	·19	·18	1·05	.	.	·16	.07	1
2	.	·01	·04	·01	·08	·01	·82	·13	.	.	·22	.60	2
3	·04	·01	·73	·24	·82	.	.	·32	.	·03	·01	.59	3
4	·92	..	·44	·41	·28	.	·46	·04	.	.	·33	1.23	4
5	·18	.	·70	·61	·44	.	·05	.	.	.	·33	.09	5
6	·10	·15	·11	·17	·20	·08	·09	·16	.	.	·16	.93	6
7	·09	·84	1·06	·14	·82	·05	·62	·12	·12	.	.	1.09	7
8	·81	.	·41	·06	·62	·45	·11	1·70	·08	.	·17	.52	8
9	·89	·18	·10	·41	·16	1·06	.	·75	·04	.	·09	.	9
10	·13	·65	·08	·34	·25	·25	.	·02	·33	.	·09	.	10
11	.	·46	·62	·01	·26	·30	·01	.	.	.	·48	.75	11
12	.	1·15	·32	.	.	.	.	.	·24	.	·48	.26	12
13	.	1·65	·84	·06	.	.	·15	.	1·03	·39	·79	.13	13
14	.	1·58	·46	.	.	.	·10	·15	·03	·03	·32	.03	14
15	.	·03	·79	.	.	.	·07	·45	·13	·05	·48	.03	15
16	.	.	·18	.	.	.	·17	.	·59	.	.	.19	16
17	s ·09	·95	·30	.	.	.	·15	.	·15	.	.	1.48	17
18	.	·08	s ·75	.	.	.	·04	.	·10	.	.	.44	18
19	.	·22	·39	.	.	.	1·75	.	·13	.	·09	.41	19
20	.	·93	·33	.	.	·16	·03	.	.	.	..	s .28	20
21	.	·44	·10	.	.	·02	.	·16	.	·33	.	.	21
22	.	·37	-	·07	.	·10	·02	·52	.	1·03	.	.	22
23	.	·15	·46	.	·09	.	·13	·03	.	·23	.	.	23
24	·10	·02	·27	.	·01	·03	·15	·12	.	·01	·25	.	24
25	·41	..	·22	·01	·02	.	·43	·67	.	·50	·21	.59	25
26	·03	·07	·08	.	.	.	·20	·10	.	·26	·87	.89	26
27	·07	·11	.	.	.	.	·04	.	.	·14	·68	.87	27
28	·22	·37	·33	.	·10	.	.	.	.	·17	·16	.53	28
29	·90	✕	·36	·03	·15	.	.	·02	.	·30	1·24	.04	29
30	·28	✕	·75	.	.	.	.	·01	.	·09	1·27	1.21	30
31	1·48	✕	.	✕	·05	✕	·55	.	✕	·74	✕	.30	31
Total	6·74	10·55	11·29	2·60	4·35	2·70	6·32	6·52	2·97	4·30	8·88	13.55	YEAR'S TOTAL 80.77
Rain Days.	17	23	28	15	16	12	23	19	12	15	22	25	227

W. 8,000. X. 14.

4126

2-R

FORM A.
BRITISH RAINFALL.
JAN 1916
4155

REGISTER OF RAINFALL IN 1915.

Kept at Cantreff Reservoir.

in the County of Brecknockshire

by

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1,120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.94	.93	.14	.	.84	.	.	.56	.05	.47	.06	.59	1
2	$ .36	.56	.97	.48	.	.01	.08	.69	.11	.22	.	.07	2
3	.	.47	.78	.41	.04	.02	.48	.05	.	.	.	.68	3
4	.17	.72	.10	.	.19	.09	.57	.03	.03	.	.	1.07	4
5	.20	.88	.04	.07	.04	.14	.03	.18	.	.	.	1.53	5
6	.40	.12	.01	.49	.	.	.43	.05	.	.	.	.45	6
7	.40	.98	.02	.11	.	.	.15	.45	.	.	.02	.90	7
8	.42	.83	.	.	.	.	.	.07	.	.	.32	.02	8
9	.09	.65	.	.47	.	.	.	.03	.	.	.45	1.72	9
10	1.16	.03	.04	.11	.	.	.02	.12	.	.11	.33	.19	10
11	.26	.02	.02	.03	.	.	.	.08	.	.08	1.08	$ .07	11
12	.34	.25	.	.09	.45	.	.	.04	.	.29	1.06	$ .02	12
13	.12	1.03	.	.	.93	.	.	.13	.12	.01	.06	.13	13
14	.50	.01	.	.	.	.	.	.32	.27	.05	.02	1.32	14
15	.95	.01	.	.	.15	.	.10	.17	.27	.02	.15	.44	15
16	.20	1.46	.	.	.30	.	1.33	.09	.02	.		.	16
17	.03	.45	.	.	.41	.	.	.05		.	.	.	17
18	.01	.79	.	.	.01	.	.17	.	.		.	.	18
19	.02	.07	.	.30	.36	.	1.04	.		.		.	19
20	.85	.	.	.14	.02	.	.	.03		.06	.	.06	20
21	$ .35	.14	.	.	.	.	.65	.	.	.18	.	.22	21
22	.	$ .04	.26	.16	.	.	.65		.	.04	.	.85	22
23	.09	$ .07	.23	.	.	.31	.27	.	.13	.94	.	.63	23
24	.	.	.01	.05	.	.	.04	.	.09	.42	.	1.25	24
25	.	.	.	.	.	.50	.06	.	.02	.03	.03	.57	25
26	.	.64	.	.	.	.02	.61	.	.05	.	.	1.20	26
27	.	.07	.	.	.	.26	.21	.	.01	.76	.	.37	27
28	.	.27	.	.	.	.18	.	.	.24	.15	.	.05	28
29	.		.	.	.	.16	.22	.01	.03	.02	.74	.13	29
30	$ .29		.	.40	.	.01	.02	.	.	.40	.65	.60	30
31	.04		.		.		.35	.15		1.09		1.17	31
Total	8.19	11.49	2.62	3.31	3.74	1.70	7.48	3.30	1.44	5.34	4.97	16.30	YEAR'S TOTAL 69.88
Rain Days.	23	25	12	14	12	11	21	20	14	19	13	27	211

C. H. Priestley.

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
9 JAN 1917
4155

REGISTER OF RAINFALL IN 1916

Kept at Cantreff Reservoir

in the County of Brecknockshire

by C. N. Priestley

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1,120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.41	.02	s .03	.	.01	.72	.64	.	.	.34	.59	.	1
2	2.05	.72	s .32	.	.	.10	.43	.	.35	1.41	.33	.	2
3	.11	1.62	.	.	.01	.08	.03	.	.21	.54	.93	.01	3
4	.94	s .65	.	.03	.36	1.16	.	.	.21	.48	.90	.	4
5	.25	.49	s .08	.	.09	.14	.04	.	.	1.15	.15	.	5
6	1.14	.47	s .03	.	.15	.11	.45	.	.	1.08	1.11	.01	6
7	.20	s .01	s .23	.	.31	.01	.08	.	.	.85	1.18	.18	7
8	.04	s .05	s .11	.01	.32	.04	.	.	.	.14	.12	.11	8
9	.01	s .16	s .05	.	.15	.	.	.	.	.06	.04	.11	9
10	.03	.44	s .03	.19	.12	.	.05	.	.	.25	.13	s .18	10
11	.11	.10	s .03	.47	.08	.03	.	.	.09	.06	.02	.	11
12	.19	.46	.01	.42	.44	.	.69	.18	.01	.62	.	.	12
13	.	.41	.24	.18	.	.	.	.84	.	1.04	.	.	13
14	.09	s .68	.	.01	.23	.	.	.19	.	.52	.01	.01	14
15	.03	2.28	.13	.19	.02	.	.03	.59	.04	.18	.	.	15
16	.10	.06	.	.65	.01	.	.10	.06	.	.09	.	.	16
17	.89	.29	.	.42	.	.	.	.12	.94	.63	s .24	.	17
18	.06	.89	.21	.25	.	.	.	.	.24	.16	s .16	s .16	18
19	1.02	.05	.44	.40	.	.	.	.	.06	.	.10	s .16	19
20	.66	.10	.13	.02	.	.	.	.	.	.	.12	.36	20
21	1.22	.	.11	.08	.06	.01	.02	.	.	.	.06	s .20	21
22	.	.	.02	.	.	.04	.	.01	.	.42	.04	s .25	22
23	.15	s .26	s .02	.22	.	.22	.	.28	.	.34	.86	.12	23
24	.	s .14	.01	.59	1.23	.01	.	.31	.	.60	.16	s .22	24
25	.09	s .30	.45	.	.44	.04	.	.82	.09	.48	.64	.06	25
26	.45	s .19	.04	.	.	.38	.	.50	.41	.59	.24	.	26
27	.11	s .06	s 35	.	.	.48	.	.42	81	1.02	.	.	27
28	.03	s .15	s .01	.	.	.	.	.	.04	.45	.35	1.95	28
29	.	s .18	s .10	.	.	.46	.	.40	.	.41	.06	1.64	29
30	.	X	.	.	.	.11	.	.02	.	.81	.	.04	30
31	.	X	.	X	.	X	.	.25	X	.86	X	.24	31
Total	10.44	11.26	3.54	4.13	4.15	4.53	2.56	5.32	3.89	14.14	8.60	6.04	YEAR'S TOTAL 81.60
Rain Days.	25	24	24	16	14	18	11	15	13	28	24	19	237

W. 8,000, VIII. 16

3886

Exd. 4/10

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL

9. JAN.

4155

Kept at Cantreff Reservoir
in the County of Brecknockshire
by Mr C. H. Priestley

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1,120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	.	.25	s .24	.	.82	.	.22	.19	.	.22	.13	1
2	.06	.	.01	s .09	.	.05	.	.	.	.27	.39	s .05	2
3	.48	s .29	.06	s .12	.	.12	.	.	.	.80	.18	s .02	3
4	.05	s .05	s .30	.	.	.	.21	.06	.01	.68	.01	.	4
5	.68	.	.38	.45	.	.05	.	.04	.28	.59	.80	.	5
6	.08	.	s .73	.	.	.	.	.	.	.48	.60	.43	6
7	s .69	.	s .02	.	.	.01	.13	.09	.	.40	.36	.21	7
8	.01	.	s .08	.23	.	.04	.44	1.36	.14	1.15	.61	* .33	8
9	.	.	.19	s .06	.14	.	.	.33	.17	.07	.84	.	9
10	s .44	.	.74	s .44	.12	.09	.	.51	.06	.08	.03	.	10
11	.16	.	.	s .26	.	.	.	.75	.	.69	.22	.	11
12	s .23	.	.04	s .02	.94	.	.	.24	.	.41	.	.	12
13	.	.	.17	.43	.	.06	.	1.82	.46	.17	.02	.07	13
14	s .01	.	.01	.12	.03	.	.	.29	.	.03	.	.11	14
15	s .02	.	.	s .03	.21	.	.64	.01	.17	.63	.	s .43	15
16	.	.12	.	.41	.	.05	.03	.04	.	.04	.02	s .25	16
17	.	.10	.08	.17	.22	.	1.06	1.82	.33	.29	.06	.	17
18	.	.	.	.02	.04	.	1.45	.11	1.19	.05		.	18
19	.	.57	.26	.	.	.25	.	.15	.05	.	.06	.	19
20	s .03	.19	.07	.	.67	.15	.31	.08	.40	.	.08	.	20
21	.	.	s .02	.	.06	.	.	.	.	.25	.	.	21
22	.	.03	.	.	.01	.	.	.78	.	.37	.06	.	22
23	.	.37	.	.	.28	.21	.	1.22	.	.17	.08	.	23
24	.	.08	.01	.	.	.30	.15	.93	.	1.11	.21	.08	24
25	.	.15	* .20	.	.	.	.01	.40	.12	.08	.17	.	25
26	.	.	.	.	.48	.17	.03	.74	.54	.07	.45	.	26
27	.	.01	s .03	.	.34	.51	.34	1.05	.	s .08	.12	.	27
28	.	.02	.19	.	.06	.45	.	.82	.	.	.22	s .01	28
29	.	X	s .53	.	.	.	.	.14	.	1.15	.21	.36	29
30	.	X	.17	.	.	.	.	.74	.	.32	.21	.	30
31	.	X	.01	X	.36	X	.	.72	X	.06	X	.	31
Total	3.02	1.98	4.55	3.09	3.96	3.33	4.80	15.46	4.11	10.49	6.23	2.48	YEAR'S TOTAL 63.50
Rain Days.	14	12	24	15	15	16	12	24	14	24	25	13	214

* snow and rain.

W. 8,000, IX. 17.

C. H. Priestley

22

FORM A. BRITISH RAINFALL 10 i 19 2455

REGISTER OF RAINFALL IN 19 18

Kept at Cantreff Reservoir

in the County of Brecknockshire

by Mr C. H. Priestley

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1,120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.33	.	.34	.03	.	.	.14	.04	.01	1.34	.04	1
2	.	.32	.	.10	.	.	.	.26	.03	.11	.30	1.28	2
3	.	.38	.	.09	.34	.	.	.02	.58	.20	.04	.19	3
4	.	.15	.	.	.	.	.	.09	.42	.88	1.46	.98	4
5	.	.24	.01	.44	.09	.02	.	.45	.11	1.42	.11	.14	5
6	S .02	1.34	.	.26	.	.10	.	.	.23	.43	.	.36	6
7	.	.51	.	.02	.22	.	.01	.03	1.46	.25	.34	.21	7
8	S .12	.42	.	.	.	.03	.01	.	.09	.41	.04	.09	8
9	.09	.55	.	.25	.	.56	.04	.	.43	.41	.22	.51	9
10	.12	.35	.	.31	.	.	1.30	.	.29	.28	.46	.43	10
11	.11	.58	.13	.01	.	.	.46	.	.30	.09	.10	.49	11
12	× .12	.56	.04	.	.20	.	.29	.	.20	.	.	.34	12
13	S .06	.08	.	.	.02	.06	.03	.	.80	.16	.	.58	13
14	1.25	.	.08	.	.14	.02	.30	.02	.64	.05	.	.46	14
15	S .63	.	.	.	.03	.09	1.15	.	.30	.01	.	.84	15
16	S .23	.	.	.44	.	.01	.10	.21	.45	.02	.	.23	16
17	.50	.	.06	.	.	.04	.46	.09	.49	.04	.	.64	17
18	1.52	.	.09	.	.	.66	1.20	.	.42	.09	.	.86	18
19	.46	.18	.30	S .03	.	.01	.14	.06	.11	.01	.	.23	19
20	.58	.51	.	.26	.	.20	.10	.03	.49	.	.	.02	20
21	.19	.48	.	.12	.	.06	.32	.	1.25	.02	.	.13	21
22	.12	.04	.	.	.62	.	.49	.01	.33	.01	.	.84	22
23	.91	.02	.	.	.89	.	.21	.	.38	.	.15	.18	23
24	.04	.26	.	.	.	.	.29	.22	.33	.	.24	.09	24
25	.	.01	.	.	.08	.	.66	1.14	.01	.19	.10	.06	25
26	.34	.01	.	.05	.	.	.49	.02	.43	.15	.26	.88	26
27	.05	S .05	.43	.	.	.	.44	.65	.64	.08	.32	.54	27
28	.	.12	.69	.	.	.	.	.	.02	.08	.24	.60	28
29	.	✕	.30	.	.	.	.	.	1.64	.01	.	.24	29
30	.	✕	.42	.	.	.	.	.06	.04	.20	.11	.32	30
31	.	✕	.80	✕	.	✕	.	.06	✕	.01	✕	.01	31
Total	4.49	4.55	3.68	3.08	2.69	1.89	9.18	3.56	14.15	5.95	5.95	13.44	YEAR'S TOTAL 48.61
Rain Days.	20	23	12	14	11	13	21	18	30	24	14	31	237

× Snow and rain.

W, 6,500, VII. 18. W W C

4155

20 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Cantreff Reservoir
in the County of Brecknockshire
by

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1,120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.84	.	.29	.02	.37	.	.58	.	.34	.45	.	.91	1
2	.27	.	.20	.	.05	.	.06	.21	.27	.02	.03	.42	2
3	.	.	.05	.	.30	.08	.	.	.06	.	.03	1.24	3
4	.03	s .22	.35	.	.14	.10	.12	.15	.58	.	.01	.35	4
5	.05	s .46	.02	.	.04	.	.	.	.07	.	.04	.81	5
6	.83	.11	1.08	.	.	.	.	.	.01	.	.01	.35	6
7	.20	.	.43	.12	.	.05	.	.	.14	.	.	.08	7
8	.50	.	.18	.04	.	.23	.	.	.	.	.	.	8
9	.62	.	.12	.12	.	.	.	.	.	.	s .14	.01	9
10	.47	.	1.59	.25	.05	.	.	.	.	.09	s .02	.82	10
11	.29	.	.93	.47	.33	.	.06	.	.	.04	.	.09	11
12	.03	.	.02	.23	.13	1.16	.	.	.	.23	s .06	.02	12
13	.84	.03	.	.80	.	.	.	.	.67	.42	.	.15	13
14	1.18	.02	.	.39	.59	.	.05	.02	.14	.08	.	.30	14
15	.59	.05	.	.28	.03	.	.	.	.	.29	.	.60	15
16	.27	1.10	.	.	.	.18	.06	.04	.	.	.29	.02	16
17	.01	s .36	.	.05	.	.27	.	.29	.	.	.88	.16	17
18	s .01	s .06	.83	.	.	.	.26	.65	.11	.	.51	.29	18
19	.68	.44	.84	.	.	.49	.	.48	.05	.	.18	.02	19
20	.62	.44	.36	.	.	.01	.	.11	.16	.	.09	.60	20
21	.02	1.42	.03	.	.	.03	.32	.09	.12	.	.07	.16	21
22	.	.27	.	.	.	.26	.01	.	.94	.	.12	.98	22
23	.	.01	.02	.	.	.	.	.03	.	.98	.60	.35	23
24	.03	.	.	.04	.	.06	.	.01	.09	.44	.45	.38	24
25	.34	.	.	.05	.03	.	.	1.13	.18	.02	.08	.29	25
26	s .09	.06	.45	.09	.	.04	.	.09	.22	.	.	1.32	26
27	s .24	.	.06	.31	.	.	.	.24	.	.	.	.01	27
28	s .02	.	s .25	.	.	.	.	.42	.	.	s .06	1.15	28
29	s .06		.03	.04	.	.02	.	.17	.	.14	s .02	.75	29
30	.		.01	.11	.	.21	.	.50	.	.04	.52	.85	30
31	.		s .08		.		.09	.		.		.11	31
Total	9.13	5.05	8.22	3.41	2.06	3.19	1.61	4.63	4.15	3.24	4.21	13.59	Year's Total 62.49
Days with ·01 in. or more	~~26~~	~~15~~	~~23~~	~~17~~	~~11~~	~~15~~	~~10~~	~~17~~	~~17~~	~~13~~	~~21~~	~~30~~	~~215~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3593

4 FEB 1921

4155

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Cantreff Reservoir
in the County of Brecknockshire
by Mr. C. H. Priestley

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station —
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ „ „ „ Sea Level 1,120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.09	.07	.28	.92	.	1.41	.02	.09	.37	.05	.94	1
2	s .18	.19	.01	.23	.05	.	.23	.19	.22	.19	.	1.04	2
3	.15	.28	.	.18	.20	.	.67	.07	.07	2.53	.	.15	3
4	.	.	.05	.04	.02	.	.	1.45	.09	.19	.	.	4
5	.	.01	.37	.	.52	.	.21	.35	.21	.16	.	.	5
6	.	.	.48	.01	1.00	.	.08	.02	.	.31	.01	.	6
7	.67	.	s .01	.28	.09	.	.10	.	.	.	.02	.	7
8	.02	.06	.	.98	.39	.	.20	.45	.	.	.01	.	8
9	1.18	1.35	.03	.82	.	.	.16	.08	.01	.	.02	.	9
10	1.95	1.05	.46	.05	.	.34	.57	.03	.	.	.31	.	10
11	.33	.02	.41	.77	.47	.09	.12	.	.	.	.	.	11
12	.78	.48	.05	.57	.12	.77	.41	.08	.	.06	.23	.	12
13	.16	.20	.96	.92	.	.	.01	.01	.	.03	.13	.	13
14	.40	.09	s .56	.88	.	.01	.47	.	1.42	.29	1.45	s .01	14
15	.22	.41	s .14	1.45	.08	.15	.02	.	.14	.02	.26	.	15
16	.09	.	.29	.29	.09	.96	.51	.01	.78	.95	.07	.	16
17	.93	.	.02	.	.45	2.10	.	.53	1.52	.09	.	s .01	17
18	.59	.	.	.33	.53	.11	.21	.10	.94	.	.	s .04	18
19	.04	.20	.	.55	.33	.25	.03	.04	.01	.	.	.	19
20	.06	.02	.	.96	.	.22	.24	.	.	.03	.	.72	20
21	.	.	.	.04	.	.	.35	.01	.03	.31	.	.36	21
22	.35	.	.	.23	.	.05	.49	.06	.	.	.	.30	22
23	.09	.	.10	.	.	.	.78	.	.	.	.	1.06	23
24	.12	.02	.79	.10	.	.01	.05	.	.	.	.15	1.27	24
25	.09	.12	.28	.05	.	.02	.79	.	.	.	.	.21	25
26	.45	.19	.61	.09	.87	.17	.09	.	.	.	.22	.29	26
27	.84	.18	1.23	.54	.09	.82	.15	.	.	.	.08	.55	27
28	s .59	.15	.50	.12	.	.36	.12	..	.	.	.	.22	28
29	.66	.04	.16	.30	.20	.09	.69	.	.	.	.27	1.38	29
30	.59	×	.22	.34	.05	.76	.20	.	.42	.10	.51	1.15	30
31	.39	×	.68	×	.	×	.07	.	×	1.14	×	.73	31
TOTAL	11.92	5.15	8.48	11.40	6.47	7.28	9.43	3.50	5.95	6.77	3.79	10.43	YEAR'S TOTAL 90.57
Days with ·01 in. or more	~~26~~	~~20~~	~~24~~	~~27~~	~~19~~	~~18~~	~~29~~	~~17~~	~~14~~	~~16~~	~~16~~	~~18~~	~~244~~
Days with ·04 in. or more	25	16	20	26	18	15	26	11	11	13	12	16	~~209~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGIS 1911

CARDIFF · W · W.
BEACONS RES
1911-20

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

4156

Kept at "Beacons" Res Snowdon.

in the County of Brecknock

by C. H. Priestley Esq

f top 5 in.
op above Ground 1 ft. — in.
" Sea Level 1.340 ft.
n 9 a.m.
tation { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	—	—	·13	·10	·35	—	·06	·20	—	·06	·73	·41	1
2	s. ·04	—	·05	·02	·52	—	—	·71	—	·09	·08	1·03	2
3	—	—	·16	·02	1·45	·52	—	·33	·08	—	·95	·36	3
4	—	—	·26	·01	·03	—	—	1·65	—	·08	1·83	·85	4
5	·40	—	·18	·02	—	—	—	·39	—	·23	·17	·08	5
6	·42	—	·08	—	—	—	—	·65	—	—	·55	1·01	6
7	·18	—	—	—	—	—	—	—	—	—	1·08	·01	7
8	·28	—	·48	—	—	—	—	—	—	—	·77	1·20	8
9	·08	—	·01	—	—	—	—	—	—	—	·31	·70	9
10	·24	11	1·01	—	—	—	—	—	—	—	·01	·82	
11	·67	·01	·15	—	·57	—	—	—	·05	—	·42	·42	11
12	—	·07	·71	—	·22	—	—	—	·81	—	1·48	·26	12
13	—	—	—	—	·04	—	—	—	·06	—	·40	·21	13
14	—	·26	—	—	·04	—	—	—	—	·03	·55	1·00	14
15	—	·48	·02	—	—	·06	—	—	—	—	1·20	·29	15
16	—	·09	—	—	—	·62	—	—	—	—	·37	·77	16
17	—	·63	—	·15	—	·73	·05	—	—	—	·46	1·21	1
18	—	1·83	·05	·41	—	·48	—	—	—	·08	·25	1·09	
19	—	·05	—	·61	—	·36	·03	·03	1·36	·13	·32	·93	
20	·04	·29	·03	·85	—	·14	—	·06	·37	·50	—	·5	20
21	·01	1·36	—	·14	—	·52	·07	·21	·09	·88	—	·28	21
22	—	·77	—	·70	—	·63	—	—	·05	·31	·01	·86	22
23	·05	·57	·01	·01	·26	·08	—	·25	·65	·50		·60	23
24	·26	·42	—	·03	·04	·91	—	·10	·08	·20	—	·55	24
25	·35	·20	—	·59	—	·16	—	·03	·38	·21	—	·25	25
26	·03	·31	—	·81	—	—	—	·91	·03	·16	·15	·21	26
27	—	2·02 s.	·23	·16	—	—	—	·85	·76	—	·11	·16	2
28	—	·62	·01	·40	—	·14	—	·12	—	—	·09	·05	28
29	—		—	·07	—	·86	·10	·03	·50	2·17	—	·10	
30	—		·01	·02	—	·02	·07	·02	—	·69	·26	·02	
31	—		—		—		·19	—		·06		·02	
09 Total	3·05	10·09	3·58	5·12	3·52	6·23	·57	6·54	5·27	6·38	12·55	16·31	TOTAL for year 79·21
No. of Rain Days.	14	18	18	19	10	15	7	14	14	17	24	31	204

000, X. '11.

Form A2.
British Rainfall.

10 JAN 1912

4136

REGISTER OF RAINFALL IN 1911

Kept at "Beacons" Reservoir

in the County of Brecknockshire 4

by C. H. Priestley Esq.

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 1.340 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	—	—	·13	·10	·35	—	·06	·20	—	·06	·73	·41	1
2	s. ·04	—	·05	·02	·52	—	—	·71	—	·09	·08	1·03	2
3	—	—	·16	·02	1·45	·52	—	·33	·08	—	·95	·36	3
4	—	—	·26	·01	·03	—	—	1·65	—	·08	1·83	·85	4
5	·40	—	·18	·02	—	—	—	·39	—	·23	·17	·08	5
6	·42	—	·08	—	—	—	—	·65	—	—	·55	1·01	6
7	·18	—	—	—	—	—	—	—	—	—	1·08	·01	7
8	·28	—	·48	—	—	—	—	—	—	—	·77	1·20	8
9	·08	—	·01	—	—	—	—	—	—	—	·31	·70	9
10	·24	·11	1·01	—	—	—	—	—	—	—	·01	·82	
11	·67	·01	·15	—	·57	—	—	—	·05	—	·42	·42	11
12	—	·07	·71	—	·22	—	—	—	·81	—	1·48	·26	12
13	—	—	—	—	·04	—	—	—	·06	—	·40	·21	13
14	—	·26	—	—	·04	—	—	—	—	·03	·55	1·00	14
15	—	·48	·02	—	—	·06	—	—	—	—	1·20	·29	15
16	—	·09	—	—	—	·62	—	—	—	—	·37	·77	16
17	—	·63	—	·15	—	·73	·05	—	—	—	·46	1·21	1
18	—	1·83	·05	·41	—	·48	—	—	—	·08	·25	1·09	
19	—	·05	—	·61	—	·36	·03	·03	1·36	·13	·32	·93	
20	·04	·29	·03	·85	—	·14	—	·06	·37	·50	—	·51	20
21	·01	1·36	—	·14	—	·52	·07	·21	·09	·88	—	·28	21
22	—	·77	—	·70	—	·63	—	—	·05	·31	·01	·86	22
23	·05	·57	·01	·01	·26	·08	—	·25	·65	·50	—	·60	23
24	·26	·42	—	·03	·04	·91	—	·10	·08	·20	—	·55	24
25	·35	·20	—	·59	—	·16	—	·03	·38	·21	—	·25	25
26	·03	·31	—	·81	—	—	—	·91	·03	·16	·15	·21	26
27	—	2·02 s.	·23	·16	—	—	—	·85	·76	—	·11	·16	2
28	—	·62	·01	·40	—	·14	—	·12	—	—	·09	·05	28
29	—		—	·07	—	·86	·10	·03	·50	2·17	—	·10	2
30	—		·01	·02	—	·02	·07	·02	—	·69	·26	·02	
31	—		—		—		·19	—		·06		·02	
Total	3·05	10·09	3·58	5·12	3·52	6·23	·57	6·54	5·27	6·38	12·55	16·31	TOTAL for year 79·21
No. of Rain Days.	14	18	18	19	10	15	7	14	14	17	24	31	204

000, X. '11.

REGISTER ~~OF~~ RAINFALL IN 1912

Ex'd DJ

FORM A. BRITISH RAINFALL.
14 JAN 1913

4156

Kept at Beacons Reservoir

in the County of Brecknockshire 4

by C. A. Priestley Esq.

Lat. .... Long. ....

Time of Observation 9.0 am

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 1340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
12 1	—	—	1·08	—	·09	·56	·03	·09	·05	·55	—	·38	1
2	·02	·02	·86	·04	—	·45	·11	·01	—	·08	—	·03	2
3	·28	·01	·51	·01	·04	·12	·05	1·35	·58	—	·06	·93	3
4	·86	—	1·42	·03	·06	·08	—	·24	—	—	·29	·01	4
5	·63	·10	·45	·03	·21	—	—	·32	·10	—	·01	·16	5
6	·82	·19	·06	—	·36	—	—	·76	—	—	·04	·19	6
7	·08	·44	·44	·01	·45	·53	·38	·03	—	—	·04	·14	7
8	·90	·25	·22	·18	—	·06	—	·34	·06	—	·01	—	8
9	·10	·33	·41	·28	—	·22	·25	·97	—	—	·07	·83	9
10	·45	·14	—	·02	—	·25	·48	·09	—	—	1·00	·12	10
11	·04	·18	—	—	·04	—	·15	·09	—	—	·47	1·58	11
12	·28	·61	·56	·15	·18	·25	·23	—	—	—	·02	·59	12
13	·18	—	·08	·01	—	·03	·05	—	—	·82	·02	1·32	13
14	·29	·28	1·15	—	—	·01	—	·09	·01	·13	—	1·11	14
15	·70	·31	·03	—	·24	·43	—	·05	—	—	—	·76	15
16	·92	·01	1·08	—	·14	·03	—	1·35	—	·68	·02	·07	16
17	·28	·01	·18	—	·11	·72	—	1·06	—	—	·14	·76	17
18	·05	·13	·15	—	—	·07	—	·65	—	·26	—	·15	18
19	·09	·47	·01	—	·02	·14	·25	·98	—	·09	·08	·16	19
20	·10	·05	1·10	—	·01	·04	·11	·23	—	·50	·22	—	20
21	—	·33	1·19	—	·37	—	—	·39	—	·46	·01	·06	21
22	·24	1·48	·22	—	·31	—	·97	·73	—	·02	·13	·92	22
23	·18	·30	·64	—	—	·33	·12	1·14	—	·20	·79	·22	23
24	·08	·07	·46	—	·05	·65	—	·08	—	—	·12	·46	24
25	—	·12	·36	—	—	·30	·01	·58	—	—	1·20	1·22	25
26	—	·40	·14	—	—	·03	·10	·71	—	1·65	1·11	·20	26
27	—	·43	·16	—	—	1·09	1·01	—	—	1·70	·02	1·59	27
28	—	·24	·03	—	—	1·23	1·03	1·24	·31	·59	·75	·22	28
29	—	·26	·03	—	—	·12	·73	·41	·48	·55	·01	·14	29
30	—		·32	—	·04	·15	·13	—	—	·75	·01	·15	30
31	·02		·30		·02		·78	·21		·06		·70	31
99 Total	7·59	7·16	13·64	·76	2·74	7·89	6·97	14·19	1·59	9·09	6·64	15·17	YEAR'S TOTAL 93·43
Rain Days.	23	26	29	10	18	25	20	27	7	17	25	29	256 +2

W. 7,500, XI. 12

Exe D S

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
17 JAN 1914
4156

Kept at Beacons Reservoir
in the County of Brecknockshire 4
by C. A. Priestley

Lat. — Long. —
Time of Observation 9.0 A.M.
Nearest Railway Station —
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 1.340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
13 1	·09	·56	·55	·31	·11	—	—	—	·06	·17	·49	·10	1
2	·12	·25	·76	·37	·18	·06	—	—	—	·42	·55	·38	2
3	·19	·34	·62	·01	·58	—	—	—	—	·70	—	·43	3
4	1·20	·31	·40	—	·12	·08	—	—	1·30	·09	·18	·36	4
5	·12	·12	·18	—	·19	·36	·09	—	·15	—	·79	·11	5
6	·86	·36	·40	—	·32	·48	·54	—	—	·42	·17	·43	6
7	·09	·88	·03	—	1·25	·54	·05	—	—	1·24	·19	·08	7
8	·05	·96	·07	—	·18	—	·08	·03	—	·09	—	·35	8
9	—	·41	·37	—	·16	·95	·09	·32	·04	—	·66	·18	9
10	·35	—	·30	·07	·24		—	·48	—	·26	·20	—	10
11	·88	—	—	·44	·12	—	·01	·04	·06	·14	1·15	·40	11
12	—	—	—	—	·12	·04	·06	·04	·12	—	1·19	·01	12
13	S. ·11	—	1·31	·15	·02	—	·13	·08	·88	—	·59	—	13
14	·52	—	·70	·77	·02	—	—	—	·10	·58	·06	·09	14
15	·51	—	·73	1·55	—	—	—	·75	—	—	·13	·25	15
16	·40	—	S. ·65	·18	—	—	·04	1·63	·02	—	·34	—	16
17	·38	—	·07	·56	·03	—	·16	—	—	—	·99	—	17
18	·22	—	·70	·85	·04	·04	·08	—	—	—	·31	—	18
19	·62	—	·65	·06	·07	·33	·05	—	·12	·94	·47	—	19
20	·38	—	·60	·36	·09	—	—	—	—	·53	2·53	—	20
21	·01	—	·80	·11	·39	·01	·11	·72	·01	·27	·17	—	21
22	·83	—	·98	—	·08	·44	—	·90	·64	—	—	—	22
23	·27	—	·11	—	·02	·13	—	·09	·09	—	·24	S. ·17	23
24	·54	·09	—	·24	—	—	—	—	—	—	·49	·05	24
25	—	·06	—	·61	—	—	—	—	·14	·03	·26	·55	25
26	—	—	—	1·98	—	·03	—	—	·02	·02	—	1·31	26
27	·09	—	·24	·58	—	—	—	—	—	·48	·03	·04	27
28	·37	—	·28	·93	·14	—	—	—	—	·46	—	S. ·30	28
29	—		·80	·45	·02	—	—	·08	—	·71	·14	—	29
30	1·04		—	—	·04	—	—	·02	—	·49	·38	—	30
31	·15		·40		·02		—	·08		·05		—	31
99 Total	10·39	4·34	12·70	10·58	4·55	3·49	1·49	5·26	3·75	6·09	12·70	5·59	YEAR'S TOTAL 82·93
Rain Days.	26	11	25	20	25	13	13	14	15	20	25	19	226

W.7,000, XI. 13

Ex D L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
6 - JAN 1915

4156

Kept at Beacons Reservoir

in the County of Brecknockshire 4

by

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
14 1	.	.22	.13	.04	.	.18	.18	1.37	.	.	.20	.12	1
2	.	.02	.07	.	.09	.	1.04	.20	.	.	.26	.64	2
3	.02	.	.57	.25	.83	.	.	.10	.	.05	.01	1.27	3
4	1.31	.	.21	.39	.43	.	.42	.10	.	.	.43	.78	4
5	.09	.	.48	.63	.42	.	.01	.01	.	.	.45	.02	5
6	.13	.19	.18	.21	.21	.03	.08	.18	.	.	.19	1.05	6
7	.19	.59	1.47	.24	.84	.16	.61	.77	.30	.	.03	1.02	7
8	.44	.	.13	.20	.63	.69	.02	1.25	.09	.	.14	.48	8
9	.86	.23	.09	.27	.25	1.58	.	1.03	.10	.	.14	.	9
10	.03	.62	.13	.45	.07	.03	.	.01	.34	.	.03	.07	10
11	.	.49	.86	.04	.57	.51	.	.	.	.	.71	1.02	11
12	.	1.18	.28	.	.	.	.	.	.30	.	.80	.31	12
13	.	1.94	.82	.04	.	.	.18	.	.92	.62	.39	.13	13
14	.	1.77	.41	.	.	.	.13	.10	.06	.07	.49	.04	14
15	.	.03	.91	.	.	.	.09	.53	.14	.02	.66	.04	15
16	s .01	.	.12	.	.	.	.15	.	.71	.	.	.22	16
17	s .11	.81	.32	.	.	.	.16	.	.10	.	.	2.02	17
18	.	.14	s .57	.	.	.	.06	.	.12	.	.	.70	18
19	.	.19	.21	.	.	.	1.71	.	.16	.	.12	.32	19
20	.	.89	.37	.	.	.22	.	.	.	.	.	s .25	20
21	.	.34	.06	.	.	.08	.04	.46	.	.32	.	.	21
22	.	.45	.04	.06	.06	.32	.04	.49	.	.97	.	.	22
23	.	.23	.40	.	.05	.	.19	.09	.	.22	.	.	23
24	.13	.01	.25	.	.04	.04	.30	.12	.	.02	.23	.01	24
25	.38	.05	.32	.	.	.	.70	1.03	.	.56	.41	.91	25
26	.08	.	.11	.	.	.	.55	.15	.	.23	1.19	.75	26
27	.07	.17	.	.	.	.	.01	.	.	.28	.88	.93	27
28	.43	.23	.29	.	.21	.	.	.	.02	.21	.12	.47	28
29	.97		.47	.	.06	.	.	.03	.	.49	1.90	.09	29
30	.08		.92	.	.	.	.	.03	.	.17	.92	1.19	30
31	2.39		.		.04		.65	.		.77		.19	31
99 Total	7.72	10.79	11.19	2.82	4.80	3.84	7.32	8.05	3.36	5.00	10.70	15.04	YEAR'S TOTAL 90.63
Rain Days.	18	22	29	12	16	11	22	20	13	15	23	27	228

W. 8,000. X. 14.

4127

FORM A.
BRITISH RAINFALL.
8 JAN 1916

4166

REGISTER OF RAINFALL IN 1915

Kept at "Beacons" Reservoir

in the County of Brecknockshire

by

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1,340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
15 1	1.06	.86	.22	.	.82	.	.	.77	.09	.43	.05	.49	1
2	.43	.43	.72	.56	.	.03	.10	.56	.27	.11	.	.26	2
3	.02	.50	.55	.18	.05	.	.49	.11	.	.	.	.78	3
4	.25	.67	.08	.	.27	.13	.86	.02	.05	.	.	.98	4
5	.16	.89	.05	.16	.	.04	.01	.17	.	.	.	1.40	5
6	.49	.22	.03	.37	.	.	.44	.14	.	.	.	.49	6
7	.48	1.23	.02	.09	.	.	.25	.40	.	.	.03	.99	7
8	.72	.68	.	.06	.	.	.	.06	.	.	.80	.07	8
9	.17	.56	.	.63	.	.	.	.07	.	.	.33	1.61	9
10	1.25	.05	.07	.09	.	.	.03	.05	.	.13	.31	.16	10
11	.17	.02	.04	.04	.	.	.	.45	.	.19	1.41	.03	11
12	.30	.22	.	.14	.59	.		.05	.	.20	1.31	.04	12
13	.12	1.02	.	.	1.26	.	.	.32	.14	.05	.14	.41	13
14	.65	.02	.	.	.	.	.	.39	.30	.	.01	1.30	14
15	1.15	.01	.	.	.13	.	.17	.07	.18	.03	.17	.29	15
16	.13	2.06	.	.	.45	.	1.27	.08	.03	.		.01	16
17	.02	.21	.	.	.43	.	.	.17	.	.	.	.	17
18	.03	1.06	.	.	.	.	.21	.	.	.	.	.	18
19	.05	.05	.	.53	.37	.	1.54	.	.	.	.	.	19
20	1.02	.	.	.01	.	.	.01	.03	.	.11	.	.13	20
21	.39	.15	.	.	.05	.	.72	.	.	.13	.	.29	21
22	.05	.05	.24	.13	.	.04	1.04	.	.07	.14	.	1.06	22
23	.10	.04	.19	.	.	.37	.19		.09	.88		.61	23
24	.	.	.03	.10	.	.	.14	.	.08	.71	.	1.15	24
25	.	.	.	.	.	.44	.25	.	.04	.08	.04	.36	25
26	.	.72	.	.	.	.04	.58	.	.09	.01	.	1.33	26
27	.	.15	.	.	.	.24	.15	.	.06	.89	.	.44	27
28	.	.28	.	.	.	.10	.02	.05	.33	.11	.01	.07	28
29		X	.	.	.	.16	.15	.03	.01	.04	.96	.19	29
30	.34	X	.	.30	.	.03	.01	.	.	.54	.53	.72	30
31	.05	X	.	X	.	X	.37	.14	X	1.75	X	1.34	31
99 Total	9.60	12.15	2.24	3.39	4.42	1.62	9.00	4.13	1.77	6.53	6.10	17.00	YEAR'S TOTAL 77.95
Rain Days.	25	25	12	15	10	11	23	21	15	19	14	28	218

W. 8,000; X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

9 JAN 1917

4156

Kept at "Beacons" Reservoir

in the County of Brecknockshire

by C. A. Priestley

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1,340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.75	.06	s .12	.	.02	.77	.66	.	.	.26	.48	.	1
2	2·07	.66	s .28	.	.	.08	.69	.	.38	1·77	.54	.	2
3	.20	1.53	.	.	.15	.18	.01	.	.30	.62	.59	.01	3
4	.90	s .45	.	.04	.30	1·12	.03	.	.24	.82	.88	.	4
5	.18	.60	s .48	.	.13	.26	.06	.	.	1.21	.15	.	5
6	.95	.46	s .19	.	.16	.14	.52	.	.	1.34	.94	.01	6
7	.30	s .06	s .24	.	.36	.03	.03	.	.	.48	1.30	.18	7
8	.05	s .10	s .16	.	.55	.02	.	.	.	.16	.12	.22	8
9	.01	s .18	s .11	.	.02	.	.	.	.	.18	.10	.08	9
10	.03	.46	s .12	.21	.09	.	.07	.	.02	.33	.05	s .06	10
11	.27	.12	s .11	.45	.12	.05	.02	.	.05	.11	.	.	11
12	.18	.50	.03	.15	.38	.	·96	.38	.07	.54	.	.	12
13	.	.55	.39	.34	.	.	.	·93	.02	1.12	.	.	13
14	.06	s .45	.09	.09	.21	.	.	.25	.	.46	.	.02	14
15	.03	2·07	.11	.20	.04	.	.02	.24	.05	.15	.	.	15
16	.25	.06	.	.46	.03	.	.04	.08	.	.31	.	.	16
17	.93	.31	.	.66	.	.	.	.28	·91	.43	s .16	.	17
18	.16	.61	.30	.57	.	.	.	.	.37	.24	s .31	s .14	18
19	1.23	.07	·63	·60	.	.	.	.	.04	.	.18	s .15	19
20	.88	.13	.19	.02	.	.	.	.	.	.	.10	.38	20
21	1.35	.	.24	.17	.07	.02	.05	.	.	.	.09	s .18	21
22	.	.	.03	.03	.	.08	.	.01	.	.87	.10	s .35	22
23	.17	s .41	s .03	.39	.	.23	.	.21	.	.50	.74	.16	23
24	.	s .07	.03	.55	1·69	.05	.	.32	.	.54	.08	s .19	24
25	.14	s .37	.38	.	.05	.08	.	·93	.09	.45	.72	.07	25
26	.34	s .25	.16	.	.	.21	.	.56	.55	.57	.18	.	26
27	.09	s .32	s .48	.	.	.64	.	.43	.78	.88	.	.	27
28	.04	s .40	s .11	.	.01	.02	.	.	.08	.56	.43	2·56	28
29	.	s .61	s .07	.	.	.72	.	.78	.	.77	.04	1.31	29
30	.	X	.	.	.	.27	.	.04	.	.94	.	.08	30
31	.	X	.	X	.01	X	.	.44	X	1.16	X	.22	31
99 Total	11.56	11.86	5.08	4.93	4.39	4.97	3.16	5.88	3.95	14.77	8.28	6.37	YEAR'S TOTAL 88.20
Rain Days.	25	27	25	16	19	19	13	15	15	28	22	19	243

W. 8,000, VIII. 16

3887

FORM A.
BRITISH RAINFALL.

19 JAN

4156

REGISTER OF RAINFALL IN 1917.

Kept at Beacons Reservoir

in the County of Brecknockshire

by Mr C. H. Priestley

Lat. Long.

Time of Observation 9.0 a.m

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1,340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.	.22	s .13	.	.61	.	.33	.62	.	.18	.09	1
2	.03	.	.09	s .08	.	.09	.	.03	.	.21	.36	s .05	2
3	.42	s .32	.01	s .04	.	.29	.	.02	.	1.24	.19	s .02	3
4	.02	s .02	s .11	.04	.	.	.18	.12	.01	.66	.02	.02	4
5	.77	.	.41	:47	.	.08	.	.22	.32	.72	1:01	.	5
6	.10	.	s :74	.	.	.02	.	.	.	.91	.58	:72	6
7	s :87	.	s .03	.	.	.01	.14	.16	.	.18	.43	.16	7
8	.03	.	s .12	.36	.	.05	.38	1.48	.11	1.26	.50	* .34	8
9	.	.	.15	s .14	.14	.	.	.32	.14	.12	.83	.	9
10	s .32	.	.66	s .19	.09	.22	.	.68	.04	.09	.02	.	10
11	.31	.	.	s .12	.	.	.	.78	.	.97	.19	.	11
12	s .15	.	.05	s .02	1.02	.	.	.11	.	.43	.	.01	12
13	.	.	.22	:47	.	.07	.	1.85	.44	.20	.02	.06	13
14	s .04	.	.08	.15	.03	.	.	.77	.04	.05	.	.11	14
15	s .01	.	.	s .09	.22	.	.55	.04	.16	.60	.	s .47	15
16	s .01	.14	.	.41	.	.04	.06	.02	.	.03	.02	s .26	16
17	s .02	.08	.07	.26	.27	.	1:48	1:98	.32	.32	.04	.	17
18	.	.	.06	.04	.05	.	.98	.05	1:15	.03	.	.	18
19	.	:68	.36	.	.	.34	.	.08	.12	.	.03	.	19
20	s .03	.07	.	.	1:10	.24	.11	.18	.48	.	.13	.	20
21	.	.	s .02	.	.08	.	.	.01	.	.31	.01	.	21
22	.	.11	.	.	.01	.01	.	.72	.	.41	.11	.	22
23	.	.25	.	.	.30	.25	.	1.33	.	.18	.05	.02	23
24	.	.05	.03	.	.	.35	.15	1.15	.	1:30	.21	.11	24
25	.	.09	* .17	.	.	.	.03	.41	.15	.13	.17	.	25
26	.	.	.	.	.48	.20	.05	.55	.65	.10	.45	.	26
27	.	.01	s .03	.	.61	1:02	.46	1.13	.	s .12	.06	.	27
28	.	.03	.25	.	.	.34	.02	.77	.	.	.19	s .01	28
29	.		s .25	.	.01	.	.	.31	.	.94	.16	.41	29
30	.	X	.13	.	.	.	.	.80	.	.52	.29	.	30
31	.	X	.08	X	.81	X	.	.64	X	.07	X	.	31
99 Total	3.15 ✓	1.85 ✓	4.34 ✓	3.01 ✓	5.22 ✓	4.23 ✓	4.59 ✓	17.04 ✓	4.75 ✓	12.10	6.25 ✓	2.86 ✓	YEAR'S TOTAL 69.39 ✓
Rain Days.	16 ✓	12 ✓	24 ✓	16 ✓	15 ✓	18 ✓	13 ✓	30 ✓	15 ✓	27 ✓	26 ✓	16 ✓	228

W. 8,000, IX. 17.

* snow and rain.

520 9 JJ Dec. computed. 9 leaking

23

FORM BRITISH RAINFALL 101.19 1456

REGISTER OF RAINFALL IN 19 18

Kept at Beacons Reservoir

in the County of Brecknockshire

by Mr C. H. Priestley

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1,340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date. 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.46	.	.33	.04	.	.	.13	.05	.02	1.27	.04	1
2	.	.38	.	.10	.	.	.	.25	.04	.08	.28	1.42	2
3	.	.31	.	.04	.38	.	.	.02	.33	.14	.06	.21	3
4	.	.22	.02	.01	.	.	.	.08	.49	.86	.86	1.08	4
5	.	.25	.02	.31	.12	.01	.	.44	.10	1.28	.10	.15	5
6	S .04	1.28	.	.34	.	.03	.	.	.32	.35	.	.40	6
7	.	.49	.	.01	.44	.12	.01	.06	1.45	.20	.25	.23	7
8	S .19	.44	.	.	.	.06	.04	.	.12	.35	.11	.10	8
9	.15	.96	.	.29	.	.60	.19	.	.40	.68	.18	.56	9
10	.15	.39	.	.30	.	.	1.16	.	.33	.16	.44	.80	10
11	.09	.24	.16	.	.04	.	.98	.	.46	.14	.04	.54	11
12	* .10	.43	.08	.	.14	.	.36	.	.15	.	.	.37	12
13	S .08	.06	.02	.	.08	.08	.01	.	.64	.15	.	.64	13
14	1.52	.	.04	.	.15	.04	.46	.01	.52	.03	.	.84	14
15	S .42	.	.	.	.04	.12	1.41	.	.35	.	.	.92	15
16	S .32	.	.	1.00	.	.03	.14	.11	.64	.02	.	.25	16
17	.42	.	.08	.	.	.12	.64	.04	.66	.13	.	.74	17
18	1.77	.	.25	.	.	.85	.34	.	.60	.11	.	.95	18
19	.44	.29	.20	S .03	.	.04	.14	.02	.06	.05	.	.25	19
20	.31	.38	.	.24	.	.14	.03	.01	.85	.	.	.02	20
21	.15	.51	.	.19	.	.06	.28	.	1.84	.04	.	.14	21
22	.23	.03	.	.	.88	.	.89	.02	.33	.03	.	.92	22
23	1.13	.04	.	.	.65	.	.14	.	.22	.	.13	.20	23
24	.08	.29	.	.	.	.	.22	.29	.32	.01	.32	.10	24
25	.	.02	.	.	.08	.	.43	1.09	.20	.21	.14	.07	25
26	.28	.01		.10	.	.	.41	.06	.30	.19	.25	.97	26
27	.09	S .22	1.04	.	.	.	.58	.40	.50	.08	.34	.59	27
28	.	.	.42	.03	.	.	.	.	.03	.04	.25	.66	28
29	.	X	.24	.	.	.	.	.	1.48	.02	.	.26	29
30	.	X	.82	.	.	.	.	.02	.05	.16	.08	.35	30
31	.	X	.46	X	.	X	.	.12	X	.08	X	.01	31
99 Total	8.56	8.00	4.18	3.32	3.04	2.30	9.22	3.47	13.86	5.61	5.49	14.78	YEAR'S TOTAL 81.86
Rain Days.	20	22	14	15	12	14	21	18	30	27	14	31	241

81.85

* snow & rain.

W, 6,500, VII. 18. W W &

W D Jan + pt Feb est.d from Cantreff (g. leaky)

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

4156

20 JAN 20

Kept at "Beacons" Reservoir
in the County of Brecknockshire
by

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1,340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·92	.	.31	.04	.40	.	:58	.	.54	.62	.	.90	1
2	·30	.	.22	.	.05	.	.11	.11	.20	.08	.05	.62	2
3	–		.06	.	.22	.	.	.	.16	.	.08	.77	3
4	·03	·24	.30	.	.12	.20	.08	.24	.51	.	.02	.61	4
5	·06	·50	.03	.	.04	.		.	.05	.	.04	.97	5
6	·91	·12	1.05	.	.	.	.	.	.	.	.06	.29	6
7	·22	.	.31	.12	.	.04	.	.	.09	.	.	.10	7
8	·55	.	.18	.04	.	.25	.	.	.	.	.	.	8
9	·68	.	.24	.21	.	.	.	.	.	.	s .19	.04	9
10	·52	.	1:45	.08	.07	.	.	.	.	.09	s .03	.93	10
11	·32	.	1.20	.35	.35	.10	.10	.	.	.05	.	.03	11
12	·03	.	.74	.26	.14	1:14	.	.	.	.20	s .05	.01	12
13	·92	.04	.	:72	.	.	.01	.	.89	.47	.	.17	13
14	1·30	.03	.	.56	:54	.	.15	.02	.34	.14	.	.27	14
15	·65	.06	.	.29	.03	.	.	.	.	.29	.	.61	15
16	·30	1.40	.	.08	.01	.18	.05	.25	.	.	.40	.24	16
17	·01	s .36	.	.03	.	.41	.	.58	.	.	1:13	.14	17
18	·01	s .04	.74	.	.	.	.26	.78	.13	.	.61	.30	18
19	·75	.48	.81	.	.	.61	.	.46	.12	.	.19	.03	19
20	·68	.23	.38	.	.	.02	.	.17	.19	.	.07	.73	20
21	·02	1:46	.03	.	.	.01	.36	.07	.11	.	.04	.21	21
22	–	.24	.	.	.	.23	.08	.	:96	.	.08	.99	22
23	–	.	.01	.	.	.02	.	.05	.	:85	.61	.17	23
24	·03	.	.	.04	.	.07	.	.02	.26	.60	.43	.56	24
25	·37	.	.	.09	.04	.	.	1:28	.14	.06	.09	.26	25
26	·10	.05	.52	.27	.	.06	.	.22	.52	.	.	1:78	26
27	·26	.	.19	.11	.	.	.	.52	.	.	s .09	.	27
28	·02	.	s .14	.08	.	.	.	.21	.	.	s .16	1.08	28
29	·07	×	.07	.05	.	.03	.	.23	.	.24	s .02	.82	29
30	·01	×	.02	.25	.	.31	.	.36	.02	.08	.54	1.23	30
31	–	×	s .08	×	.	×	.12	.	×	.	×	.09	31
99 TOTAL	10·04	5·25	9.08	3.67	2.01	3.68	1.90	5.57	5.23	3.77	4·98	14.95	YEAR'S TOTAL 70.13
Days with ·01 in. or more	(27)	14	23	19	12	16	11	17	17	13	22	29	220

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W. ※ Estimated, gauge defective.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

FEB 1921

4156

Kept at "Beacons" Reservoir
in the County of Brecknockshire
by Mr. C. H. Priestley

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1,340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.10	.08	.36	1.15	.	1.28	.11	.09	.01	.08	.98	1
2	s .04	.33	.	.39	.06	.	.19	.12	.19	.18	.	1.21	2
3	.04	.46	.	.23	.11	.	.69	.10	.09	2.66	.	.21	3
4	.	.	.04	.06	.06	.	.	2.16	.04	.19	.	.	4
5	.	.02	.47	.	1.08	.	.32	.31	.29	.39	.	.	5
6	.	.	.51	.24	.38	.	.06	.01	.	.10	.	.01	6
7	.70	.03	s .04	.41	.02	.	.15	.	.	.	.02	.	7
8	.14	.09	.	.92	.37	.	.35	.52	.	.	.	.	8
9	1.48	1.74	.02	1.02	.	.	.35	.11	.06	.	.05	.	9
10	2.59	.90	.73	.06	.	.45	.63	.01	.	.	.22	.	10
11	.55	.04	.37	.93	.58	.05	.18	.	.	.	.	.	11
12	1.25	.59	.09	.83	.08	.81	.59	.12	.	.04	.64	.	12
13	.19	.19	.83	.89	.	.	.01	.	.	.10	.25	.	13
14	.45	.10	s .58	1.30	.	.	.32	.	1.87	.42	2.74	s .01	14
15	.16	.35	s .21	1.12	.07	.17	.01	.	.	.02	.17	.	15
16	.09	.01	.23	.28	.10	.78	.82	.02	.82	.91	.01	.	16
17	.63	.	.04	.	.57	1.11	.	.66	2.10	.07	.	s .04	17
18	.62	.	.	.49	.31	.06	.12	.11	.58	.	.	s .03	18
19	.06	.39	.	.84	.52	.38	.05	.12	.	.	.	.	19
20	.08	.03	.	.85	.	.18	.13	.	.	.18	.	.69	20
21	.	.	.	.17	.	.	.48	.03	.02	.14	.	.30	21
22	.35	.	.	.23	.	.06	.70	.10	.03	.	.	.32	22
23	.23	.	.25	.01	.	.	.67	.	.	.	.	1.23	23
24	.16	.05	1.07	.06	.	.	.02	.	.	.	.17	1.54	24
25	.26	.12	.21	.14	.	.02	.97	.	.01	.	.	.26	25
26	.46	.06	.55	.25	.30	.34	.11	.	.01	.	.20	.38	26
27	.76	.19	1.13	.43	.08	.84	.27	.	.	.	.07	.52	27
28	s .50	.07	.47	.18	.	.74	.15	.	.	.	.	.29	28
29	.63	.02	.26	.19	.19	.33	.88	.	.	.	.45	1.78	29
30	.91	×	.24	.48	.07	1.22	.15	.	.71	.18	.53	1.52	30
31	.34	×	.91	×	.	×	.08	.	×	1.03	×	.66	31
99 TOTAL	14.03	5.88	9.36	13.36	6.10	7.54	10.73	4.61	6.91	6.62	5.60	11.98	YEAR'S TOTAL 102.72
Days with ·01 in. or more	26	22	23	28	19	16	29	16	15	16	14	19	243
Days with ·04 in. or more	26	17	22	27	18	15	26	12	11	14	12	16	216

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

CARDIFF W.W
LLWYNON RES.

1911- 20

REC 11

don

Kept at "Llwynon" Rese 5 in.

e Ground 1 ft. – in.

in the County of Breckn Sea Level 860 ft.

a.m.

by C.H. Priestley

Name

Distance Direction

IMPORTANT NOTE d the result entered to the previous day. If an Obs iversal rule, he is earnestly requested to add the reading year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·10	·07	·14		·29	·09		·04	·65	·08	1
2	·02		·02	·01	·30			·37		·05	·35	·65	2
3			·05	·01	·83			·13		·01	·38	·25	3
4			·12	·02	·02			·54	·09	·04	·96	·87	4
5	·33		·11	·03				·42		·12	·11	·13	5
6	·31		·05	·01				·20			·34	·84	6
7	·13							·01			·73		7
8	·29		·33								·86	1·24	8
9	·10		·03								·35	·85	9
10	·09	·10	·73								·02	·72	10
11	·31	·01	·02		·07				·05		·34	·30	11
12		·03	·62		·35				·45		1·02	·19	12
13		·01			·06				·14		·21	·21	13
14		·38	·01		·01						·15	·98	14
15		·24	·02			·05					·83	·30	15
16		·08	·01			·42					·34	·72	16
17	·01	·66		·03		1·14	·02				·36	1·39	17
18		·94	·05	·28		·38				·06	·21	1·20	18
19		·16		·34		·43	·01	·02	1·12	·24	·20	·88	19
20	·04	·12	·04	·54		·16			·16	·21	·01	·53	20
21	·02	·71	·03	·06		·17	·01	·11	·07	·98		·16	21
22		·12		·32		·33			·04	·24		·89	22
23	·02	·45	·01	·04	·16	·02			·45	·31	·01	·34	23
24	·07	·31			·03	·48		·19	·05	·17		·42	24
25	·21	·14		·31		·04		·01	·29	·09		·21	25
26	·01	·21		·58	·03	·01		·21	·01	·27	·06	·25	26
27		1·08	·17	·22				·39	·30		·14	·19	27
28		·40	·04	·39		·07		·12			·18	·04	28
29				·11		·72	×	·02	·52	1·07	·01	·07	29
30			·02			·09	×	·04		·49	·19	·02	30
31							·06			·08		·02	31
Total	1·98	6·15	2·58	3·37	2·00	4·51	·39	2·87	3·74	4·47	9·01	14·89	TOTAL for year 55·96
No. of Rain Days.	16	19	21	18	11	15	5	16	14	17	26	30	208

W. 8,000, X. '11. × Gauge out of order.

FORM A2.
BRITISH RAINFALL
10 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at "Llwynon" Reservoir (site of)

in the County of Brecknockshire 4

by C. H. Priestley Esq.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 860 ft.

Time of Observation 9.0 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·10	·07	·14		·29	·09		·04	·65	·08	1
2	·02		·02	·01	·30			·37		·05	·35	·65	2
3			·05	·01	·83			·13		·01	·38	·25	3
4			·12	·02	·02			·54	·09	·04	·96	·87	4
5	·33		·11	·03				·42		·12	·11	·13	5
6	·31		·05	·01				·20			·34	·84	6
7	·13							·01			·73		7
8	·29		·33								·86	1·24	8
9	·10		·03								·35	·85	9
10	·09	·10	·73								·02	·72	10
11	·31	·01	·02		·07				·05		·34	·30	11
12		·03	·62		·35				·45		1·02	·19	12
13		·01			·06				·14		·21	·21	13
14		·38	·01		·01						·15	·98	14
15		·24	·02			·05					·83	·30	15
16		·08	·01			·42					·34	·72	16
17	·01	·66		·03		1·14	·02				·36	1·39	17
18		·94	·05	·28		·38				·06	·21	1·20	18
19		·16		·34		·43	·01	·02	1·12	·24	·20	·88	19
20	·04	·12	·04	·54		·16			·16	·21	·01	·53	20
21	·02	·71	·03	·06		·17	·01	·11	·07	·98		·16	21
22		·12		·32		·33			·04	·24		·89	22
23	·02	·45	·01	·04	·16	·02			·45	·31	·01	·34	23
24	·07	·31			·03	·48		·19	·05	·17		·42	24
25	·21	·14		·31		·04		·01	·29	·09		·21	25
26	·01	·21		·58	·03	·01		·21	·01	·27	·06	·25	26
27		1·08	·17	·22				·39	·30		·14	·19	27
28		·40	·04	·39		·07		·12			·18	·04	28
29				·11		·72	×	·02	·52	1·07	·01	·07	29
30			·02			·09	×	·04		·49	·19	·02	30
31							·06			·08		·02	31
Total	1·98	6·15	2·58	3·37	2·00	4·51	·39	2·87	3·74	4·47	9·01	14·89	TOTAL for year 55·96
No. of Rain Days.	16	19	21	18	11	15	5	16	14	17	26	30	208

W. 8,000, X. '11.

× Gauge out of order.

FORM A.
BRITISH RAINFALL.
14 JAN 1913

REGISTER ~~Ex DL~~ OF RAINFALL IN 1912

Kept at Llwynon Reservoir

in the County of Brecknockshire 4

by C. H. Priestley Esq.

Lat. Long.

Time of Observation 9.0 am.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·89		·10	·56	·06	·14	·05	·43		·29	1
2	·02	·02	·62	·05	·01	·39	·07	·04		·11	·01		2
3	·22	·01	·58	·02		·18	·05	1·41	·39		·08	·49	3
4	·85		1·19	·04	·11	·22		·37			·29	·03	4
5	·56	·11	·29	·03	·11	·05		·42	·02		·02	·12	5
6	·72	·22	·02	·01	·20			·40			·06	·17	6
7	·08	·54	·43		·34	·72	·26	·09	·01		·05	·18	7
8	·82	·34	·39	·14	·01	·04	·01	·19	·03		·01	·01	8
9	·04	·23	·56	·21		·32	·04	·71			·07	·52	9
10	·33	·12		·02		·62	·23	·16	·03		·43	·06	10
11	·12	·09	·09		·02		·03	·01		—	·41	1·10	11
12	·08	·22	·31	·13	·19	·42	·16				·03	·25	12
13	·27	·01	·04	·02		·23	·02			·38	·03	·54	13
14	·23		·63		·01	·04		·09		·02		·32	14
15	·85	·19	·02		·10	·60		·07				·69	15
16	·82	·02	·55		·09	·01		·52		·34	·03	·10	16
17	·36	·02	·14		·05	·58		·53			·10	·65	17
18	·08	·09	·11			·02		·32		·24	·02	·09	18
19	·08	·24	·03		·01	·06	·15	·91		·14	·05	·11	19
20	·10	·05	·77		·02	·03	·02	·10		·52	·09	·03	20
21		·11	·86		·47			·49		·31		·01	21
22	·16	·71	·19		·59	·02	·55	·94		·03	·07	·63	22
23	·14	·34	·72			·43	·04	·87		·09	·32	·12	23
24	·09	·06	·29		·02	·60		·03		·01	·07	·45	24
25		·03	·24			·13	·17	1·05		·06	·71	·62	25
26		·28	·14			·01	·05	·32		1·26	1·02	·49	26
27		·12	·19			·69	·93			1·21	·04	·92	27
28		·22	·05			·49	·97	·89	·32	·66	·54	·26	28
29		·17	·08			·20	·38	·53	·52	·44		·01	29
30			·30		·04	·17	·04	·02		·59		·07	30
31	·02		·25		·03		·62	·25		·06		·22	31
Total	7·04	4·56	10·97	·67	2·52	7·83	4·85	11·87	1·37	6·90	4·55	9·55	YEAR'S TOTAL 72·68
Rain Days.	23	26	30	10	20	27	21	28	8	19	24	30	266

C. H. Priestley

W. 7,500, XI. 13

✓ Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
17 JAN 1914

Kept at Llwynon Reservoir

in the County of Brecknockshire 4

by C. H. Priestley

Lat. — Long. —
Time of Observation 9.0 A.M.
Nearest Railway Station —
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, ,, ,, ,, Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·32	·70	·20	·06				·07		·35	·06	1
2	·05	·36	·28	·40	·11	·03				·50	·36	·21	2
3	·30	·12	·26		·44					·30	·02	·28	3
4	1·09	·08	·25		·21				1·58	·10	·14	·29	4
5	·15	·06	·12		·12	·30	·06		·09	·01	·69	·09	5
6	·43	·22	·29		·25	20	·30		·01	·61	·35	·46	6
7	·13	1·23			·61	·41	·01			·86	27	·06	7
8	·06	·56	·02		·56	·05	·06	·02		·04		·14	8
9		·26	·25		·21	1·03	·21	·18	·01	·04	·87	·13	9
10	·61		·19	·02	·35			·39		·17	·27		10
11	·79			·45	10	·02		·02	·01	·20	·96	·14	11
12	·03				·16	·01	·03	·01	·12		·70	·02	12
13	S. ·13		·83	·01	·02	·02	·08	·14	·76		·40		13
14	·54		·68	·49				·01	·07	·46	·08	·03	14
15	·30	·02	·68	1·30				·58	·02		·09	·09	15
16	·29		S. ·95	·08		·03	·04	·41			·30		16
17	·40		·09	·40	·01		·12				·45		17
18	·21		·75	·64	·08	·05	·04				·23		18
19	·34		·17	·02	·07	·48	·04		·10	·45	·13		19
20	·58		·52	·10	·04					·43	1·29		20
21			·27	·34	·14		·16	·29		·36	·18		21
22	1·04		1·26		·04	·38		·67	·40				22
23	·13		·06		·02	·08		·09	·05		·17	S ·23	23
24	·26	·13		·19							·23	·04	24
25		·06		·49					·11	·03	·23	·29	25
26		·01		2·70		·04		·02	·02	·01		·72	26
27	·10		·12	·59						·47	·01	·03	27
28	·34		·20	·53	·01					·37		S ·15	28
29	·01		·52	·35	·12			·09		·43	·11	·01	29
30	·70		·01		·02					·45	·31		30
31	·07		·30		·11			·03		·24			31
Total	9·15	3·43	9·77	9·30	3·86	3·13	1·15	2·95	3·42	6·53	8·89	3·47	YEAR'S TOTAL 65·05
Rain Days.	27	13	25	19	24	15	12	15	15	21	26	20	232
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

W.7,000, XI. 13

Exe D L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Llwynon Reservoir
in the County of Breknockshire
by

4

Lat.
Long.
Time of Observation 9.0 a.m.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.07	.06	.03	.	.16	.20	.89	.	.	.16	.07	1
2	.	.	.08	.02	.14	.	.85	.22	.	.	.19	.40	2
3	.04	.	.69	.22	.59	.	.	.12	.	.01	.01	.52	3
4	.56	.	.23	.27	.27	.	.58	.09	.	.	.30	.94	4
5	S .27	.	.57	.51	.23	.	.01	.01	.	.	.13	.02	5
6	.05	.14	.14	.04	.12	.03	.08	.08	.	.	.01	.66	6
7	.08	.83	.65	.16	.90	.05	.67	.23	.14	.	.01	.73	7
8	.58	.	.29	.17	.37	.54	.	.59	.07	.	.07	.28	8
9	.56	.14	.17	.27	.20	.94	.	.27	.04	.	.14	.	9
10	.07	.65	.05	.31	.11	.12	.	.01	.30	.	.02	.	10
11	.	.34	.70	.01	.24	.23	.04	.	.	.	.39	.64	11
12	.	.84	.18	.	.	.	.	.	.25	.	.51	.22	12
13	.	1.14	.62	.03	.	.	.19	.01	.96	.15	.60	.17	13
14	.	1.34	.46	.	.	.	.15	.32	.02	.03	.40	.	14
15	.	.06	.56	.	.	.	.03	.52	.20	.01	.42	.01	15
16	.01	.	.15	.	.	.	.13	.	.74	.	.	.13	16
17	.05	.47	.25	.	.	.	.11	.	.02	.	.	1.14	17
18	.	.04	.45	.	.	.	.02	.	.06	.	.	.48	18
19	.	.22	.48	.	.	.	1.95	.	.07	.	.05	.31	19
20	.	.82	.31	.	.	.14	.01	.	.	.	.	S .24	20
21	.	.34	.02	.	.	.10	.04	.01	.	.31	.	.	21
22	.	.37	.02	.06	.02	.07	.	.40	.	.68	.	.	22
23	.	.08	.32	.	.15	.	.09	.01	.	.28	.	.	23
24	.04	.15	.11	.	.02	.	.11	.10	.	.01	.29	.	24
25	.28	.01	.37	.	.	.	.31	.67	.	.39	.17	.49	25
26	.01	.03	.05	.	.	.	.12	.12	.	.33	.82	.85	26
27	.02	.04	.	.	.	.	.02	.	.	.09	.54	.65	27
28	.12	.23	.34	.	.11	.	.	.	.	.13	.12	.66	28
29	.59		.34	.	.09	.	.	.02	.	.24	1.09	.03	29
30	.13	X	.47	.	.	.	.02	.02	.	.13	.87	.96	30
31	1.09	X		X	.03	X	.48	.	X	.78	X	.31	31
													YEAR'S TOTAL
Total	4.55	8.35	9.13	2.10	3.59	2.38	6.21	4.71	2.87	3.57	7.31	10.91	65.68
Rain Days.	18	22	29	13	16	10	23	21	12	15	23	24	226

W. 8,000. X. 14.

4114

FORM A.
BRITISH RAINFALL.
8. JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at "Llwynon" Reservoir
in the County of Brecknockshire
by

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.45	.52	.13	.	.44	.	.	.54	.11	.38	.02	.49	1
2	.26	.39	.68	.25	.	.01	.03	.58	.03	.14	.	.11	2
3	.01	.41	.32	.22	.05	.	.92	.03	.	.	.	.54	3
4	.14	.63	.04	.	.18	.02	.25	.10	.03	.	.	.82	4
5	.23	.40	.02	.14	.02	.02	.02	.13	.	.	.	1.43	5
6	.34	.09	.01	.39	.	.	.44	.11	.	.	.	.33	6
7	.41	.44	.01	.04	.	.	.09	.14	.	.	.01	.44	7
8	.34	.55	.	.01	.	.	.	.06	.	.	.30	.01	8
9	.10	.44	.	.34	.	.	.	.01	.	.	.30	1.43	9
10	.49	.01	.06	.11	.	.	.02	.04	.	.11	.29	.09	10
11	.14	.05	.02		.	.	.	.44	.	.05	1.14	.10	11
12	.33	.39	.	.02	.36	.	.	.01	.	.24	.44	.01	12
13	.03	.88	.	.	.96	.	.	.	.11	.03	.03	.06	13
14	.31	.01	.	.	.	.	.	.33	.18	.	.	.89	14
15	.48	.	.	.	.14	.	.08	.12	.20	.06	.18	.40	15
16	.21	1.44	.	.	.41	.	1.34	.05	.01	.	.	.01	16
17	.	.34	.	.	.34	.	.01	.21	.	.	.	.	17
18		.66	.	.	.02	.	.04	.	.	.	.	.	18
19	.01	.03	.	.25	.33	.	.94	.	.	.	.	.	19
20	.79	.	.	.02	.06	.	.01	.02	.	.08	.	.10	20
21	.46	.29	.	.	.03	.	.24	.	.	.16	.	.11	21
22	.	.03	.24	.09		.	.64	.	.01	.05	.	.50	22
23	.09	.02	.21	.	.	.30	.20	.	.11	1.30	.	.59	23
24	.	.	.01	.03		.	.10	.	.06	.40	.	.48	24
25	.	.	.			.62	.02	.	.05	.03	.03	.32	25
26	.	.58	.	.	.	.02	.81	.	.02		.	1.12	26
27	.	.12	.	.	.	.18	.13	.	.01	.56		.22	27
28	.	.34	.03	.	.	.15	.	.02	.24	.12		.04	28
29	.		.	.	.	.06	.30	.	.05	.02	.68	.13	29
30	.28	X	.	.25	.	.01	.05	.		.42	.60	.54	30
31	.	X	.	X	.	X	.44	.20	X	.88	X	.90	31
Total	6.86	9.42	1.48	2.19	3.40	1.39	4.24	3.14	1.25	5.03	4.32	12.84	YEAR'S TOTAL 59.19
Rain Days.	21	24	13	14	13	10	23	19	15	18	12	28	210

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at "Llwynon" Reservoir
in the County of Brecknockshire
by C. N. Priestley

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	.03	.04	.	.01	.53	.50	.	.	.39	.39	.	1
2	1.25	.56	s .32	.	.	.14	.34	.	.35	1.08	.52	.	2
3	.04	1.12	.	.	.11	.08	.	.	.15	.54	.45	.01	3
4	.60	.46	.	.01	.29	.61	.	.	.15	.59	.48	.	4
5	.22	.15	s .04	.	.08	.20	.02	.	.	.52	.19	.	5
6	.45	.30	s .02	.	.15	.04	.53	.	.	.42	1.03	.01	6
7	.16	s .01	s .11	.	.21	.01	.02	.	.	.54	.88	.20	7
8	.03	s .10	s .06	.	.42	.05	.	.	.	.15	.04	.15	8
9	.01	s .13	s .04	.	.03	.01	.	.	.	.03	.06	.13	9
10	.05	.42	s .02	.23	.04	.	.08	.	.	.14	.06	s .19	10
11	.04	.04	.04	.42	.08	.05	.01	.	.03	.05	.02	.	11
12	.14	.23	.01	.26	.44	.	.45	.23	.	.40	.	.	12
13	.	.46	.20	.14	.01	.	.03	.44	.	.43	.	.	13
14	.04	s .44	.01	.03	.14	.	.	.44	.	.11	.	.01	14
15	.02	1.08	.12	.22	.02	.	.04	.60	.04	.11	.	.	15
16	.06	.04	.	.50	.02	.	.04	.01	.	.13	.	.	16
17	.33	.49	.	.46	.	.	.	.03	.89	.52	s .16	.	17
18	.03	.66	.24	.28	.	.	.	.	.23	.13	s .06	s .15	18
19	.52	.06	.63	.46	.	.	.	.	.09	.	.06	s .04	19
20	.29	.06	.31	.01	.	.	.	.	.	.	.11	.46	20
21	.60	.	.14	.42	.06	.02	.	.	.	.	.05	s .18	21
22	.	.	.01	.01	.	.04	.	.01	.	.65	.05	s .32	22
23	.05	s .26	.01	.11	.	.23	.	.26	.	.22	.41	.23	23
24	.	s .17	.01	.28	1.64	.02	.	.13	.	.69	.06	s .20	24
25	.02	s .24	.26	.	.01	.03	.	1.86	.04	.36	.65	.08	25
26	.30	s .13	.06	.	.01	.25	.14	.25	.86	.50	.12	.	26
27	.08	s .05	.45	.	.	.26	.	.40	.54	.82	.	.01	27
28	.03	.25	.01	.	.	.	.	.	.11	.74	.06	1.59	28
29	.	.15	.11	.	.	.53	.	.52	.	.65	.01	1.00	29
30	.	X	.	.	.	.09	.	.02	.	.85	.	.04	30
31	.	X	.	X	.	X	.	.18	X	.45	X	.16	31
Total	5.59	8.15	3.60	3.84	3.83	3.19	2.23	5.74	3.48	13.74	6.22	5.22	YEAR'S TOTAL 64.86
Rain Days.	25	24	25	16	19	19	12	15	12	28	23	20	241

W. 8,000, VIII. 16

3870

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL

8. JAN 1918

Kept at Llwynon Reservoir

in the County of Brecknockshire

by Mr C. H. Priestley

Lat. Long.

Time of Observation 9.0 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.	.17	s .19	.	77	.	.14	.18	.	.14	.17	1
2	.05	.	.04	s .08	.	.04	.	.01	.	.33	.37	.	2
3	.18	s .25	.02	s .05	.	.02	.02	.	.	.86	.20	s .02	3
4	.13	.	s .14	.01	.	.	.25	.03	.	.34	.01	.	4
5	.74	.	.43	.38	.	.04	.	.06	.27	.55	.40	.	5
6	.04	.	s .45	.	.	.02	.	.02	.	.36	.43	.24	6
7	s .56	.	s .05	.	.	.	.15	.13	.	.41	.22	.17	7
8	.14	.	s .11	.23	.	.02	.76	1.08	.11	.82	.36	.28	8
9	.	.	.08	s .16	.14	.	.	.53	.17	.05	.75	.	9
10	s .35	.	.63	s .27	.19	.03	.	.39	.03	.09	.03	.	10
11	.18	.	.	s .37	.	.	.	.84	.	.54	.18	.	11
12	.15	.	.02	s .02	1.13	.	.	.26	.	.44	.	.	12
13	s .02	.	.17	.19	.	.04	.	2.25	.39	.13	.01	.04	13
14	.	.	.02	.08	.01	.	.	.16	.01	.01	.01	.05	14
15	.	.	.	s .09	.21	.	.07	.07	.10	.27	.	s .37	15
16	s .02	.15	.	.18	.	.08	.	.	.	.01	.02	s .15	16
17	.	.04	.05	.15	.16	.	.91	1.17	.23	.20	.05	.	17
18	.	.	.06	.03	.04	.	.96	.08	1.24	.05	.	.	18
19	s .01	.65	.17	.	.	.30	.	.01	.02	.	.03	.	19
20	s .02	.11	.05	.	.50	.22	.05	.06	.13	.	.09	.	20
21	.	.	s .02	.	.10	.	.	.04	.	.12	.	.	21
22	.	.02	.	.	.01	.	.	.66	.	.21	.03	.	22
23	.	.34	.	.	.25	.08	.	.61	.	.26	.04	.04	23
24	.	.10	.02	.	.01	.13	.20	.57	.	.99	.20	.06	24
25	.	.07	.22	.	.	.	.03	.42	.09	.08	.19	.	25
26	.	.	.	.	.45	.02	.	.62	.44	.03	.40	.	26
27	.	.01	.02	.	.40	.31	.33	.84	.	s .04	.03	.01	27
28	.	.01	.25	.	.04	.31	.	.66	.	.	.12	s .01	28
29	.		.23	.	.	.03	.	.10	.	1.22	.07	.41	29
30	.	X	.06	.	.		.	.45	.	.19	.14	.	30
31	.	X	.04	X	.35	X	.	.41	X	.05	X	.	31
Total	2.63 ✓	1.75 ✓	3.52 ✓	2.48 ✓	3.99 ✓	2.46 ✓	3.73 ✓	12.67 ✓	3.41 ✓	8.65 ✓	4.52 ✓	2.02 ✓	YEAR'S TOTAL 51.83 ✓
Rain Days.	15 ✓	11 ✓	25 ✓	16 ✓	16 ✓	17 ✓	11 ✓	29 ✓	14 ✓	27 ✓	26 ✓	14 ✓	221

W. 8,000, IX. 17.

Ed MS

10

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
10 I. 19

Kept at Llwynon Reservoir
in the County of Brecknockshire
by Mr C. H. Priestley

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.25	.	.15	.02	.	.	.21	.02	.03	1.28	.02	1
2	.	.28	.	.44	.	.	.	.30	.02	.03	.15	.45	2
3	.	.43	.	.08	.33	.	.	.	.38	.20	.03	.06	3
4	.	.11	.	.	.	.	.	.06	.49	.45	1.38	.41	4
5	.	.09	.01	.18	.05	.03	.	.41	.13	1.11	.08	.08	5
6	.06	.48	.01	.31	.	.01	.	.01	.20	.21	.	.24	6
7	.	.24	.	.02	.21	.04	.01	.02	1.04	.23	.45	.14	7
8	S .16	.03	.	.	.	.	.	.	.10	.32	.04	.04	8
9	.11	.31	.	.18	.	.45	.08	.	.49	.65	.16	.25	9
10	.14	.18	.	.21	.	.	.89	.	.25	.24	.35	.50	10
11	.13	.56	.12	.	.	.	.60	.	.39	.09	.10	.60	11
12	S .05	.34	.06	.	.14	.	.59	.	.16	.	.	.35	12
13	S .05	.02	.	.	.02	.06	.03	.	.53	.05	.	.53	13
14	.42	.	.04	.	.04	.04	.24	.03	.49	.04	.	.43	14
15	S .85	.	.	.	.03	.10	.91	.	.19	.	.	.63	15
16	S .24	.	.	.48	.	.01	.15	.10	.69	.	.	.23	16
17	.52	.	.05	.	.	.08	.84	.14	.11	.05	.	.24	17
18	1.00	.	.06	.	.	.48	.29	.	.43	.09	.	.68	18
19	.38	.12	.38	S .02	.	.01	.18	.02	.12	.01	.	.25	19
20	.34	.35	.	.23	.	.13	.04	.02	.49	.	.	.02	20
21	.18	.24	.	.08	.	.06	.06	.	.99	.01	.	.18	21
22	.05	.05	.	.	.44	.	.25	.02	.24	.01	.	.94	22
23	.54	.09	.	.	.82	.	.34	.	.21	.	.08	.03	23
24	.01	.23	.	.	.	.	.24	.19	.20	.	.32	.06	24
25	.	.	.	.	.08	.	.33	1.14	.01	.14	.11	.06	25
26	.04	.01	.	.	.	.	.54	.03	.21	.11	.15	.45	26
27	.02	S .04	.36	.	.	.	.14	.43	.60	.02	.33	.35	27
28	.	.13	.64	.	.	.	.	.	.	.03	.25	.39	28
29	.		.16	.	.	.	.	.	1.33	.03	.	.13	29
30	.	X	.61	.	.	.	.	.03	.05	.13	.10	.13	30
31	.	X	.42	X	.	X	.	.10	X	.04	X	.	31
Total	5.65	4.94	3.22	2.68	2.24	1.80	6.90	3.29	10.56	4.65	5.36	9.86	YEAR'S TOTAL 61.21
Rain Days	20	22	13	12	11	13	20	18	29	25	14	30	230 mss

W, 6,500, VII. 18. w w c

3684

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

20 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Llwynon Reservoir

in the County of Brecknockshire

by

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.56	—	.21	.	.35	—	.69	.	.34	.41	.	.87	1
2	.21	.	.17	.	.12	.	.03	.05	.33	.02	.01	.52	2
3	.13	.	.09	.	.11	.09	.	.	.06	.	.02	1.35	3
4	.02	S .27	.35	.	.02	.07	.28	.04	.46	.	.	.40	4
5	.08	S .30	.05	.	.02	.	.	,	.05	.	.02	.83	5
6	.70	.10	.75	.	.	.	.	.	.04	.	.	.37	6
7	.23	.	.35	.09	.	.	.	.	.08	.	.	.09	7
8	.75	.	.13	.01	.	.17	.	.	.	.	.	.	8
9	.65	.	.09	.19	.	.	.	.	.	.	S .15	.01	9
10	.40	.	.93	.08	.04	.	.	.	.	.09	S .01	.92	10
11	.25	.	1.03	.14	.20	.02	.07	.	.	.03	.	10	11
12	.03	.	.15	.27	.04	1.03	.	.	.	.15	S .03	.01	12
13	.45	.02	.	.60	.	.	.	.	.61	.29	.	.11	13
14	.75	.05	.	.43	.58	.	.04	.02	.05	.08	.	.26	14
15	.60	.05	.	.14	.	.	.	.06	.	.21	.	.50	15
16	.33	.75	.	.	.	.06	.03	.08	.	.	.33	.02	16
17	.	S .50	.	.	.	.12	.	.16	.	.	1.07	.07	17
18	S .13	S .05	.73	.	.	.	.20	.45	.06	.	.41	.18	18
19	.45	.48	.55	.	.	.37	.	.42	.08	.	.55	.03	19
20	.53	.30	.25	.	.	.	.	.10	.22	.	.15	.55	20
21	.02	1.24	.01	.	.	.	.19	.10	.21	.	.07	.14	21
22	.	.14	.	.	.	.11	.02	.	.76	.	.10	1.14	22
23	.	.	.	.	.	.	.	.03	.	.64	.37	.24	23
24	.02	.	.	.04	.	.08	.	.	.09	.35	.41	.45	24
25	.33	.	.	.05	.01	.	.	.94	.09	.01	.10	.22	25
26	S .04	.04	.33	.21	.	.04	.	.06	.10	.	.	.83	26
27	S .44	.	.20	.34	.	.	.	.59	.	.	.	.	27
28	S .01	.	S .22	.02	.	.	.	.23	.	.	S .09	.85	28
29	S .04		.01	.07	.	.02	.	.04	.	.18	S .01	.64	29
30	.	✕	.	.10	.	.19	.	.55	.01	.04	.57	.76	30
31	.	✕	S .10	✕	.	✕	.13	.	✕	.	✕	.10	31
TOTAL	8.15	4.29	6.70	2.78	1.49	2.37	1.68	3.92	3.64	2.50	4.47	12.56	YEAR'S TOTAL 54.55
Days with ·01 in. or more	26	14	21	16	10	13	10	17	18	13	19	29	206

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

ex d[illegible]

3581

4 FEB 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Llwynon Reservoir
in the County of Brecknockshire
by Mr C. H. Priestley

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 854 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.03	.05	.20	.83	.	1.19	.04	.10	.09	.03	.46	1
2	s .22	.03	.	.19	.03	.	.28	.09	.14	.25	.	.55	2
3	.05	.22	.	.05	.08	.	.41	.04	.08	1.99	.	.11	3
4	.	.	.01	.	.03	.	.	.89	.04	.15	.	.	4
5	.	.01	.25	.	.34	.	.22	.16	.19	.29	.	.	5
6	.	.	.49	.01	.40	.	.04	.	.02	.14	.	.	6
7	.24	.	s .02	.14	.13	.	.19	.	.	.	.03	.	7
8	.01	.04	.	.84	.24	.	.12	.40	.	.	.	.	8
9	.93	1.00	.02	.81	.	.	.22	.05	.02	.	.03	.	9
10	1.40	1.00	.14	.02	.	.40	.51	.01	.	.	.09	.	10
11	.31	.04	.33	.66	.44	.09	.08	.	.	.	.	.	11
12	.65	.16	.06	.46	.05	.40	.26	.08	.	.04	.25	.	12
13	.08	.11	.88	.54	.	.	.01	.01	.	.02	.02	.	13
14	.23	.04	s .64	.98	.	.03	.16	.	1.06	.14	1.48	.	14
15	.11	.22	.22	1.04	.05	.12	.	.	.	.03	.14	.	15
16	.04	.02	.20	.21	.04	.30	.38	.01	.44	.45	.04	.	16
17	.40	.	.03	.	.35	.51	.	.34	1.36	.11	.	s .01	17
18	.30	.	.	.19	.25	.09	.11	.22	.58	.	.	s .04	18
19	.04	.22	.	.62	.14	.13	.02	.04	.	.	.	.	19
20	.09	.01	.	.41	.	.18	.08	.	.	.	.	.49	20
21	.	.	.	.03	.	.	.19	.	.	.16	.	.21	21
22	.12	.	.	.24	.	.03	.34	.06	.	.	.	.24	22
23	.04	.	.11	.	.	.	.51	.	.	.	.	.90	23
24	.09	.04	.69	.05	.	.	.04	.	.	.	.13	.89	24
25	.05	.14	.28	.03	.	.	.59	.	.	.	.	.22	25
26	.38	.10	.46	.14	.02	.11	.03	.	.	.	.26	.25	26
27	.92	.18	.96	.41	.06	.61	.13	.	.	.	.09	.41	27
28	.49	.06	.43	.10	.01	.24	.04	.	.	.	.	.16	28
29	.62	.02	.18	.26	.42	.06	.69	.	.	.	.28	1.28	29
30	.55	╳	.22	.22	.02	.54	.14	.	.64	.10	.41	1.09	30
31	.35	╳	.53	╳	.	╳	.05	.01	╳	.91	╳	.43	31
TOTAL	8.74	3.42	7.20	9.24	4.02	4.14	7.39	2.51	5.06	5.20	3.31	8.04	YEAR'S TOTAL 68.66
Days with ·01 in. or more	26	21	23	26	20	16	28	16	12	15	14	14	234
s with in. re	25	15	19	22	15	14	25	12	10	13	10	16	196

10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

82 made

cor. for anth

282

FORM A2. BRITISH RAINFALL.

26 JAN 1912

REGIS

CATHEDINE RECTORY

1911 - 1920

Kept at Cathedine

in the County of Brecon

by Rev. J. S. Jones

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—R the result entered to the previous day. If an Observer versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·08	·19			·05					1
2	·19							·24			·19	·21	2
3					·98					·07	·24	·40	3
4	·28							·21			·31	·67	4
5	·17		·17					·16					5
6											·21	·32	6
7											·57	·16	7
8			·19								·83	1·01	8
9											·31	·66	9
10			·29									·33	10
11					·34						·30		11
12					·49				·32		·46	·37	12
13			·09		·03						·07		13
14									·24		·09	1·34	14
15		·08				·13					·22	·06	15
16			·15			·24					·12	·19	16
17						·83					·49	·48	17
18		·39		·48		·20				·21		1·41	18
19				·23		·72			·49	·53	·03	·59	19
20			·16	·08					·02			·27	20
21		·33				·10		·21		·73			21
22		·29				·14						·76	22
23						·09			·16	·19		·23	23
24		·16	·13			·07			·13	·08		·14	24
25				·11		·19					·05	·13	25
26		·17		·16		·13			·11	·18			26
27		·31	·15			·01		·28	·09			·16	27
28				·12			·30	·17					28
29						·07		·06	·12	·48	·16		29
30										·34	·07		30
31							·19						31
Total	·64	1·73	1·33	1·26	2·03	2·92	·49	1·38	1·68 1·68	2·81	4·72	9·89 9·99	TOTAL for year 30·88
No. of Rain Days	3	7	8	7	5	13	2	8	9	9	18	21	110

9,000, IX. '10.

82

made

cor. for arith 2

u82

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

26 JAN 1912

Kept at Cathedine Rectory

in the County of Brecon 8

by Rev. J. S. Jones

RAIN GAUGE Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station Name
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·08	·19			·05					1
2	·19							·24			·19	·21	2
3					·98					·07	·24	·40	3
4	·28							·21			·31	·67	4
5	·17		·17					·16					5
6											·21	·32	6
7											·57	·16	7
8			·19								·83	1·01	8
9											·31	·66	9
10			·29									·33	10
11					·34						·30		11
12					·49				·32		·46	·37	12
13			·09		·03						·07		13
14									·24		·09	1·34	14
15		·08				·13					·22	·06	15
16			·15			·24					·12	·19	16
17						·83					·49	·48	17
18		·39		·48		·20				·21		1·41	18
19				·23		·72			·49	·53	·03	·59	19
20			·16	·08					·02			·27	20
21		·33				·10		·21		·73			21
22		·29				·14						·76	22
23						·09			·16	·19		·23	23
24		·16	·13			·07			·13	·08		·14	24
25				·11		·19					·05	·13	25
26		·17		·16		·13			·11	·18			26
27		·31	·15			·01		·28	·09			·16	27
28				·12			·30	·17					28
29						·07		·06	·12	·48	·16		29
30										·34	·07		30
31							·19						31
Total	·64	1·73	1·33	1·26	2·03	2·92	·49	1·38	1·68 1·68	2·81	4·72	9·89 9·89	TOTAL for year 30·88
No. of Rain Days	3	7	8	7	5	13	2	8	9	9	18	21	110

9,000, IX. '10.

81

486

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Cathedine Rectory

in the County of Brecon

by Rev. J. S. Jones

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			55			·32			·04				1
2	·09		·69			·48							2
3			14		·06	·10	·01	1·29			·16		3
4	·10		1·17		·03	·23		·08					4
5	·04		·11	·02	·05			·38	·02				5
6	·25				·07			1·27					6
7		·56	·19		·01	·34	·14						7
8	·53	·53	·22			·07		·09	·04				8
9		·31	·47	·03		·23		·60	·01				9
10	·14	·15					·09				·21		10
11								·02				1·22	11
12	·48		·14	·10	·17	·09	·13					·01	12
13	·13	·13			·06							·08	13
14	·14		·51			·06							14
15	·51		·06		·08							·19	15
16	·62	·28	·17		·10	·15						·03	16
17	·16		·10			·16						·27	17
18		·32		·02								·05	18
19						·03	·43					·06	19
20			·82							1·42	·07	·01	20
21			·24		·34		·04			·19			21
22		·16	·09		·19		1·01	1·70		·08		·19	22
23	·12	·37	·24			·27		·21				·07	23
24	·22					·24		·06				·27	24
25						·20	·07	1·35				·41	25
26		·27					·06	·78		·49	·95	·48	26
27						·38	1·26	·01		1·02		·69	27
28		·04	·16			·11	·74	·65	·23	·49	·36	·19	28
29		·29				·23	·23	·01		1·03		·02	29
30						·12	·06			·54			30
31			·23		·11		·34			·02		·15	31
Total	3·53	3·41	6·30	·17	1·27	3·81	~~4·66~~ 4·61	8·50	·34?	5·28	1·75	4·39	TOTAL for year. 43·36 ?
No. of Rain Days.	14	12	19	4	12	19	14	~~15~~	5	~~9~~	5	18	~~146~~

W. 8,000, X. '11.

81

Ex Bd

490

FORM A.
BRITISH RAINFALL.
31 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Cathedine Rectory

in the County of Brecon

by

8

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·05	·23	·07					·08	·29	·20	·02	1
2	·02	·41	·24	·19	·03					·56	·39		2
3	·15		·07		·26					·39		·16	3
4	·89	·06	·02		·07		·04		1·50	·66	·07	·18	4
5	·10	·05	·03		·05	·06			·15	·13	·39	·03	5
6	·17	·17	·35			·10	·23			·59	·15	·45	6
7	·04	·85			·62	·20				·87	·10		7
8	·05	·45			·40		·02			·14			8
9		·30	·01		·16	·25	·48	·23	·01		·38	·02	9
10	·55				·12			·30		·52	·03		10
11	·59			·22	·04			·03		·01	·72		11
12					·14			·02	·02		·35		12
13	·09		·35					·08	·63		·25		13
14	·40		·37	·14					·03	·12	·02		14
15	·08		·69	1·40				·24	·04		·06	·02	15
16	·28		·41	·05				·13	·09				16
17	·10		·42	·24			·03				·03		17
18	·04		·53	·30	·02						·13		18
19	·29		·17			·15			·03	·18	·01		19
20	·17		·43	·05					·14	·17	·97		20
21			·33	·15	·06		·17	·03			·07		21
22	·54		·85			·14		·68	·34	·10			22
23			·03								·08	·19	23
24	·03	·14		·02							·12	·01	24
25		·03		·43					·08	·09		·02	25
26				1·80	·17			·09				·35	26
27	·02		·26	·29	·07					1·25		·08	27
28	·16		·29	·50						·64		·09	28
29			·36	·43				·03		·42		·05	29
30	·22				·08					·41	·07		30
31	·06		·29					·07		·06			31
													YEAR'S TOTAL
Total	5·06	2·51	6·73	6·28	2·29	·90	·97	1·93	3·14	7·60	4·59	1·67	43·67
Rain Days.	24	10	22	16	15	6	6	12	13	20	21	14	179

W. 7,500, XI. ·12

474

FORM A.
BRITISH RAINFALL.

22 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Cathedine Rectory

in the County of Brecon

8

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.06	.04			.08	.43	.46			.21	.11	1
2			.12		.04		1.15	.04			.12	.63	2
3			.19	.06	.41			.15			.01	.68	3
4	.30		.04	.10	.08		.21	.06			.73	.91	4
5	.13		.12	.22	.15		.08				.29		5
6	.03	.08	.04	.16	.06	.01		.03			.17	.43	6
7	.02	.56	.29	.03	.32	.04	.28	.12	.07			.69	7
8	.15	.01	.11	.08	.26	.64	.03	.40				.15	8
9	.03	.07	.13	.47	.05	.94		.15	.05				9
10		.48	.07	.25	.04	.07			.18				10
11		.26	.39		.24	.25	.18				.26	.74	11
12		.92	.06						.16		.21	.16	12
13		.76	.53	.01			.15		.25	.31	.14	.19	13
14		1.25	.26					.06		.03	.29		14
15		.01	.18				.01	.14	.04		.26	.04	15
16			.05				.14		.11				16
17	.05	.45	.17				.04		.02			1.17	17
18		.01	.35				.03		.11			.35	18
19		.09	.13				.92		.05		.07	.09	19
20		.45	.11			.17						.27	20
21		.33					.06	.02		.25		.05	21
22		.24			.02	.01		.14		.57			22
23		.03	.15		.17		.05			.23			23
24	.04		.13		.01		.07	.22		.03	.05		24
25	.17		.14				.42	.21		.25	.02	.32	25
26	.01	.02	.04				.14	.02		.12	.26	.55	26
27							.01			.05	.42	.56	27
28	.01	.05	.15		.12					.13	.02	.62	28
29	.20		.19		.08					.30	.79		29
30	.01		.33							.11	.89	1.00	30
31	.79						.21			.65		.16	31
Total	1.94	6.13	4.51	1.38	2.05	2.21	4.61	2.22	1.04	3.03	5.21	9.87	YEAR'S TOTAL 4420
Rain Days.	14	20	27	9	15	9	20	15	10	13	19	22	193

W.7,000, XI. 13

Dl

4184

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Cathedine

in the County of Brecon

by

Ex Dl

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50	·08	·02		·14			·64	·37	·38	·01	·15	1
2	·18	·31	·10	·17				·90	·09	·03		·11	2
3		·36	·05	·02	·02		·71	·03		·01		·34	3
4	·09	·30			·22		·19					·64	4
5	·02	·71		·07				·07				1·34	5
6	·22	·05		·08			·70	·20				·18	6
7	·11	·52		·03	·14		·05					·36	7
8	·25	·36		·06				·03			·32	·01	8
9	·02	·39		·07							·25	·71	9
10	·23	·01	·04	·07						·08	·16	·16	10
11	·07		·01	·05				·24			·91	·06	11
12	·06	·46		·10	·36			·04		·05	·57		12
13	·02	·71			·37			·01	·07		·13	·10	13
14		·03						·41		·02	·01	·57	14
15	·79	·02			·13		·06	·05		·03	·09	·14	15
16		1·07			·37		1·29	·01					16
17		·41			·59			·17		·01			17
18		·79	·01										18
19		·02		·04	·19		·25						19
20	·18							·01		·17		·02	20
21	·13	·14			·56		·22			·06			21
22	·03	·02	·14	·20			·36			·03		·42	22
23	·07	·01	·05			·10	·06		·06	·70		·27	23
24			·01	·04			·04		·06	·55		·64	24
25						·54				·01		·26	25
26		·18				·01	·30		·03			·83	26
27		·09					·08			·34		·19	27
28		·20				·11			·18	·02		·04	28
29						·09		·04		·01	·41	·11	29
30	·20	×		·01		·03	·13			·64	·32	·47	30
31	·02	×		×		×	·14	·02	×	·79	×	1·04	31
Total	3·19	7·24	·43	1·01	3·09	·88	4·58	2·87	·86	3·93	3·18	9·16	YEAR'S TOTAL 40·42
Rain Days.	19	24	9	14	11	6	15	16	7	19	11	25	176

W. 8,000. X. 14.

8L

Ex 8L

417
~~415~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Cathedine Rectory

in the County of Brecon

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14		·01		·01	·17	·17			·30	·13		1
2	·55	·30	·19		·02	·02	·15		·28	·85	·27		2
3		1·43	–		·17				·12	·33	·39		3
4	·28	·45			·42	·38			·07	·08	·89		4
5		·14	·04		·16	·21				·50	·14		5
6	·05	·24	·05		·06	·07	·30			·40	·72		6
7	·07	·01	·18		·13	·01	·01			·11	·63	·15	7
8			·04		·40	·35				·04	·06	·05	8
9			·01			·01				·02	·09	·06	9
10		·35	·01	·06	·02					·01		·10	10
11	·03	·02	·02	·10	·01	·12							11
12		·04	·09	·05	·20		·22	·07		·06			12
13		·24	·12	·12				·40		·01	·01		13
14		·45	·11	·09	·02			·10		·14		·01	14
15		·32	·07	·13	·05			·12		·06			15
16		·03	·15	·16			·07	·11		·15			16
17	·11	·20		·14				·01	·18	·01	·33		17
18	·01	·09	·10	·13					·17	·40	·19	·12	18
19	·19		·81	·11							·19	·03	19
20	·15	·08	·24								·01	·45	20
21	·04		·13	·01	·05		·13				·14	·07	21
22						·02				·42		·36	22
23		·18	·02	·04		·22				·17		·16	23
24		·11		·08	1·95	·02		·15		·55		·15	24
25		·20	·25		·03	·05		·48	·01	·16	·42	·04	25
26		·07	·03		·04	·14		·26	·56	·57	·07		26
27	·01	·08	·37			·03		·39	·32	·75		·01	27
28		·35	·11			·26			·06	·40	·06	·36	28
29		·08						·54		·29		·27	29
30								·02		·39			30
31								·01		·70		·12	31
Total	1·63	5·46	3·15	1·22	3·74	2·08	1·05	2·66	1·77	7·87	4·74	2·51	YEAR'S TOTAL 37·88
Rain Days.	12	23	23	13	17	16	7	13	9	27	18	17	195

W. 8,000. X. 15.

Jl

Ex Jh

3945
~~398~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Cathedine Rectory
in the County of Brecon
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12	·16		·64		·45	·14		·05	·04	1
2			·01	·12		·01		·02		·12	·11		2
3		·07		·28		·01		·01		·39	·02		3
4	·02	·16	·29				·07	·27		·34			4
5			·42	·11		·05			·67	·40	·16		5
6	·29		·63			·06				·24	·27	·02	6
7	·14						·09	·08		·64	·13		7
8	·12		·02	·17			·72	·56		·23	·06	·16	8
9			·04	·05	·13			·41	·05	·04	·33		9
10	·18		·36	·20	·12	·01		·29	·02	·01			10
11	·17		·02	·23	·01			·31		·49	·07		11
12	·19			·01	·79	·05		·19		·24			12
13			·08	·02				·78	·04	·10			13
14	·01		·08	·08	·01			·04		·02			14
15				·07	·09		·09		·03	·14		·20	15
16	·01	·03				·61						·20	16
17	·01				·23		·47	·92	·12	·14			17
18					·04		·59	·06	1·03	·01			18
19		·48	·13			·60			·01				19
20		·01	·06		·54	·06	·01	·03	·08				20
21					·05	·04		·06		·04			21
22						·09		·67		·02	·01		22
23		·25			·19			·38		·06			23
24		·02				·05		·14		·26	·01		24
25		·04	·07					·12		·05	·02		25
26					·30		·03	·71	·11	·02	·02		26
27			·01		1·10	·41	·27	·77		·08			27
28			·06		·01	·24		·19					28
29			·06					·08		·72		·18	29
30		X	·03					·25		·28	·03		30
31		X	·03	X	·24	X		·20	X	·02	X		31
Total	1·14	1·06	2·52	1·50	3·85	2·93	2·34	7·99	2·30	5·10	1·29	·80	YEAR'S TOTAL 32·82
Rain Days.	10	8	19	12	15	15	9	26	11	26	14	6	171

W. 8,000, VIII. 16

81

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

81
~~375~~

22.1.19

Kept at Cathedine Rectory

in the County of Brecon

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.07		.11				.16	.02	.02	1.07		1
2		.09		.03				.40	.01		.05	.36	2
3		.16		.08	.31	.14			.45	.13	.04		3
4		.02		.01				.04	.40	.27	.94	.50	4
5		.16		.12	.21	.41		.19	.16	.59	.02	.03	5
6	.01	.26		.16		.03			.08	.37		.07	6
7		.06			.35		.02		.41	.08	.44	.08	7
8	.03	.58		.15					.05	.12		.01	8
9	.06	.52		.13		.21	.02		.39	.06	.02	.17	9
10	.04						.77		.12	.05		.21	10
11			.06				.46		.07	.05	.08	.05	11
12	.01	.14	.07		.03		.30		.13				12
13	.02	.06			.02	.01			.22	.01		.07	13
14	.41		.03		.01	.02	.11		.30			.37	14
15	1.06			.03		.06	.51		.05			.36	15
16	.17			1.03		.01	.10		.53			.21	16
17	.32		.03			.02	.43		.21	.14		.26	17
18	.63		.04			.31	.20		.62	.03		.44	18
19	.26	.03	.18				.11		.01	.03		.08	19
20	.48	.17		.16		.03	.09		.49				20
21	.17	.04		.16			.03		.43	.02		.05	21
22					.26		.13		.12	.04		.36	22
23	.22				.49		.05		.11		.02		23
24		.02					.14		.03		.09		24
25					.09		.30	.48		.07	.04	.06	25
26	.05						.21	.04	.06	.01	.10	.12	26
27		.06	.26					.14	.31		.02	.04	27
28		.02	.45					.01			.02	.05	28
29			.09						.86	.04		.04	29
30		X	.28							.05	.04	.08	30
31		X	.40	X		X		.17	X		X	.03	31
Total	3.94	2.46	1.89	2.17	1.77	1.25	3.98	1.63	6.64	2.18	2.99	4.10 ~~3.10~~	YEAR'S TOTAL 35.00 ~~34.00~~
Rain Days.	16	17	11	12	9	11	18	9	27	20	15	25	190

W. 8,000, IX. 17.

82 Ex. 82 3746

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Cathedine Rectory
in the County of Brecon
by D. H. Picton

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30		·08	·02	·04		·48		·09	·26		·47	1
2	·13		·05				·07		·20	·07	·06	·10	2
3			·09			·25			·06		·06	·31	3
4		·19	·21			·05	·07		·21			·12	4
5		·25										·24	5
6	·49	·04	·39									·16	6
7	·24		·09	·06					·03				7
8	·46		·04	·01		·04							8
9	·53		·03	·04							·04		9
10	·19		·90		·01					·02	·03	·41	10
11	·02		·77	·05	·07		·12			·01		·06	11
12	·02		·27			·41				·13	·04		12
13	·25			·27					·37	·12		·07	13
14	·38	·04		·18	·01		·10		·19	·03		·18	14
15	·19	·03		·07				·12		·13		·34	15
16	·10	·76						·02			·06		16
17	·01	·43						·08			·28		17
18	·08	·04	·57					·32	·04		·07	·03	18
19	·21	·26	·37			·16	·24	·25	·12		·01	·06	19
20	·30	·05	·09					·09	·05		·04	·02	20
21	·03	·83	·03			·01	·02		·15			·09	21
22		·06										·25	22
23								·02		·33	·10	·07	23
24				·04		·14	·05			·10	·18	·11	24
25	·05			·02	·06			·60	·01		·03	·01	25
26	·03		·14	·04		·06		·02	·04			·38	26
27	·11	·03	·03	·25				·42					27
28	·01		·14					·30			·13	·22	28
29	·02		·07	·03						·08		·19	29
30		X	·01	·04		·20		·35			·21	·24	30
31		X	·05	X		X	·07		X		X	·03	31
Total	4·15	3·01	4·42	1·12	·19	1·32	1·22	2·59	1·56	1·28	1·34	4·16	YEAR'S TOTAL 26·36
Rain Days.	23	13	21	14	5	9	9	12	13	11	15	24	169

W, 6,500, VII. 18. W W C

546

2645

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cathedine Rectory
in the County of Brecon
by D. H. Picton

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·09	·43		·71		·06	·18		·41	1
2	·13	·01		·18			·05	·10	·01	·14		·35	2
3	·03	·10		·11	·15		1·22	·01		1·86		·06	3
4			·02	·02			·02	·42		·30			4
5			·22	·14	·05		·28	·02		·10			5
6			·28	·12	·14		·09			·48		·01	6
7			·05	·78			·17						7
8	·03	·06		·46	·04		·42	·08					8
9	·25	·11					·05						9
10	1·03	·17	·02			·96	·07				·01		10
11	·21	·03	·20	·50	·30		·04						11
12	·11	·11	·02	·31		1·01	·09	·03		·01	·12		12
13			·45	·35							·01	·02	13
14	·04	·03	·35	·60		·30	·12		·57	·20	·56	·02	14
15		·13	·19	·68	·05	·14					·06		15
16			·01	·12	·09	·20	·23		·39	·92	·02		16
17	·01				·23	·23		·04	1·04	·11			17
18	·17			·04	·12	·01		·08	·93			·03	18
19	·01	·21		·22	·21	·15							19
20	·01	·02		·17								·28	20
21	·13						·12		·01	·02		·14	21
22				·08			·15	·15				·23	22
23			·05				·41	·01				·35	23
24	·03	·03	·35			·04					·14	·26	24
25	·07	·08	·31				·36					·13	25
26	·25		·54	·02		·02	·09				·18	·12	26
27	·53		·74	·15	·05	·19	·01					·36	27
28	·45		·20	·06	·15	·06						·08	28
29	·36		·21	·03	·32	·02	·27				·16	·47	29
30	·12		·64	·12	·02	·17	·10		·25	·03	·24	·31	30
31	·03		·38							·66		·11	31
TOTAL	4·00	1·09	5·23	5·35	2·35	3·50	5·07	·94	3·26	5·01	1·50	3·74	YEAR'S TOTAL 41·04
Days with ·01 in. or more	21	13	20	23	15	14	22	10	8	13	10	19	188
·04"	14	8	16	20	14	11	20	6	6	10	7	15	147

(44,288). Wt. 21,958—2187 7500. 10/19. Gp.132. A.&E.W.

REG … 11.

FORM A2.
BRITISH RAINFALL.
21 FEB 1912

CRAY RESERVOIR
No 1
1911-20

Kept at Cray Reservoir … 5 in.
… ove Ground 1 ft. – in.
in the County of Brecon … „ Sea Level 1030 ft.
… 9 a.m.
by R. H. Wyatt … n { Name Cray
Distance … Direction …

IMPORTANT NOTE.- … and the result entered to the previous day. If an Obser … universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·10	·10	·16		·06	·09		·04	·36	·36	1
2			·02	·04	·50			·52		·25	·11	·76	2
3	·01		·09	·03	1·18			·23	·05		·83	·39	3
4			·23		·02	·01		1·96	·06		1·00	1·01	4
5	·84		·22	·02				·43		·14	·10	·03	5
6	·67		·05					·48		·01	·44	1·43	6
7	·18										·87	·02	7
8	·34		·43								·64	1·45	8
9	·10										·18	1·00	9
10	·30	·11	1·36									1·15	10
11	·62		·02		·10				·05		·36	·21	11
12		·03	·50		·07				·92	·01	1·05	·31	12
13		·02	·08		·02				·12		·30	·37	13
14		·14			·03						·41	1·18	14
15		·17				·10					1·19	·20	15
16		·16				·44					·28	·63	16
17	·01	·17		·05		1·68					·71	1·00	17
18		1·23	·22	·47		·12	·01			·06	·52	1·46	18
19		·06		·45		·13	·02	·09	·88	·20	·33	1·02	19
20	·03	·20		·64		·07		·01	·05	·28		·62	20
21	·01	·89	·02	·16		·50	·08	1·14	·11	·84		·16	21
22	·02	·29		·55		·33	·01		·06	·57		1·13	22
23	·05	·98	·02		·11	·03	·01	·09	·29	·60		·51	23
24	·10	·32		·01	·02	·87		·55	·09	·14		·39	24
25	·15	·14		·47		·09	·04		·27	·19		·12	25
26	·02	·47		·58		·02		·58	·02	·28	·04	·22	26
27	·02	1·30	·06	·12			·02	·75	·34	·01	·28	·12	27
28		·50	·20	·40		·02		·18		·01	·11	·05	28
29				·06		·48	·18	·01	·29	1·00		·06	29
30				·02		·04	·11	·01		·67	·40	·02	30
31							·17			·03		·01	31
Total	3·54	7·18	3·62	4·17	2·21	4·93	0·71	7·12	3·60	5·33	10·51	17·44	TOTAL for year 70·36
No. of Rain Days.	18	18	16	17	10	16	11	16	15	19	22	31	209

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
21 FEB 1912

Kept at Cray Reservoir No. 1 Gauge

in the County of Brecon

by R. H. Wyrill M. Inst. C.E.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 1030 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Cray
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07		.10	.10	.16		.06	.09		.04	.36	.36	1
2			.02	.04	.50			.52		.25	.11	.76	2
3	.01		.09	.03	1.18			.23	.05		.83	.39	3
4			.23		.02	.01		1.96	.06		1.00	1.07	4
5	.84		.22	.02				.43		.14	.10	.03	5
6	.67		.05					.48		.01	.44	1.43	6
7	.18										.87	.02	7
8	.34		.43								.64	1.45	8
9	.10										.18	1.00	9
10	.30	.11	1.36									1.15	10
11	.62		.02		.10				.05		.36	.21	11
12		.03	.50		.07				.92	.01	1.05	.31	12
13		.02	.08		.02				.12		.30	.37	13
14		.14			.03						.41	1.18	14
15		.17				.10					1.19	.20	15
16		.16				.44					.28	.63	16
17	.01	.17		.05		1.68					.71	1.00	17
18		1.23	.22	.47		.12	.01			.06	.52	1.46	18
19		.06		.45		.13	.02	.09	.88	.20	.33	1.02	19
20	.03	.20		.64		.07		.01	.05	.28		.62	20
21	.01	.89	.02	.16		.50	.08	1.14	.11	.84		.16	21
22	.02	.29		.55		.33	.01		.06	.57		1.13	22
23	.05	.98	.02		.11	.03	.01	.09	.29	.60		.51	23
24	.10	.32		.01	.02	.87		.55	.09	.14		.39	24
25	.15	.14		.47		.09	.04		.27	.19		.12	25
26	.02	.47		.58		.02		.58	.02	.28	.04	.22	26
27	.02	1.30	.06	.12			.02	.75	.34	.01	.28	.12	27
28		.50	.20	.40		.02		.18		.01	.11	.05	28
29				.06		.48	.18	.01	.29	1.00		.06	29
30				.02		.04	.11	.01		.67	.40	.02	30
31							.17			.03		.01	31
Total	3.54	7.18	3.62	4.17	2.21	4.93	0.71	7.12	3.60	5.33	10.51	17.44	TOTAL for year 70.36
No. of Rain Days.	18	18	16	17	10	16	11	16	15	19	22	31	209

W. 8,000, X. '11.

Exe D11

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.

25 FEB 1913

Kept at Cray Reservoir No. 1 Gauge

in the County of Brecon

7

by R. H. Wyrill, M. Inst. C. E.

Lat. Long.

Time of Observation 9·0 a.m.

Nearest Railway Station Cray

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 1032 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·97		·05	·43	·08	·05	·04	·45		·46	1
2	·01	·07	·87	·01		·73	·03	·05			·02	·01	2
3	·17	·05	·35	·01	·05	·16	·05	1·23	·19		·07	·50	3
4	·61	·03	1·46	·02	·14			·84			·31	·03	4
5	·70	·12	·27	·03	·18			·45	·04		·01	·16	5
6	·53	·34	·03	·03	·30			·27	·01		·04	·21	6
7	·02	·44	·53	·01	·06	·45	·60	·51	·01		·02	·17	7
8	·64	·42	·60	·18	·01	·07	·01	·19	·06			·03	8
9	·07	·62	·15	·21		·33	·13	1·02			·04	1·00	9
10	·83	·11		·01		·20	·50	·01			·40	·10	10
11	·03	·11			·02		·12	·13			·34	1·55	11
12	·07	·50	·65	·10	·19	·07	·25	·03			·03	·14	12
13	·22		·05	·01		·05	·04	·02		·63	·01	·48	13
14	·43	·07	1·06		·08	·03		·09	·01	·01		·28	14
15	·71	·31	·03		·13	·41		·07			·01	·47	15
16	·57	·04	1·15		·13	·01		·47	·02	·46	·02	·06	16
17	·40	·03	·23		·05	·20		·67		·01	·08	·73	17
18	·26	·12	·14		·01	·03		·72		·16	·02	·11	18
19	·20	·40	·04			·09	·04	·97		·04	·05	·15	19
20	·10	·08	1·20		·02	·07	·07	·24		·55	·13	·02	20
21	·01	·21	1·20		·35		·03	·35		·27	·03	·58	21
22	·15	1·00	·16		·42	·03	·56	·50		·03	·12	·29	22
23	·27	·30	·55			·50	·01	·42		·24	·86	·20	23
24	·11	·06	·15		·05	·63		·05		·14	·07	·61	24
25		·06	·45			·19	·14	·48			·71	1·41	25
26		·50	·12			·02	·01	·37		1·75	·87	·72	26
27		·40	·08			1·40	1·24			1·25	·05	1·55	27
28		·33				·82	1·00	1·06	·13	·47	·82	·04	28
29		·37	·01			·20	·56	·48	·56	·50		·05	29
30			·23	·01	·01	·39	·18	·01		·78		·05	30
31	·02		·31		·01		·43	·15		·03		·66	31
													YEAR'S TOTAL
Total	7·13	7·09	13·04	·63	2·26	7·61	6·08	12·20	1·07	7·77	5·13	12·82	82·83
Rain Days.	24	27	28	12	20	25	22	30	10	18	25	31	272

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

12 FEB 1914

Kept at Cray Reservoir, No 1 Gauge
in the County of Breconshire
by R. H. Wyrill, M. Inst. C. E.

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Cray
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1032 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·73	1·08	·58	·16				·10	·05	·38	·06	1
2	·17	·78	·75	·22	·29	·08				·37	·50	·18	2
3	·26	·10	·77		·67		·03			·22	·01	·42	3
4	1·22	·20	·70		·03		·04		1·27	·06	·11	·27	4
5	·36	·12	·22		·40	·39	15		·10	·02	·62	·15	5
6	·43	·40	·23		·30	·44	·14			·45	·17	·44	6
7	·71	·97	·04		1·77	·47	·10			1·15	·20	·06	7
8	·05	·82	·03		·56	·04	·16	·04		·07		·18	8
9	·01	·36	·32		·38	·74	·14	·08	·03		·50	·28	9
10	·53		·23	·04	·23		·02	·26		·50	·35	·20	10
11	·93			·58	·24		·03	·04	·03	·07	1·36	·18	11
12					·08	·05	·06		·23		·96	·04	12
13	·19		1·56	·09	·03		·10	·03	1·06		·44		13
14	·75		·84	·45			·04		·36	·42	·08	·04	14
15	·68		1·21	2·02			·02	·32			·30	·09	15
16	·16		·54	·18		·02	·04	·07	·06		·26		16
17	·31		·28	·31			·17			·03	·33		17
18	·44		·73	·56	·07	·03	·10			·06	·35		18
19	·73		·34	·16	·05	·35	·04		·23	·51	·19	·03	19
20	·54		1·08	·49	·08					·33	2·34		20
21			·39	·36	·36		·16	·32		·58	·19		21
22	1·63		1·00		·16	·27	·02	·83	·54		·01		22
23	·15		·09		·05	·11		·11	·25		·10	·07	23
24	·35	·25		·43						·02	·21	·13	24
25		·07		·71					·27	·18	·19	·11	25
26				2·30		·03			·07	·10		1·42	26
27	·20		·42	·90						·78		·03	27
28	·43		·40	1·00	·03					·56	·02	·18	28
29	·01		·45	·46	·05			·15		·76	·05		29
30	·78		·12		·17					·28	·17		30
31	09		·32		·02			·02		·08			31
Total	12·19	4·80	14·14	11·84	6·18	3·02	1·56	2·27	4·60	7·65	10·39	4·56	YEAR'S TOTAL 83·20
Rain Days.	27	11	26	19	23	13	19	12	14	24	27	21	236

W.7,000, XI. 13

Ex D L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
10 MAR 1915

Kept at Cray Reservoir No 1 Gauge
in the County of Brecon
by R. H. Wyrill, M. Inst. C. E.

7

Lat. .... Long. ....
Time of Observation 9·0 A.M.
Nearest Railway Station Cray
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 1032 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·23	·10	·13		·10	·29	1·29			·11	·12	1
2		·02	·07		·20		·54	·40			·17	·58	2
3	·02		·40	·23	·95			·03				·70	3
4	1·18		·13	·36	·50		·56	·05			·20	·50	4
5	·09		·28	·50	·34			·02			·25	·12	5
6	·19	·15	·13	·06	·22	·04	·29	·19			·16	·76	6
7	·11	·69	·62	·10	·87	·14	·50	·28	·04		·04	·68	7
8	·25		·17	·18	1·10	·32	·02	1·40	·05		·14	·32	8
9	·51	·31	·11	·25	·34	1·03		·72	·09		·08	·01	9
10	·04	1·09	·09	·54	·10	·21		·01	·36		·01		10
11		·68	·80	·01	·47	·52	·06				·36	·35	11
12		1·40	·22						·20		·33	·20	12
13		1·52	·63	·02			·31		·54	·23	·32	·17	13
14		1·35	·46				·09	·20		·03	·45		14
15		·09	·40				·17	·33	·05	·07	·53	·05	15
16			·10				·24		·46			·14	16
17	·04	1·21	·36				·12		·08			1·11	17
18		·10	·27				·09		·14			·57	18
19		·14	·63				1·34		·20		·08	·56	19
20		·84	·23			·34	·05					·40	20
21		·50	·05			·11	·34	·03		·46		·08	21
22		·31	·05	·02		·30	·12	·22		1·24			22
23		·20	·40		·03		·24	·19		·17			23
24	·15		·11		·20	·08	·30	·10			·17		24
25	·25	·03	·32				·91	·81		·56	·33	·77	25
26		·02	·15				·30	·21		·25	·70	·76	26
27	·12	·13					·04			·23	·83	1·14	27
28	·18	·19	·50		·16					·04	·20	·40	28
29	·79		·29	·26	·09			·02		·08	1·54	·27	29
30	·07	✕	·73					·03		·07	·36	1·53	30
31	2·25	✕		✕		✕	·83		✕	·72	✕	·50	31
Total	6·24	11·20	8·80	2·66	5·57	3·19	7·75	6·33	2·21	4·15	7·36	12·79	YEAR'S TOTAL 78·45
Rain Days.	16	22	29	13	14	11	23	20	11	13	22	26	220

W. 8,000. X. 14.

4156

FORM A.
BRITISH RAINFALL.

22 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Cray Reservoir {No 1. Gauge
in the County of Brecon.
by R. H. Wyrill M. Inst. C. E.

Lat. Long.
Time of Observation 9·0 a.m.
Nearest Railway Station Cray.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1032 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·16	·50	·17	-	·41	-	-	·67	·13	·32	-	·59	1
2	·44	·34	·45	·43	-	·02	·03	·37	·06	·03	-	·09	2
3	·01	·59	·58	·07	·03	-	·36	·07	-	-	-	·58	3
4	·15	·60	·07	-	·10	·05	·83	·01	-	-	-	·90	4
5	·08	·36	-	·20	·01	·03	·04	·09	-	-	-	1·75	5
6	·38	·09	·03	·59	-	-	·48	·09	-	-	-	·35	6
7	·30	1·09	-	·02	-	-	·20	·08	-	-	·02	·75	7
8	·30	·84	-	·01	-	-	-	·04	-	-	·53	-	8
9	·12	·91	-	·52	-	-	-	·05	-	-	·30	1·26	9
10	·85	·04	·07	-	-	-	-	·08	-	·20	·17	·10	10
11	·10	·15	·01	-	-	-	-	·34	-	·03	1·32	·06	11
12	·19	·50	-	·09	·41	-	-	·01	·01	·13	·60	·03	12
13	·03	·70	-	·01	·52	-	-	·21	·07	·02	·02	·28	13
14	·36	-	-	-	-	-	-	·45	·13	-	·10	1·40	14
15	·64	·10	-	-	·17	-	·13	·08	·06	·03	·09	·38	15
16	·12	2·05	-	·03	·65	-	1·24	·03	·02	-	·05	·02	16
17	·01	·29	·02	-	·36	-	-	·28	-	-	-	-	17
18	·02	·36	·03	·02	-	-	·10	-	-	-	-	-	18
19	·01	·07	-	·42	·61	-	1·05	-	-	-	-	-	19
20	·50	·01	-	·03	-	-	-	·02	-	·14	-	·12	20
21	·06	·08	-	-	·22	-	·56	-	-	·16	-	·35	21
22	·17	·17	·18	·10	-	·03	·65	-	-	·06	-	·83	22
23	·05	·01	·18	-	-	·48	·23	-	·06	·63	-	·42	23
24	-	·07	·02	·11	-	-	·05	-	·12	·48	-	·97	24
25	-	-	·04	-	-	·36	·10	-	-	-	·02	·32	25
26	-	88	-	-	-	·04	·74	-	·10	-	-	1,18	26
27	-	·06	-	-	-	·66	·31	-	·02	·96	-	·21	27
28	-	·15	·02	-	-	·08	-	·02	·25	·13	-	·05	28
29	-	-	-	·01	-	·36	·08	·07	·03	·04	·76	·21	29
30	·26	X	-	·29	-	·03	·02	-	-	·55	·75	·74	30
31	-	X	-	X	-	X	·30	·16	X	·76	X	1·10	31
Total	6·31	11·01	1·87	2·95	3·49	2·44	7·50	3·22	1·06	4·67	4·73	15·04	YEAR'S TOTAL 63·99
Rain Days.	24	26	14	17	11	11	20	21	13	17	13	27	214

W. 8,000. X. 15.

C X 948

4083

FORM A.
BRITISH RAINFALL.
9. MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Cray Reservoir – Nº 1 Gauge
in the County of Brecon
by R. H. Wyrill – M. Inst. C. E.

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station Cray
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1032 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·33	·03	·01	–	–	·70	·26	–	–	·26	·93	–	1
2	1·26	·72	·54	–	·02	·11	·20	–	·62	1·35	·47	–	2
3	·07	2·04	–	–	·03	·16	–	–	·39	·93	·59	·03	3
4	·76	·46	–	·03	·34	·72	·10	–	·22	·29	·81	–	4
5	·08	·58	·27	–	·05	·16	·02	–	–	1·13	·17	–	5
6	·31	·35	·08	–	·35	·06	·62	–	–	1·23	1·11	·03	6
7	·17	·02	·16	–	·15	·02	·05	–	–	·46	·93	·21	7
8	·03	·11	·22	–	·61	·13	–	–	–	·08	·10	·26	8
9	–	·11	·04	–	·10	·08	–	–	·09	·07	·05	·17	9
10	·05	·37	·05	·15	·06	–	·03	–	·26	·11	·04	·33	10
11	·09	·11	·05	·27	·13	·29	–	–	·04	·02	·02	–	11
12	·07	·23	·02	·16	·40	–	·32	·36	·02	·22	·01	–	12
13	–	·40	·44	·17	–	–	–	·76	·01	·34	·02	–	13
14	·03	·36	–	·04	·09	–	–	·11	–	·37	–	·04	14
15	·06	·94	·05	·12	·07	–	–	·22	·01	·28	–	–	15
16	·06	·03	–	·54	·01	–	·02	·05	–	·18	–	–	16
17	·62	·35	–	·59	–	–	–	·03	·33	·51	·08	–	17
18	·06	·33	–	·36	–	–	–	–	·16	·23	·10	·26	18
19	·66	·04	·71	·46	–	–	–	–	–	–	·14	·07	19
20	·26	·13	·34	–	–	–	–	–	–	–	·08	·50	20
21	·55	–	·15	–	·04	–	·45	–	–	–	·07	·08	21
22	–	–	·03	–	–	·13	–	·02	–	·77	·05	·16	22
23	·16	·09	·02	·34	–	·20	–	·24	–	·61	·50	·34	23
24	–	·42	·04	·76	1·32	·18	·05	·24	–	·64	·14	·08	24
25	·09	·40	·14	–	·03	·07	–	1·47	·04	·35	·50	·26	25
26	·11	·22	·06	–	·03	·10	·98	·88	·68	·63	·17	–	26
27	·06	·34	·29	–	–	·53	–	·51	·52	·90	–	·01	27
28	·01	·22	·28	–	–	–	–	–	·06	·60	·35	1·50	28
29	–	·26	·09	–	–	·53	–	·62	–	·80	·11	·70	29
30	–		–	–	–	·18	–	·09	–	·65	–	–	30
31	–		–		·03		–	·38		·88		·15	31
Total	5·95	9·66	4·08	3·99	3·86	4·35	3·10	5·98	3·45	14·89	7·54	5·18	YEAR'S TOTAL 72·03
Rain Days.	24	27	23	13	19	18	12	15	15	28	25	19	238

W. 8,000, VIII. 16

Halliwell's Recorder.

[illegible]

3917

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

8 JAN 1918

Kept at Cray Reservoir. No 1.

in the County of Brecon

by Geo. R. Collinson B.Sc., A.M.Inst.C.E. Water Engineer & Manager, Swansea Corporation.

Lat. .... Long. ....

Time of Observation 9.0 am.

Nearest Railway Station Cray

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1030 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·18	·40	—	·85	—	·12	·20	—	·14	·10	1
2	·01	—	·06	·22	—	·15	—	—	—	·12	·15	·10	2
3	·08	·26	·07	·18	—	·14	—	—	—	·72	·12	·02	3
4	·07	·14	·34	—	—	—	·14	·04	·03	·56	·03	·08	4
5	·60	·03	·59	·42	—	·15	—	·30	·24	·65	·85	—	5
6	·11	—	·57	—	—	·04	—	·20	—	·64	·51	·42	6
7	·68	—	·04	·06	—	—	·15	·06	—	·43	·31	·09	7
8	·17	—	·42	·27	—	·04	·65	·83	·10	·76	·36	·21	8
9	—	—	·35	·31	·16	—	—	·41	·11	·11	·69	—	9
10	·28	—	1·11	·46	·22	·04	—	·57	·01	·14	·06	—	10
11	·12	—	·02	·37	—	—	—	1·45	—	·83	·12	—	11
12	·08	—	·01	·02	·77	—	—	·38	—	·31	·01	—	12
13	·04	—	·15	·20	—	·10	—	1·05	·19	·10	·01	·02	13
14	—	—	·02	·14	·02	—	·17	1·16	—	·04	·01	·06	14
15	·02	—	—	·19	·11	—	·40	—	·12	·63	·01	·39	15
16	·01	·07	—	·22	—	·04	—	·06	—	·03	·01	·48	16
17	—	·06	·06	·32	·14	—	1·17	1·73	·42	·23	·02	—	17
18	·01	—	·06	·18	·05	—	·88	·26	·78	·10	—	—	18
19	—	·50	·25	·01	—	·27	—	·01	·06	—	·01	—	19
20	—	·09	·12	—	·80	·46	·11	·07	·25	—	·08	—	20
21	—	·02	·01	—	·08	·07	—	·08	—	·18	·02	—	21
22	—	—	—	—	·01	·04	—	·72	—	·17	·06	—	22
23	·01	·32	—	—	·38	·10	—	1·20	—	·16	·01	·02	23
24	—	·02	—	—	—	·21	·07	·38	—	·73	·06	·14	24
25	—	·09	·13	—	—	—	·01	·85	·08	·09	·10	—	25
26	—	—	—	—	·46	·17	·03	·62	·52	·06	·59	—	26
27	—	·01	—	—	·39	·55	·56	1·82	—	·06	·01	—	27
28	—	·02	·15	—	·09	·43	·01	·43	—	·06	·32	·02	28
29	—		·02	—	·05	—	—	·11	—	1·06	·19	·40	29
30	—	X	·05	—	—	—	·01	·57	—	·32	·44	·05	30
31	—	X	·05	X	·63	X	—	·53	X	·02	X	—	31
Total	2·29 ✓	1·63 ✓	4·83 ✓	3·97 ✓	4·36 ✓	3·85 ✓	4·36 ✓	16·01 ✓	3·11 ✓	9·31 ✓	5·30 ✓	2·60 ✓	YEAR'S TOTAL 61·62 ✓
Rain Days.	15 ✓	13 ✓	24 ✓	17 ✓	16 ✓	18 ✓	14 ✓	28 ✓	14 ✓	28 ✓	29 ✓	16 ✓	232 ✓

W. 8,000, IX. 17.

✓

349

FORM A.
BRITISH RAINFALL

11. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Cray Reservoir No 1
in the County of Brecon.
by G. R. Collinson Lt: R.E.

Lat. 51° 53' 5" Long. 3° 37' 2" W.
Time of Observation 9.0 a.m.
Nearest Railway Station Cray (Neath & Brecon Ry)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1030 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·35	–	·25	·06	–	–	·19	·14	·10	1·15	·04	1
2	–	·46	–	·01	–	–	–	·23	·05	·10	·25	1·18	2
3	–	·45	–	·21	·38	·08	–	·01	·66	·23	·06	·11	3
4	–	·17	–	–	–	–	–	·01	·30	·72	1·48	·89	4
5	–	·43	·02	·35	·10	–	–	·45	·12	1·42	·09	·09	5
6	·05	1·24	–	·22	–	·10	–	–	·02	·42	–	·35	6
7	–	·39	–	·05	·57	–	–	·03	1·01	·15	·46	·36	7
8	·41	·17	–	–	–	·06	·05	–	·16	·30	·08	·14	8
9	·32	·40	–	·17	–	·81	·70	–	·69	·61	·24	·63	9
10	·07	·10	–	·26	–	–	1·41	–	·40	·20	·18	·82	10
11	·08	·07	·16	–	·01	–	·75	·01	·27	·08	·08	·33	11
12	·06	·57	·14	·01	·31	·01	·22	–	·24	–	–	·12	12
13	·27	·05	–	–	·06	·05	–	–	·53	·09	–	·26	13
14	1·26	–	·03	–	·07	·02	·36	·02	·30	·12	–	·82	14
15	·93	–	–	–	·01	·06	1·60	–	·42	·04	–	·77	15
16	·36	–	–	·41	·01	·01	·35	·03	·52	·04	–	·43	16
17	·71	–	·03	–	–	·05	·66	·03	·62	·12	–	·80	17
18	·80	–	·09	–	–	1·12	·43	–	·50	·08	–	·76	18
19	·57	·17	·24	·05	–	–	·23	–	·15	·04	–	·20	19
20	·56	·34	–	·13	–	·06	·13	·03	·70	·03	–	·03	20
21	·43	·15	–	·10	·02	·03	·26	–	1·30	–	–	·12	21
22	·25	·02	–	–	·33	·01	·76	·02	·40	·06	–	·71	22
23	·77	·03	–	–	1·10	–	·15	–	·35	–	·12	·18	23
24	·09	·20	–	–	–	–	·36	·23	·28	–	·26	·06	24
25	·01	·01	–	–	·16	–	·55	·49	·13	·12	·12	·04	25
26	·10	·01	–	–	–	–	·12	·02	·40	·13	·18	·72	26
27	·06	·09	·85	–	–	·01	·09	·50	·46	·09	·35	·20	27
28	–	·10	·61	–	–	–	–	–	·02	·05	·40	·17	28
29	–		·25	–	–	–	–	–	1·04	·01	–	·20	29
30	–	✕	·56	–	–	–	–	–	·03	·31	·06	·25	30
31	–	✕	·86	✕	–	✕	–	·10	✕	·04	✕	·05	31
Total	8·16 ✓	5·97 ✓	3·84 ✓	2·22 ✓	3·19 ✓	2·48 ✓	9·18 ✓	2·40 ✓	12·21 ✓	5·70 ✓	5·56 ✓	11·83 ✓	YEAR'S TOTAL 72·74 ✓
Rain Days.	21 ✓	23 ✓	12 ✓	13 ✓	14	15 ✓	19	17 ✓	30 ✓	27 ✓	17 ✓	31 ✓	239 ✓

W. 6,500. VII. 18. W W C

3723

12 JAN 20

FORM 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Cray Reservoir – No 1.
in the County of Brecon
by Geo. R. Collinson, B.Sc., A.M.Inst.C.E.

Lat. 51° 53′ 5″ Long. 3° 37′ 2″ W.
Time of Observation 9·0 a.m.
Nearest Railway Station Cray
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1043·88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·00	–	·35	·03	·37	–	·40	–	·50	·33	–	·43	1
2	·37	–	·36	–	·04	–	·06	·07	·11	·16	·04	·39	2
3	·03	·01	·12	–	·22	·02	·01	–	·02	–	–	·84	3
4	·02	·16	·40	–	·07	·06	·29	·02	·43	–	·01	·20	4
5	·08	·39	·01	–	·12	–	–	–	·06	–	·05	·97	5
6	·88	·06	1·10	·02	–	–	–	–	–	–	·10	·43	6
7	·35	·01	·54	·18	–	·04	–	–	·03	–	–	·11	7
8	·75	–	·18	·02	–	·24	–	–	–	–	–	–	8
9	·50	–	·12	·16	–	–	–	–	–	–	·14	·04	9
10	·38	–	1·62	·10	·12	–	–	–	–	·03	·05	1·14	10
11	·25	–	1·80	·29	·37	·06	·10	–	–	·04	–	·12	11
12	·03	–	·28	·19	·07	1·37	–	–	–	·28	·16	–	12
13	·92	·03	–	·89	–	–	·01	·01	·53	·50	–	·39	13
14	1·00	·05	–	·66	·29	–	·05	·01	·16	·14	–	·30	14
15	·86	·06	–	·44	·01	–	–	–	–	·90	–	1·55	15
16	·13	1·50	–	·03	·05	·06	·02	·02	–	–	·51	·08	16
17	—	·50	–	·02	·02	·23	–	·45	—	–	·94	·06	17
18	·15	·06	·50	–	–	–	·15	·88	·10	–	·29	·20	18
19	·77	·72	·78	–	–	·53	·01	·33	·14	–	·19	·12	19
20	·80	·20	·14	–	·01	·10	–	·15	·39	–	·05	·57	20
21	·04	1·46	·11	–	·01	·06	·16	·07	·15	–	–	·21	21
22	–	·16	–	–	–	·23	·04	·01	·39	–	·16	1·05	22
23	–	–	–	–	–	–	–	·03	–	·40	·48	·17	23
24	·03	–	–	·05	·03	·10	–	·02	·63	·20	·51	·37	24
25	·25	–	–	·06	·03	–	–	1·24	·12	·02	·12	·31	25
26	·03	·01	·39	·10	–	·04	–	·15	·40	–	–	1·52	26
27	·17	–	·30	·23	–	–	–	·50	–	–	·05	–	27
28	·23		·34	·04	–	–	–	·23	–	–	·29	·70	28
29	·02		·12	·07	–	·02	–	·10	–	·06	·22	·55	29
30	·07		·07	·16	–	·18	–	·39	·02	·04	1·06	·85	30
31	–		·35		–		·10	–		–		·06	31
TOTAL	10·11	5·38	9·98	3·74	1·83	3·34	1·40	4·68	4·18	3·10	5·42	14·03	YEAR'S TOTAL 67·19
Days with ·01 in. or more	27	16	22	20	16	16	13	19	17	13	20	28	227

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

36-26

1 JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Cray Reservoir No 1
in the County of Brecon
by G. R. Collinson B.Sc. A.M.Inst.C.E.

Lat. 51° 53' 5" Long. 3° 37' 2"
Time of Observation 9.0 a.m.
Nearest Railway Station Cray
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1043.88 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·07	·02	·20	1.20	–	1.32	–	–	·41	·04	·73	1
2	·21	·20	–	·30	·08	–	·30	·13	·09	·10	–	1.02	2
3	·10	·30	–	·21	·08	·01	·32	·04	·10	208	–	·10	3
4	–	–	·02	–	·03	–	–	1.72	·12	·33	–	–	4
5	–	·06	·33	–	·63	–	·24	·18	·07	·22	–	–	5
6	–	–	·60	·06	·74	–	·03	·02	–	·50	·04	–	6
7	·46	–	·06	·20	–	–	·10	–	–	–	·03	–	7
8	·06	·06	–	·98	·21	–	·42	·29	–	–	–	–	8
9	·70	·71	–	·76	–	–	·48	·10	–	–	·06	–	9
10	1.98	·45	·40	·05	–	·32	·50	·02	–	–	·14	–	10
11	·45	·05	·50	·65	·45	·05	·23	–	–	–	–	·02	11
12	·63	·50	·10	·74	–	·70	·46	·14	–	–	·45	–	12
13	·06	·14	1.22	·90	–	–	–	–	·03	·03	·17	–	13
14	·29	·10	·74	·94	–	·04	·31	–	1.95	·82	1.57	·02	14
15	·07	·32	·34	1.35	·15	·25	–	–	·04	–	·15	–	15
16	·10	·03	·15	·75	·20	·44	·70	–	·62	1.42	·01	–	16
17	·30	–	–	·33	·63	·66	–	·45	1.29	·12	–	·03	17
18	·60	–	–	·40	·36	·19	·10	·20	·64	–	–	·09	18
19	·03	·04	–	·80	·24	·12	·10	·12	–	–	–	–	19
20	·10	·03	–	·86	–	·13	·05	–	–	–	–	·96	20
21	–	–	–	·08	–	–	·45	·03	–	–	–	·35	21
22	·36	–	–	·15	–	·05	·67	·03	–	–	–	·30	22
23	·30	–	·08	·01	–	–	·65	·05	–	–	–	·90	23
24	·19	·03	·90	·08	–	–	–	–	–	–	·25	1.39	24
25	·13	·17	·41	·10	–	·03	·92	–	–	–	–	·25	25
26	·48	·03	·72	·21	–	·13	·23	–	–	–	·20	·32	26
27	1.72	·05	1.04	·50	·04	·70	·04	–	–	–	·05	·65	27
28	·53	·03	·62	·12	·01	·50	·19	–	–	–	–	·45	28
29	1.04	·02	·24	·13	·23	·12	·67	–	–	–	·55	1.52	29
30	·53	X	·40	·40	·03	·80	·11	–	·53	·42	·45	1.44	30
31	·38	X	·75	X	·01	X	·07	–	X	1.45	X	·74	31
TOTAL	11.79	3.39	9.64	12.26	5.32	5.24	9.36	3.52	5.48	7.90	4.16	11.28	YEAR'S TOTAL 89.34 ✓
Days with ·01 in. or more	26	21	21	28	18	18	26	15	11	12	15	19	230 ✓
Days with ·04 in. or more	25	15	19	27	14	16	25	11	10	11	13	16	202 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CRICKHOWELL
~~FFOREST~~.
FFORDDLAS FARM
BRECON
1911- 1918

REG 911

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Ffordd

in the County of Bre

by J. J. Will

p ...... in.
bove Ground ...... ft. ...... in.
,, Sea Level ...... ft.

Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0	4	4	0	0	0	20	0	0	21	0	1
2		0	1	1	6	0	0	25	0	7	16	.10	2
3		0	1	0	8	0	0	3	0	4	27	08 9	3
4		0	11	0	0	0	0	5	1	12	43	0	4
5		0	9	0	0	0	0	20	0	0	10	0	5
6		0	4	0	0	0	0	0	0	0	34	8	6
7		0	0	0	0	0	0	0	0	0	40	0	7
8		0	13	4	0	0	0	0	0	0	80	0	8
9		0	5	0	0	0	0	0	0	0	45	2	9
10		0	26	0	0	0	0	0	10	0	25	.2	10
11		5	0	0	0	0	0	0	2	0	16	8	11
12		0	36	0	0	0	0	0	33	0	70	12	12
13		0	0	0	0	0	0	0	15	0	1	4	13
14		4	0	0	0	5	0	0	0	0	2	0	14
15		0	4	0	0	0	0	0	0	1	35	2	15
16		0	0	0	0	0	0	0	0	0	0	45	16
17		0	0	0	0	0	0	0	0	1	0	6	17
18		46	15	20	0	32	0	0	0	8	.0	40	18
19		4	1	45	0	7	0	0	30	20	0	34	19
20		6	0	15	0	0	0	0	50	30	0	16	20
21		30	21	17	0	1	0	0	1	44	0	50	21
22		20	36	0	0	11	0	12	2	24	0	55	22
23		34	5	0	0	1	0		1	15	0	0	23
24		18	0	0	0	1	0	13½	3	8	8	21	24
25		0	0	9	0	0	0	0	10	4	0	15	25
26		17	0	0	0	0	0	0	0	9	0	41	26
27		30	5	35	0	0	0	9	21	0	0	4	27
28		25	0	25	0	0	0	50	0	60	0	1	28
29		0	11	0	0	6	50	0	13	30	0	0	29
30		0	0	0	0	0	25	0	0	16	3	0	30
31	120	0	0		0		4	0		3	X	0	31
Total	1·20	239	208	175	~~14~~	~~44~~	79	157 5	192	296	468	~~386~~	TOTAL for year ~~[illegible]~~
No. of Rain Days	x	12	18	10	bad ~~2~~	bad ~~7~~	3	9	14	18	16	bad ~~20~~	bad 130

9,000, IX. '10.

REG [illegible] 11

FORM A2.
BRITISH RAINFALL
5 - JAN 1912

Kept at Ffordd-las Farm
in the County of Brecon
by J. J. Williams

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0	4	4	0	0	0	20	0	0	21	0	1
2		0	1	1	6	0	0	25	0	7	16	10	2
3		0	1	0	8	0	0	3	0	4	27	9	3
4		0	11	0	0	0	0	5	1	12	43	0	4
5		0	9	0	0	0	0	20	0	0	10	0	5
6		0	4	0	0	0	0	0	0	0	34	8	6
7		0	0	0	0	0	0	0	0	0	40	0	7
8		0	13	4	0	0	0	0	0	0	80	0	8
9		0	5	0	0	0	0	0	0	0	45	2	9
10		0	26	0	0	0	0	0	10	0	25	2	10
11		5	0	0	0	0	0	0	2	0	16	8	11
12		0	36	0	0	0	0	0	33	0	70	12	12
13		0	0	0	0	0	0	0	15	0	1	4	13
14		4	0	0	0	5	0	0	0	0	2	0	14
15		0	4	0	0	0	0	0	0	1	35	2	15
16		0	0	0	0	0	0	0	0	0	0	45	16
17		0	0	0	0	0	0	0	0	1	0	6	17
18		46	15	20	0	32	0	0	0	8	0	40	18
19		4	1	45	0	7	0	0	30	20	0	34	19
20		6	0	15	0	0	0	0	50	30	0	16	20
21		30	21	17	0	1	0	0	1	44	0	50	21
22		20	36	0	0	11	0	12	2	24	0	55	22
23		34	5	0	0	1	0	0	1	15	0	0	23
24		18	0	0	0	1	0	13½	3	8	8	21	24
25		0	0	9	0	0	0	0	10	4	0	15	25
26		17	0	0	0	0	0	0	0	9	0	41	26
27		30	5	35	0	0	0	9	21	0	0	4	27
28		25	0	25	0	0	0	50	0	60	0	1	28
29		0	11	0	0	6	50	0	13	30	0	0	29
30		0	0	0	0	0	25	0	0	16	3	0	30
31	120	0	0		0		4	0		3	X	0	31
Total	1·20	239	208	175	~~14~~	~~44~~	79	157 5	192	296	468	~~386~~	TOTAL for year
No. of Rain Days	x	12	18	10	bad ~~2~~	bad ~~7~~	3	9	14	18	16	~~20~~	bad 130

9,000, IX. '10.

Jan-16 } est.

3.III.13

FORM A2. BRITISH RAINFALL. 3 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Ffordlas Farm

in the County of Breconshire 7

by J. J. Williams

RAIN GAUGE Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	10	0	0	0	0	10	0	5	0	0	1
2	0	0	56	0	0	43	0	0	5	50	0	40	2
3	0	0	50	9	0	38	6	0	11	0	0	13	3
4	0 ×	0	(120)	0	0	35	0	1·10 100	0	0	0	0	4
5	0 ×	0	31	2	6	0	0	45	0	0	0	7	5
6	~~23~~ ×	33	2	0	11	0	0	1·19 110	10	0	0	5	6
7	~~41~~ ×	41	15	0	17	35	0	0	0	0	0	10	7
8	48 ×	48	22	0	3	9	40	0	0	0	0	0	8
9	(450)	0	60	20	0	40	7	50	5	0	40	0	9
10	×	17	0	0	0	0	11	0	8	0	35	40	10
11	×	21	0	0	0	0	0	6	0	0	0	0	11
12	×	·10 19	13	0	13	0	10	4	0	0	0	77	12
13	×	5	0	13	0	0	3	0	·06 6	14	0	14	13
14	×	2	38	0	0	0	0	10	2	0	0	13	14
15	×	0	0	0	0	0	0	4	0	0	0	9	15
16	×	0	11	0	48	3	0	0	0	9	0	22	16
17	45	0	8	0	4	0	0	80	0	0	9	7	17
18	13	0	10	0	0	61	0	105	0	0	4	40	18
19	6	26	·56 54	0	0	0	~~0~~	20	0	10	0	4	19
20	11	0	50	0	0	0	5	70	0	36	6	16	20
21	3	6	25	0	9	0	9	54	0	0	1	0	21
22	04	85	46	0	0	0	0	37	0	0	0	10	22
23	(50)	33	0	0	38	0	46	47	0	35	12	24	23
24	24	0	0	0	0	31	0	5	0	7	0	35	24
25	5	0	26	0	68	37	14	120	0	0	95 96	70	25
26	0	27	0	0	0	17	0	195	0	22	40	25	26
27	6	8	10	0	0	47	106	0	0	100	43	83	27
28	0	0	4	0	0	17	1018	94	30	90	0	35	28
29	0	0	7	0	0	18	·10 ~~20~~	30	90	45	0	30	29
30	0	0	14	0	0	22	23	0	0	25	0	10	30
31	0	0	27	0	12	7	(55)	8	0	46	0	19	31
Total	~~5·94~~ (6·44)	3·14	(7·43)	·44	2·20	4·60	~~4·54~~ (5·04)	10·71	1·59	4·94	3·05	6·61	TOTAL for year ~~55·6~~ (56·19)
No. of Rain Days.	(22)	15	24	4	10	16	14	22	7	13	10	25	(182)

cop'd by C h. 28.IV.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

Kept at Fforddlaes
in the County of Brecon 7
by Maybess Williams

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	19	3	6	10	0	0	0	0	20	0	31	4	1
2	4	60	25	21	0	0	0	0	40	110	0	0	2
3	50	12	15	0	80	0	3	0	200	10	0	35	3
4	110	8	11	0	44	0	5	0	10	90	0	35	4
5	12	8	6	0	10	0	0	0	0	40	23	12	5
6	0	20	27	0	15	0	4	0	0	10	24	46	6
7	21	75	0	0	60	20	0	0	0	100	13	5	7
8	10	50	2	0	100	30	0	0	0	90	43	0	8
9	1	29	5	0	20	50	12	16	0	20	0	0	9
10	5	0	2	5	5	40	3	30	0	60	50	0	10
11	100	0	1	1	20	0	0	0	0	11	54	6	11
12	0	0	0	49	90	0	0	0	16	0	60	8	12
13	0	0	18	45	3	0	0	0	30	0	10	0	13
14	37	0	0	90	0	0	0	16	0	10	0	0	14
15	4	0	20	43	0	0	0	40	0	0	9	8	15
16	40	2	30	50	0	0	2	60	20	0	5	8	16
17	14	0	60	40	0	0	4	0	40	0	0	0	17
18	10	0	16	4	8	0	0	0	0	0	55	0	18
19	50	0	20	16	6	20	0	0	0	8	28	0	19
20	37	0	60	33	0	0	0	0	0	15	0	0	20
21	0	0	60	0	0	0	14	20	0	0	8	0	21
22	80	0	122	0	0	0	0	50	60	2	14	0	22
23	6	37	0	10	0	0	0	10	0	0	4	0	23
24	10	0	0	28	0	0	0	0	0	0	7	10	24
25	0	0	0	150	6	0	0	0	10	10	0	24	25
26	0	0	0	20	10	·35 25	0	·66	0	2	0	0	26
27	0	0	0	50	1	0	0	0	0	90	1	0	27
28	41	0	0	30	5	0	0	0	0	50	0	0	28
29	2	0	120	0	0	0	0	0	0	29	0	0	29
30	30	0	0	0	0	0	0	0	0	40	10	0	30
31	0	0	15	0	9	0	0	0	0	55		20	31
Total	6.93	3.04	6.41	6.95	5.08	1.95	.47	2.58	4.40	8.22	5.04	2.13	YEAR'S TOTAL 53.13
Rain Days.	23	11	21	19	17	6	8	9	10	21	20	12	177

and 26.IV.15

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Ffordd-las.

in the County of Breconshire.

by Miss L B Williams.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	11	10	5	0	0	0	9	0	0	105	10	1
2	0	0	—	0	0	0	21	8	0	0	35	50	2
3	0	0	50	25	48	0	109	11	6	0	70	84	3
4	40	0	23	10	46	0	0	0	0	0	4	50	4
5	0	0	25	29	.47 10	0	25	8	10	0	84	10	5
6	0	11	—	24	.36 [illegible]	0	0	0	0	0	35	4	6
7	35	70	30	9	0	11	0	8	0	0	0	70	7
8	11	4	20	15	.36 56	60	40	15	0	0	0	60	8
9	13	0	—	35	30	130	00	0	20	0	0	35	9
10	0	40	—	30	0	0	0	0	25	0	0	0	10
11	0	20	60	0	0	.11 10	13	0	3	0	5	45	11
12	0	.59 50	12	0	0	0	0	0	25	0	44	57	12
13	0	130	50	0	0	0	0	0	60	0	32	35	13
14	0	50	55	0	0	0	0	0	0	0	25	0	14
15	0	0	50	0	0	8	8	37	0	0	205	0	15
16	0	46	10	0	0	0	45	0	0	52	45	5	16
17	0	4	35	0	[illegible]	6	0	0	10	20	0	85	17
18	5	0	28	0	[illegible]	0	1.15 10015	0	0	0	0	43	18
19	0	60	30	6	0	11	0	0	11	0	0	5	19
20	0	80	35	0	0	5	0	0	0	0	20	0	20
21	0	25	10	0	0	0	11	0	0	0	0	0	21
22	0	3	—	4	0	0	0	14	0	55	0	0	22
23	0	0	13	0	0	0	0	0	0	60	0	0	23
24	4	0	18	0	0	0	43	0	0	70	10	0	24
25	16	3	30	0	0	0	11	11	0	7	10	0	25
26	8	0	—	0	0	0	25	30	0	35	40	40	26
27	10	0	—	0	0	0	0	0	0	38	~~40~~	42	27
28	4	22	22	0	0	0	0	0	0	35	50	35	28
29	20		30	0	25	0	0	0	0	0	10	15	29
30	0		80	0	0	0	0	0	0	94	10	95	30
31	108		0	+	0	+	18	0	+	10	40	8	31
Total	2.74	6.75	7.26	1.90	2.78	2.38	4.45	2.04	1.54	4.98	7.14	9.37	YEAR'S TOTAL 53.26
Rain Days.	12	18	23	11	8	7	13	10	7	12	19	22	162

W.7,000, XI. 13

4163

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 JAN 1916

Kept at Fforddlas Farm.

in the County of Breconshire

by Miss Blodwen Williams

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ________

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	105	1	16	0	205	0	0	0	25	0	0	28	1
2	12	1	31	0	0	4	0	18	0	24	0	16	2
3	16	25	30	10	0	0	0	119	0	20	0	35	3
4	25	26	0	0	0	0	44	18	0	0	0	34	4
5	6	31	0	5	28	0	42	20	0	0	0	105	5
6	45	65	0	28	0	10	17	8	0	0	0	40	6
7	25	0	0	6	0	0	0	13	0	0	0	60	7
8	35	60	0	28	6	0	0	6	0	4	13	0	8
9	5	42	0	9	0	0	0	0	0	0	38	16	9
10	31	45	10	3	0	0	0	0	0	10	30	8	10
11	10	8	5	11	0	0	0	18	0	16	125	11	11
12	16	0	0	0	0	0	0	14	0	12	85	0	12
13	6	145	0	0	10	0	6	6	0	0	0	0	13
14	11	0	0	0	70	0	5	0	5	0	11	40	14
15	6	0	0	0	0	0	150	0	10	8	13	30	15
16	50	40	0	0	0	0	0	0	0	0	0	0	16
17	0	36	0	0	18	0	5	15	0	0	0	0	17
18	0	45	0	0	115	0	60	0	0	0	0	0	18
19	0	7	0	5	0	0	0	0	0	0	0	0	19
20	45	0	0	0	21	0	40	0	0	0	0	0	20
21	1	0	0	0	0	0	6	0	0	0	0	0	21
22	0	10	26	17	0	0	6	0	0	9	0	10	22
23	10	0	9	0	0	0	11 13	0	0	90	0	50	23
24	0	10	0	6	0	0	11	0	0	90	0	35	24
25	0	0	5	0	0	0	0	0	19	5	0	30	25
26	0	20	0	0	0	75	11	0	0	0	0	103	26
27	0	11	0	0	0	0	0	0	0	0	0	28	27
28	0	19	0	0	0	20	8	0	0	10	0	0	28
29	0	X	0	0	0	10	15	0	24	10	30	25	29
30	0	X	0	0	0	37	0	6	0	70	35	24	30
31	15	X	0	X	0	X	18	0	X	125	X	92	31
Total	4.75	6.47	1.32	1.25	2.93	1.56	4.51	2.61	.83	4.83	3.80	9.20	YEAR'S TOTAL 44.06
Rain Days.	20	20	8	11	8	6	16	12	5	15	9	21	151

W. 8,000. X. 14.

[illegible] ~~W.~~ C 5-6 4090

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

3 JAN 191

Kept at Ffforddlas Farm.

in the County of Breconshire

by Miss B Williams.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	25	0	0	0	0	20	10	0	0	20	10	0	1
2	52	8	0	0	0	10	4	0	0	30	16	0	2
3	0	.60 [illegible]60	0	0	2	5	0	0	6	26	30	0	3
4	42	32	0	0	20	30	0	0	0	4	150.	0	4
5	5	10	0	0	15	10	135	0	0	6	10	0	5
6	10	24	0	0	10	0	0	0	0	5	20	0	6
7	30	0	0	0	11	0	0	0	0	2	18	0	7
8	0	0	0	0	12	10	0	0	2	0	5	10	8
9	0	0	0	0	8	0	0	0	0	0	12	6	9
10	11	40	0	0	5	0	0	0	10	0	0	0	10
11	12	0	0	0	0	0	0	0	0	0	0	0	11
12	20	0	0	180	0	0	0	0	0	40	0	0	12
13	0	40	0	60	33	0	0	0	0	2	0	0	13
14	6	10	0	0	2	0	0	0	4	.20 [illegible]0	0	0	14
15	0	40	0	60	6	0	0	0	3	.30 [illegible]0	0	0	15
16	0	0	0	20	3	0	0	0	0	20	0	16	16
17	0	30	20	40	0	0	0	0	5	60	0	12	17
18	0	10	150	2	0	0	0	0	0	1	5	2	18
19	6	0	90	4	0	0	0	0	0	0	55	0	19
20	30	10	25	0	0	0	0	6	0	0	0	0	20
21	15	0	30	0	0	0	0	0	0	0	0	80	21
22	0	3	0	0	0	4	0	0	0	10	10	60	22
23	12	0	0	0	0	0	0	10	0	12	0	100	23
24	40	.[illegible]2	0	6	150	0	0	5	0	30	0	0	24
25	5	0	0	0	0	0	0	9	0	15	0	3	25
26	6	0	0	0	0	0	0	7	60	60	0	0	26
27	5	0	0	0	0	10	0	11	30	20	0	0	27
28	5	0	0	0	0	10	0	16	0	30	0	40	28
29	0	0	0	0	0	60	0	0	20	10	0	20	29
30	0	X	0	0	0	0	0	100	0	30	0	0	30
31	0	X	0	X	0	X	0	0	X	12	X	10	31
Total	331	354	~~215~~ 3.15	372	277	169	149	~~158~~	140	~~474~~ 5	~~226~~	~~269~~	YEAR'S TOTAL ~~[illegible]~~ 34·66
Rain Days.	~~18~~	14	5	8	13	10	3	8	9	24	~~11~~	~~12~~	~~135~~
		10·41?						1·64		495	3·41	3·59	

W. 8,000. X. 15.

3923

FORM A.
BRITISH RAINFALL.
1 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Ffordlas
in the County of Breconshire
by Miss B Williams

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
												0	
1	10	0	0	0	0	20	9	20	15	0	0	0	1
2	6	0	0	0	0	15	8	0	0	0	7	0	2
3	5	0	0	0	0	30	0	0	0	0	15	0	3
4	0	0	0	0	0	0	2	0	0	34	40	0	4
5	0	0	10	0	0	0	0	0	0	8	0	0	5
6	0	0	0	0	0	0	9	0	100	0	0	0	6
7	0	0	0	0	0	0	0	100	0	0	0	0	7
8	[illegible]	0	0	2	0	6	0	20	0	100	2	0	8
9	[illegible]	0	0	4	0	0	50	10	0	0	8	0	9
10	0	0	0	3	15	0	0	5	35	90	100	0	10
11	0	0	0	20	18	5	0	8	0	50	0	0	11
12	0	0	0	11	26	0	0	0	0	80	0	0	12
13	0	0	0	8	0	0	6	0	0	0	0	0	13
14	0	0	12	10	0	0	0	0	0	0	0	0	14
15	0	0	9	6	50	0	0	10	0	0	0	70	15
16	0	0	4	0	0	10	10	8	0	20	0	0	16
17	0	0	0	3	0	0	0	0	0	0	0	40	17
18	0	29	0	7	0	10	10	90	0	0	0	0	18
19	0	40	0	0	80	10	100	0	90	0	0	0	19
20	0	28	0	0	0	0	0	0	5	0	0	0	20
21	0	0	0	0	0	0	0	0	0	0	0	0	21
22	0	0	0	0	10	0	0	90	0	5	0	0	22
23	0	5	0	0	0	5	0	70	0	0	0	0	23
24	0	10	0	0	0	0	0	4[illegible]8	0	0	0	0	24
25	0	0	0	0	0	0	0	48	0	70	0	0	25
26	0	0	0	0	0	30	0	0	0	0	0	0	26
27	0	0	0	0	0	0	10	1[illegible]20	9	0	0	0	27
28	0	0	0	0	0	0	0	90	0	0	0	0	28
29	0	0	0	0	0	0	3	60	0	0	5	0	29
30	0	X	0	0	0	10	2	35	0	20	0	0	30
31	0	X	13	X	0	X	0	[illegible]	X	40	X	0	31
Total	21	112	41	74	183	150	2[illegible]5	~~832~~ 8.40	254	~~520~~ 5.17	147	110	YEAR'S TOTAL 2695
Rain Days.	3	5	5	10	6	11	11	18	6	11	7	2	95

W. 8,000, VIII. 16

Recd 7th

Fforddlas Farm
Fforest Coalpit
Nr Abergavenny

Dear Sir

I am now sending the papers and Cards back sorry to say the gauge is covered with snow there is now 8 ins of ~~on~~ snow on it, it is also frozen in the ground I will send it on as soon as posable, sorry to here you did not get the last card as I sent it with the postman as usual on the third of Jan I sent it the same day as the paper's sorry to say I sliped down and broke the glass last week

Yours sincerly
Lilian Williams

B. Made

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
11 JAN 1918

Kept at Ffordllas Farm
in the County of Breconshire
by Miss L Williams

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0												1
2	0												2
3	0												3
4	0												4
5	0												5
6	0												6
7	0												7
8	0												8
9	10												9
10	0												10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		☒											30
31		☒		☒		☒			☒		☒		31
Total													YEAR'S TOTAL
Rain Days.													

W. 8,000, IX. 17.

~~Garden~~

4152

CRICKHOWELL
GWERNVALE GDN
BRECON

1915- 17

FORM A.
BRITISH RAINFALL.
1 - FEB 1916

REG

Kept at Gwernvale

in the County of Crickh

by E. Perr

15

g.

n Abergavenny

9 a.m

e 5 in.

above Ground 1 ft. – in.

Sea Level 443 ft.

NOTE.—Rain should be measured

of rain and particulars as to the Briti

to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Full instructions for the measurement

Observers," sent post-free on application

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.64	14	.06		.19			.65	16	.44	.04	.21	1
2	18	36	.08	.24				1.29	.01	.11		.11	2
3	08	29	.08	03	.08		.31	.09		.01		.30	3
4	16	40	.01		.29		.11	.03				.72	4
5	.6	71		.09	.02			11				1.27	5
6	27	9		.14			.79	.14				.36	6
7	18	63		.02	.03		.08	.03				.46	7
8	34	35		.10				.04			.19		8
9	03	36		.14				.01			.42	.85	9
10	23	.3	.01	.11				.02		.16	.13	.06	10
11	08	..	.04	.06						.01	.95	.05	11
12	11	67		.17	.63			.04		.05	.43		12
13	02	1.07			1.38				.08	.01	.11	.07	13
14	03	.2						11				.65	14
15	62	.4			.10		.05	.06		.08	.11	.20	15
16	05	1.26			.60		1.37	.02					16
17	..	45			.70			.08					17
18	..	83			.01						.02		18
19	..	.3		.02	.19		.23						19
20	26	..		.05			.01	.02		.12		.04	20
21	14	12			.03		.17			.11			21
22	.5	2	.21	.15			.44			.05		.66	22
23	10	4	.06			.05	.09		.01	.62		.35	23
24	..	..	.07	.03			.15		.07	.96		.80	24
25	..	..	.02			.37			.01	.03		.25	25
26	..	33				.05	.15		.03			.91	26
27	..	28					.15			.58		.30	27
28	..	27				.08			.23	.15		.06	28
29	..					.08	.02	.02		.04	.27	.16	29
30	22			.02		11	.05			.88	.42	.62	30
31	..					.4	.16	.02		1.59		1.27	31
Total	3.73	8 4 6 8.46	.64	1.37	4.25	74	4.33	2.78	.60	600	3.09	10.73	TOTAL for year 46.7
No. of Rain Days	21	12.19 21	12.83 19	14.20 14	18.45 13	19.19 6	23.52 17	26.30 18	26.90 8	32.90 19	35.99 11	46.72 24	181

3.50 3.62 3.57 2.70 2.76 2.48 2.33 3.35 2.23 4.94 3.58 5.98 40.96

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

~~Gordon~~

REG 15

FORM A.
BRITISH RAINFALL.
1-FEB 1916
4152

Kept at Gwernvale
in the County of Brecknock
by E. Percy Gordon

Lat. Long.
Nearest Railway Station Abergavenny
Time of Observation 9 a.m
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " Sea Level 443 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·64	16	·06		·19			·65	·16	·44	·04	·21	1
2	18	36	·08	·24				1·29	·01	·11		·11	2
3	08	29	·08	03	·08		·31	·09		·01		·30	3
4	11	40	·01		·29	—	·11	·03				·72	4
5	·6	71		·09	·02			·11		—		1·27	5
6	27	9		·14			·79	·14				·36	6
7	18	63		·02	·03		·08	·03				·46	7
8	34	35		·10				·04			·19		8
9	03	36		·14				·01			·42	·85	9
10	23	·3	·01	·11				·02		·16	·13	·06	10
11	·08	"	·04	·06						·01	·95	·05	11
12	11	67		·17	·63			·04		·05	·43		12
13	02	1·07			1·38				·08	·01	·11	·07	13
14	03	·2						·11				·65	14
15	62	·4			·10		·05	·06		·08	·11	·20	15
16	05	1·26			·60		1·37	·02					16
17	..	45			·70			·08					17
18	..	83			·01						·02		18
19	..	·3		·02	·19		·23						19
20	26	..		·05			·01	·02		·12	—	·04	20
21	14	12			·03		·17			·11			21
22	·5	2	·21	·15			·44			·05		·66	22
23	10	4	·06			·05	·09		·01	·62		·35	23
24	..	..	·07	·03			·15		·07	·96		·80	24
25	..	..	·02			·37			·01	·03		·25	25
26	..	33				·05	·15		·03			·91	26
27	..	28					·15			·58		·30	27
28	..	27				·08			·23	·15		·06	28
29	..					·08	·02	·02		·04	·27	·16	29
30	22			·02		11	·05			·88	·42	·62	30
31	..					·[illegible]	·16	·02		1·59		1·27	31
Total	3.73	8 4 6 8.16	·64	1·37	4·25	·74	4·33	2·78	·60	6·00	3·09	10·73	TOTAL for year 46.72
No. of Rain Days	21	12·19 22	12·83 19	14·20 14	18·45 13	19·19 6	23·52 17	26·30 18	26·90 8	32·90 19	35·99 11	46·72 24	176
	3·50	3·62	3·57	2·70	2·76	2·48	2·33	3·35	2·23	4·94	3·58	5·98	40·96

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

4079

[illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
13 JAN 1917

Kept at Gwernvale Crickhowell

in the County of Brecknock

by J. Pirie. Gordon Garden

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Gilwern

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 443 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.18		.04		.02	.11	.26			.27	.30		1
2	.53	.16	.24		.03	.02	.02		.24	.92	.39		2
3	.02	1.76	.07		.08	.02			.10	.43	.46		3
4	.29	.31			.63	.34			.07	.17	1.30		4
5		.13			.22	.12	.08			.30	.07		5
6	.07	.28			.09	.03	.63			.55	.91		6
7	.09	.02	.17		.15	.01			.01	.13	.62	.17	7
8	.02		.07		.44	.29				.03	.06	.10	8
9			.02		.04	.03				.07	.05	.10	9
10		.38	.02	.09	.02					.06	.07	.13	10
11	.22	.05	.10	.07	.07	.05						07	11
12	.03	.06	.05	.08	.42		.17	.04		.09			12
13		.25	.18	.12	.02			.53	.02	.03			13
14		.36	.28	.09	.03			.15		.22	.07	.07	14
15		.93	.12	.16	.04			.18	.07	.09			15
16	.03	.07		.18			.05	.03		.06			16
17	.12	.19		.25				.07	.25	.36	.30 5 hrs		17
18		.08	.28	.08					.18	.18	.16 3 hrs		18
19	.32		.84	.17							.10	.11	19
20	.19	.09	.24									.59	20
21	.05		.40	.06	.06		.11				.02	.12	21
22						.03				.60	.07	.39	22
23				.04				.15		.06	.12	.18	23
24		.33	.02	.04	1.56			.13		.84		.23	24
25		.16	.34		.07	.03		.69		.16	.44		25
26	.07	.22	.06		.05	.12		.12	.37	.81	.06		26
27	.02	.18	.20			.07		.30	.29	.82			27
28	.02	.34	.90						.13	.50	.04	.34	28
29		.20				.30		.54	.07	.23		.36	29
30		X						.03		.46			30
31		X		X		X		.05	X	.52	X	.15	31
Total	2.21	6.55	4.64	1.43	3.92	1.51	1.32	2.95	1.74	8.90	5.43	2.99	YEAR'S TOTAL 43.59
Rain Days.	17	22	21	13	19	15	7	13	12	27	20	15	207
Av 18 years	3.50	3.62	3.57	2.70	2.76	2.48	2.33	3.35	2.23	4.94	3.58	5.90	40.96

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.
21 JAN 1915

and [illegible] 23.IV.15

REGISTER OF RAINFALL IN 1914

Kept at Gennine Garden

in the County of Brecknock + RR

by P. Pare Garden (Walled Garden)

Lat. .... Long. ....
Nearest Railway Station Gilwern
RAIN GAUGE. Time of Observation 9 a.m.
Diameter 5 in. Garden
Height of top above Ground 1 ft. 3 in.
" " Sea Level 443 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	~~APRIL.~~ May	~~MAY.~~ April	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..	.03	.0.9	..	.01	.10	.63	.32	-	.	.16	.19	1
2	..	..	.08	.03	..	.2	.90	.0.7	-		.55	.74	2
3	..	..	.10	.36	.03	.	.03	.0.4	-		.0.2	.84	3
4	.28	..	0.4	.11	.20	,	.25	.0.9	-		.75	1.12	4
5	.16	..	.12	.31	.19	,	.05	.	.		.44	-	5
6	.10	.13	.0.9	.05	.40	,	.	.0.3	-		.0.2	.58	6
7	.0.2	.68	.35	.44	.07	0.9	.33	.07	0.5		.0.1	.68	7
8	.03	..	.10	.31	.07	.56	.	.26	0.1		-	.25	8
9	.0.5	.08	.18	.08	.57	1.22	,	.11	.0.9		.	-	9
10	-	.71	.0.6	..	.24	.5	.	-	.34		.	-	10
11	..	.27	.39	.30	.02	.23	.18	.	.03		.32	1.20	11
12	..	.78	.0.7	..	..	..	.	.	.16		.19	.63	12
13	..	.79	.64	..	.01	..	13	.	.32	28	.15	.15	13
14	..	1.27	.38	..	.	..	.03	0.8	-	.0.8	.31	.0.2	14
15	..	.0.6	.30	..	.	..	.0.3	19	.0.3	.0.2	.10	0.3	15
16	.0.2	..	.0.4	..	.	..	.22	.	.38	.	.	0.2	16
17	.0.2	.53	.33	..	,	..	.03	.	.0.2	.	.	1.33	17
18	-	.0.4	.30	..	-	..	.03	.	.15	.	.	.22	18
19	-	.0.7	.24	..	..	..	1.12	.	.0.8	.	-	.24	19
20	-	.78	12	..	..	.0.7	.	.	..	.	-	.37	20
21	-	.61	.0.2	..	..	.	.03	0.3	..	.28	.		21
22	-	.29	..	..	..	.	.0.2	.11	..	.63	.		22
23	..	.0.3	14	14	..	.	.0.4	-	-	.32	-		23
24	.03	.0.2	.16	.45	.02	.	.07	.20	-	.03	.0.6	.34	24
25	.12	..	.12	..	.	.	.40	22	-	.24	.0.3	[illegible]	25
26	.0.2	.03	.0.6	..	.	,	.15	.0.1	-	.14	.35	.44	26
27	.0.2	..	.	..	.	.	.03	-	-	.07	.56	51 .57	27
28	.0.3	.0.9	.26	.10	.	.	.	.	-	.0.6	.08	.02	28
29	.25	.	.21	.9	-	.	.	.	-	.18	.70	1.18	29
30	.0.2	.	.29	..	-	,	.	.	-	.22	.86	.35	30
31	.92		..	..		.	.20	-		.89		64	31
Totals	2.11	7.24	5.28	2.77	1.83	2.34	4.90	1.83	1.66	3.44	5.66	12.65 12.69	12.65
Total from Jan. 1	 .16	9.40 .20	14.68 .28	[illegible] ~~17.45~~ 13	~~14.28~~ ~~16.51~~ .12	21.62 .8	26.52 .22	28.35 .15	30.01 12.	33.45 14	39.11 .19	51.76 .25	51.76 204

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

Simade 3912

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

24 JAN 1918

Kept at Gwernvale

in the County of Brecknock

by E. Perc. Gordon

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Elwen

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·16			·37		·23	·21		·07	·09	1
2			·05	47		·06		02		14	·16		2
3	·03		·01			·01		07		54	·02		3
4				·16			·10	·05		·36		01	4
5	·29		·85	·12		08		·07	·77	·42	18		5
6	·02		·80			·09				37	·45	·01	6
7	·24						10	·14		·23	·19	03	7
8	·71			21			·61	90	01	36	·03	·15	8
9			·40	·15	·17			·13	13	04	53	01	9
10	·27		·50	·33	·18			·28	02	·06	07		10
11	·23		03	·35	·03			·22		·53	11		11
12	·23			·02	1·35			·05		·22	01	·01	12
13	·02		·09	·09				·45	·06	·03			13
14			13	07	·02			·17	·07	·03		01	14
15				03	·08		·15	·02	·02	·14		·31	15
16		·20		·08		34		01		·01	·01	·10	16
17					·45		39	·69	·15	·08		14	17
18	·03	02			·08		·72	·04	1·25	·02			18
19	·07	·33	20			·47		·01	·02		·01		19
20		·04	05		·52	07	02	01	11			·01	20
21			·15		·09			·07		·02			21
22						09		·43		·04	·03		22
23		09			·19	·01		·50		·08	·01	·01	23
24		·03	02			05	·02	·10		·54	·09		24
25		05	·15					·27	01	·07	·04		25
26					·20			·77	·15	03	·02		26
27					1·06	·45	·23	·63		·03			27
28		·07	·07		·05	·28		·32				·04	28
29		X	14			·03		·14		·93		·40	29
30		X	·03					·24		14	04	·01	30
31		X	·08	X	·21	X		·13	X	·03	X		31
Total	2.08	·77	3.91	2.08	4.68	2.40	2.34	7.04	2.92	5·49 [illegible]9	2.01	1.34	YEAR'S TOTAL 37.06
Rain Days.	11	2.85 8	6.76 19	8.84 12	13.52 15	15.92 14	18.26 9	25.30 30	28.22 14	33.71 27	35.72 19	37.06 16	194

W. 8,000, IX. 17.

FORM A2.
BRITISH RAINFALL.

8 FEB 1912

Cor. for arith.

REGI

CRICKHOWEL GWERNVALE

1911-1920

Kept at Gwernvale

in the County of Breck

by E. Pirie Gordon

in.

Ground 1 ft. 3 in.

Sea Level 393 ft.

Name

Distance Direction

IMPORTANT NOTE.— he result entered to the previous day. If an Observe rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·02	·05			·17				[illegible]	1
2	·02				·17			·20		·15	·26	·31	2
3				·05	·79			·03	·05	·02	·14	·21	3
4			·07	·03				·06	·05	·03	·25	·82	4
5	·65							·19		·10	·46	[illegible]	5
6	·05		·07					·01			·09	1·05	6
7											·30		7
8			·04								·63	1·02	8
9	·01		·08								·65	·77	9
10	·09	·06	·38								·38	·45	10
11	·24				·44				·03		·03	·04	11
12			·28		·03				·38		·36	·47	12
13					·33				·24	·02	·81	·34	13
14			·02								·04	1·27	14
15		·05	·03			·03				·02	·02	·18	15
16						·16					·61	·32	16
17		·04		·04	·03	1·27					·25	·84	17
18		·52	·17	·37		·03				·08	·36	·74	18
19		·12		·32		·25			·77	·75	·05	·60	19
20		·07 ·07		·16					·10	·08	·05	·52	20
21		·31	·19			·10		·31	·04	·65		·11	21
22		·28	·06	·05		·16			·02	·16		·60	22
23		·29	·04			·17			·19	·16		·22	23
24		·06				·55		·12		·07		·12	24
25		·09		·05		·09			·13	·04		·08	25
26		·23		·27	·25	·05		·08		·26	·18	·11	26
27		·33	·27	·04				·49	·31		·07	·12	27
28		·19		·22				·06			·35		28
29				·02		·23	·13		·14	·55			29
30				·02	·04	·02	·15	·05		·52	·08		30
31							·14			·02			31
Total	1·06	2·64 2·64	1·70	1·66	2·13	3·11	·42	1·77	2·45	3·68	6·42	11·36	TOTAL for year 38·40
No. of Rain Days.	·6	3·80 ·14	5·50 13	7·16 14	9·29 9	12·40 13	12·82 3	14·59 12	17·04 13	20·72 18	27·14 23	38·50 ·25	38·40 163

W. 8,000, X. '11.

Corr for arith

REGI

FORM A2.
BRITISH RAINFALL.

8 FEB 1912

Kept at Gwernvale

in the County of Brecknock

by E. Pome Gordon

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
,, ,, ,, Sea Level 393 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02	·05			·17				[illegible]	1
2	·02				·17			·20		·15	·26	·31	2
3				·05	·79			·03	·05	·02	·14	·21	3
4			·07	·03				·06	·05	·03	·25	·82	4
5	·65							·19		·10	·46	[illegible]	5
6	·05		·07					·01			·09	1·05	6
7											·30		7
8			·04								·61	1·02	8
9	·01		·08								·65	·77	9
10	·09	·06	·38								·38	·45	10
11	·24				·44				·03		·03	·04	11
12			·28		·03				·38		·26	·47	12
13					·33				·24	·02	·81	·34	13
14			·02								·04	1·29	14
15		·05	·03			·03				·02	·02	·18	15
16						·16					·61	·32	16
17		·04		·04	·03	1·27					·25	·84	17
18		·52	·17	·37		·03				·08	·36	·74	18
19		·12		·32		·25			·77	·75	·05	·60	19
20		·07		·16					·10	·08	·05	·52	20
21		·31	·19			·10		·31	·04	·65		·11	21
22		·28	·06	·05		·16			·02	·16		·60	22
23		·29	·04			·17			·19	·16		·22	23
24		·06				·55		·12		·07		·12	24
25		·09		·05		·09			·13	·04		·08	25
26		·23		·27	·25	·05		·08		·26	·18	·11	26
27		·33	·27	·04				·49	·31		·07	·12	27
28		·19		·22				·06			·35		28
29				·02		·23	·13		·14	·55			29
30				·02	·04	·02	·15	·05		·52	·08		30
31							·14			·02			31
Total	1·06	2·64	1·70	1.66	2·13	3.11	·42	1·77	2·45	3·68	6·42	11·36	TOTAL for year 38·40
No. of Rain Days.		3·80	5·50	7·16	9·29	12·40	12·82	14·59	17·04	20·72	27·14	38·50	3840
	·6	·14	13	14	9	13	3	12	13	18	23	·25	163

W. 8,000, X. '11.

Shade

cod 25.IV.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

22 APR 1913

Kept at Gwernvale Crickhowell

in the County of Brecons'hire 7

by Edward Pirie-Gordon

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		~~·54~~	·54			·39	·06	·03	·03	·53		·17	1
2		~~·74~~	·74	·03		·48	·20		—			·01	2
3	·04	~~·27~~	·27		·04	·12	·05	1.35	·02		·04	·06	3
4	·22	~~1.45~~	1.45		·05			·11			·12	·02	4
5	·36	~~·25~~	·25		·03			·62	(·02)			·05	5
6	·67	·35			·05	·09		1.12				·02	6
7	·02	·60 ~~·36~~	·36		·02	·35	·13	·02				·06	7
8	·46	·33 ~~·19~~	·19			·10		·15	·04				8
9	·05	·07 ~~·62~~	·62	·10		·40		·36		·02		·44	9
10	·29	·16		·02		·06	·03	·29			·28	·03	10
11	·02	·11					·02	·02	—		·08	·57	11
12	·03	·08	·11	·13	·13	·02	·10			·01		·13	12
13	·09			·02			·03		·02	·15	·04	·18	13
14	·07		·49		·04	·22		·05	·01	·01		·07	14
15	·93	·09			·34							·21	15
16	·59		·27		·02			·06		·05	·04	·02	16
17	·25		·16			·13		·38		·01	·06	·45	17
18	·10	·05	·09					·15			·02	·05	18
19	·19	·06					·17	·74	—	·02		·07	19
20	·09		·68				·03	·21		·19	·01	·02	20
21	·02	·03	·41		·56			·57	—	·21			21
22	·20	·43	·17		·44		1.01	·24		·07		·14	22
23	·28	·30	·38			·28	·02	·17		·03	·08	·15	23
24	·13		·02			·34	·05	·03	—		·02	·27	24
25		·03				·24	·12	1.04	—	·02	·57	·46	25
26		·25	·06				·14	·89		1.01	·73	·58	26
27		·04				·48	1.32			·87		·62	27
28		·16				·03	1.02	·79	·24	·52	·45	·30	28
29		·17	·02			·07	·30	·20	·83	·34		·05	29
30			·19			·19	·08	·01	·01	·57			30
31			·07		·21		·50	·02		·02		·12	31
Total	5·10	3.31	7·54	·30	1.93	3.99	5·38	9.62	1.22	4.65	2.54	5.32	YEAR'S TOTAL 50.90 50.90
Rain Days.	22	8.41 18	15.95 22	16.25 5	18.18 12	22.17 18	27.55 20	37.17 26	38.39 9	43.04 19	45.58 14	av 28	38.87 213

W. 7,500, XI. ·12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Gwernvale
in the County of Brecknock
by E. Pirie-Gordon

7

Lat. Long.
Nearest Railway Station
RAIN GAUGE. Time of Observation 9 a.m
Diameter 5 in.
Height of top above Ground 1 ft. 3 in.
" " Sea Level 393 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.14	.38	.06	.02				.23	.03	.23	.3	1
2	.06	.45		.21	.14					.47	.38	– 2	2
3	.12	.04	.34		.21				.07			.19	3
4	.94	.07	.07	.07	.45		.02		1.51	.64	.04	.21	4
5	.08	.07	.05		.14	.12			.20	.06	.15	.4	5
6	.07	.16	.44		.07	.08	.09			.73	.29	.47	6
7	.04	.62	.02		.75	.14	.03			1.08	.12	.2	7
8	.07	.46	.01		.56	.04	.02	.04		.19		–	8
9		.24	.02	.02	.25	.21	.49	.25	.04		.35	0.2	9
10	.47			.02	.15		.02	.25		.65	.09	–	10
11	.76			.27	.07			.02		.03	.60	–	11
12					.28			.03	.02		.38	.01	12
13	.01		.28	.02	.02			.09	.34		.37	–	13
14	.41		.53	.11				.02	.06	.12	.04	–	14
15	.07	.02	.91	1.42				.24	.02		.05	.02	15
16	.40		.53	.07				.30	.07			-	16
17	.07		.45	.16							.05	–	17
18	.15		.72	.27			.03				.15	–	18
19	.28		.24			.14	.03		.04	.07	.02	–	19
20	.33		.53	.07						.04	.86	→	20
21			.60	.22	.11		.12	.03		.03	.15	–	21
22	.66		1.06			.12		.50	.31			–	22
23	.06		.05					.09	.02		.11	.20	23
24	.06	.20		.03							.15	.2	24
25		.06		.46					.06	.07	.02	.07	25
26				1.61	.25	.03		.07		.02		.40	26
27	.07	.02	.30	.22						.47		. –	27
28	.32		.19	.62	.06					.46		– -	28
29			.73	.50	.02			.05		.35		.32	29
30	.25									.65	– 7	–	30
31	.08		.26		.07					.14		–	31
Totals	5.85	2.55	8.71	6.37	3.62	.88	.84	1.98	2.87	6.34	4.68	2.04	46.72
Total from Jan. 1		8.40	17.11	23.48	27.10	27.98	28.82	30.80	33.67	40.01	44.68	46.72	
	25	13	23	20	.18	8	9	14	14	20	22	..15	206
	3.31	3.18	3.03	2.76	2.66	2.62	1.92	3.16	2.34	4.90	3.50	5.49	

K/5000/10/03.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 21 JAN 1915

Kept at [illegible]

in the County of [illegible]

by E. Pirie Gordon

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	.2	.10	.1	.0	.10	.53	.32			.16	.17	1
2	0	0	.08	.0	.04	.2	.88	.07			.56	.62	2
3	0	0	.10	.3	.35	.0	.03	.04			.02	.69	3
4	.28	0	.4	16	.11	.0	.25	.09			.68	1.05	4
5	.17	0	12	20	.30	.0	.05				.44		5
6	.10	.13	.9	40	.06	0		.03			.02	.48	6
7	.2	.54	.33	.8	.41	.09	.33	.07	.05		.01	.65	7
8	.3	.0	.10	.7	.31	.53		.20	.01			.22	8
9	.5	.8	.18	54	.09	1.20		.10	1.0				9
10	0	.54	.6	24	.0	05			.35				10
11	0	.24	.39	.2	.29	.22	.18		.02		.31	1.13 1.03	11
12	0	.65	.6	0	.0	.0			.16		.19	52	12
13	0	.71	.59	.1	.0	.0	.14		.31	20	.15	14	13
14	0	1.11	31	0	.0	.0	.03	.08		.08	29	.02	14
15	0	.6	30	0	.0	.0	.03	.20	.03	.02	.10	.02	15
16	.2	0	.4	0	.0	.0	.22		.37			.02	16
17	.2	.46	31	0	.0	.0	.03		.02			1.18 1.08	17
18	0	.4	29	0	.0	.0	.03		.16			20	18
19	0	.7	24	0	.0	07	1.10		.08			23	19
20	0	.78	12	0	.0	.0						36	20
21	0	.53	2	0	.0	.0	.03	.03		.28			21
22	0	.25	0	0	.0	.0	.02	.11		60			22
23	0	.3	14	0	.14	.0	.04			.32			23
24	.3	.2	16	.2	.45	.0	.08	.19		.03	.06	.30	24
25	.12	0	12	0	.0	.0	.37	.20		.23	.03	.51	25
26	.2	.3	.6	0	.0	.0	.15	.07		.14	.34	.37	26
27	.2	.0	0	0	.0	.0	.03			.06	.46	.54	27
28	.5	.9	25	0	.10	.0				.06	.07	.01	28
29	.24	-	20	0	.9	.0				.16	.45	.88	29
30	.2	-	26	0	.0	.0				20	.79	34	30
31	.86		.0		.0		.20			.84		66	31
Total	2.05	6.38	5.06	1.81	2.73	2.28	4.75	1.74	1.66	3.31	5.13	11.25	YEAR'S TOTAL ~~47.93~~
Rain Days.	16	8.43 20	13.49 28	15.30 12	18.03 13	20.31 8	25.06 22	26.80 15	28.46 12	31.77 14	36.90 19	48.15 25	48.15 204

W. 7,500, XI. 12

4151

FORM A.
BRITISH RAINFALL.
1 - FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Gwernvale Crickhowell
in the County of Brecknock
by ? Pirie Gordon

Lat. Long.
Nearest Railway Station Abergavenny
RAIN GAUGE.
Time of Observation 9 am
Diameter 5 in.
Height of top above Ground 1 ft. 0 in.
" " Sea Level 393 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.60	.10	.06		.19			.61	.16	.43	.03	.21	1
2	.09	.35	.08	.25				1.26	.02	.11		.09	2
3	.08	.24	.05	.03	.07		.31	.07		.01		.31	3
4	.11	.35	.01		.30		.11	.05				.66	4
5	.06	.64		.09	.01			.10				1.18	5
6	.27	.08		.12			.75	.14				.36	6
7	.20	.50		.02	.03		.08	.03				.45	7
8	.34	.32		.11				.05			.19		8
9	.03	.34		.14				.01			.39	.77	9
10	.22	.03	.02	.11				.02	.10	.16	.12	.07	10
11	.08		.04	.05						.01	.76	.05	11
12	.10	.54		.17	.57			.04		.05	.37		12
13	.02	.92			1.21					.01	.11	.07	13
14	.03	.02						.11				.60	14
15	.65	.06			.10		.06	.06		.08	.11	.17	15
16	.04	1.10			.59		1.30	.02					16
17		.40			.64			.08					17
18		.76			.01						.02		18
19		.03		.02	.18		.20						19
20	.25			.05			.07	.02		.13		.04	20
21	.15	.10			.03		.17			.10			21
22	.05	.02	.19	.15			.43			.05		.64	22
23	.09	.04	.05			.05	.10		.01	.63		.34	23
24			.07	.03			.17		.08	.83		.80	24
25			.02			.36			.01	.02		.24	25
26		.31				.05	.16		.01			.81	26
27		.10					.15			.56		.24	27
28		.25				.08	.–		.23	.14		.06	28
29						.08	.03	.02		.04	.26	.17	29
30	.22			.02		.11	.05			.83	.40	.52	30
31							.15	.03		1.37		.98	31
Totals	3.68	7.60	.59	1.36	3.93	.73	4.23	2.72	.62	5.56	2.76	9.83	
Total from Jan. 1		11.28	11.87	13.23	17.16	17.89	22.12	24.84	25.46	31.02	33.78	43.61	
	21	24	10	15	13	6	17	18	8	19	11	24	

K/5000/10/03.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

S made

Exd [illegible]

4078

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

13 JAN 1917

Kept at Gwernvale Crickhowell

in the County of Brecknock

by E. Pere. Gordon House

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Gilwern

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.18		.04		.02	.10	.25			.26	.19		1
2	.47	.15	.20		.03	.02	.02		.21	.90	.39		2
3	.02	1.40	.07		.08	.02			.09	.39	.38		3
4	.30	.30			.56	.31			.07	.17	1.27		4
5		.13			.21	.12	.08			.26	.06		5
6	.07	.26			.09	.03	.61			.45	.81		6
7	.07	.02	.15		.15	.07			.07	.12	.57	.17	7
8	.02		.04		.44	.29				.03	.06	.08	8
9			.02		.03	.03				.07	.05	.10	9
10		.37	.02	.10	.02					.05	.07	.12	10
11	.20	.09	.05	.07	.01	.05						.07	11
12	.03	.06	.05	.08	.42		.16	.04		.09			12
13		.27	.18	.12	.02			.56	.02	.03			13
14		.32	.28	.09	.02			.15		.20	.07	.07	14
15		.70	.10	.16	.04			.19	.07	.09			15
16	.03	.07		.18			.05	.03		.06			16
17	.12	.20		.24				.07	.23	.34			17
18		.08	.28	.08					.17	.16	.53 Snow		18
19	.27		.84	.16							.09 Snow	.09	19
20	.19	.09	.20									.57	20
21	.05		.35	.06	.07		.10				.02	.11	21
22						.03				.57	.07	.38	22
23				.04				.16		.05	.10	.18	23
24		.32	.02	.04	1.47	.		.13		.79		.22	24
25		.14	.34		.07	.03		.69		.16	.44		25
26	.07	.20	.06		.04	.12		.11	.38	.73	.07		26
27	.02	.14	.17			.07		.30	.28	.70			27
28	.02	.45	.88						.13	.46	.04	.36	28
29		.15				.30		.48	.07	.23		.33	29
30		✕						.03		.46			30
31		✕		✕		✕		.05	✕	.51	✕	.15	31
Total	2.07	5.86	4.34	1.42	3.73	1.47	1.27	2.93	1.67	8.27	5.10	2.88	YEAR'S TOTAL 41.07
Rain Days.	17	22	21	13	19	15	7	14	12	27	19	15	201

W. 8,000, VIII. 16

S made

391

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL

24 JAN 1918

Kept at Gwernvale, Crickhowell Garden
in the County of Brecknock
by P. Pirie. Gardn

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Gilwern
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			16			.42		.23	.23		.07	.09	1
2			.05	.46		.06		.02		.14	.17		2
3	.03		.01			.01		.01		.55	.02		3
4				16			.10	05		.39		.01	4
5	.29		1.00	.12		.08		.01	.83	.42	.20		5
6	.02		.83			.09				.39	.45	.01	6
7	.23						.10	.14		.24	.19	.03	7
8	.71			.21			.64	95	.01	.38	.03	.15	8
9			.40	.12	.17			.13	.13	.04	.55	.01	9
10	.27		.57	.33	.18			.28	.02	.06	.01		10
11	.23		.03	.35	.03			.23		.54	.11		11
12	.23			.02	1.37			.05		.22	.02	.01	12
13	.02		10	.09				.45	06	03			13
14			.15	.07	.02			.17	.01	.03		01	14
15				.04	.08		.16	.02	02	.17		.35	15
16		20		.09		.32		.01		.01	.01	.13	16
17					.47		.40	.74	.15	.08		.17	17
18	.03	02			.08		78	.05	1.26	.02			18
19	.01	.34	.20			.49		01	.02		.01		19
20		.04	.05		.55	.07	.02	.01	12			.01	20
21			.16		.10			.07		.02			21
22						.09		.48		.04	.03		22
23		.09			.20	.01		.57		.08	.01	.01	23
24		.03	02			05	.02	.12		.57	.09		24
25		.05	.15					.27	.01	.07	.04		25
26					.20			.82	.16	.03	.02		26
27					1.10	.45	.24	.66		03			27
28		.01	.07		.05	.30		.32				.04	28
29			.14			.04		.16		1.05		.43	29
30			.03					.24		.15	04	.01	30
31			.08		19			.13		03			31
Total	2.07	.78	4.20	2.06	4.79	2.48	2.46	7.40	3.03	5.78	2.07	1.47	YEAR'S TOTAL 38.59
Rain Days.	11	2.85 8	7.05 19	9.11 12	13.90 15	16.38 14	18.84 9	26.24 30	29.27 14	35.05 27	37.12 19	16	194
Avge 20 yrs	3.36	3.63	3.65	2.60	2.92	2.43	2.36	3.54	2.25	5.18	3.66	5.53	

W. 8,000, IX. 17.

5mm E & M 46

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

18 . 1 . 19

Kept at Gwernvale Crickhowell

in the County of Brecknock

by E. Pirie Gordon Hon

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·10	·02	·06	·02			·23	·02	·02	1.35		1
2		·14		·09				·42	·02		·04	·35	2
3		·26		·14	·49				·48	·11	·07	·02	3
4		·10		·01				·04	·77	·21	1.08	·62	4
5		·09		·11	·24			·13	·18	·65	·06	·04	5
6	·01	·27		·20		·07		·01	·18	·46		·07	6
7		·07		·02	·40				·72	·24	·49	·17	7
8		·33							·03	·10		·02	8
9	·10	·43		·35		·32	·06		·32	·04	·04	·18	9
10	·08	·03		·20		·01	·62		·22	·04	·02	·28	10
11	·01	·02	·06	·03	·02		·44		·10	·05	·04	·05	11
12	·02	·15	·12		·05		·22		·12				12
13		·07	·01		·02		·04		·28	·02		·10	13
14	·66	·01	·07		·02	·02	·13		·38	·02		·30	14
15	x			·05		·02	·57		·03			·44	15
16	x		·07	1·20		·02	·05		·43			·26	16
17 snow	x 1·54		·05	·01		·02	·05		78	·10		·36	17
18	·74		·02			·38	·17		1·00	·05		·55	18
19	·32	·03	·18	·02			·11		·09	·04		·12	19
20	·39	·17		·21		·02	·12		35				20
21	·29	·10		·12			·04		·76	·02		·10	21
22	·02				·24		·20		·06	·01		·45	22
23	·13				·54		·16		·17		·12		23
24	·02	·14					·13	·11	·02		·10	·12	24
25					·09		·26	·89		·07	·06	·	25
26	·02			·10			·32	·03	·09	02	·07	·18	26
27		·06	·40				·02	·21	·25		·04	·12	27
28		·01	·56					·01			·04	·06	28
29			·10						1·04	·02		·05	29
30		×	·45						03	·09	·08	·19	30
31		×	·52	×		×		·09	×		×	·04	31
Total	4·35	2·68	2·57	2·92	2·13	·88	3·71	2·17	8·92	2·38	3·70	5·24	YEAR'S TOTAL 41·65
Rain Days.	~~15~~ 17	20	14	17	11	9	19	11 ~~14~~	28	21	16	26	209

11

W, 6,500, VII. 18. w w c

47

FORM A. BRITISH RAINFALL. 18.1.19

REGISTER OF RAINFALL IN 1918

Kept at Gwernvale Crickhowell

in the County of Brecknock

by E. Pirie Gordon

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
			·0·										
1		·10	·02	·06	·02			·23	·02	·02	1·35		1
2		·14		·09				·42	·02		·04	·35	2
3		·26		·14	·49				·48	·11	·07	·02	3
4		·10		·07				·04	·77	·21	1.08	·62	4
5		·09		·11	·24			·13	·18	·65	·06	·04	5
6	·01	·27		·20		·07		·07	·18	·46		·07	6
7		·07		·02	·40				·72	·24	·49	·17	7
8		·33							·03	·10		·02	8
9	·10	·43		·35		·32	·06		·32	·04	·04	·18	9
10	·08	·03		·20		·07	·62		·22	·04	·02	·28	10
11	·01	·02	·06	·03	·02		·44		·10	·05	·04	·05	11
12	·02	·15	·12		·05		·22		·12				12
13		·07	·01		·02		·04		·28	·02		·10	13
14	·66	·07	·07		·02	·02	·13		·38	·02		·30	14
15	×			·05		·02	·57		·03			·44	15
16	·×		·07	1·20		·02	·05		·43			·26	16
17	× 1.54		·05	·07		·02	·05		·78	·10		·36	17
18	·74		·02			·38	·17		1,00	·05		·55	18
19	·32	·03	·18	·02			·11		·09	·04		·12	19
20	·39	·17		·21		·02	·12		·35				20
21	·29	·10		·12			·04		·76	·02		·10	21
22	·02				·24		·20		·06	·01		·45	22
23	·13				·54		·16		·17		·12		23
24	·02	·14					·13	·11	·02		·10	·12	24
25					·09		·26	·89		·07	·06		25
26	·02			·10			·32	·03	·09	·02	·07	·18	26
27		·06	·40				·02	·21	·25		·04	·12	27
28		·11	·56					·01			·04	·06	28
29			·10						1.04	·02		·05	29
30		×	·45						·03	·09	·08	·19	30
31		×	·52	×		×		·09	×		×	·04	31
Total	4·35	2.68 7·03	2.57 9 60	2·92 12.52	2.13 14.65	·88 15.53	3.71 19 24	2.17 21.41	8.92 30 33	2 38 32.71	3.70 36.41	5.24 41.65	YEAR'S TOTAL 41.65
Rain Days.	17 ~~15~~	20	14	17	11	9	19	11 ~~10~~	28	21	16	26	209 ~~206~~

Duplicate

W, 6,500, VII. 18. W W C

B. made

3721

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

17 JAN 20

Kept at Gwernvale Crickhowell Garden
in the County of Brecknock
by Edward Pirie Gordon

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Gilwern
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
„ „ „ „ Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39	·02	·10	·06	·03		·32		·07	·26			1
2	·15		·04		·03		·11		·23	·11	·05	·65	2
3	·04		·10						·08		·16	·08	3
4	·02	·27	·31			·16	·05		·32		·04	·26	4
5		·24	·22									·25	5
6	·75	·10	·34									·28	6
7	·42		·20	·07	·01				·03			·25	7
8	·49		·11	·02		·03							8
9	1.04		·02	·03							·21		9
10	07		·82	·02	·05					·04		·73	10
11	·02		·90	·01	09		·20			·03		·10	11
12	·03		·16	·06		·49	·02			·11		·02	12
13	·21			·46					·27	·13		·12	13
14	·40	·08		·24			·08		·02	·03		·24	14
15	·44	·04		·06				·14		·26		·33	15
16	·19	1·25		·07				·02			·18	·02	16
17	·04	·73		·02				·08			·29		17
18	·06	·07	·56				·03	·20	·04		08	·04	18
19	·24	·43	·68			·14	·29	·35	·15		08	·04	19
20	·47	·06	·37			·02		·11	·04		·12	·09	20
21	·05	·98	·03			·02	·06	·02	·91		·02	·11	21
22		·07					·06		·28			·25	22
23								·06		·52	·18	·08	23
24				·18		·06				·34	·20	·18	24
25	·09			·02	·03			·62			·03	·02	25
26	·04	·02	·13	·14		·07		·03	·06			·58	26
27	·10		·07	·19		·02	·02	·57			·02	·04	27
28	·03		·19	·01				·25				·41	28
29	·05		·09	·14				·02		·29		·34	29
30		✕	·03	·07		·27		·35			·66	·54	30
31		✕	·05	✕		✕	·03	·01	✕		✕	·05	31
TOTAL	5.83	4.36	5.52	1.82	·24	1.28	1.27	2.83	1.60	2.12	2.32	6.20	YEAR'S TOTAL 35.39 ✓
Days with ·01 in. or more	25	14	22	19	6	10	12	15	13	11	15	27	Av 22 years 40.76

189

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

cnd for auth

3604

8 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Gwernvale Crickhowell

in the County of Brecknock

by E Pirie Gordon

Lat. Long.

Time of Observation 9 am

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·15	·58		·73		·09	·26	·03	·78	1
2	·21			·14	·02		·15	·02	·05	·22		·48	2
3	·11	·11		·12	·05		·60	·04	·01	1·90		·11	3
4	·02		·02	·02			·02	·47		·41			4
5			·24	·14	·08		·35	·04		·17			5
6			·39		·18		·08			·30		·02	6
7	·02			·06	·02		·21			·02			7
8	·05	·05	·07	·71	·06		·17	·14					8
9	·35	·11		·69			·05	·04					9
10	·98	·23	·04	·07		1·25	·14				·05	·03	10
11	·28	·07	·33	·68	·43	·02	·06			·02			11
12	·20	·09	·04	·41	·04	1·13	·06	·02		·02	·11		12
13	·07	·01	·74	·57							·03		13
14	·05	·03	·58	·92		·10	·09		·60	·16	·73		14
15		·17	·35	1·95	·15	·18			·04	·07	·07		15
16		·02	·03	·10	·04	·30	·15		·44	·80	·05		16
17				·02	·40	·08	·02	·05	·86	·14		·07	17
18	·18			·05	·23	·05	·02	·14	·84			·04	18
19		·27		·43	·10	·16		·02				·03	19
20	·03	·04		·48	·07	·05						·32	20
21				·04		·02	·06		·03	·09		·30	21
22	·11			·11			·24	·15	·03			·34	22
23			·08				·66	·02				·50	23
24	·04	·04	·44				·03				·21	·42	24
25	·09	·04	·45				·29				·01	·09	25
26	·32	·02	·68	·02		·11	·10				·18	·11	26
27	·93		·73	·16	·05	·24	·04				·04	·48	27
28	·82		·24	·06	·20	·10	·17					·08	28
29	·69		·21	·07	·22		·06				·16	·73	29
30	·16	✕	·46	·09	·02	·16	·02		·35		·49	·55	30
31	·08	✕	·30	✕		✕	·02		✕	·76	✕	·15	31
TOTAL	5·79	1·30	6·45	8·26	2·94	3·95	4·59	1·15	3·34	5·34	2·16	5·63	YEAR'S TOTAL 50·90 ~~49·90~~
Days with ·01 in. or more	~~3~~ ~~22~~ 22	~~4~~ 15	21~~3~~	26~~3~~	19~~3~~	15~~2~~	27~~2~~	12~~4~~	11~~3~~	15~~3~~	13~~3~~	20~~3~~	216 ~~26~~
Days with ·04 in. or more	19	11	18	23	16	13	21	8	8	12	10	17	176 ✓ Averg
	av. 3.51	3.61	3.70	2.58	2.77	2.30	2.32	3.44	2.52	4.91	3.55	5.55	~~40.76~~ (22 yrs)

(44.283). 10/19. (52.638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

cord for W.D. 22.IV.

✓

REG

4187 CRICKHOWELL

GLANUSK PARK

~~1896 — 30.~~

1911, 18, 19

FORM A2.
BRITISH RAINFALL.

15 JAN 1912

Kept at Glanusk Par

in the County of Breck

by Lord G

in.

nd 1 ft. in.

Level 290 ft.

m Abergavenny

ce 8½ miles Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0-19		0-04	0-11	0-02					0-10	1
2					0-05			0-03			0.33		2
3				0-15	0-26			0-23		0-12		0-36	3
4	0-02				0-95			0-03		0-02	0-46	0-23	4
5	0-33			0.04				0-11	0-03	0-03	0-60	0.98	5
6	0.47		0-05								0-09		6
7			0-08								0-32	1-38	7
8											0-75		8
9			0-06								0-87	1-23	9
10	0.13	0-07	0-07								0.35	0-87	10
11	0.19		0-47		0-28						0-03	0-66	11
12											0-35	0-02	12
13			0-25						0-40		0-98	0-42	13
14					0-06				0-23		0.03	0.35	14
15										0.02	0.07	1.27	15
16		0-04	0.02								0-68	0-19	16
17						0-23					0-26	1-11	17
18		0-06			0-16	1-24					0-39	1-10	18
19		0-67	0-13	0-50		0.05			0-77	0.17	0-05	0.23	19
20		0-14		0-42		0-25				0-73	0-03	0.65	20
21		0-08	0.02	0.18					0-09	0.06		0-62	21
22		0-42	0-12					0.75		0-73		0-14	22
23		0-34		0.04		0.14				0.12		0.58	23
24		0.51	0.06			0.22			0-20	0.20		0-40	24
25		0.06						0-14		0-04			25
26		0-08		0-40		0-57			0-18	0.05		0.08	26
27		0.29		0.08	0-13	0-06		0-21		0.28	0.16	0.10	27
28		0-38	0-40			0-03		0-40	0-29			0-09	28
29				0.29		0-25		0.08	0.17		0.33		29
30							0-18			0-61			30
31							0-09	0-04		0-61			31
		·19		·04	·11	·02					·10		
Total	1-14	3-14	1.92	2.10	1.93	3-15	0-29	2.02	2-36	3.79	7-13	13-16	TOTAL for year ✓
	1.14	3.33	1.73	2.14	2.00	3.06	·27	2.02	2.36	3.79	7.23	13.06	42.13
No. of Rain Days		4.28	6.20	8.30	10.23	13.38	13-67	15-69	18-05	21-84	28-97	42-13 ✓	✓
	5	14	12	10	8	11	2	10	9	15	20	22	140

9,000, IX. '10.

✓ cmd for W.D. 22.IV.

REG

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

Kept at Glanusk Park, Crickhowell

in the County of Brecknock

by Lord Glanusk

RAIN GAUGE Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 290 ft.

Time of Observation 9-a.m

Nearest Railway Station Name Abergavenny
Distance 8½ miles Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0-19		0-04	0-11	0-02					0-10	1
2					0-05			0-03			0.33		2
3				0-15	0-26			0-23		0-12		0-36	3
4	0-02				0-95			0-03		0-02	0-46	0-23	4
5	0-33			0.04				0-11	0-03	0-03	0-60	0.98	5
6	0.47		0-05								0-09		6
7			0-08								0-32	1-38	7
8											0-75		8
9			0-06								0-87	1-23	9
10	0.13	0-07	0-07								0.35	0-87	10
11	0.19		0-47		0-28						0-03	0-66	11
12											0-35	0-02	12
13			0-25						0-40		0-98	0-42	13
14					0-06				0-23		0.03	0.35	14
15										0.02	0.07	1.27	15
16		0-04	0.02								0-68	0-19	16
17						0-23					0-26	1-11	17
18		0-06			0-16	1-24					0-39	1-10	18
19		0-67	0-13	0-50		0.05			0-77	0.17	0-05	0.23	19
20		0-14		0-42		0-25				0-73	0-03	0-65	20
21		0-08	0.02	0.18					0-09	0.06		0-62	21
22		0-42	0-12					0.75		0-73		0-14	22
23		0-34		0.04		0.14				0.12		0.58	23
24		0.51	0.06			0.22			0-20	0.20		0-40	24
25		0.06						0-14		0-04			25
26		0-08		0-40		0-57			0-18	0.05		0.08	26
27		0.29		0.08	0-13	0-06		0-21		0.28	0.16	0-10	27
28		0-38	0-40			0-03		0-40	0-29			0-09	28
29				0.29		0-25		0.08	0.17		0.33		29
30							0-18			0-61			30
31							0-09	0-04		0-61			31
Total	1.14 1.14	.19 3-14 3-33	1.92 1.73	.04 2.10 2.14	.11 1.93 2.00	.02 3-15 3.06	0-29 .27	2.02 2.02	2-36 2.36	3.79 3.79	.10 7-13 7.23	(–) 13-16 13.06	TOTAL for year ✓ 4213
No. of Rain Days	5	4.28 14	6.20 12	8.30 10	10.23 8	13.38 11	13-67 2	15-69 10	18-05 9	21-84 15	28-97 21	42-13 ✓ 23	✓ 140

9,000, IX. '10.

[illegible]

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Glanusk Park
in the County of Brecknockshire
by A. Ballard

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Abergavenny
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0·12	0·01	0·08	0·05			0·21	0·02	0·02	0·01	0·51	1
2		0·15		0·10				0·43		0·02	1·26	0·62	2
3		0·28		0·10	0·38				0·50	0·01	0·07	0·62	3
4		0·11			0·01			0·03	0·83	0·13	0·06	0·04	4
5		0·15		0·09	0·25			0·07	0·20	0·27	1·46	0·09	5
6		0·35		0·24		0·13		0·02	0·06	0·78	0·08	0·16	6
7	0·01	0·07		0·01	0·46		0·01		0·55	0·60	0·01	0·01	7
8	0·06	0·35							0·12	0·19	0·42	0·16	8
9	0·06	0·60		0·28	0·01	0·30	0·05		0·36	0·10	0·02	0·40	9
10	0·03	0·03		0·20			0·70		0·23	0·03	0·03	0·07	10
11	0·03	0·01	0·07	0·01		—	0·45		0·10	0·02	0·01	0·06	11
12	0·07	0·16	0·13		0·06	—	0·25		0·12	0·06	0·03		12
13	0·04	0·04					0·03		0·27	0·01			13
14	0·73		0·06		0·02	0·02	0·12		0·30	0·03		0·08	14
15	1·48			0·02		0·02	0·53		0·36	0·02		0·09	15
16	0·36			0·98		0·01	0·07		0·03		—	0·37	16
17	0·30		0·04			0·01	0·16		0·51			0·53	17
18	0·81		0·03			0·38	0·27		0·42	0·09		0·25	18
19	0·34	0·02	0·15				0·11		0·77	0·05		0·45	19
20	0·49	0·17		0·14		0·02	0·09		0·13	0·04		0·67	20
21	0·33	0·17		0·07			0·05		0·42			0·17	21
22	0·01				0·29		0·11	—	0·99	0·02			22
23	0·16	0·10			0·53		0·23	—	0·12	0·03	0·10	0·52	23
24	0·01						0·15	0·06	0·16		0·10	0·04	24
25					0·08		0·25	1·05	0·01		0·05	0·05	25
26	0·01			0·07			0·30	0·03		0·05	0·03	0·01	26
27		0·06	0·50					0·18	0·05	0·01	0·02	0·18	27
28		0·10	0·62					0·01	0·29		0·05	0·14	28
29			0·12								0·03	0·05	29
30		X	0·58						1·03			0·05	30
31		X	0·60	X		X		(·09)	X	0·08	X	0·04	31
Total	5·27	3·00	2·91	2·39	2·14	0·89	3·91	2·18	·02 ~~8·95~~ 8·97	·01 ~~2·66~~ 2·65	·5 ~~3·84~~ 4·34	(–) ~~6·43~~ 5·92	YEAR'S TOTAL 44·57
Rain Days	19	19	12	14	11	8	19	11	28	23	19	27	210

W. 6,500, VII. 18. w w c

10

3720

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

10 JAN 20

Kept at Glanusk Park

in the County of Brecknockshire

by Lord Glanusk

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. = in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·02		0.10	0-05	0-08		0-45		0-08	0-38	0-03	0-77	1
2	0.44		0-04	0-08	0-06		0-26		0-17	0-09	0-10	0-10	2
3	0-15		0-09						0-06			0-26	3
4	0.01		0-33			0.27	0-03	0-03	0-30			0-37	4
5		0-20	0-12				0-01					0-38	5
6		0-30	0-48									0-26	6
7	0-65	0-05	0-27						0-04				7
8	0-36		0-10	0-07		0-04							8
9	0-43		0-01	0-03		0-01				0-05	0-17		9
10	1-20		0-90	0-05								0-79	10
11	0-11		0-23	0-01		0-01	0-23			0-04		0-11	11
12	0-01		1-01	0-01	0-16	0-65				0-09	0-08		12
13	0-01		0-02	0-02			0-11		0-21	0-13		0-12	13
14	0-25	0-01		0-46				0-19		0-04		0-25	14
15	0-57	0-09		0-27	0-02					0-20		0-39	15
16	0-60	0-05		0-06		0-02		0-09			0-11		16
17	0-25	1-24						0-25	0-04		0-47		17
18		0-68					0-01	0-37	0-10		0-07	0-05	18
19	0-03	0-02	0-52			0-13	0-25	0-12			0-09	0-05	19
20	0-27	0-39	0-64			0-02					0-05		20
21	0-47	0-05	0-24			0-01	0-05		0-05			0.20	21
22	0-01	1-14	0-02				0-05					0-26	22
23		0-06							0-30	0-50	0-21	0-09	23
24						0-07	0-02			0·24	0-26		24
25				0-25		0-01		0-85			0-02		25
26	0-09			0-04	0-02	0-04		0-03				0-90	26
27	0-02		0-27	0-08			0-01	0-55				0-06	27
28	0-15	0-01	0-06	0-22				0-39				0-42	28
29			0-16					0-02		0-19		0 40	29
30			0-08	0-09		0-30		0-39			0-68	0-68	30
31	0-01		0-05					0-01				0-03	31
TOTAL	6-05	4-29	5-74	1-79	0-34	1-58	1-48	3-29	1-35	1-95	2-34	6-94	YEAR'S TOTAL 37-14
Days with ·01 in. or more	23	14	22	16	5	13	12	13	10	11	13	22	174

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

made

FORM A2.
BRITISH RAINFALL.

10 JAN 1912

REGIST

—

EBBW VALE W.W
1911 - 1920

Kept at Ebbw Vale owdery in.

round 1 ft. 0 in.

in the County of Brec ea Level 1412·7 ft.

by T. J. Thom m

To ame Beaufort

istance Direction

IMPORTANT NOTE.—Rai he result entered to the previous day. If an Observer sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·07	·03	·19	—	·02	·07	—	—	·86	·07	1
2	—	—	—	—	·33	—	—	·33	—	·11	·20	·54	2
3	—	—	·03	·02	1·13	—	—	·13	·04	·01	·69	·35	3
4	—	—	·14	·01	·01	—	—	·48	·06	·01	1·26	1·12	4
5	·22	—	·10	·01	—	—	—	·30	—	·16	·07	·09	5
6	·32	—	·21	—	—	—	—	·20	—	—	·43	1·07	6
7	·07	—	—	·01	—	—	—	—	—	—	·91	—	7
8	·08	—	·23	—	—	—	—	—	—	—	·86	1·28	8
9	·04	—	·04	—	—	—	—	—	—	—	·53	1·14	9
10	·10	·08	·60	—	—	—	—	—	—	—	—	·81	10
11	·46	—	—	—	·16	—	—	—	·01	—	·45	·30	11
12	—	·03	·45	—	·21	—	—	·01	·48	—	1·34	·27	12
13	—	·02	—	—	·10	—	—	—	·24	·40	·25	·48	13
14	—	·10	—	—	—	—	—	—	—	·05	·06	1·25	14
15	—	·23	·02	—	—	·05	—	—	—	·03	1·13	1·25	15
16	—	·08	—	—	—	·35	—	—	—	·01	·29	·31	16
17	—	·43	—	·07	·28	1·43	·03	—	—	—	·40	·87	17
18	—	1·10	·20	·48	—	·08	—	—	—	·09	·01	·92	18
19	—	·03	—	·49	—	·24	—	—	1·76	1·08	·06	·92	19
20	·02	·11	·01	·56	—	·04	—	—	·27	·23	·01	·60	20
21	—	·95	·04	·07	—	·23	—	·16	·11	·73	—	·16	21
22	·02	·13	·03	·42	—	·24	—	—	·10	·28	—	·62	22
23	·01	1·14	·05	·02	·02	·03	—	—	·55	·33	—	·54	23
24	·06	·22	—	—	·01	·48	—	·25	—	·09	—	·35	24
25	·07	·18	—	·34	—	·04	—	—	·30	·11	—	·18	25
26	—	·22	—	·55	·23	—	—	·36	—	·34	·06	·35	26
27	—	1·26	·29	·36	—	—	—	·84	·37	—	·08	·16	27
28	—	·64	—	·35	—	·04	—	·08	—	—	·44	·02	28
29	—		—	·08	—	·67	·29	—	·47	1·60	—	·01	29
30	—		·01	—	·01	·04	·05	·07	—	·63	·29	·01	30
31	—		—		·03		·33	—		·08		—	31
Total	1·47	6·95	2·52	3·87	2·71	3·96	·65	3·28	4·76	6·37	10·68	16·[illegible]	TOTAL for year ✓
No. of Rain Days.	12	18	17	17	13	14	·72 5	13	13	20	23	29	63·33 194

W. 8,000, X. '11.

16·04 ✓

made

Cor

REGIST

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at Ebbw Vale Waterworks

in the County of Brecon 6

by T. J. Thomas
Town Surveyor

RAIN GAUGE	Pattern	Snowdon
	Diameter of top	5 in.
	Height of top above Ground	1 ft. 0 in.
	" " " Sea Level	1412·7 ft.
Time of Observation		9 am
Nearest Railway Station	Name	Beaufort
	Distance	Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·07	·03	·19	—	·02	·07	—	—	·86	·07	1
2	—	—	—	—	·33	—	—	·33	—	·11	·20	·54	2
3	—	—	·03	·02	1·13	—	—	·13	·04	·01	·69	·35	3
4	—	—	·14	·01	·01	—	—	·48	·06	·01	1·26	1·12	4
5	·22	—	·10	·01	—	—	—	·30	—	·16	·07	·09	5
6	·32	—	·21	—	—	—	—	·20	—	—	·43	1·07	6
7	·07	—	—	·01	—	—	—	—	—	—	·91	—	7
8	·08	—	·23	—	—	—	—	—	—	—	·86	1·28	8
9	·04	—	·04	—	—	—	—	—	—	—	·53	1·14	9
10	·10	·08	·60	—	—	—	—	—	—	—	—	·81	10
11	·46	—	—	—	·16	—	—	—	·01	—	·45	·30	11
12	—	·03	·45	—	·21	—	—	·01	·48	—	1·34	·27	12
13	—	·02	—	—	·10	—	—	—	·24	·40	·25	·48	13
14	—	·10	—	—	—	—	—	—	—	·05	·06	1·25	14
15	—	·23	·02	—	—	·05	—	—	—	·03	1·13	1·25	15
16	—	·08	—	—	—	·35	—	—	—	·01	·29	·31	16
17	—	·43	—	·07	·28	1·43	·03	—	—	—	·40	·87	17
18	—	1·10	·20	·48	—	·08	—	—	—	·09	·01	·92	18
19	—	·03	—	·49	—	·24	—	—	1·76	1·08	·06	·92	19
20	·02	·11	·01	·56	—	·04	—	—	·27	·23	·01	·60	20
21	—	·95	·04	·07	—	·23	—	·16	·11	·73	—	·16	21
22	·02	·13	·03	·42	—	·24	—	—	·10	·28	—	·62	22
23	·01	1·14	·05	·02	·02	·03	—	—	·55	·33	—	·54	23
24	·06	·22	—	—	·01	·48	—	·25	—	·09	—	·35	24
25	·07	·18	—	·34	—	·04	—	—	·30	·11	—	·18	25
26	—	·22	—	·55	·23	—	—	·36	—	·34	·06	·35	26
27	—	1·26	·29	·36	—	—	—	·84	·37	—	·08	·16	27
28	—	·64	—	·35	—	·04	—	·08	—	—	·44	·02	28
29	—		—	·08	—	·67	·29	—	·47	1·60	—	·01	29
30	—		·01	—	·01	·04	·05	·07	—	·63	·29	·01	30
31	—		—		·03		·33	—		·08		—	31
Total	1·47	6·95	2·52	3·87	2·71	3·96	·65	3·28	4·76	6·37	10·68	16·[illegible]	TOTAL for year
No. of Rain Days.	12	18	17	17	13	14	5 ·72	13	13	20	23	29	6333 194

W. 8,000, X. '11.

16·04

Ex 92

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

28 JAN 1913

Kept at Ebbw Vale Waterworks

in the County of Brecon 6

by T. J. Thomas Town Surveyor

Lat. Long.

Time of Observation 9-0 am

Nearest Railway Station Beaufort

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1412·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	1·13	—	·02	·82	—	·10	·03	·70	—	·27	1
2	·01	—	·91	·01	—	·50	·07	·06	—	—	—	—	2
3	·15	—	·50	—	·03	·20	·04	1·53	·28	—	·04	·29	3
4	·86	—	1·78	·02	·05	·02	—	·29	—	—	·12	·02	4
5	·44	·09	·37	·02	·11	—	—	·65	—	—	—	·07	5
6	·93	·22	·02	—	·22	—	—	·94	—	—	·01	·06	6
7	—	·83	·51	—	·16	·35	·22	·01	—	—	·01	·18	7
8	·70	·31	·27	·08	·01	·09	·15	·03	·03	—	—	·01	8
9	·08	·23	·65	·18	—	·52	·03	·57	—	—	·05	·85	9
10	·40	·20	·01	—	—	·10	·15	·25	—	—	·48	·02	10
11	·02	·16	—	—	—	—	·11	·05	—	—	·11	1·25	11
12	·06	·47	·37	·09	·21	·06	·10	—	—	—	·01	·30	12
13	·18	·01	·01	·01	—	·03	·01	—	—	·32	—	·81	13
14	·20	·04	·73	—	·03	·04	—	·05	—	·02	—	·45	14
15	1·17	·18	·01	—	·30	·59	—	·05	—	—	—	·52	15
16	·56	·02	·59	—	·03	—	—	·42	—	·34	·06	·02	16
17	·33	—	·16	—	·01	·23	—	·72	—	—	·06	·62	17
18	·01	·06	·09	—	—	—	—	·21	—	·10	—	·17	18
19	·09	·22	·05	—	—	·04	·25	·52	—	·06	·02	·17	19
20	·09	·04	·80	—	·01	·02	·06	·09	—	·49	·03	·02	20
21	·01	·14	·62	—	·51	—	·01	·54	—	·30	—	—	21
22	·06	·91	·07	—	·37	·02	1·22	·62	—	·06	·04	·42	22
23	·28	·35	·75	—	—	·65	·01	·62	—	·08	·40	·29	23
24	·09	·04	·33	—	—	·64	·01	·01	—	·02	·04	·43	24
25	—	·01	·25	—	—	·34	·18	·92	—	·05	1·06	·42	25
26	—	·53	·07	—	—	·01	·06	·65	—	1·40	1·25	·43	26
27	—	·16	·11	—	—	·76	1·40	—	—	1·28	·03	1·04	27
28	—	·25	·02	—	—	·12	1·18	1·05	·26	·70	·45	·28	28
29	—	·31	·02	—	—	·02	1·19	·35	·64	·41	—	·03	29
30	—		·33	—	—	·12	·02	—	—	·64	—	·05	30
31	—		·11		·06		·71	·11		·04		·37	31
Total	6·72	5·78	11·64	·41	2·13	6·29	7·18	11·41	1·24	7·01	4·27	9·86	YEAR'S TOTAL 73·94
Rain Days.	22	24	30	7	16	24	22	27	5	18	19	29	243

W. 7,500, XI. ·12

~~# 82~~

S. made

REGISTER OF RAINFALL IN ~~1914~~ 1913

FORM A.
BRITISH RAINFALL.

7- JAN 14

Kept at Ebbw Vale Waterworks

in the County of Brecon 6

by T. J. Thomas - Town Surveyor

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Beaufort

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. [illegible] in.

" " " " Sea Level 1012·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·23	·56	·18	—	—	—	—	·13	·15	·21	·02	1
2	·16	·11	·65	·32	·63	·01	—	—	—	·53	·40	·29	2
3	·28	·19	·55	—	·47	—	—	—	—	·32	—	·23	3
4	·99	·14	·51	—	·54	·03	—	—	1·50	·50	·12	·31	4
5	·11	·10	·15	—	·18	·32	·03	—	·19	—	·35	·07	5
6	·33	·30	·44	—	·10	·29	·44	—	—	·77	·64	·47	6
7	·16	1·03	—	—	·94	·28	·06	—	—	·87	·22	·02	7
8	·11	·74	—	—	·60	·04	·03	·01	—	·07	—	·04	8
9	—	·31	·22	—	·12	·73	·31	·18	·02	·01	·45	·10	9
10	·53	—	·16	—	·11	—	—	·27	—	·57	·07	—	10
11	·74	—	·02	·20	·08	—	—	—	—	·02	·85	·07	11
12	—	—	—	—	·30	—	—	—	·15	—	·55	—	12
13	·12	—	·95	·02	·01	—	·08	·07	·96	—	·36	—	13
14	·30	—	·85	·50	—	—	—	—	·03	·27	·01	·01	14
15	·17	·02	1·05	1·55	—	—	—	·25	·02	—	·05	·10	15
16	·48	—	·74	·17	—	—	·02	·94	—	—	·10	—	16
17	·34	—	·05	·40	—	—	·02	—	—	—	·19	—	17
18	·20	—	1·08	·47	·02	·03	—	—	—	—	·32	—	18
19	·30	—	·16	·06	·03	·32	·01	—	·13	·19	·13	·01	19
20	·42	—	·64	·12	·01	—	—	—	·06	·17	2·45	—	20
21	·01	—	·61	·42	·23	—	·22	·28	—	·10	·14	—	21
22	·82	—	1·03	—	—	·17	—	·80	·45	—	·01	—	22
23	·12	—	·04	—	·01	·12	—	·10	·02	—	·10	·12	23
24	·36	·20	—	·10	—	—	—	—	—	—	·26	—	24
25	—	·09	—	·54	—	—	—	—	·10	·10	[illegible]	·36	25
26	—	·01	—	2·40	—	·02	—	·03	—	—	—	·50	26
27	·10	—	·24	·37	—	—	—	—	—	·90	—	·03	27
28	[illegible]	—	·22	·61	·08	—	—	—	·01	·72	·01	·02	28
29	·01		·92	·45	—	—	—	·04	—	·47	·02	—	29
30	·82		—	—	—	—	—	—	—	·86	·17	—	30
31	·07		·22		·13		—	—		·09		—	31
Total	8·42	3·47	12·06	8·88	4·59	2·36	1·22	2·97	3·77	7·63	8·50	2·83	YEAR'S TOTAL 66·70
Rain Days.	27	13	24	18	19	12	10	11	14	20	26	18	212

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. JAN 1915

4

Kept at Llangunider Reservoir
in the County of Brecon
by J. J. Thomas. Town Surveyor

Lat. Long.
Time of Observation 9·0 am
Nearest Railway Station Beaufort L+N WRy
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1412·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·09	·05	-·05	—	·16	·73	·73	—	—	·10	·17	1
2	—	—	·03	—	·10	—	·90	·66	—	—	·39	·78	2
3	·03	—	·43	·20	·59	—	—	·19	—	—	·02	·95	3
4	·63	—	·20	·32	·34	—	·71	·16	—	—	·66	1·14	4
5	·15	—	·35	·62	·33	—	·02	·10	—	—	·33	·01	5
6	—	·18	·12	·21	·18	·04	·05	·18	—	—	·01	·89	6
7	·06	·99	·96	·10	·72	·01	·49	·20	·05	—	·02	·78	7
8	·30	·01	·16	·13	·40	·34	·01	·58	·13	—	·05	·34	8
9	·39	·15	·21	·68	·14	1·65	—	·38	·14	—	·07	—	9
10	—	·86	·02	·22	·08	·15	—	—	·35	—	·02	—	10
11	—	·33	·43	·01	·29	·14	·22	—	—	—	·52	1·03	11
12	—	1·13	·18	—	—	—	—	—	·28	—	·51	·53	12
13	—	1·30	·93	—	—	—	·26	—	·60	·36	·46	·23	13
14	—	2·03	·43	—	—	—	·01	·20	·02	·07	·44	—	14
15	—	·06	·60	—	—	—	·07	·27	·11	·05	·38	·03	15
16	·01	—	·10	—	—	—	·11	—	1·02	—	—	·10	16
17	·04	·63	·32	—	—	—	·04	—	·02	—	—	1·60	17
18	—	·05	·35	—	—	—	·04	—	·09	·01	—	·31	18
19	—	·10	·30	—	—	—	1·75	—	·05	—	·10	·37	19
20	—	·70	·09	—	—	·22	·07	—	—	—	—	·32	20
21	—	·45	—	—	—	—	·04	·02	—	·35	—	·03	21
22	—	·20	·01	·02	·05	·08	—	·33	—	·78	—	—	22
23	—	·09	·22	—	·09	—	·05	·01	—	·36	—	—	23
24	·10	—	·12	·02	·02	—	·05	·16	—	·02	·13	—	24
25	·17	·02	·15	—	—	—	·42	·49	—	·48	·20	·48	25
26	—	·01	·08	—	—	—	·10	·04	—	·25	·93	·74	26
27	—	·06	—	—	—	—	—	—	—	·06	·79	·76	27
28	·19	·29	·40	—	·10	—	—	—	—	·09	·11	·33	28
29	·51	—	·46	—	·05	—	—	—	—	·13	1·23	·04	29
30	1·40	✕	·62	—	—	—	—	·01	—	·26	1·30	1·24	30
31	·06	✕	—	✕	·03	✕	·51	—	✕	·95	✕	·27	31
Total	4·04	9·73	8·32	2·58	3·51	2·79	6·65	4·71	2·86	4·22	8·77	13·47	YEAR'S TOTAL 71·65
Rain Days.	14	22	28	12	16	9	22	18	12	15	23	25	216

W. 8,000. X. 14.

11 4143

FORM A.
BRITISH RAINFALL

6. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Llangunider Reservoir

in the County of Brecon

by T. J. Thomas, Town Surveyor

Lat. Long.

Time of Observation 9.0 am

Nearest Railway Station Beaufort L & N. Wk

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1412·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·00	·50	·04	—	·51	—	—	·49	·12	·41	·03	·40	1
2	·15	·51	·42	·45	—	·02	·01	1·45	·13	·12	—	·10	2
3	·02	·49	·33	·08	·05	—	·20	·02	—	·03	—	·40	3
4	·09	·67	·03	—	·34	—	·08	·02	—	—	—	1·00	4
5	·19	·88	—	·15	—	—	—	·16	—	—	—	1·72	5
6	·38	·13	—	·23	—	—	·87	·07	—	—	—	·58	6
7	·47	·80	—	·08	—	—	·09	·09	—	—	—	·65	7
8	·34	·45	—	·02	—	—	—	·06	—	—	·56	—	8
9	·15	·47	—	·09	—	—	—	—	—	—	·53	1·30	9
10	1·02	·03	·04	·09	—	—	·03	·10	—	·14	·16	·13	10
11	·14	—	·03	·08	—	—	—	—	—	·02	·88	·11	11
12	·13	·39	—	·11	·37	—	—	·05	—	·17	·46	·02	12
13	·02	·75	—	—	1·14	—	—	—	·12	·01	·01	·10	13
14	·36	·01	·01	—	—	—	—	·08	·13	—	—	1·34	14
15	1·18	·03	—	—	·10	—	·19	·07	·05	·12	·12	·27	15
16	·03	1·90	—	·01	·51	—	1·30	·02	·01	—	—	·02	16
17	—	·46	—	—	·55	—	—	·01	—	—	—	—	17
18	—	·92	—	—	—	—	·03	—	—	—	—	—	18
19	·01	·02	—	·21	·30	—	·92	—	—	—	—	—	19
20	·48	—	—	·01	—	—	·01	·02	—	·15	—	·02	20
21	·15	·19	—	—	·05	—	·45	—	—	·15	—	·01	21
22	·02	·01	·35	·20	—	—	·75	—	—	·05	—	·73	22
23	·05	·03	·10	—	—	·14	·16	—	·08	·76	—	·82	23
24	—	—	·03	·04	—	—	·02	—	·06	1·04	—	1·12	24
25	—	—	·02	—	—	·40	·02	—	—	—	—	·35	25
26	—	·44	—	—	—	·04	·18	—	·04	—	—	1·04	26
27	—	·05	—	—	—	·03	·21	—	·03	·57	—	·36	27
28	—	·21	—	—	—	·09	—	·04	·30	·11	—	·06	28
29	—		—	—	—	·23	·04	·05	—	·03	·52	·21	29
30	·22	X	—	·24	—	·14	—	—	·01	·55	·49	·72	30
31	—	X	—	X	—	X	·21	·10	X	1·13	X	1·45	31
Total	6·60	10·34	1·40	2·09	3·92	1·09	5·77	2·90	1·08	5·56	3·76	15·03	YEAR'S TOTAL 59·54
Rain Days.	22	24	11	16	10	8	20	18	12	18	10	27	196

W. 8,000. X. 15.

Exd C+E

4070

FORM A.
BRITISH RAINFALL.
11. JAN

REGISTER OF RAINFALL IN 1916

Kept at Ebbw Vale Waterworks

in the County of Brecon

by T. J. Thomas. Town Surveyor

Lat. ——— Long. ———

Time of Observation 9·0 am

Nearest Railway Station Beaufort

Diameter of Funnel of Rain Gauge 5· in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1412·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·54	·02	·03	—	·02	·60	·53	—	—	·18	·41	—	1
2	1·13	·34	·21	—	·03	·07	·09	—	·43	1·50	·61	—	2
3	·04	1·93	—	—	·11	·07	·02	—	·09	·76	·42	—	3
4	·66	·45	—	·02	·41	1·12	—	—	·08	·62	1·18	—	4
5	·11	·32	·03	—	·14	·05	—	—	—	·64	·11	—	5
6	·78	·40	·02	—	·22	·06	·65	—	—	·98	1·12	·02	6
7	·12	—	·03	—	·32	·01	—	—	·01	·67	·73	·10	7
8	—	·02	·02	—	·37	·17	—	—	—	·02	·06	·10	8
9	—	·05	·02	—	·03	·03	—	—	·01	·08	·05	·13	9
10	—	·45	·01	·12	·07	—	·01	—	—	·30	·02	·09	10
11	·06	·02	·04	·30	·10	·05	—	—	·03	·03	—	·02	11
12	·11	·28	·09	·23	·57	—	·60	·24	—	·25	—	—	12
13	·02	·50	·18	·18	·01	—	—	1·12	—	·28	—	—	13
14	·01	·68	·14	·02	·08	—	—	·30	—	·47	·01	·02	14
15	—	1·96	·16	·15	·01	—	—	·58	—	·11	—	—	15
16	·05	·05	—	·26	—	—	·08	—	—	·08	—	—	16
17	·35	·33	—	·39	—	—	—	·17	·60	·42	·18	—	17
18	·02	·46	·28	·20	—	—	—	—	·28	·11	·13	·15	18
19	·59	·01	·83	·32	—	—	—	—	—	—	·09	·08	19
20	·65	·06	·24	—	—	—	—	—	—	—	·03	·44	20
21	·60	—	·05	·10	·04	·01	·01	—	—	—	—	·16	21
22	—	—	·18	—	—	·07	—	—	—	·55	·02	·25	22
23	·05	·10	·01	·06	—	·17	—	·23	—	·08	·36	·27	23
24	—	·04	·03	·22	1·25	·01	—	·15	—	·67	·04	·18	24
25	·02	·05	·36	—	—	·01	—	1·35	·03	·34	·74	·10	25
26	·18	·02	·06	—	—	·13	—	·32	·42	·59	·12	—	26
27	·05	·03	·13	—	·02	·07	—	·14	·61	·93	—	—	27
28	·08	·06	·04	—	—	—	—	—	·16	·67	·13	1·45	28
29		·21	·04	—	—	·56	—	·77	—	·50	·02	1·03	29
30		X	—	—	—	·04	—	·03	—	·80	—	·05	30
31		X	—	X	—	X	—	·30	X	·80	X	·15	31
Total	6·22	8·84	3·23	2·57	3·80	3·30	1·99	5·70	2·75	13·43	6·58	4·69	YEAR'S TOTAL 63·10
Rain Days.	22	26	25	14	18	19	8	13	12	28	22	19	226

W. 8,000, VIII. 16

P. made

FORM A. BRITISH RAINFALL.

4. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Ebbw Vale Waterworks

in the County of Brecon.

by J. J. Thomas. Town Surveyor

Lat. Long.

Time of Observation 9-0.am

Nearest Railway Station Beaufort

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1412·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	—	·18	·21	—	·94	—	·22	·61	—	·08	·06	1
2	·03	—	·01	·16	—	·10	—	·01	—	·16	·30	·01	2
3	·18	·16	·01	·15	—	·07	·01	·01	—	·90	·06	—	3
4	·01	·02	·22	—	—	—	·14	·15	—	·38	—	·01	4
5	·56	—	·45	·45	—	·07	—	·06	·57	·47	·70	—	5
6	—	—	·53	—	—	·04	—	—	—	·63	·50	·14	6
7	·50	—	—	—	—	—	·10	·17	—	·13	·15	·14	7
8	·05	—	·14	·21	—	·03	·41	·53	·01	·93	·36	·16	8
9	—	—	·15	·07	·17	—	—	·24	·11	·09	·51	—	9
10	·27	—	·50	·37	·16	—	—	·40	—	·03	—	—	10
11	·13	—	·03	·47	·01	—	—	·69	—	·91	·11	—	11
12	·08	—	·01	·01	·79	·06	—	·11	—	·36	—	—	12
13	—	—	·15	·27	—	—	—	·59	·22	·10	—	·01	13
14	—	—	·10	·16	—	—	·02	·13	—	·01	—	·04	14
15	—	—	—	·03	·17	—	·18	·13	·04	·31	—	·39	15
16	·02	·06	—	·23	—	·27	·01	·11	·01	·02	·01	·05	16
17	—	·05	·02	·04	·50	—	·86	1·25	·33	·21	·02	—	17
18	·01	·02	·04	—	·07	—	1·42	·11	1·36	·02	—	—	18
19	—	·54	·25	—	—	·53	—	—	·01	—	·01	—	19
20	·02	·03	·09	—	·59	·10	—	·01	·28	—	·01	—	20
21	—	·02	·03	—	·18	—	—	·03	—	·11	—	—	21
22	·01	·02	—	—	—	·01	—	·88	—	·14	·02	—	22
23	—	·30	—	—	·26	·12	—	·70	—	·10	·03	—	23
24	—	·09	—	—	—	·20	·14	·43	—	1·23	·29	·02	24
25	—	·04	·09	—	—	—	—	·81	·06	·11	·04	—	25
26	—	·01	—	—	·35	·03	—	·54	·52	·03	·21	—	26
27	—	—	—	—	1·00	·65	·40	·72	—	·02	·02	—	27
28	—	—	·24	—	·15	·17	—	·35	—	—	·09	—	28
29	—		·31	—	·03	—	—	·02	—	1·20	·06	·25	29
30	—	X	·06	—	—	—	—	·55	—	·36	·13	·04	30
31	—	X	·11	X	·26	X	—	·30	X	·06	X	—	31
Total	1·91	1·36	3·72	2·83	4·69	3·39	3·69	10·25	4·13	9·02	3·71	1·32	YEAR'S TOTAL 50·02
Rain Days.	14	13	23	14	15	16	11	29	13	27	22	13	210

W. 8 000, IX. 17.

B. Made

CX 91 L

39

FORM A.
BRITISH RAINFALL

4. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Ebbw Vale Waterworks

in the County of Brecon

by T. J. Thomas, Town Surveyor

Lat. .... Long. ....

Time of Observation 9-0 am

Nearest Railway Station Beaufort

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1412·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·23	—	·24	·05	—	—	·16	·01	·01	1·31	·10	1
2	—	·30	—	·16	—	—	—	·32	·03	·06	·05	·75	2
3	—	·21	—	·15	·26	·55	—	—	·37	·21	·03	·04	3
4	—	·23	·01	·01	—	—	—	·03	·94	·66	1·68	·90	4
5	—	·13	—	·34	·23	·04	—	·26	·21	·69	·10	·09	5
6	·03	·94	—	·32	—	·04	—	—	·10	1·31	—	·25	6
7	—	·25	—	—	·65	·05	—	—	1·22	·44	·57	·41	7
8	·05	·25	—	—	—	·05	—	—	·03	·24	—	·06	8
9	·04	·64	—	·50	—	·50	·10	—	·52	·16	·11	·20	9
10	·16	·30	—	·34	—	—	·71	—	·35	·08	·19	·62	10
11	·08	·13	·18	·05	—	—	·58	—	·25	·10	·10	·34	11
12	·01	·36	·19	—	·15	—	·69	—	·07	—	—	·12	12
13	·05	·12	·01	—	·03	·02	·03	—	·55	·08	—	·42	13
14	·79	—	·05	—	·07	·01	·25	—	·60	·02	—	·33	14
15	·51	·02	—	—	—	·02	·73	—	·10	—	—	·68	15
16	·26	—	—	·61	—	·02	·16	·10	·72	—	—	·42	16
17	·41	—	·08	—	—	·03	·24	·08	·56	·10	—	·43	17
18	1·26	—	·18	—	—	·55	·05	—	·94	·07	—	·89	18
19	·31	·07	·19	·02	—	—	·16	—	·19	·07	—	·24	19
20	·35	·39	—	·13	—	·10	·19	—	·68	—	—	—	20
21	·25	·50	—	·15	—	·05	·17	—	1·17	·06	—	·12	21
22	·03	·03	—	—	·42	—	·28	—	·08	·03	—	·47	22
23	·37	·08	—	—	·82	—	·19	—	·14	—	·19	·15	23
24	·14	·21	—	—	—	—	·33	·20	·16	—	·13	·08	24
25	—	·01	—	—	·08	—	·52	·97	·06	·10	·10	·02	25
26	·03	·01	—	—	—	—	·20	·04	·29	·03	·15	·65	26
27	·02	·05	·50	—	—	—	—	·40	·64	·01	·17	·27	27
28	—	·02	·58	—	—	—	—	—	·03	·03	·19	·25	28
29	—	—	·15	—	—	—	—	—	·95	·05	—	·12	29
30	—	X	·69	—	—	—	-	—	·01	·17	·02	·25	30
31	—	X	·68	X	—	X	—	·05	X	·03	X	·03	31
Total	5·15	5·48	3·49	3·02	2·76	2·03	5·58	2·61	11·97	4·81	5·09	9·70	YEAR'S TOTAL 61·69
Rain Days.	20	24	13	13	10	14	18	11	30	25	16	30	224

12

W, 6,500, VII. 18. w w c

obs agrees

3713

5 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ebbw Vale Waterworks
in the County of Brecon
by T. J. Thomas. Town Surveyor

Lat.......... Long..........
Time of Observation 9·0 am
Nearest Railway Station Beaufort
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level 1412·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·78	—	·21	·02	·29	—	·94	—	·25	·45	—	·70	1
2	·24	—	·15	—	·03	—	·32	·11	·45	—	·03	·28	2
3	·15	—	·07	—	·04	·22	—	—	·05	—	·04	·86	3
4	·03	·18	·44	—	—	·01	·08	·03	·62	—	·01	·54	4
5	·03	·19	·13	—	—	—	·02	—	·03	—	·05	·75	5
6	·51	·04	·95	—	—	—	—	—	—	—	·17	·43	6
7	·21	—	·30	·08	—	—	—	—	·02	·02	—	—	7
8	·41	—	·09	·03	—	·14	—	—	—	—	—	—	8
9	·85	—	·02	·10	—	—	—	—	—	—	·15	—	9
10	·13	—	1·11	·03	·02	—	—	—	—	·04	·01	—	10
11	·13	—	1·20	·18	·17	·03	·16	—	—	·01	—	·16	11
12	·02	—	·17	·18	·05	1·13	—	—	—	·05	·01	—	12
13	·40	·02	—	·48	—	—	—	—	·27	·20	—	·10	13
14	·82	·09	—	·52	·03	—	·11	—	·01	·05	—	·24	14
15	·72	·11	—	·09	—	—	—	·15	—	·19	—	·28	15
16	·15	·85	—	—	—	·04	—	—	—	—	·12	—	16
17	·01	·21	·01	·02	—	·13	—	·08	—	—	·91	·05	17
18	·09	·03	·65	—	—	—	·06	·80	·01	—	·27	·12	18
19	·33	·44	·62	—	—	·32	·19	·47	·05	—	·25	·05	19
20	·74	·15	·35	—	—	·01	—	·07	·08	—	·07	·52	20
21	·01	1·41	·02	—	—	—	·11	·05	·02	—	·02	·17	21
22	—	·08	—	—	—	·04	·01	—	·67	—	·10	·90	22
23	—	—	—	—	—	·01	—	—	—	·90	·40	·26	23
24	·02	—	—	·20	—	·07	·07	—	·04	·30	·39	·45	24
25	·14	—	—	·02	·03	—	—	1·22	·02	—	·04	·09	25
26	·01	—	·40	·26	—	·04	—	·04	·25	—	—	·79	26
27	·15	·02	·09	·11	—	—	—	·55	—	—	·05	—	27
28	·03	—	·10	·03	—	—	—	·16	—	—	·15	·58	28
29	·05		·01	·16	—	·04	—	—	—	·28	—	·60	29
30	·01	✕	·02	·06	—	·20	—	·57	—	·02	·55	·66	30
31	—	✕	·03	✕	—	✕	·03	—	✕	—	✕	·03	31
TOTAL	7·17	3·82	7·14	2·57	·66	2·43	2·10	4·30	2·84	2·51	3·79	9·61 ~~9·51~~	YEAR'S TOTAL 48·94 ~~48·84~~
Days with ·01 in. or more	28	14	23	18	8	15	12	13	16	12	21	24	204

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3611

JUN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llangynidr Filter Beds.
in the County of Brecon.
by Ebbw Vale Urban District Council

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Beaufort
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1412·7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·24	·02	·23	·79	—	1·03	·07	·08	·09	·07	·90	1
2	·16	·24	—	·20	·03	—	·73	·04	·03	·17	—	·70	2
3	·07	·04	—	·17	·44	—	1·15	·07	·03	2·64	—	·16	3
4		—	·05	—	·03	—	·01	·07	·03	·37	—	—	4
5		·02	·33	·44	·42	—	·27	·77	·07	·35	—	—	5
6		—	·57	·05	·62	—	·08	·11	—	·15	—	·02	6
7	·36	·02	·05	·25	·06	—	·42	—	—	—	—	—	7
8	·10	·02	—	1·06	·23	—	·74	·30	—	—	—	—	8
9	1·16	1·04	·04	·82	—	—	·18	·06	·02	—	·01	—	9
10	2·00	·63	·40	·05	—	1·00	·38	—	—	—	·08	·01	10
11	·73	·03	·40	·59	·52	·09	·07	—	—	·01	—	—	11
12	·80	·28	·11	·56	·10	·84	·21	·06	—	·03	·20	—	12
13	·16	·10	·75	·95	—	·05	—	—	—	·01	·07	—	13
14	·31	·11	·47	1·31	—	·05	·21	—	1·89	·39	1·00	·03	14
15	·04	·31	·16	2·33	·12	·82	—	—	—	·06	·16	—	15
16	·03	·03	·13	·12	·01	·41	·32	—	·82	·55	·06	—	16
17	·31	—	·03	—	·56	·41	—	·26	1·40	·21	—	·03	17
18	·40	—	—	·10	·25	·13	·08	·18	·46	—	—	—	18
19	·03	·18	—	·70	·07	·19	—	—	·02	—	—	—	19
20	·06	·03	—	·82	·01	·09	·08	—	—	·02	—	·65	20
21	—	—	—	·03	—	—	·17	—	—	·19	—	·27	21
22	·20	—	—	·19	—	·02	·40	·13	—	—	—	·36	22
23	·09	·01	·05	—	—	—	·31	—	—	—	—	·82	23
24	·11	·03	·75	·07	—	·02	—	—	—	—	—	·64	24
25	·06	·05	·50	·01	—	—	·61	—	—	—	—	·09	25
26	·50	·17	·65	·08	·02	·04	·05	—	—	—	·24	·12	26
27	1·00	·06	·95	·41	·05	·58	·07	—	—	—	·02	·34	27
28	·36	·03	·31	·08	·17	·33	·08	—	—	—	—	·29	28
29	·70	—	·38	·09	·25	—	·40	—	—	—	·24	·82	29
30	·66	╳	·17	·15	·02	·45	·07	—	·70	·05	·53	·96	30
31	·26	╳	·51	╳	·01	╳	·03	—	╳	·86	╳	·75	31
TOTAL	10·66	3·47	7·80	11·57	4·48	4·95	7·60	2·12	5·55	6·15	2·70	8·16	YEAR'S TOTAL 75·21
Days with ·01 in. or more	26	22	23	27	22	17	26	12	12	17	12	19	235
Days with ·04 in. or more	14	13	22	25	15	15	23	12	7	13	10	15	194

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Cwd fr canth

REG ... 912

Snowdon

FORM A2.
BRITISH RAINFALL.
14 JAN 1913

GWERNYFED PK

1912-16,
1918-20

Kept at Gwernyfed ... p 5 in.

... bove Ground 1 ft. — in.

in the County of Brec ... „ Sea Level 375 ft.

... 9 a.m.

by James S ... For Capt A ... n Name 3 Cocks

Distance ¼ Mile Direction W

IMPORTANT NOTE.– ... and the result entered to the previous day. If an Obser ... niversal rule, he is earnestly requested to add the reading ... year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	17	03	—	53	01	01	02	23	—	17	1
2	—	01	24	—	01	38	14	01	—	—	—	31	2
3	02	—	05	—	09	06	02	88	04	—	02	01	3
4	23	—	76	—	06	13	—	07	—	—	17	01	4
5	28	03	17	—	06	01	—	33	06	—	—	06	5
6	36	11	01	—	04	—	—	42	—	—	—	04	6
7	04	30	12	—	02	58	13	05	—	01	—	04	7
8	25	21	13	—	—	10	—	01	01	—	—	01	8
9	05	05	63	17	—	19	—	72	—	—	02	37	9
10	36	06	01	01	—	12	—	02	—	06	28	01	10
11	—	13	—	—	—	—	—	—	—	—	12	52	11
12	—	25	03	09	11	—	10	—	—	—	—	06	12
13	—	—	—	01	—	02	01	—	05	06	01	16	13
14	02	01	50	—	—	—	—	04	—	—	—	02	14
15	14	07	02	—	31	08	—	01	—	—	—	27	15
16	18	01	02	—	05	01	—	16	—	10	—	03	16
17	44	—	06	—	—	12	—	38	—	—	09	28	17
18	05	03	03	—	—	—	—	22	—	02	01	08	18
19	03	09	02	—	—	01		51	—	02	02	03	19
20	04	01	37	—	01	—	05	07	—	16	01	01	20
21	01	01	41	—	29	—	11	26	—	24	—	—	21
22	26	08	08	—	25	01	28 01	28	—	05	01	17	22
23	34	12	42	—	01	18	02	34	—	09	07	05	23
24	20	01	04	—	—	13	01	02	—	—	02	19	24
25	01	—	01	—	—	? 11	02	1.58	—	—	44	55	25
26	—	10	08	—	—	—	04	1.11	—	83	28	49	26
27	—	02	02	—	—	22	1.66	—	—	88	01	42	27
28	—	04	02	—	—	25	60	35	23	29	29	15	28
29	—	06	06	—	—	19	11	27	55	27	—	02	29
30	—		08	—	—	16	11	—	01	48	—	01	30
31	—		09		05		31	02		03		01	31
Total	3.31 3.31	1.81	4.65 4.65	0.31	1.36	3.59	3.74	8.14	0.97	3.75	1.87	4.29	TOTAL for year 37.73
No. of Rain Days.	20	23	29	5	14	22	19	26	8	17	17	30	231

W. 8,000, X. '11.

230

✓

Cwd fr cards

REG 12

FORM A2.
BRITISH RAINFALL.
14 JAN 1913

Kept at Gwrnyfed Gardens
in the County of Breconshire 8
by James Slade
For Capt A Glen Kidston

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 375 ft.

Time of Observation 9 a. m

Nearest Railway Station
Name 3 Cocks
Distance ¼ mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	17	03	—	53	01	01	02	23	—	17	1
2	—	01	24	—	01	38	14	01	—	—	—	01	2
3	02	—	05	—	09	06	02	88	04	—	02	01	3
4	23	—	76	—	06	13	—	07	—	—	17	01	4
5	28	03	17	—	06	01	—	33	06	—	—	06	5
6	36	11	01	—	04	—	—	42	—	—	—	04	6
7	04	30	12	—	02	58	13	05	—	01	—	04	7
8	25	21	13	—	—	10	—	01	01	—	—	01	8
9	05	05	63	17	—	19	—	72	—	—	02	37	9
10	36	06	01	01	—	12	—	02	—	06	28	01	10
11	—	13	—	—	—	—	—	—	—	—	12	52	11
12	—	25	03	09	11	—	10	—	—	—	—	06	12
13	—	—	—	01	—	02	01	—	05	06	01	16	13
14	02	01	50	—	—	—	—	04	—	—	—	02	14
15	14	07	02	—	31	08	—	01	—	—	—	27	15
16	18	01	02	—	05	01	—	16	—	10	—	03	16
17	44	—	06	—	—	12	—	38	—	—	09	28	17
18	05	03	03	—	—	—	—	22	—	02	01	[illegible]	18
19	03	09	02	—	—	01		51	—	02	02	[illegible]	19
20	04	01	37	—	01	—	05	07	—	16	01	01	20
21	01	01	41	—	29	—	11	26	—	24	—	—	21
22	26	08	08	—	25	01	28 01	28	—	05	01	[illegible]	22
23	34	12	42	—	01	18	02	34	—	09	07	05	23
24	20	01	04	—	—	13	01	02	—	—	02	19	24
25	01	—	01	—	—	? 11	02	1.58	—	—	44	55	25
26	—	10	08	—	—	—	04	1.11	—	83	28	49	26
27	—	02	02	—	—	22	1.66	—	—	88	01	42	27
28	—	04	02	—	—	25	60	35	23	29	29	15	28
29	—	06	06	—	—	19	11	27	55	27	—	02	29
30	—		08	—	—	16	11	—	01	48	—	01	30
31	—		09		05		31	02		03		01	31
Total	3.31 3.31	1.81	4.65 4.65	0.31	1.36	3.59	3.74	8.14	0.97	3.75	1.87	4.13	TOTAL for year 37.73
No. of Rain Days.	20	23	29	5	14	22	19	26	8	17	17	30	230

W. 8,000, X. '11.

230

✓ cwd by own stats 28.IV.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

9- JAN 1914

Kept at Gwernyfed Gardens
in the County of Breconshire 8
by James Slade for Mrs Glen Kidston

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station 3 Cocks
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	08	11	11	10	10	—	—	—	08	32	03	01	1
2	01	35	02	12	10	—	—	—	10	33 ~~33~~	14	01	2
3	06	02	16	—	16	—	—	—	—	03	—	07	3
4	83	06	02	—	04	—	03	—	95	39	02	42	4
5	03	03	03	—	08	36	01	—	09	27	31	02	5
6	03	09	12	—	09	01	01	—	—	70	03	40	6
7	01	17	01	—	35	10	05	—	—	81	06	02	7
8	—	09	—	01	38	02	03	04	—	11	01	01	8
9	—	30	01	02	14	46	08	12	04	—	17	01	9
10	16	—	—	02	03	—	—	11	01	28	02	—	10
11	49	—	—	21	02	—	—	02	—	02	65	—	11
12	01	—	—	—	03	—	—	02	—	—	28	03	12
13	09	—	20	01	—	—	02	02	47	—	27	—	13
14	20	01	28	12	—	—	—	—	03	15	12	09	14
15	05	—	66	38	—	—	—	04	—	—	09	02	15
16	35	02	66	03	—	—	—	04	07	—	01	—	16
17	09	03	11	08	01	—	12	—	01	—	02	—	17
18	10	—	11	45	01	01	02	—	—	—	03	—	18
19	18	—	20	07	—	13	—	—	01	18	01	—	19
20	24	—	50	10	—	—	—	—	—	08	37	—	20
21	—	—	21	09	10	—	07	01	—	09	14	—	21
22	65	—	90	—	—	26	—	58	47	—	—	—	22
23	03	—	02	—	—	01	—	01	05	—	12	02	23
24	07	02	—	01	—	—	—	—	—	—	11	01	24
25	—	01	—	23	—	—	—	—	12	03	02	06	25
26	—	—	—	55	24	—	—	03	01	01	—	32	26
27	02	—	28	31	—	—	—	—	—	76	—	06	27
28	15	—	30	37	08	—	—	—	—	32	—	14	28
29	01		71	46	02	—	—	07	—	(.27) 27	—	—	29
30	09		—	—	—	—	—	01	—	24	06	—	30
31	02		26		09		—	05		02		—	31
Total	4.05	1.31	5.88	3.72	2.07	1.36	44	1.17	2.51	5.41	3.09	1.72	YEAR'S TOTAL 32.73
Rain Days.	26	14	23	21	19	9	10 ~~9~~	15	15	21	24	18	214 215

W. 7,500, XI. ·12

Wrapper 30/4/15

~~W~~ D 8

cnd for auth. 26. IV. 15

FORM A.
BRITISH RAINFALL.

16 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Gwernyfed Gardens

in the County of Breconshire 8

by J. Slade for Mrs Glen Kidston

Lat. 52° 5 Long. 3° 15 W

Time of Observation 9 a.m.

Nearest Railway Station Three Cocks

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		01	05	01	—	07	36	62			07	03	1
2			03	—	01	~~07~~	1.20	26			28	17	2
3	01		22	08	10	—	02	03			02	27	3
4	28		07	03	19	—	05	04			63	62	4
5	24		09	41	26	—	—	—			12	01	5
6	10	03	05	05	01	01	02	—			04	13	6
7	01	08	33	20	39	02	25	13	02		—	37	7
8	01		08	01	28	36	09	08			—	17	8
9	08	05	14	06	04	1.25	—	05	03		01	01	9
10	—	05	07	33	01	08	—		19		—	—	10
11		31	16	02	11	31	17		02		46	89	11
12		62	15	—	—		—		50	01	21	47	12
13		18	19	—			06		23	26	18	14	13
14		25	35				02			04	09	—	14
15	01	03	37				—	06	05	06	33	01	15
16			01				63		09			01	16
17	05	06	20				07		07			22	17
18	01	~~02~~	50				02		05	01		30	18
19		02	07				1.02		10	—	05	19	19
20		26	08			06	—			—		20	20
21		36	01				10	03		11		—	21
22		19	04			04	09	14		45		—	22
23		03	11		13		08	—		16		01	23
24			05				05	09		03	10	—	24
25	09		05				09	45		27	02	09	25
26	03	02	16				13	01		17	14	22	26
27	01		—				02			03	29	67	27
28	06	05	04		06					17	06	44	28
29	05		13		08					14	20	02	29
30	02		09	03	01					19	41	56	30
31	23		49				08			1.03		17	31
Total	1.29 129	2.60 260	4.38 438	1.23 123	1.68 168	2.20 2.20	4.02 4.02	1.99 199	1.35 135	3.13 313	3.71 3.71	6.39 6.38	YEAR'S TOTAL 33.97 ~~32.29~~
Rain Days.	17	18	30	11	14	9	22	13	11	16	20	26	207

2

i 4188

FORM A.
BRITISH RAINFALL.

8 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Gwernyfed Gardens
in the County of Breconshire
by James Slade

Lat. 52° 5' Long. 3° 15 W
Time of Observation 9 a.m
Nearest Railway Station Three Cocks
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 376 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	38	07	03	—	26	—	—	13	18	27	01	.12	1
2	28	09	15	10	—	09	—	98	04	6	—	04	2
3	04	04	02	04	03	—	58	07	—	—	—	26	3
4	13	46	01	—	13	—	16	07	—	—	—	68	4
5	03	45	01	01	—	—	17	01	—	—	—	64	5
6	19	01	—	15	—	—	61	10	—	—	—	16	6
7	12	44	—	02	52	—	07	10	—	—	—	44	7
8	33	37	—	05	—	—	—	02	—	—	11	—	8
9	03	67	—	05	—	—	—	—	—	—	19	61	9
10	31	01	02	07	—	—	—	03	—	02	12	02	10
11	12	—	01	01	—	—	—	02	—	—	1.36	02	11
12	05	50	—	05	35	—	—	10	—	01	45	—	12
13	02	89	—	01	67	—	—	11	01	—	07 ~~45~~	01	13
14	01	01	—	—	—	—	—	19	05	01	05	20	14
15	47	—	—	—	08	—	05	08	01	02	07	03	15
16	04	25	—	—	30	—	1.30	02	—	—	—	—	16
17	02	20	02	—	53	—	—	07	—	—	—	01	17
18	01	75	01	—	—	—	—	03	—	—	01	—	18
19	—	01	—	02	05	—	32	—	—	—	—	—	19
20	17	01	—	01	—	—	03	—	—	09	—	06	20
21	16	05	—	—	01	—	10	—	—	03	—	01	21
22	02	01	17	15	—	—	52	—	—	01	—	50	22
23	09	06	12	—	—	04	14	—	02	69	—	33	23
24	01	—	07	06	—	—	08	—	11	1.09	—	52	24
25	—	—	01	02	—	53	09	—	—	01	—	35	25
26	—	05	—	—	—	—	46	—	01	—	—	36	26
27	—	05	—	—	—	28	25	—	—	31	—	10	27
28	—	25	02	—	—	09	—	—	12	03	—	02	28
29	—	✕	—	—	—	03	—	—	—	03	37	03	29
30	19	✕	—	05	—	06	—	—	—	55	19	15	30
31	01	✕	—	✕	—	✕	05	07	✕	1.54	✕	26	31
Total	3.23	5.70	.67	.87	2.93	1.12	4.98	2.20	.55	4.77	3.00	5.93	YEAR'S TOTAL 35·95
Rain Days	25	24	14	17	11	7	17	18	9	17	12	26	197

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
6 FEB 1917

Kept at Gwernyfed, Three Cocks
in the County of Breconshire
by J Slade for J. J. Grosfield Esq

Lat. 52° 5′ Long. 3° 15′ W
Time of Observation 9 A.M.
Nearest Railway Station Three Cocks
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	38	—	1		—	08	09	—	—	20	20	—	1
2	27	7	45		—	—	14	—	07	88	38	—	2
3	—	73	—		11	2	—	—	15	22	13	—	3
4	21	45	—		48	26	4	—	1	06	52	—	4
5	2	1	1		20	16	4	—	—	17	6	—	5
6	5	26	3		4	01	36	—	—	18	39	—	6
7	14	1	8		26	—	—	—	—	32	53	16	7
8	1	2	7		11	4	—	—	—	2	9	3	8
9	—	1	2		8	4	—	—	—	—	6	3	9
10	6	29	3	05	1	—	—	—	—	2	—	3	10
11	3	1	20	11	1	2	—	—	—	—	—	—	11
12	—	—	1	11	50	—	13	02	—	10	—	—	12
13	—	34	11	04	—	—	—	33	—	2	—	—	13
14	—	42	24	09	01	—	—	14	1	1	—	1	14
15	—	57	8	15	1	—	—	18	—	3	—	—	15
16	—	14	—	10	21	—	—	02	19	3	—	—	16
17	5	17	31	21	—	—	1	—	9	28	33	—	17
18	2	15	47	09	—	—	—	1	1	4	17	3	18
19	8	—	23	05	—	—	—	—	—	—	23	—	19
20	6	2	43	—	—	—	—	—	—	—	3	22	20
21	4	—	—	—	9	3	—	—	—	—	3	11	21
22	—	—	2	3	—	2	—	—	—	21	—	18	22
23	1	24	2	—	—	16	—	19	—	13	5	23	23
24	—	20	—	1	1.25	1	—	11	—	38	—	11	24
25	—	9	10	—	—	3	—	18	—	16	35	5	25
26	—	18	5	—	10	26	—	9	39	62	—	—	26
27	5	1	84	—	—	01	—	35	55	38	1	—	27
28	—	32	15	—	—	—	—	—	15	12	—	34	28
29	—	30	—	—	—	26	—	45	01	12	—	27	29
30	—	X	—	—	—	1	—	1	—	28	—	1	30
31	—	X	—	X	—	X	—	3	X	50	X	6	31
Total	1.48	5.01	3.96	1.04	3.47	1.42	.81	2.11	1.63	5.48	3.56	1.67	YEAR'S TOTA 31.84
Rain Days.	16	24	23	12	16	17	7	14	11	26	17	16	199

W. 8,000, VIII. 16

Exe D L

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 4.2.19

Kept at Gwernyfed Gardens Three Cocks
in the County of Breconshire
by James Slade

Lat. 52.5 Long. 3 15 W
Time of Observation 9. a.m
Nearest Railway Station Three Cocks
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	2	1	13	—	—	—	7	9	5	56	—	1
2	—	4	—	2	25	—	—	54	2	1	5	3	2
3	—	9	1	17	—	—	—	—	60	5	—	—	3
4	—	7	—	2	—	—	—	—	31	33	28	32	4
5	—	4	2	7	50	—	—	11	15	18	3	1	5
6	02	24	—	12	—	2	—	—	6	15	—	3	6
7	01	3	—	—	50	—	—	—	48	1	14	1	7
8	05	11	—	—	—	—	6	—	8	12	3	3	8
9	01	38	—	42	—	23	2	—	13	5	3	6	9
10	03	2	—	7	—	1	87	—	20	2	4	14	10
11	—	1	5	3	2	—	54	—	8	25	2	9	11
12	—	4	8	—	4	—	2	—	5	—	—	1	12
13	02	5	—	—	4	—	—	—	15	—	—	9	13
14	10	—	8	—	—	—	19	—	27	—	1	27	14
15	Snow 1.20	—	—	1	—	2	36	—	04	—	—	40	15
16	16	—	—	70	—	—	8	1	64	1	—	19	16
17	37	—	1	1	—	1	44	—	49	16	—	11	17
18	40	—	3	—	—	15	14	—	60	1	—	46	18
19	18	1	14	1	—	—	3	—	2	7	—	10	19
20	08	6	—	31	—	09	—	—	44	1	—	1	20
21	06	8	—	21	40	—	8	—	32	—	—	3	21
22	01	1	—	—	—	—	21	1	16	11	—	42	22
23	04	—	—	—	70	—	2	—	10	1	1	1	23
24	01	4	—	—	—	—	12	8	3	1	11	7	24
25	—	—	—	—	23	—	26	43	—	3	5	6	25
26	—	—	—	—	—	—	9	1	2	2	10	16	26
27	—	10	10	—	01	—	2	22	13	—	2	14	27
28	—	5	70	—	—	—	—	1	—	—	2	9	28
29	—	×	5	—	—	—	—	—	85	—	—	2	29
30	—	×	12	—	—	—	—	—	2	—	1	7	30
31	—	×	20	×	—	×	—	2	×	—	×	1	31
Total	2.75	1.49	1.60	2.30	2.69	.53	3.55	1.51	6.53	1.66	1.51	3.44	YEAR'S TOTAL 29.56
Rain Days.	17	20	14	15	10	7	18	11	28	21	17	29	207

W, 6,500, VII. 18. W W C

corrd by MO

27th Dec corrected by M.O.

JAN 20

3749

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Gwernyfed Gardens

in the County of Breconshire

by James Slade

Lat. 52. 5N Long. 3. 15 W

Time of Observation 9 a.m

Nearest Railway Station Three Cocks

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	23	–	–	–	10	–	11	–	–	39	–	40	1
2	09	–	03	–	2	–	2	–	04	10	3	8	2
3	01	–	2	–	1	15	9	–	4	–	5	25	3
4	03	–	22	–	–	2	18	–	3	–	–	17	4
5	01	17	1	–	–	–	1	–	–	–	–	32	5
6	35	4	26	–	–	–	–	–	2	–	–	11	6
7	16	–	14	4	1	–	–	–	–	–	–	02	7
8	30	–	3	2	–	3	–	–	–	–	–	–	8
9	19	–	1	4	–	–	–	–	–	–	7	–	9
10	24	–	68	–	7	–	–	–	–	1	3	13	10
11	02	–	1.25	2	2	–	22	–	–	–	–	12	11
12	01	–	13	–	–	61	3	–	1	6	2	–	12
13	04	–	01	28	–	1	–	–	1.07	17	–	3	13
14	20	01	–	28	–	–	1	–	8	11	–	3	14
15	60	02	–	6	–	–	–	2	–	09	–	28	15
16	09	75	–	1	–	–	–	3	–	–	10	1	16
17	–	88	–	1	–	2	–	2	–	–	31	–	17
18	04	–	54	–	–	–	2	9	1	–	8	16	18
19	08	16	32	–	–	17	21	29	12	–	8	1	19
20	14	07	62	–	–	2	–	13	1	–	10	9	20
21	02	57	3	–	–	–	7	–	–	–	1	20	21
22	–	2	–	–	–	2	1	–	16	–	–	32	22
23	–	–	–	–	–	–	–	1	1	56	8	07	23
24	02	–	–	8	6	2	–	81	–	33	26	37	24
25	05	–	–	5	2	–	–	21	1	1	5	2	25
26	04	01	17	4	–	2	–	40	2	–	–	21	26
27	16	–	6	24	–	–	–	19	–	–	1	11	27
28	07	–	21	1	–	–	–	–	–	–	7	35	28
29	07		04	–	–	–	–	–	–	9	2	22	29
30	01		2	2	–	12	–	–	–	1	32	25	30
31	–		3		–		2	24		–		1	31
TOTAL	3.27	2.70	4.83	1.20	.31	1.21	1.00	2.44	1.63	1.93	1.69 ~~1.63~~	43.4 ~~4.24~~	26.55 ~~[illegible]~~ 26.39
Days with ·01 in. or more	27	11	22	15	8	12	13	12	14	12	18	27	191

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3749

FORM A. BRITISH RAINFALL

22 MAR 20

REGISTER OF RAINFALL IN 1919.

Kept at Gwernyfed Park (M.O)

in the County of Breconshire

by James Slade

Lat. 52° 5′ N Long. 3° 15′ W

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 376 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	0·23	-	-	-	0·10	-	0·11	-	-	0·39	-	0·40	1
2	0·09	-	0·03	-	0·02	-	0·02	-	0·04	0·10	0·03	0·08	2
3	0·01	-	0·02	-	0·01	0·15	0·09	-	0·04	-	0·05	0·25	3
4	0·03	-	0·22	-	-	0·02	0·18	-	0·03	-	-	0·17	4
5	0·01	0·17	0·01	-	-	-	0·01	-	-	-	-	0·32	5
6	0·35	0·04	0·26	-	-	-	-	-	0·02	-	-	0·11	6
7	0·16	-	0·14	0·04	0·01	-	-	-	-	-	-	0·02	7
8	0·30	-	0·03	0·02	-	0·03	-	-	-	-	-	-	8
9	0·19	-	0·01	0·04	-	-	-	-	-	-	0·07	-	9
10	0·24	-	0·68	-	0·07	-	-	-	-	0·01	0·03	0·13	10
11	0·02	-	1·25	0·02	0·02	-	0·22	-	-	-	-	0·12	11
12	0·01	-	0·13	-	-	0·61	0·03	-	0·01	0·06	0·02	-	12
13	0·04	-	0·~~10~~ 01	0·28	-	0·01	-	-	1·07	0·17	-	0·03	13
14	0·20	0·01	-	0·28	-	-	0·01	-	0·08	0·11	-	0·03	14
15	0·60	0·02	-	0·06	-	-	-	0·02	-	0·09	-	0·28	15
16	0·09	0·75	-	0·01	-	-	-	0·03	-	-	0·10	0·01	16
17	-	0·88	-	0·01	-	0·02	-	0·02	-	-	0·31	-	17
18	0·04	-	0·54	-	-	-	0·02	0·09	0·01	-	0·08	0·16	18
19	0·08	0·16	0·32	-	-	-	0·21	0·29	0·12	-	0·08	0·01	19
20	0·14	0·07	0·62	-	-	0·17	-	0·13	0·01	-	0·10	0·09	20
21	0·02	0·57	0·03	-	-	0·02	0·07	-	-	-	0·01	0·20	21
22	-	0·02	-	-	-	-	0·01	-	0·16	-	-	0·32	22
23	-	-	-	-	-	·02 -	-	0·01	0·01	0·56	0·08	0·07	23
24	0·02	-	-	0·08	0·06	0·02	-	-		0·33	0·26	0·37	24
25	0·05	0·01	-	0·05	0·02	-	-	0·81	0·01	0·01	0·05	0·02	25
26	0·04	-	0·17	0·04	-	0·02	-	0·21	0·02	-	-	0·21	26
27	0·16	-	0·06	0·24	-	-	-	0·40	-	-	0·01	0·[illegible]1	27
28	0·07	-	0·21	0·01	-	-	-	0·19	-	-	0·07	0·35	28
29	0·07		0·04	-	-	-	-	-	-	0·09	0·02	0·22	29
30	0·01	X	0·02	0·02	-	0·12	-	-	-	0·01	0·32	0·25	30
31	-	X	0·03	X	-	X	0·02	0·24	X	-	X	0·01	31
Total	3·27	2·70	4·83	1·20	0·31	1·21	1·00	2·44	1·63	1·93	1·69	4·34 ~~4·34~~	YEAR'S TOTAL 26·45
Rain Days.	27	11	22	15	8	12	13	12	14	12	18	27	191

Copied from M.O. Form 3203

W. 6,500. VII. 18. W W C

-W- AWs and mo. 3647

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

28 APL 1921

Kept at Gwernyfed Park (M.O)
in the County of Breconshire
by James Slade, for J. J. Crosfield

Lat. 52° 5′ N Long. 3° 15′ W
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge — in.
Height of top of Gauge above Ground 1 ft. – in.
„ „ „ „ Sea Level 376 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	0.01	0.02	0.10	0.13	-	0.40	-	0.07	0.13	-	0.37	1
2	0.02	-	-	0.17	0.01	-	0.02	0.12	0.02	0.08	-	0.04	2
3	–	0.03	-	0.30	0.09	-	0.59	0.01	0.02	0.98	-	0.11	3
4	–	-	0.02	0.01	-	–	0.01	0.19	-	0.08	–	–	4
5	–	-	0.17	0.03	0.06	-	0.38	0.10	-	0.20	–	–	5
6	–	-	0.27	-	0.08	-	0.08	0.01	-	0.09	–	0.02	6
7	–	-	0.02	0.06	-	-	0.01	–	-	–	0.01	–	7
8	0.10	0.11	-	0.66	0.10	-	0.36	0.21	-	-	–	–	8
9	0.31	0.15	-	0.47	-	-	0.03	0.01	-	-	–	–	9
10	0.60	0.26	0.02	0.03	-	0.83	0.12	–	-	0.01	-	0.02	10
11	0.13	0.02	0.13	0.41	0.23	0.01	0.03	-	-	–	–	–	11
12	0.13	0.01	0.01	0.21	-	0.76	0.02	0.05	-	–	0.10	–	12
13	0.09	-	0.45	0.18	-	-	-	-	-	–	0.01	0.03	13
14	0.01	0.02	0.49	0.49	-	0.11	0.02	-	0.66	0.30	0.28	0.05	14
15	–	0.18	0.14	0.79	0.03	0.13	-	-	-	0.02	0.10	–	15
16	–	-	0.07	0.14	0.09	0.29	-	–	0.18	0.81	0.09	–	16
17	0.02	-	0.02	-	0.18	0.02	-	0.09	1.28	0.10	-	–	17
18	0.09	-	-	0.01	0.06	0.01	-	0.03	0.95	-	-	–	18
19	0.09	0.45	-	0.27	0.03	0.06	0.01	-	-	-	-	–	19
20	0.01	0.05	-	0.17	-	0.03	0.01	-	-	0.01	-	0.08	20
21	–	-	-	0.01	-	-	0.21	-	-	0.02	-	0.11	21
22	0.03	-	-	0.10	-	-	0.03	0.11	-	-	-	0.24	22
23	–	–	0.02	-	-	-	0.21	-	-	–	–	0.39	23
24	0.02	0.03	0.12	-	-	-	-	-	-	-	0.07	0.15	24
25	0.02	0.03	0.14	0.01	-	0.01	0.28	-	-	-	–	0.02	25
26	0.12	0.04	0.25	0.04	0.15	0.04	0.12	-	-	-	0.07	0.15	26
27	0.21	0.02	0.27	0.14	0.02	0.35	0.01	-	-	-	-	0.42	27
28	0.64	-	0.23	-	0.12	0.02	-	-	-	-	-	0.10	28
29	0.12	-	0.30	0.08	0.11	0.04	0.19	-	-	-	0.08	0.50	29
30	0.03	✕	0.31	0.24	0.01	0.12	0.06	-	0.16	-	0.17	0.14	30
31	0.09	✕	0.24	✕	-	✕	0.02	-	✕	0.40	✕	0.02	31
TOTAL	2.88 ✓	1.41 ✓	~~3.82~~ 3.71	5.12 ✓	1.50 ✓	2.83 ✓	3.22 ✓	0.93 ✓	3.34 ✓	3.23 ✓	0.98 ✓	2.96 ✓	YEAR'S TOTAL 32.11 ✓
Days with ·01 in. or more	21 ✓	15 ✓	22 ✓	25 ✓	17 ✓	16 ✓	24 ✓	11 ✓	8 ✓	14 ✓	10 ✓	19 ✓	202 ✓
	13	7	15	16	12	10	12	7	6	10	8	14	133

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M.O 3203

Copy

cor.

REGIST

HAY
~~WAUNDERWEN~~
BRECON

1911 - 1913

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Waunderw

in the County of Brecon

by Lt Col. R. D. Garnons

wden

5 in.

Ground 1 ft. 4 in.

Sea Level 400 ft.

am

ame Hay

istance 1M Direction N.N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·04	·04	·01	—	—	—	—	—	·03	—	1
2	—	—	—	—	·09	—	—	·15	—	·06	·05	·09	2
3	—	—	·10	—	·50	—	—	·03	—	—	·05	·23	3
4	—	—	·03	—	—	—	—	·10	·13	—	·28	·63	4
5	·02	—	—	—	·01	—	—	·11	—	·17	·08	·01	5
6	·24	—	·03	·01	—	—	—	·05	—	—	·12	—	6
7	—	—	·13	—	—	—	—	—	—	—	·41	·17	7
8	·07	—	—	—	—	—	—	—	—	—	·34	1·06	8
9	·06	—	—	—	—	—	—	—	—	—	·24	·45	9
10	·02	·04	·15	—	—	—	—	—	—	—	·02	·56	10
11	·05	—	—	—	·08	—	—	—	·02	—	·40	·15	11
12	—	·01	·35	—	1·01	—	—	—	·35	—	·53	·38	12
13	—	—	—	—	·01	—	—	—	·24	·02	·05	·54	13
14	—	·02	—	—	—	—	—	—	—	·01	—	1·15	14
15	—	·04	—	—	—	—	—	—	—	·01	·23	·10	15
16	—	—	—	—	—	·11	—	—	—	—	·09	(·12) ·10	16
17	—	·01	—	—	—	1·16	—	—	—	·02	·30	·78	17
18	—	·50	·14	·40	—	·05	—	—	—	·04	·01	·41	18
19	—	·02	—	·33	—	·32	—	·07	·59	·36	—	·50	19
20	—	·05	—	·05	—	·01	—	—	·04	·01	—	·41	20
21	—	·07	·34	·02	—	—	—	·16	·18	·48	—	·14	21
22	—	·15	·01	·01	—	·03	—	—	—	·39	—	·52	22
23	·01	—	·06	—	—	·01	—	—	·22	·24	—	·09	23
24	·01	—	—	·01	—	·30	—	·16	·01	·03	—	·04	24
25	—	·13	—	·01	—	·03	—	—	·02	·01	—	·17	25
26	—	·06	—	·30	·45	·01	—	·16	·01	·09	·06	·15	26
27	—	·09	·33	·10	—	—	—	·25	·21	—	—	·12	27
28	—	·14	—	·24	—	—	—	·04	—	·01	·13	—	28
29	—		—	·40	—	·14	·31	—	·09	·29	—	—	29
30	—		·01	—	·01	·02	—	·02	—	·21	·01	—	30
31	—		—		·02		·03	—		·07		—	31
Total	·49	1·33	1·72	1·62	2·19	2·19	·34	1·30	2·11	2·52	3·43	9·02	TOTAL for year 28·26
No. of Rain Days	9	14	13	13	10	12	2	12	13	19	20	25	162

9,000, IX. '10.

Copy

cor.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Waunderwen. Hay

in the County of Brecknshire 8

by Lt Col. R. D. Garnons-Williams

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. 4
" " " Sea Level 400 ft.

Time of Observation 9.0 am

Nearest Railway Station
Name Hay
Distance 1M Direction N.N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·04	·04	·01	—	—	—	—	—	·03	—	1
2	—	—	—	—	·09	—	—	·15	—	·06	·05	·09	2
3	—	—	·10	—	·50	—	—	·03	—	—	·05	·23	3
4	—	—	·03	—	—	—	—	·10	·13	—	·28	·63	4
5	·02	—	—	—	·01	—	—	·11	—	·17	·08	·01	5
6	·24	—	·03	·01	—	—	—	·05	—	—	·12	—	6
7	—	—	·13	—	—	—	—	—	—	—	·41	·17	7
8	·07	—	—	—	—	—	—	—	—	—	·34	1·06	8
9	·06	—	—	—	—	—	—	—	—	—	·24	·45	9
10	·02	·04	·15	—	—	—	—	—	—	—	·02	·56	10
11	·05	—	—	—	·08	—	—	—	·02	—	·40	·15	11
12	—	·01	·35	—	1·01	—	—	—	·35	—	·53	·38	12
13	—	—	—	—	·01	—	—	—	·24	·02	·05	·54	13
14	—	·02	—	—	—	—	—	—	—	·01	—	1·15	14
15	—	·04	—	—	—	—	—	—	—	·01	·23	·10	15
16	—	—	—	—	—	·11	—	—	—	—	·09	(·12) ·10	16
17	—	·01	—	—	—	1·16	—	—	—	·02	·30	·78	17
18	—	·50	·14	·40	—	·05	—	—	—	·04	·01	·41	18
19	—	·02	—	·33	—	·32	—	·07	·59	·36	—	·50	19
20	—	·05	—	·05	—	·01	—	—	·04	·01	—	·41	20
21	—	·07	·34	·02	—	—	—	·16	·18	·48	—	·14	21
22	—	·15	·01	·01	—	·03	—	—	—	·39	—	·52	22
23	·01	—	·06	—	—	·01	—	—	·22	·24	—	·09	23
24	·01	—	—	·01	—	·30	—	·16	·01	·03	—	·09	24
25	—	·13	—	·01	—	·03	—	—	·02	·01	—	·17	25
26	—	·06	—	·30	·45	·01	—	·16	·01	·09	·06	·15	26
27	—	·09	·33	·10	—	—	—	·25	·21	—	—	·12	27
28	—	·14	—	·24	—	—	—	·04	—	·01	·13	—	28
29	—	~~—~~	—	·40	—	·14	·31	—	·09	·29	—	—	29
30	—		·01	—	·01	·02	—	·02	—	·21	·01	—	30
31	—	~~—~~	—		·02		·03	—		·07		—	31
Total	·49	1·33	1·72	1·62	2·19	2·19	·34	1·30	2·11	2·52	3·43	9·02	TOTAL for year 28·26
No. of Rain Days	9	14	13	13	10	12	2	12	13	19	20	25	162

9,000, IX. '10.

Copy

REGISTER OF RAINFALL IN 1912

Ex H.E.le

FORM A2.
BRITISH RAINFALL.
8 - JAN 1913

Kept at Waunderwen. Hay

in the County of Breconshire 8

by Lt. Col R. D. Garnons-Williams

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level 400 ft.

Time of Observation 9.0 am

Nearest Railway Station
Name Hay
Distance 1 Mile Direction N.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·31	–	–	1·08	·01	·03	·01	·19	–	·14	1
2	–	–	·35	·03	·01	·49	·13	–	–	–	–	·01	2
3	·02	–	·11	–	·02	·10	·01	1·09	·04	–	·01	–	3
4	·27	–	·84	–	·12	·02	–	·18	–	–	·25	·01	4
5	·29	·05	·32	–	·02	·02	–	·55	·02	–	–	·01	5
6	·33	·11	–	–	·04	·01	·11	·32	–	–	–	·04	6
7	·02	·57	·17	–	·04	·42	–	–	–	–	–	·01	7
8	·38	·27	·10	–	–	·03	–	–	·03	–	–	–	8
9	·07	·02	·46	·14	–	·14	–	·57	–	–	·02	·44	9
10	·17	·10	–	·01	–	–	–	·05	–	·01	·39	·01	10
11	·01	·11	–	–	–	–	–	–	–	–	·11	·78	11
12	–	·38	·07	·07	·10	–	·05	–	–	–	–	·05	12
13	–	–	·54	·01	–	·02	·01	–	·05	·12	–	·16	13
14	·01	–	–	–	–	–	–	·03	–	–	–	·02	14
15	·31	·14	·01	–	·36	·08	–	–	–	–	–	·20	15
16	·20	–	·05	–	·10	·01	–	·06	–	·12	·03	·03	16
17	·59^{s}	–	·04	–	–	·08	–	·29	–	–	·07	·27	17
18	·04^{s}	·02	·03	–	–	–	–	·14	–	·01	–	·08	18
19	·06	·09	·01	–	–	·01	·06	·27	–	·01	–	·01	19
20	·06	–	·62	–	·02	·01	·05	·08	–	·21	·01	·01	20
21	·02	·01	·38	–	·40	–	·03	·33	–	·33	–	–	21
22	·41^{s}	·18	·01	–	·36	·21	·20	·37	–	·06	·01	·15	22
23	·54^{s}	·09	·37	–	·01	·15	·03	·42	–	·08	·05	·05	23
24	·15	–	·02	–	–	–	·02	·02	–	–	–	·19	24
25	–	–	–	–	–	·07	·02	1·43	–	–	·40	·58	25
26	–	·17	·10	–	–	–	·05	1·08	–	·82	·38	·65	26
27	–	–	·02	–	–	·17	1·23	–	–	·97	–	·50	27
28	–	·08	·03	–	–	·25	·53	·44	·33	·21	·20	·15	28
29	–	·05	·06	–	–	·27	·06	·16	·68	·29	·01	·03	29
30	–	~~–~~	·15	–	–	·24	·08	–	–	·60	–	–	30
31	–	~~–~~	·09	~~–~~	–	~~–~~	·33	·03	~~–~~	–	~~–~~	·02	31
Total	3·95	2·44	5·26	·26	1·60	3·88	3·01	7·94	1·16	4·03	1·94	4·60	TOTAL for year 40·07
No. of Rain Days.	20	17	26	5	13	22	19	22	7	15	14	27	207 days

W. 8,000, X. '11.

Copy

W DL Cor. for arith. 24.IV.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

9 JAN 1914

Kept at Waunderwen

in the County of Breconshire 8

by Lt Col. R. D. Garnons. Williams

Lat. Long.

Time of Observation 9.0 am

Nearest Railway Station Hay

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·08	·10	·12	·03	—	—	—	·10	·02	·07	—	1
2	·01	·37	·07	·12	·04	—	—	—	·01	·34	·26	—	2
3	·02	·02	·15	—	·13	—	—	—	—	·07	—	·09	3
4	·76	·06	·03	—	·04	—	·05	—	1·07	·61	·04	·34	4
5	·13	·01	·01	—	·09	·17	·01	—	·16	·52	·29	·02	5
6	·06	·13	·17	—	·05	·01	·02	—	—	·67	·01	·39	6
7	—	·41	·01	—	·46	·11	—	—	—	·79	·05	·03	7
8	·02	·22	—	—	·55	·01	·03	·04	—	·19	—	·01	8
9	—	·40	·01	—	·18	·55	·10	·17	·07	·40	·24	·01	9
10	·41	—	—	·02	·05	—	—	·21	—	—	·02	—	10
11	·69	—	·01	·33	·05	—	—	—	—	·02	·54	—	11
12	—	—	—	—	·24	—	—	—	—	—	·31	—	12
13	·06	—	·19	·02	—	—	·02	·02	·42	—	·37	—	13
14	·31	·01	·32	·10	—	—	—	—	·02	·13	·07	—	14
15	·29	—	·77	·67	—	—	—	·11	—	—	·05	—	15
16	·19	·01	·78	·03	—	—	—	·04	·01	—	—	—	16
17	·08	·01	·04	·13	·01	—	·15	—	—	—	·01	—	17
18	·28	—	·16	·26	·03	—	·02	—	—	—	·06	—	18
19	·15	—	·14	·02	—	·05	—	—	·02	·10	·01	·01	19
20	·22	—	·44	·10	—	—	—	—	—	·11	·44	—	20
21	—	—	·28	·08	·08	—	·09	·03	—	·04	·07	—	21
22	·55	—	1·11	—	—	·15	—	·64	·41	—	·03	—	22
23	·01	—	·02	—	—	—	—	—	·07	—	·11	—	23
24	·10	·01	—	—	—	—	—	·01	·10	—	·14	·01	24
25	—	—	—	·39	—	—	—	—	·01	·05	·02	·01	25
26	—	—	—	1·01	·08	—	—	·07	—	—	—	·41	26
27	·01	—	·38	·24	—	—	—	—	—	·86	—	·04	27
28	·16	—	·28	·49	·10	—	—	—	—	·42	—	·11 5	28
29	—		·78	·50	·01	—	—	·03	—	·31	—	—	29
30	·02		·01	·04	—	—	—	·01	—	·30	·05	—	30
31	·09		·28		·09		—	·04		·03		—	31
Total	4·67	~~1·73~~ 1·74	6·54	4·67	2·31	1·05	·49	1·42	2·47	5·98	3·31	1·48	YEAR'S TOTAL ~~36·12~~ 36·13
Rain Days.	24	13	25	19	19	7	9	13	13	20	23	13	198

DL ✓

Cor for aulti of for W

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

BRECON
WERNBYSTACH
LLANBEDR
1911 – 1914

RE… 1911

Kept at Wernbysl…
… top ………… in.
… above Ground ………… ft. ………… in.
in the County of W…
„ Sea Level ………… ft.
by S. A. Gore
…ion { Name …………
Distance ………… Direction …………

IMPORTANT NOTE.—~~Rain should be measured~~ daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·31				·04	·97			·03	·15	1
2				·04							·11		2
3	·03		·02		·38			·27		·15		·36	3
4					·50			·02			·45	·18	4
5			·13	·15				·08	·06		·35	·57	5
6	·07		·05							·16	·22	·05	6
7	·19			·04				·27			·33	·83	7
8	·03		·10					·03			·46		8
9	·06		·05								·48	1·31	9
10	·05										·45	·70	10
11	·03	·05	·29						·04			·55	11
12	·18				·38						·51	·10	12
13			·35						·29		·63	·48	13
14					·95						·02	1·50	14
15											·44	·20	15
16		·06				·02					·17	·53	16
17						·73				·03	·10		17
18		·04				·72			·92		·06	·75	18
19		·56	}	} ·90					·19	·09	·05	·81	19
20		·15	} ·24	·08		·27				·30	·07	·68	20
21		·05				·04				·19		·76	21
22		·28	·35			·07		·21		·63		·10	22
23		·31	·28	·19		·14			·04	·25		·85	23
24		·32	·04						·22	·15		·27	24
25						·66		·16		·11		·15	25
26		·05		·06		·10			·15	·34		·23	26
27	·01	·25		·19		·01					·15	·03	27
28		·31	·43	·12	·49			·50	·22			·16	28
29				·14				·14		·44	·38		29
30						·22	·40		·15				30
31					·06		·27			·45			31
	–	·31	– ~~2·64~~	–	–	·04	·97	–	–	·03	·15	(–)	
Total	~~·69~~ ·65	~~2·43~~ 2·74	~~2·04~~ 2·33	1·91 ✓ 1·91	~~2·76~~ ✓ 2·76	~~2·98~~ 3·02	~~·71~~ 1·64	~~2·65~~ 1·68	~~2·28~~ 2·28	~~3·29~~ 3·32	~~5·46~~ 5·58	~~12·20~~ 12·15	TOTAL for year ~~40·10~~ 40·06
No. of Rain Days	~~10~~ 9	~~12~~ 13	~~13~~ 12	10 ✓	6 ✓	~~11~~ 12	3 ✓	~~10~~ 9	10 ✓	~~13~~ 14	20 ✓	~~25~~ 24	142

9,000, IX. '10.

DL

Cov for arilt of pr W.

467

REGISTER OF 1911

FORM A2. BRITISH RAINFALL.

26 JAN 1912

Kept at Wernbystach

in the County of ~~Monmouth~~? Brecon.

by S. A. Gore

RAIN GAUGE
Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station
Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04		31				.04	.97			.03	.15	1
2				.04							.11		2
3	.03		.02		.38			.27		.15		.36	3
4					.50			.02			.45	.18	4
5			.13	.15				.08	.06		.35	.57	5
6	.07		.05							.16	.22	.05	6
7	.19			04				.27			.33	.83	7
8	.03		10					.03			.46		8
9	.06		.05								.48	1.31	9
10	.05										.45	.70	10
11	.03	.05	.29						.04			.55	11
12	.18				.38						.51	.10	12
13			.35						.29		.63	.48	13
14					.95						.02	1.50	14
15											.44	.20	15
16		.06				.02					.17	.53	16
17						.73				.03	.10		17
18		.04				.72			.92		.06	.75	18
19		.56		.90					.19	.09	.05	.81	19
20		.15	24	.08		.27				.30	.07	.68	20
21		.05				.04				.19		.76	21
22		.28	.35			.07		.21		.63		.10	22
23		.31	.28	.19		.14			.04	.25		.85	23
24		.32	.04						.22	.15		.27	24
25						.66		.16		.11		.15	25
26		.05		.06		.10			.15	.34		.23	26
27	.01	.25		.19		.01					.15	.03	27
28		.31	.43	.12	.49			.50	.22			.16	28
29				.14				.14		.44	.38		29
30						.22	.40		.15				30
31					.06		.27			.45			31
	–	.31	~~2.64~~	–	–	.04	.97	–	–	.03	.15	(–)	
Total	~~.69~~	~~2.43~~	~~2.04~~	~~1.91~~	~~2.76~~	~~2.98~~	~~.71~~	~~2.65~~	~~2.28~~	~~3.29~~	~~5.46~~	~~12.20~~	TOTAL for year ~~40.10~~
	.65	2.74	2.33	1.91	2.76	3.02	1.64	1.68	2.28	3.32	5.58	12.15	40.06
No. of Rain Days	~~10~~	~~12~~	~~13~~	10	6	~~11~~	3	~~10~~	10	~~13~~	20	~~25~~	142
	9	13	12			12		9		14		24	

9,000, IX. '10.

88

comp for auth WD } 31·11·13

FORM A2. BRITISH RAINFALL.

25 JAN 1913

462

REGISTER OF RAINFALL IN 1912

Kept at Wernbystack

in the County of ~~Monmouth~~ Brecon

by S A Gore

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·21	·17			·28	·50	·04				1
2			·42			·62	·24		·03	·62		·20 ~~·60~~	2
3			·32	·04		·47							3
4	·10		·36		·28		·01	1·75		·04			4
5	·36		·47		·05	·27		·19		·05	·43	·07	5
6	·57		·33		·06	·06		·85	·13			·04	6
7	·82	·38										·17	7
8	·07	·67	·45		·15	·32	·16						8
9	·57	·40	·46			·21		·05					9
10	·04	·05	·45	·31			·05	·54			·05	·41	10
11	·56	·24				·30					·35		11
12		·15					·09	·09			·15	·51	12
13		·19	·05	·09	·14					·08			13
14	·13						·06						14
15	·03		·43					·06				·27	15
16	1·00	·06	·37		·49	·37						·27	16
17	·89	·20	·08		·04			·30			·05		17
18		·04						·19				·48	18
19	·30	·04	·09					·29					19
20	·47	·40	·75			·29		·42		·79		·07	20
21		·25	·83				·18			·48			21
22	·10		·20		} 1·20		·92	·48		·25			22
23			·25					·45		·04		·16	23
24	·70		·47		·05	·43		·24			·09	·18	24
25	·14	·19				·05	·09				·37	·34	25
26			·05					1·20				·45	26
27		·01				·45	·15			1·25	·86	·42	27
28		·23				·45	·75			·66		·50	28
29		·12				·18	1·33	·83	·45		(·40)	·35	29
30							·24		·83	·59			30
31	–	·21	·39 ~~·49~~	–	–	·28	·22 ·50	·47	–	·41 –	–	–	31
Total	~~6·85~~ 6·85	~~3·62~~ 3·83	~~7·34~~ 7·30	~~·61~~ ·44	~~2·46~~ 2·46	~~4·47~~ 4·75	~~4·77~~ 4·99	~~8·40~~ 8·44	~~1·48~~ 1·44	~~5·26~~ 5·26	~~2·75~~ 2·75	~~4·89~~ 4·89	TOTAL for year 53·40
No. of Rain Days.	17	18	21	3	9	15	15	18	4	12	9	17	158

W. 8,000, X. '11.

82

FORM A.
BRITISH RAINFALL.

31 JAN 1914

48.4

cor [illegible] + by own [illegible] 28.IV.

REGISTER OF RAINFALL IN 1913

Kept at Wernbystach

in the County of Brecon

by S A Gore

Miss Maud Gore (November- Dec.)

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·35										·13	1
2		·08	·11	·11					·38				2
3			·22	·30	·16				·03	·96			3
4	·23	·42							2·50				4
5	1·03		·15		·21		·10		·21	·50		·60	5
6		·08				·20			·09	·81	·45	·59	6
7	·13		·37		·22	·16					·29		7
8	·10	1·10	~~1·10~~ ·10		·60					·87			8
9	·21	·41			·79								9
10	·15	·27			·18		·22				·68		10
11					·21			·30		·76			11
12	1·00			·44	·20					·12	·61		12
13			·17					·14			·79		13
14	·07									·09	·46		14
15	·40		·44	·08									15
16			·77	1·20		·20			·22				16
17	·50		·91	·16						·17			17
18												·39	18
19	·27		·75	·67									19
20	·39		·27			·16		·35	·22		·22		20
21	·37		·47	·47							·65		21
22			·17	·17	·16								22
23	·92		1·07			·09	·22		·41				23
24	·04												24
25	·04	·10									·30		25
26			·11	·46							·30		26
27				1·10					·07	·06			27
28			·06	·50	·08			·12				·28	28
29	·38		·37	·70									29
30			·57										30
31	·35	–	–				–	·35	–	1·00	·13		31
Total	~~6·73~~	~~2·84~~	7·08	~~7·08~~	2·81	·81	·54	1·26	4·13	5·34	~~4·73~~	~~1·99~~	YEAR'S TOTAL 44·11
	6·58	2·46	7·08	6·36					4·13	5·34	4·88	1·86	
Rain Days.	17	8	18	13	10	5	3	5	9	10	10	5	113

W. 7,500, XI. ·12

DL 465

FORM A.
BRITISH RAINFALL.

22 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Wernbyslach

in the County of Brecon

by Miss M. Gore
S. A. Gore

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·17	·86	·25					·29			·48	·02	1
2						·11	·41	·35			·52	·48	2
3			·05		·06	·08						·70	3
4					·27						·50	·84	4
5	·36		·17	·47			·54				·40		5
6	·23		·10	·25							·22	·25	6
7				·26	·57			·23				·62	7
8			·30	·08			·40					·26	8
9		·72				·76		·27			·50	·50	9
10		·06	·12	·47		1·79		·30		·10	·48		10
11		·37	·06	·33	·21					·50			11
12		·27	·01				·18				·25	·45	12
13		·50								·40	·54	·50	13
14		·70					·20		·43	·60	·20	·20	14
15		·83	·47		·10			·30	·20		·50		15
16			·45		·38								16
17			·05			·29						·50	17
18			·30									·27	18
19		·35	·20				·20					·50	19
20							1·10					·25	20
21		·56					·23					·47	21
22			·41			·15							22
23		·13					·21	·15	·50				23
24					·13			·20	1·00				24
25	·09		·29										25
26			·09				·25		·38		·21	·75	26
27							·12				·30		27
28					·15						·50	·21	28
29			·28									·63	29
30	·12										·65		30
31			·12						·50			·40	31
Total	·97	5·35	3·72	1·86	1·87	3-18 3·18	3·84	2·09	3·01	1·60	6·25 6·35	8·80	YEAR'S TOTAL 42·54
Rain Days.	5	11	18	6	8	6	11	8	6	4	15	20	118

W.7,000, XI. 13

DL

[illegible] 16.V.16

4154

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Wernbystach ~~W. M.~~

in the County of Brecon

by S. A. Gore

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50	·50	·30						·04			·13	1
2	·66		·31		·09			·92	·29	·38			2
3	·09	·05	·35		·19			·44				·37	3
4	·15	·26	·30				·43				·70		4
5	·18	·26			·32			·05			1·00	·76	5
6	·40	·50	·18	·10								1·00	6
7	·19	·16					1·00	·42		·15			7
8	·20	·47		·13	·03				·03			1·00	8
9	·26	·15										·11	9
10		·50										·84	10
11	·14	·14		·50									11
12													12
13	·25	·32			·40								13
14		1·00			·87		·15					·27	14
15												·45	15
16	·50				·20					·05	·37		16
17	·04	·93			1·00		1·15	·05					17
18					·75								18
19													19
20					·18		·25						20
21	·42									·12			21
22				·06			·25			·11		·14	22
23	·14		·25				·09				·50	·50	23
24	·16	·14					·13			·50		·52	24
25				·15					·15	1·50		·47	25
26						·75						·10	26
27							·10					·45	27
28		·29				·12			·22	·45		·55	28
29						·19		·05				·05	29
30		X				·25					·50	·30	30
31		X	·10	X		X	·13		X	1·50	X		31
Total	4·28	5·67 5·67	1·79	·94	4·03	1·31	3·68	1·93	·73	4·76 4·56	3·07	8·01 8·71	YEAR'S TOTAL 40·20 39·20
Rain Days.	16	15	7	5	10	4	10	6	5	9	5	18	110

W. 8,000. X. 14.

8L

and fr auth ~~for~~ W.D.

~~W~~ D.L.

4081,
~~406~~

FORM A.
BRITISH RAINFALL.
30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Wernbyslach

in the County of Brecon

by S. A. Gore

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground — ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·00										·18		1
2	·28					·14				·47	·50		2
3		·11	1·00				·27		·30	·70		·40	3
4	41		·56		·66	·25					·56		4
5		·15				·22				·40	1·00		5
6					·50		·08						6
7	·52	·50	·12			·04	·86			·33	·20		7
8		·50			33	·16							8
9	11	·48			·50	·02				·17	·29		9
10		·05	·20		·20	·26							10
11	·10	·37	·40	·50	·11					·06			11
12	·08				·08								12
13			·50		·04				·06	·08			13
14	·06	·28		·44			·35	·78					14
15		1·00						·47			·09		15
16	·04	·45	·50										16
17			·40					·43					17
18	·08		·10	·67					·50	·75			18
19		·10							·10		·50		19
20											·33	·35	20
21				·32								·60	21
22			·85		·21							·40	22
23		·12	·45							·47	·60		23
24								·32				·21	24
25					1·55			·35		·62			25
26			1·00					·57		1·50		·25	26
27	·05								·72	·12			27
28			1·35					·43	·36				28
29		·50								·62			29
30		X				·40		·63		·32			30
31	–	X	–	X	–	X	–	–	X	·18	X	·50	31
Total	~~2·63~~ 1·73	4·61	7·43	1·93	4·18	1·49	1·56 1·56	3·98	2·03	~~6·61~~ 6·79	~~4·25~~ 4·07	2·74 2·71	YEAR'S TOTAL ~~43·59~~ 42·51
Rain Days.	~~11~~	13	13	4	11	8	4	8	6	14	10	7	~~108~~

W. 8,000. X. 15.

8L cnd pr WD W 8L cnd pr antto June est. 3914 ~~390~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Wernbystack

in the County of Brecon

by S. A. Gore

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2			·50					·48	·27	·25			2
3			·05	·73			·06		·75				3
4				·17									4
5	·16									1·00	·50		5
6			1·00				·27	·05					6
7										·50	·48		7
8			·35	·15			·50			·77	·67	·40	8
9				·20				1·32	·10				9
10					·30			·30		·49		·05	10
11			1·43	·25			·74	·50		·20			11
12				·15				·25	·12				12
13				·22	1·48			·16		·15			13
14				·35				·50					14
15									·12	·25			15
16										·23			16
17					·74		·40						17
18									·03		·08		18
19		·22	·50					·72	·15	·80			19
20		·50					·08		1·26				20
21					1·04			·08					21
22		·09								·10			22
23								·63	·18		·10		23
24							·42			·41			24
25					·15			1·03					25
26		·27						1·05			·18		26
27			·32		·50					1·00			27
28					·40			1·00	·10				28
29								·17		·30		·80	29
30		X	·23				·35	·28					30
31		X		X		X		·30	X	·20	X		31
Total	·16	1·08	4·38	2·22	4·61	(1·75)	2·82	8·82 8·82	3·08	6·65 ~~6·06~~	2·01	1·25	YEAR'S TOTAL 38·83?
Rain Days.	1	4	8	8	7		8	17	10	15	6	3	...

W. 8,000, VIII. 16

Bad

DL. ✓ corrly A 28.IV.14

REGIS

LLANFIHANGEL
NANTBRAN
BRECON
1913, 1915

3

FORM A.
BRITISH RAINFALL.
31 JAN 1914
455

Kept at Llanfihangel
in the County of B
by M. Morgan

ng.
n
e in.
above Ground ft. in.
„ Sea Level ft.

IMPORTANT NOTE

and the result entered to the previous day. If an Obse conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	·30	·30	·05	·10				·03		·24	·04	1
2	·05	·26	·17	·10	·02					·69	·28	·11	2
3		·15	·40		·40					·15		·50	3
4	·95	·20	·15		·06				·92	·21	·02	·10	4
5	·30	·10	·10		·20	·26	·04		·15	·10	·47	·05	5
6	·26	·19	·30		·22	·16	·30			·54	·14	·02	6
7	·05	·90			·65	·37				·83		·04	7
8		·37			·28			·07			·15	·01	8
9		·29	·22		·15	1·12	·35	·26	·03		·30	·14	9
10	·24		·12		·24			·59	·02	·22	·24	·02	10
11	·39			·63	·10				·01	·04	·68		11
12					·03				·05		·86		12
13			·67				·11		·79	·39	·51		13
14	·34		·70	·40					·20		·21		14
15	·30		·35	1·12				·45	·03		·20	·06	15
16	·36			·36				·36	·10		·12		16
17	·05		·60	·21							·25		17
18	·10			·62			·36				·21		18
19	·15		·45			·23			·12	·31	·11		19
20	·22						·12		·62	·23	1·00		20
21			·20	·25	·26			·28	·03	·51	·30		21
22	·40		·80	·05		·38	·20	·73					22
23	·04					·10		·10			·10		23
24	·30	·04		·12				·02			·13		24
25				·39					·15	·05	·27	·29	25
26		·10		1·90						·04		·51	26
27	·25			·60						·27			27
28			·60	·65						·30			28
29			·30	·34	·15			·06		·55	·12		29
30	·17		·16	~~·04~~						·29	·30		30
31	·39		·20							·06			31
Total	~~5·22~~ 5·44	2·90	6·79	7·79	2·86	2·62	1·48	2·92	3·25	5·78	~~7·16~~ 7·21	~~2·04~~ 1·89	YEAR'S TOTAL 50·93
Rain Days.	21	11	19	16	14	7	7	10	15	19	24	13	176

W. 7,500, XI. 12

DL. ✓ cordy A 28·IV·14

455

FORM A. BRITISH RAINFALL.

31 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Llanfihangel, Nant-Bran

in the County of Brecon

by M. Morgan

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	·30	·30	·05	·10				·03		·24	·04	1
2	·05	·26	·17	·10	·02					·69	·28	·11	2
3		·15	·40		·40					·15		·50	3
4	·95	·20	·15		·06				·92	·21	·02	·10	4
5	·30	·10	·10		·20	·26	·04		·15	·10	·47	·05	5
6	·26	·19	·30		·22	·16	·30			·54	·14	·02	6
7	·05	·90	—		·65	·37				·83		·04	7
8		·37			·28			·07			·15	·01	8
9		·29	·22		·15	1·12	·35	·26	·03		·30	·14	9
10	·24		·12		·24			·59	·02	·22	·24	·02	10
11	·39			·63	·10				·01	·04	·68		11
12					·03				·05		·86		12
13			·67				·11		·79	·39	·51		13
14	·34		·70	·40					·20		·21		14
15	·30		·35	1·12				·45	·03		·20	·06	15
16	·36			·36				·36	·10		·12		16
17	·05		·60	·21							·25		17
18	·10			·62			·36				·21		18
19	·15		·45			·23			·12	·31	·11		19
20	·22						·12		·62	·23	1·00		20
21			·20	·25	·26			·28	·03	·51	·30		21
22	·40		·80	·05		·38	·20	·73					22
23	·04					·10		·10			·10		23
24	·30	·04		·12				·02			·13		24
25				·39					·15	·05	·27	·29	25
26		·10		1·90						·04		·51	26
27	·25			·60						·27			27
28			·60	·65						·30			28
29			·30	·34	·15			·06		·55	·12		29
30	·17		·16	~~·04~~						·29	·30		30
31	·39		·20							·06			31
Total	~~5·22~~ 5·44	2·90	6·79	7·79	2·86	2·62	1·48	2·92	3·25	5·78	~~7·16~~ 7·21	~~2·04~~ 1·89	YEAR'S TOTAL 50·93
Rain Days.	20	11	19	16	14	7	7	10	15	19	24	13	176

W. 7,500, XI. 12

Dl

4182
~~4354~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Llanfihangel, Nant Bran
in the County of Brecon W.Dl
by M. Morgan

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·62	·23	·28		·30			·45	·10	·40		·27	1
2	·27	·35	·52	·40			·19	·46	·13	·14		·20	2
3	·02	·42	·18	·13	·05		·93	·08				·40	3
4	·25	·46	·05		·14		1·07	·05	·42			·88	4
5	·09	·47	·06	·05				·11				·96	5
6	·22	·07	·02	·36			·31	·08				·22	6
7	·41	·82		·10	·48		·15	·05				·60	7
8	·62	·47		·02				·04			·40	1·02	8
9	·11	·84		·35				·04			·50	·22	9
10	·56	·03		·08				·12		·10	·32	·10	10
11	·37									·11	·99	·05	11
12	·25	·26		·16	·36			·03		·22	·95	·06	12
13	·01	·60		·03	·88			·20	·06			·10	13
14	·13							·50	·10			·16	14
15	·70	·05		·04	·28	·06	·10	·12	·03			·10	15
16	·20	·75			·50		1·51	·13				·09	16
17		·54		·10	·46		·08					·02	17
18	·04	·52											18
19	·02				·07		·74					·10	19
20	·70	·28					·02	·03		·06	·30	·12	20
21	·55				·20		·27			·10	·08	·09	21
22			·20	·04			·70			·07		·25	22
23			·20			·56	·20			·78		·40	23
24				·11			·05		·03	·37		·72	24
25						·35	·03				·02	·23	25
26		·20				·04	·58		·05			·78	26
27		·16				·16	·27		·06	·25		·90	27
28		·57				·25			·23	·15		·12	28
29						·35	·07	·04	·02	·07	·38	·18	29
30	·30	╳		·10			·04	·05	·02	·25	·50	·86	30
31	·10	╳		╳		╳	·27	·23	╳	·32	╳	·62	31
Total	6·54	8.09 8·09	1·51	2·07	3·74 2	1·77	7·58	2·81	1·25	3·39	4·44	1082 ~~12·22~~	YEAR'S TOTAL 53·99 ~~56·11~~
Rain Days.	22	20	8	15	11	7	20	19	12	15	10	30	189

W. 8,000. X. 14.

BRECON
LLANFIHANGE
CWMCYNOG

1911 - 1914

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

RE 19 11

Kept at Cwmcy

in the County of Bre

by Morgan

Ground

top ~~16~~ in 5

above Ground ft. 11 in.

" Sea Level ft.

9 am

tion Name

Distance Direction

IMPORTANT NOT rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·22								·26	·29	1
2				·31	·29			·17				·30	2
3			·10		·77			·30			·37	·25	3
4			·15					·64			·75	·60	4
5	·26		·13									—	5
6								·44			·27	·75	6
7											·70	–	7
8	·59		·33								·35	·62	8
9			·30								·30	·31	9
10	·17	·13										80	10
11	·29				·65				52		·40	·14	11
12		·3	·43						60		1·50	·16	12
13					·12					·19	·22		13
14											·25	·90	14
15											·30	·20	15
16		·20				·32					·10	·30	16
17		·16				1·20					·58	·50	17
18		·95		·54		·25				·20	·10	1·00	18
19		·23		·26		·20		·28	·96	·21	·9	·56	19
20	·6	·10		·20		·6		·30	·12	·55		·24	20
21		·46	·12	·10		·10		·77		·39		·30	21
22		·15		·5		·7	5			·54		·35	22
23		·20				·20			·40	·46		·50	23
24	·9	·14				·70		·27		·16		·45	24
25	·17	·22							·19	·7		·17	25
26		·10		·49				·7			·10		26
27		·46		·21				·52	·62		·18	19	27
28		·49		·20								3	28
29				·29		·70	·47		·50	·40		4	29
30						·5		14		1·00	12		30
31							·5			7			31
Total	1·63	4·02	1·78	2·65	1·83	3·85	57	3·90	3·91	4·24	6·94	9·95	TOTAL for year 45·27
No. of Rain Days.	7	15	8	10	4	11	3	11	8	12	19	25	133

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Cwmcynog

in the County of Brecon

by Morgan Morgan

RAIN GAUGE
Pattern Round
Diameter of top ~~16~~ in 5
Height of top above Ground ft. 11 in.
" " " Sea Level ft.

Time of Observation 9 am

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·22								·26	·29	1
2				·31	·29			·17				·30	2
3			·10		·77			·30			·37	·25	3
4			·15					·64			·75	·60	4
5	·26		·13									—	5
6								·44			·27	·75	6
7											·70	–	7
8	·59		·33								·35	·62	8
9			·30								·30	·31	9
10	·17	·13										80	10
11	·29				·65				52		·40	·14	11
12		·3	·43						60		1·50	·16	12
13					·12					·19	·22		13
14											·25	·90	14
15											·30	·20	15
16		·20				·32					·10	·30	16
17		·16				1·20					·58	·50	17
18		·95		·54		·25				·20	·10	1·00	18
19		·23		·26		·20		·28	·96	·21	·9	·56	19
20	·6	·10		·20		·6		·30	·12	·55		·24	20
21		·46	·12	·10		·10		·77		·39		·30	21
22		·15		·5		·7	5			·54		·35	22
23		·20				·20			·40	·46		·50	23
24	·9	·14				·70		·27		·16		·45	24
25	·17	·22							·19	·7		·17	25
26		·10		·49				·7			·10		26
27		·46		·21				·52	·62		·18	19	27
28		·49		·20								3	28
29				·29		·70	·47		·50	·40		4	29
30						·5		14		1·00	12		30
31							·5			7			31
Total	1·63	4·02	1·78	2·65	1·83	3·85	57	3·90	3·91	4·24	6·94	9·95	TOTAL for year 45·27
No. of Rain Days.	7	15	8	10	4	11	3	11	8	12	19	25	133

W. 8,000, X. '11.

[illegible] .31.III.13 Ex DB
4.III.13 J.C.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

11 JAN 1913

Kept at Cwmcynog
in the County of Brecon
by Morgan Morgan

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Abercrave Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. 10 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.5		.27	.54						.35	1
2			.59	.7		.56		.5					2
3	.08 ~~.5~~		.5			.9		1.12	.33		.10	.29	3
4	– .37		1.35	.2	.20			.36			.40		4
5	.16 ~~.42~~		.42		.17			.12	.14				5
6	.25 ~~.52~~	.25			.19			2.18				.20	6
7	.03 .69	.30	.30			.36	.19	.30					7
8	.54	.10		.5		.10							8
9	.36 ~~.29~~	.30		.26		.10	.4	.79			.27	.44	9
10	.51 ~~.59~~	.4				.12	.7	.11			.50	.3	10
11	.13	.31	.46		.5		.27					.84	11
12	.25 ~~.5~~												12
13	.23 ~~.7~~							.6		.40		.45	13
14	.32 ~~.10~~		.69		.20			.20				.20	14
15	.84 ~~.30~~	.6				.37						.62	15
16	.16 ~~.40~~		.46			.57		.17		.25			16
17	.15							.35			.39	.75	17
18	.22		.27					.43		.17			18
19	.05						.10	.36		.30	.10	.20	19
20	– ~~.65~~	.40					.15	.34		.56	.20		20
21	.08	.17	.76		.44			.20		.47		.14	21
22		.30	.21		.36	.5	.39	.90		.6	.9	.10	22
23		.10				.10		.65		.30	.5	.5	23
24		.6	.20			.35					.10	.75	24
25			.40			.10	.25	.75			.60	.45	25
26		2 .27 .7				.65	.5	.66		1.00	.76	.71	26
27			.37				.71			1.46		.69	27
28						.60	.79	.42	.50	.25	.65	.4	28
29		.50	.19			.20	.31	.27	.30	.45		.10	29
30			.21			.25	.14		.5	.40			30
31							.29	.20				.15	31
Total	4.36 ~~4.29~~	3.16 ~~2.96~~	6.98	.40	1.88	5.05 ~~4.80~~	3.75	10.97	1.32	6.07	4.21	7.55	YEAR'S TOTAL 55.70
Rain Days.	17 ~~10~~	14	17	4	8	7 ~~14~~	14	23	5	13	13	21	16

C 28.IV.14

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Kept at Cwmcynog

in the County of Brecon

by Morgan Morgan

RAIN GAUGE Pattern ....
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

9 JAN 1914

Date	Jan 1913	Feb	March	April	May	June	July	August	Sept	Oct	Nov	Dec
1	·13	·30	·30	·5	·10				·3		·24	·4
2	·5	·26	·17	·10	·2					·69	·28	
3		·15	·40		·40					·15	·	·30
4	·95	·20	·15		·6				·92	·21	·2	·10
5	·30	·10	·10		·20	·26	·4		·15	·10	·47	·5
6	·26	·19	·30		·22	·16	·30			·54	·14	·2
7	·5	·90			·65	·37				·83		·4
8		·37			·28	1·12						
9		·29	·22		·15			·7			·15	~~·4~~ ·01
10	·24		·12		·24		·35	·26	·3		·30	·14
11	·39			·63	·10			59	·2	·22	·24	·2
12									·1	·4	·68	
13			·67				·11		5		·86	
14	·34		·70	·40					·79	·39	·57	
15	·30		·35	1·12					·20		·21	
16	·36			36				·45	·3		·20	·6
17	·5		·60	·21				·36	·10		·12	
18	·10			·62							·25	
19	·15		·45				36				·21	
20	·22				·3	·23			·12	·31	·11	
21							·12		·62	·23	1·00	
22	·40		·20	·25	·26			·28	·3	·57	30	
23	·4		·80	·5		·38	·20	·73				
24	·30	·4				·10		·10			·10	
25				·12				·2		·5	·13	
26		·10		·39					·15	·4	·27	·29
27	·25			1·90						·27		·57
28			·60	·60						·30		
29			·30	·65	·15			·6		·55	·12	
30	·17		·16	·34						·29	·30	
31	·39		·20							·6		
Total	5·44	2·90	6·79	7·79	2·86	2·62	1·48	2·92	3·25	5·78	7·21	~~2·02~~ 1·89
No. of Rain Days	21	11	19	16	14	7	7	10	15	19	24	13

Total for year: Total 50·03 in.; 176 rain days

Cwmcynog Brecon . Morgan Morgan

7,000. X. '09.

cwd for autho by c 26.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Cwmcynog

in the County of Brecon W Br

by Morgan Morgan

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Devynock

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		33	12	3			13	79			16	14	1
2		3	20		2		90	35			20	73	2
3	3		96	12	41			15		3		73	3
4	75		35	17	40		13				43	99	4
5			40	57	45		9	3			26		5
6		8	11	10	21			4			9	31	6
7	34	45	45	20	40	10		13	14		4	50	7
8	24		25	13	94	28	10	34			11	18	8
9	46	18	15	22	19	86	75	35	6		15		9
10		54	40	45	7	13			11		3		10
11		53		4	23	23			7		57	57	11
12		1.09	23		1				28		(.10)	22	12
13		52	55				10		65	20	45	14	13
14		88	45				3	3		2	10		14
15		4	45				7	13	17	1	35	9	15
16			20				10		25				16
17		47	28				11		21			99	17
18		1	60				1		15			50	18
19		18	20				98		17		8		19
20		54	42			33							20
21		24			14		50	4		16			21
22		34	4			7	5	40		74			22
23		17	23	4			25	10		15			23
24	6	4	18				35	11		3	20		24
25	20		13				80	87	1	33	18	20	25
26	11		2				54			15	31	82	26
27							3	10		20	15	1.48	27
28	19	12	20		14					10	18	48	28
29	31		11		6		79			11	87	10	29
30	10	✕	34							9	89	1.19	30
31	80	✕		✕	~~16~~	✕	35		✕	65	✕	27	31
Total	3.58	6.78 6.78	8.02	2.07	~~3.83~~ 3.67	2.00	7.16	3.96	2.27	2.97	5.90	10.57	YEAR'S TOTAL 58.95
Rain Days.	12	26	27	11	14	7	22	16	12	15	21	20	198

W. 8,000. X. 14.

Cor. V

LLANGAMMARCH WELLS
BRECON

1911 - 1915

RE 1911

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

Kept at Llangamm

in the County of Brec

by W. Black J

top 8 in.
above Ground 1 ft. — in.
„ Sea Level 551 ft.

9 a.m.

tion { Name Llangammarch
Distance 1m. Direction SW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·44	·01	·04	—	·05	·67	—	·01	·33	·09	1
2	—	—	·06	·01	·25	—	—	·23	—	·04	·23	·34	2
3	—	—	·04	Snow ·02	·94	—	—	·25	·12	—	·39	·27	3
4	—	—	·16	Snow ·01	·02	—	—	·69	·03	·01	·56	·63	4
5	·48	—	·10	·04	—	—	—	·40	—	·18	·10	·05	5
6	·25	—	·01	—	—	—	—	·16	—	·02	·19	1·02	6
7	·07	—	—	—	—	—	—	—	—	—	·67	—	7
8	·27	—	·26	—	—	—	—	—	—	—	·36	·90	8
9	·05	—	·06	—	—	—	—	—	—	—	·22	·43	9
10	·14	·07	·35	—	—	—	—	—	—	—	—	·99	10
11	·30	—	·02	—	·81	—	—	—	·06	—	·35	·23	11
12	—	·02	·49	—	·15	—	—	—	1·01	—	1·43	·14	12
13	—	—	—	—	·01	—	—	—	·02	·01	·18	·37	13
14	—	·21	·01	—	·01	—	—	—	—	·01	·10	·76	14
15	·02	·23	·01	—	—	·01	—	—	—	—	·52	·07	15
16	—	·07	·03	—	—	·29	—	—	—	—	·21	·25	16
17	—	·13	—	·05	—	·98	·02	—	—	—	·65	·52	17
18	—	·75	·14	·29	—	·44	—	—	—	·04	·11	·78	18
19	—	·06	—	·54	—	·33	—	·05	·70	·30	·06	·68	19
20	·03	·10	—	·26	—	·04	—	·25	·06	·22	·02	·37	20
21	·01	·53	·07	·09	—	·09	·02	·79	·03	·90	—	·20	21
22	—	·14	·01	·22	—	·16	·01	—	·01	·69	·01	·71	22
23	·01	·28	·03	·01	·08	·24	·01	·07	·25	·98	—	·32	23
24	·16	·09	—	·01	·01	·18	—	·09	·05	·34	—	·30	24
25	·26	·29	—	·17	—	·02	—	·02	·10	·16	—	·22	25
26	·02	·25	—	·54	·60	—	—	·21	·01	·35	Snow ·04	·22	26.
27	·01	·68	·18	·20	—	—	—	·95	·46	—	·15	·15	27
28	—	·39	·01	·47	—	·03	—	·15	·01	—	·04	·05	28
29	—		—	·33	—	·46	·39	·01	·43	·55	·01	·05	29
30	—		·01	·01	—	·04	·01	·13	—	·53	·08	·01	30
31	—		—		·01		·11	—		·10		·01	31
Total	2·08	4·29	2·49	3·18	2·93	3·31	0·6~~4~~2 ·62	4·52	3·35	5·74	7·01	11·13	TOTAL for year 50·65 50·65
No. of Rain Days.	15	17	21	19	12	14	8	17	16	19	25	30	213

W. 8,000, X. '11.

Corr. ✓

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

Kept at Llangammarch Wells

in the County of Brecon 8

by W. Black Jones. M.D.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 551 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Llangammarch
Distance 1 m. Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·44	·01	·04	—	·05	·67	—	·01	·33	·09	1
2	—	—	·06	·01	·25	—	—	·23	—	·04	·23	·34	2
3	—	—	·04	Snow ·02	·94	—	—	·25	·12	—	·39	·27	3
4	—	—	·16	Snow ·01	·02	—	—	·69	·03	·01	·56	·63	4
5	·48	—	·10	·04	—	—	—	·40	—	·18	·10	·05	5
6	·25	—	·01	—	—	—	—	·16	—	·07	·19	1·02	6
7	·07	—	—	—	—	—	—	—	—	—	·67	—	7
8	·27	—	·26	—	—	—	—	—	—	—	·36	·90	8
9	·05	—	·06	—	—	—	—	—	—	—	·22	·43	9
10	·14	·07	·35	—	—	—	—	—	—	—	—	·99	10
11	·30	—	·02	—	·81	—	—	—	·06	—	·35	·23	11
12	—	·02	·49	—	·15	—	—	—	1·01	—	1·43	·14	12
13	—	—	—	—	·01	—	—	—	·02	·01	·18	·37	13
14	—	·21	·01	—	·01	—	—	—	—	·01	·10	·76	14
15	·02	·23	·01	—	—	·01	—	—	—	—	·52	·07	15
16	—	·07	·03	—	—	·29	—	—	—	—	·21	·25	16
17	—	·13	—	·05	—	·98	·02	—	—	—	·65	·52	17
18	—	·75	·14	·29	—	·44	—	—	—	·04	·11	·78	18
19	—	·06	—	·54	—	·33	—	·05	·70	·30	·06	·68	19
20	·03	·10	—	·26	—	·04	—	·25	·06	·22	·02	·37	20
21	·01	·53	·07	·09	—	·09	·02	·79	·03	·90	—	·20	21
22	—	·14	·01	·22	—	·16	·01	—	·01	·69	·01	·71	22
23	·01	·28	·03	·01	·08	·24	·01	·07	·25	·98	—	·32	23
24	·16	·09	—	·01	·01	·18	—	·09	·05	·34	—	·30	24
25	·26	·29	—	·17	—	·02	—	·02	·10	·16	—	·22	25
26	·02	·25	—	·54	·60	—	—	·21	·01	·35	Snow ·04	·22	26.
27	·01	·68	·18	·40	—	—	—	·95	·46	—	·15	·15	27
28	—	·39	·01	·47	—	·03	—	·15	·01	—	·04	·05	28
29	—		—	·33	—	·46	·39	·01	·43	·85	·01	·05	29
30	—		·01	·01	—	·04	·01	·13	—	·53	·08	·01	30
31	—		—		·01		·11	—		·10		·01	31
Total	2·08 ✓	4·29 ✓	2·49 ✓	3·18 ✓	2·93 ✓	3·31	~~0·64~~ ·62	4·52	3·35 ✓	5·74 ✓	7·01 ✓	11·13 ✓	TOTAL for year 50·65
No. of Rain Days.	15 ✓	17 ✓	21 ✓	19 ✓	12 ✓	14 ✓	8 ✓	17 ✓	16 ✓	19 ✓	25 ✓	30 ✓	213

W. 8,000, X. '11.

[illegible] 3.III.13 ~~W~~ ML

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
22 JAN 1913

Kept at Llangammarch Wells

in the County of Brecon 8

by W. Black Jones

RAIN GAUGE
Pattern Symons.
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 551 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Llangammarch
Distance 1m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·18

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·35	—	·01	·42	·01	·05	·03	—	—	·35	1
2	·01	·01	·58	·03	—	·75	—	·03	—	—	—	—	2
3	·25	—	·12	·01	·07	·04	·02	·91	·23	—	·05	·18	3
4	·66	—	1·45	·06	·13	·12	—	·36	—	—	·34	—	4
5	·98	·03	·62	·02	·15	·01	—	·25	·22	—	—	·04	5
6	·47	·22	·05	—	·13	—	—	1·08	—	—	·02	·07	6
7	·01	·28	·29	—	·07	·51	·20	·27	·01	—	·01	·08	7
8	·94	·18	·32	·15	—	·03	—	·46	·03	—	·01	—	8
9	·06	·31	·26	·30	—	·08	·02	·52	—	—	·03	·53	9
10	·53	·05	—	—	—	·18	·08	·08	—	—	1·04	·02	10
11	·02	·04	·02	—	·01	—	·02	—	—	—	·30	·75	11
12	·01	·26	·40	·12	·03	·04	·18	—	—	—	·01	·11	12
13	·05	—	·01	—	—	·10	·05	·07	·01	·23	·03	·74	13
14	·09	·07	·82	—	·05	·02	—	·18	—	·01	—	·49	14
15	·13	·12	·05	—	·11	·18	—	·02	—	—	—	·38	15
16	·31	·03	·71	—	·05	·01	—	·21	—	·26	·01	·18	16
17	Snow ·50	·01	·19	—	·03	·37	—	·45	—	—	·12	·79	17
18	Snow ·14	·05	·11	—	—	·01	—	·24	—	·15	·01	·14	18
19	·08	·14	·04	—	—	·12	·05	·54	—	·08	·02	·05	19
20	·08	·02	·77	·01	·03	·20	·04	·08	—	·48	·14	—	20
21	·01	·02	·35	—	·18	—	·01	·49	—	·42	—	·07	21
22	Snow ·41	·50	·12	—	·12	—	·31	·74	—	·01	·13	·20	22
23	Snow ·31	·05	·37	—	—	·35	·18	·61	—	·13	·35	·12	23
24	Snow ·17	·02	·15	—	·01	·48	—	—	—	·22	·02	·36	24
25	—	·01	·09	—	—	·14	·18	·59	—	·01	·74	·86	25
26	—	·24	·18	—	—	—	·09	·64	—	1·19	·88	·33	26
27	—	·12	·24	—	—	·51	·99	—	—	1·40	Snow ·06	·76	27
28	—	·33	·01	—	—	·14	·80	·47	·16	·28	·70	·01	28
29	—	·18	·17	—	—	·17	·50	·10	·42	·48	—	·03	29
30	—		·30	·01	—	·08	·07	—	·01	·34	·01	·01	30
31	—		·14		·01		·34	·13		·02		·14	31
Total	6·22	3·29	9·48	0·71	1·19	5·06	4·14	9·57	1·12	5·71	5·03 5.03	7·79	TOTAL for year 59·30 59·31
No. of Rain Days.	23	26 25	30	9	17	25	20	26	9	17	23	27	252

W. 8,000, X. '11.

[illegible] 28.IV.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 4 - JAN 1914

Kept at Llangammarch Wells
in the County of Brecon
by W Black Jones

8

Lat. Long.
Time of Observation 9am
Nearest Railway Station Llangammarch
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 557 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.18	.17	.31	.29	.20	—	—	—	—	—	.16	.01	1
2	.02	.31	.32	.15	.18	.03	—	—	—	.30	.25	.15	2
3	.03	.05	.35	—	.24	—	—	—	.02	—	.02	.35	3
4	.68	.13	.30	—	.01	—	.01	—	1.03	.28	.03	.60	4
5	.26	.08	.08	—	.21	.19	.01	—	.13	.23	.40	.01	5
6	.12	.26	.38	—	.03	.27	.13	—	—	.49	.01	.43	6
7	.01	.74	.06	—	.54	.57	.01	—	—	.72	.15	.01	7
8	.01	.49	.02	—	.33	.12	.03	.13	—	.11	—	.09	8
9	—	.37	.23	.01	.23	1.43	.26	.14	—	—	.40	.10	9
10	.37	.02	.12	.01	.22	—	—	.30	.02	.16	.15	—	10
11	.74	—	.01	.42	.11	.01	—	—	.01	.12	.90	.08	11
12	.02	—	—	—	.11	.03	—	—	.09	—	.44	.12	12
13	Snow .08	—	.55	.06	.01	—	.05	.13	1.02	—	.49	—	13
14	.48	—	.65	.28	—	—	—	—	.26	.32	.11	.01	14
15	.57	—	1.15	1.54	—	—	—	.24	.03	—	.19	.08	15
16	.15	—	Snow .57	.10	—	—	.01	.24	.06	—	.23		16
17	.24	—	.09	.23	—	—	.35	—	—	—	.29		17
18	.08	—	.59	.53	.01	.14	.03	—	—	—	.18		18
19	.62	—	.15	.04	.03	.07	.04	—	.07	.45	.23		19
20	.15	—	.46	.16	.11	—	—	—	—	.36	1.13		20
21	—	—	.27	.17	.27	—	.13	.18	—	.12	.18		21
22	1.41	—	1.03	—	.07	.24	—	.83	.53	—	.02		22
23	.17	—	.04	.05	.01	.08	—	.05	.21	—	.12	.14	23
24	.40	.04	—	.05	—	—	—	—	—	—	.20	.03	24
25	—	.17	—	.34	—	—	—	—	.11	.03	.23	.12	25
26	—	.01	—	1.75	.07	.03	—	—	.02	.01	—	1.02	26
27	.05	—	.15	.37	—	—	—	—	—	.41	.02	Snow .14	27
28	.28	—	.32	.57	.06	—	—	—	—	.34	—	Snow .12	28
29	—		.38	.38	.04	—	—	.06	—	.64	.07	—	29
30	.48		—	.01	.03	—	—	—	—	.22	.13	—	30
31	.11		.33		.13		—	—		.16		—	31
Total	7.71	2.84	8.85	7.45	3.25	3.15	1.06	2.30	3-61	5.47	6.73	3.61	YEAR'S TOTAL 56.03
Rain Days.	26	13	26	22	24	13	12	10	15	19	27	19	226

W.7,000, XI. 13

Esc DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

9 FEB 1915

Kept at Llangammarch Wells

in the County of Brecon

8

by W. Black Jones. M.D.

Lat. Long. –

Time of Observation 9 a.m.

Nearest Railway Station Llangammarch

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 551 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·17	·06	–	–	·15	·22	1·15	–	–	·05	·24	1
2	–	·01	·12	–	·01	–	·91	·42	–	–	·20	·80	2
3	·09	–	·85	·08	·56	–	–	·10	–	·03	–	·80	3
4	·66	–	·21	·17	·26	–	·22	·10	–	–	·67	·90	4
5	·27	–	·42	·52	·22	–	·03	–	–	–	·25	·10	5
6	·17	·12	·04	·03	·12	·03	·02	·01	–	–	·14	·40	6
7	·03	·43	·68	·29	·25	·05	·65	·18	·11	–	·09	·62	7
8	·24	–	·05	·06	·55	·14	·01	·72	–	–	·04	·12	8
9	·48	·12	Snow ·10	·25	·11	·85	–	·28	·06	–	·08	–	9
10	·05	·42	Snow ·10	·41	·03	·17	–	·01	·17	–	·01	·01	10
11	–	·55	·58	–	·02	·15	–	–	·12	–	·80	·96	11
12	–	1·28	·21	–	–	–	–	–	·46	–	·57	·17	12
13	–	·78	·76	·03	–	–	·03	–	·45	·22	·49	·11	13
14	–	1·00	·56	–	–	–	·05	·01	–	·03	·31	·02	14
15	–	·03	·42	–	–	–	·05	·01	·07	·05	·17	·09	15
16	–	–	·14	–	–	–	·04	–	·33	–	–	·05	16
17	·03	·52	·29	–	–	·01	·17	–	·43	–	–	1·15	17
18	–	·03	·24	–	–	–	·01	–	·05	–	–	·28	18
19	–	·11	·18	–	–	–	·74	–	·13	–	·10	·46	19
20	–	·64	·22	–	–	·29	–	–	–	–	–	Snow ·25	20
21	–	·35	·01	–	–	·03	·30	·31	–	·22	–	–	21
22	–	·32	·01	·04	·22	·03	–	·27	–	·77	–	–	22
23	–	·55	·25	·01	·01	–	·19	·01	–	·12	–	–	23
24	·17	·04	·09	–	–	·01	·20	·11	–	–	·15	–	24
25	·38	·03	·21	–	–	–	·28	·39	–	·57	·04	·51	25
26	·18	–	–	–	–	–	·26	·19	–	·17	·30	·52	26
27	·05	·01	–	–	–	–	–	–	·01	·11	·67	1·29	27
28	·18	·15	·14	–	·13	–	–	–	–	·03	·03	·49	28
29	·38		·08	–	·05	–	–	–	–	·06	·65	·06	29
30	·05	×	·45	·01	–	–	–	·01	–	·05	·58	1·18	30
31	1·13	×	·07	×	–	×	·28	–	×	·62	×	·38	31
Total	4·54	7·66	7·54	1·90	2·54	1·91	4·66	4·28	2·39	2·85	6·39	11·96	YEAR'S TOTAL 58·62
Rain Days.	~~1·13~~ 17	22	29	12	14	12	20	18	12	14	22	26	218

W. 8,000. X. 14.

[illegible] 23. VI. 16   W. F. W.   4192

FORM A.
BRITISH RAINFALL.
13. JUN 1916

REGISTER OF RAINFALL IN 1915

Kept at Llangammarch Wells

in the County of Brecon

by Fred. Griffiths Esq.

per Dr. W. Black Jones

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Llangammarch

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 551 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·30

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·65	·34	·23	–	·42	–	–	·55	·33	·35	–	·38	1
2	·20	·32	·47	·39	–	·07	–	·95	·21	·03	–	·15	2
3	–	·28	·21	·14	·07	–	1·11	·31	–	–	–	·23	3
4	·20	·42	·02	–	·13	–	1·89	·04	·05	–	–	1·16	4
5	·03	·68	·11	·04	–	–	·08	·04	–	–	–	·79	5
6	·28	·05	·05	·21	–	–	·41	·20	–	–	–	·18	6
7	·40	·67	–	·12	·65	–	·09	·08	–	–	·02	·52	7
8	·43	·73	–	·15	–	–	–	·05	–	–	·52	·02	8
9	·09	·80	–	·22	–	–	–	–	–	–	·29	1·06	9
10	·74	·02	·06	·06	–	–	·01	·08	–	·06	·30	·09	10
11	·33	–	·01	–	–	–	·03	·06	–	·06	1·88	·07	11
12	·23	·24	–	·03	·39	–	–	·02	–	·15	·71	·01	12
13	·06	·50	–	·01	·68	–	–	·47	·03	·02	·16	·09	13
14	·23	·02	–	–	–	–	–	·36	·01	·02	·04	·59	14
15	1·05	–	–	–	·19	–	·06	·19	·06	·03	·13	·09	15
16	·10	·90	–	–	·36	–	1·57	·21	·01	–	–	·05	16
17	·04	·68	–	–	·63	–	–	–	–	dew ·01	–	–	17
18	·03	·77	Snow ·10	–	–	–	·02	–	–	–	–	–	18
19	·01	·06	–	·25	·12	–	·90	–	–	–	–	–	19
20	·48	–	–	–	–	–	–	–	–	·14	–	·10	20
21	Snow ·39	·05	–	–	·03	–	·29	–	–	·03	–	·17	21
22	–	·04	·13	·01	–	–	·45	–	–	·03	–	·59	22
23	·01	Snow ·06	·15	–	–	·34	·01	–	·01	·62	–	·45	23
24	–	–	·10	·09	–	–	·02	–	·15	·46	–	·59	24
25	–	–	·03	–	–	·59	·36	–	·11	·02	·03	·25	25
26	–	·29	–	–	–	–	·88	–	·02	–	–	·77	26
27	–	·17	–	–	–	·25	·53	–	·01	·62	–	·48	27
28	–	·27	–	–	–	·11	·01	·04	·10	·13	–	·03	28
29	–	X	–	–	–	·47	–	·01	·05	·05	·32	·15	29
30	Snow ·24	X	–	·12	–	·06	–	–	–	·30	·30	·49	30
31	·09	X	–	X	–	X	·17	·34	X	·30	X	·72	31
Total	6·31	8·30	1·67	1·84	~~3·66~~ 3·67	1·89	8·33	~~3·62~~ 4·03	1·15	3·43	4·70	10·27	YEAR'S TOTAL 55·59 55·59
Rain Days.	23	23	13	14	11	7	20	18	14	20	12	28	203

W. 8,000. X. 15.

Cord. for auth. of Mr W. D

LLANWRTYD WELLS
BRYNONEN
BRECON
1911, 1914 - 1920

RE 1911

Symons

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Bryncler

top 5 in.

p above Ground 1 ft. in.

in the County of Bre

„ Sea Level 800 ft.

9. A.M.

by Annie Ne

ation Name Llanwrtyd Wells
Distance 400 yds. Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	—	·46	—	·01	—	·05	—	—	—	·01	·02	1
2	·01	—	·42	·01	·16	—	—	—	—	·01	·63	·28	2
3	—	—	·07	—	·30	—	—	·16	—	·08	·35	·36	3
4	—	—	·08	—	·93	—	—	·30	·10	—	·41	·41	4
5	·34	—	·22	·04	·03	—	—	1·02	·04	—	·62	·50	5
6	·29	—	·18	·02	—	—	—	·58	—	·16	·13	·05	6
7	·20	—	·12	—	—	—	—	·29	—	·02	·24	·60	7
8	27 ·27	—	—	—	—	—	—	—	—	—	·52	—	8
9	·04	—	·42	—	—	—	—	—	—	—	·45	·70	9
10	·21	—	·02	—	—	—	—	—	—	—	·15	·38	10
11	·38	·11	·53	—	—	—	—	—	—	—	·31	1·07	11
12	·01	—	·01	—	·64	—	—	—	·13	—	1·47	·48	12
13	—	·01	·61	—	·06	—	—	—	1·14	—	·28	·13	13
14	—	·25	—	—	·05	—	—	—	·02	·02	·23	·32	14
15	·01	·36	—	—	·04	—	—	—	—	—	·60	·64	15
16	—	·38	—	—	—	·03	—	—	—	—	·20	·03	16
17	·02	·11	—	—	—	·26	—	—	—	—	·52	·25	17
18	—	·23	—	·03	—	1·51	—	—	—	—	·30	·41	18
19	—	·84	·09	·42	—	·62	—	—	—	·06	·03	·59	19
20	·04	·05	—	·36	—	·13	—	·04	·68	·25	·02	·63	20
21	·03	·12	—	·33	—	·09	—	—	·07	·25	—	·20	21
22	·01	·75	·04	·16	—	·18	·11	·53	·16	1·44	—	·13	22
23	·01	·19	—	·45	—	·15	·01	—	·05	·76	—	·41	23
24	·02	·24	·05	·02	·10	·10	—	·08	·32	1·30	—	·39	24
25	·24	·22	—	·05	·04	·28	—	·18	·11	·39	—	·32	25
26	·50	·33	—	·33	·19	·13	—	·16	·13	·15	—	·20	26
27	·05	·21	·17	·60	·02	·12	—	·38	·02	·47	·02	·28	27
28	·01	·91	·01	·11	—	—	—	1·02	·55	—	·15	·19	28
29	—		—	·42	—	—	·23	·10	·06	—	·09	·16	29
30	—		—	·32	—	·43	·09	·06	·58	·15	—	·12	30
31	—	·46	—	·01	—	·05	—	·05		·66 ·01	·02	·02 ·05	31
Total	2·84 2·69	5·31 5·77	3·50 3·04	3·65 3·66	2·59 2·56	4·03 4·08	·49 ·44	4·95 4·95	4·10 4·10	6·15 6·16	7·73 7·74	10·28 10·26	TOTAL for year 55·45 55·45
No. of Rain Days	~~21~~ 20	17 18	17 16	~~16~~ 17	~~13~~ 12	~~13~~ 14	~~5~~ 4	15	16	~~16~~ 17	23	30	202

9,000, IX. '10.

Cor. for auth. for W.D

FORM A2. BRITISH RAINFALL.

3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Bryndeiw Llanwrtyd Wells

in the County of Brecknock

by Annie Rees (Mrs)

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 800 ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Llanwrtyd Wells
Distance 400 yds Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	—	·46	—	·01	—	·05	—	—	—	·01	·02	1
2	·01	—	·42	·01	·16	—	—	—	—	·01	·63	·28	2
3	—	—	·07	—	·30	—	—	·16	—	·08	·35	·36	3
4	—	—	·08	—	·93	—	—	·30	·10	—	·41	·41	4
5	·34	—	·22	·04	·03	—	—	1·02	·04	—	·62	·50	5
6	·29	—	·18	·02	—	—	—	·58	—	·16	·13	·05	6
7	·20	—	·12	—	—	—	—	·29	—	·02	·24	·60	7
8	27 ·27	—	—	—	—	—	—	—	—	—	·52	—	8
9	·04	—	·42	—	—	—	—	—	—	—	·45	·70	9
10	·21	—	·02	—	—	—	—	—	—	—	·15	·38	10
11	·38	·11	·53	—	—	—	—	—	—	—	·31	1·07	11
12	·01	—	·01	—	·64	—	—	—	·13	—	1·47	·48	12
13	+	·01	·61	—	·06	—	—	—	1·14	—	·28	·13	13
14	—	·25	—	—	·05	—	—	—	·02	·02	·23	·32	14
15	·01	·36	—	—	·04	—	—	—	—	—	·60	·64	15
16	—	·38	—	—	—	·03	—	—	—	—	·20	·03	16
17	·02	·11	—	—	—	·26	—	—	—	—	·52	·25	17
18	—	·23	—	·03	—	1·51	—	—	—	—	·30	·41	18
19	—	·84	·09	·42	—	·62	—	—	—	·06	·03	·57	19
20	·04	·05	—	·36	—	·13	—	·04	·68	·25	·02	·63	20
21	·03	·12	—	·33	—	·09	—	—	·07	·25	—	·20	21
22	·01	·75	·04	·16	—	·18	·11	·53	·18	1·44	—	·13	22
23	·01	·19	—	·45	—	·15	·01	—	·05	·76	—	·41	23
24	·02	·24	·05	·02	·10	·10	—	·08	·32	1·30	—	·37	24
25	·24	·22	—	·03	·04	·28	—	·18	·11	·37	—	·32	25
26	·50	·33	—	·33	·19	·13	—	·16	·13	·15	—	·20	26
27	·05	·21	·17	·60	·02	·12	—	·38	·02	·47	·02	·28	27
28	·01	·91	·01	·11	—	—	—	1·02	·55	—	·15	·19	28
29	—		—	·42	—	—	·23	·10	·06	—	·09	·16	29
30	—		—	·32	—	·43	·09	·06	·58	·15	—	·12	30
31	—	·46	—	·01	—	·05	—	·05	—	·66 ·61	·02	·02 ·05	31
Total	2·84 2·69	5·31 5·77	3·50 3·04	3·63 3·66	2·55 2·56	4·03 4·08	·49 ·44	4·95 4·95	4·10 4·10	6·15 6·16	7·73 7·74	10·28 10·26	55·45 TOTAL for year 55·46
No. of Rain Days	~~21~~ 20	~~17~~ 18	~~17~~ 16	~~16~~ 17	~~13~~ 12	~~13~~ 14	~~5~~ 4	15	16	~~16~~ 17	23	30	202

9,000, IX. '10.

end fr mnth dly mn stats 16.IV.15 W D L Jan est^d.

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL 14 JAN 1915

Kept at Brynonen, Llanwrtyd Wells

in the County of Brecon,

by Rhys D. Jones, B.A. (Oxon).

Lat. 52°.5' N Long. 3°.38' W

Time of Observation 9 a.m.

Nearest Railway Station Llanwrtyd Wells

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1/4 in.

" " " " Sea Level 702 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·72

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·17	·06	·01	—	·10	·30	1·14	—	—	·06	·28	1
2		·01	·12	—	—	—	·84	·23	—	—	·11	·50	2
3		—	·98	·11	·74	—	—	·06	—	·02	—	·49	3
4		—	·18	·18	·38	—	·28	·12	—	—	·41	·62	4
5		—	·50	·56	·33	—	·18	—	—	—	·08	·04	5
6		·04	·08	·02	·16	·05	·01	·03	—	—	·15	·27	6
7		·14	·80	·33	·36	·15	·68	·23	·02	—	·09	·47	7
8		—	·04	·12	·91	·15	·04	1·16	—	—	·09	·20	8
9		·08	·08	·16	·25	·70	—	·40	·05	—	·09	·01	9
10		·26	·08	·39	·12	·10	—	·04	·28	—	·02	—	10
11		·50	·53	—	·06	16	—	—	·12	—	·61	·41	11
12		·88	·28	—	—	—	—	—	·65	—	·57	·07	12
13		·82	·63	·03	—	—	·04	—	·74	·16	·42	·19	13
14		1·14	·36	—	—	—	·03	·01	·03	·02	·29	—	14
15		·03	·52	—	—	—	·11	·01	·13	·01	·24	·09	15
16		—	·17	—	—	—	·04	—	·49	—	—	·68	16
17		·62	·25	—	—	·11	·18	—	·30	—	—	1·32	17
18		·04	·22	—	—	—	·01	—	·13	·02	—	·44	18
19		·22	·19	—	—	—	·62	—	·19	—	·04	·25	19
20		·55	·40	—	—	·55	—	·01	—	—	—	·35	20
21		·15	·04	—	—	·12	·05	·52	—	·16	—	—	21
22		·47	·04	·05	·03	·18	·08	·32	—	·82	—	·09	22
23		·30	·38	·01	—	—	·35	·01	—	·20	—	—	23
24		—	·20	—	—	—	·41	·16	—	·01	·28	—	24
25		·03	·04	—	—	—	·68	·64	—	·53	·13	·42	25
26		—	·04	—	—	·03	·47	·31	—	·19	42	·31	26
27		·03	—	—	—	—	—	—	—	·13	·65	1·20	27
28		·24	·11	—	·18	—	·01	—	·01	·08	·06	·64	28
29			·10	·02	·05	—	—	·03	—	·0~~8~~2	·66	·07	29
30		X	·66	—	—	—	—	—	—	·03	·70	·54	30
31		X	·07	X	·01	X	·37	—	X	·54	X	·18	31
Total	(5·00)	6·72	8·15	1·99	3·58	2·40	5·78	5·43	3·14	~~2·86~~ 2·94	6·14	10·13	YEAR'S TOTAL ~~56·35~~ (61·43)
Rain Days.	(17)	21	~~1~~ 30	~~14~~ 13	13	1~~4~~2	22	19	13	16	22	26	~~180~~ (224)

W. 8,000. X. 14.

ext 1/90

4191

FORM A.
BRITISH RAINFALL.

JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Brynonen,
in the County of Brecon,
by Rhys D. Jones, B.A. (Oxon)

Lat. 52° 5′ N Long. 3° 38′
Time of Observation 9 A.M.
Nearest Railway-Station Llanwrtyd
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 702 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·72	·37	·12	·01	·39	—	—	·38 ~~[illegible]~~	·43=	·34	—	·44	1
2	·20	·35	·68=	·41	—	·07	·02	·64= ~~·02~~	·29	·06	—	·12	2
3	—	·20	·41	·20	·06	—	1·24	·14 ~~·24~~	—	—	—	·25	3
4	·36	·41	·05	—	·15	·01	·65	·07 ~~·65~~	—	—	—	1·24=	4
5	·06	·51	·16	·03	—	·02	·17	·09 ~~·17~~	—	—	—	·78	5
6	·49	·04	·05	·50	—	—	·38	·20 ~~·38~~	—	—	—	·16	6
7	·53	·84	·01	·11	·04	—	·22	·15 ~~·22~~	—	—	—	·67	7
8	·53	·61	—	·07	—	—	—	·04	—	·01	·53	—	8
9	·17	·71	—	·53=	—	—	—	—	—	—	·64	·97	9
10	·86	·03	·07	·07	—	—	·02	·04	—	·07	·36	·06	10
11	·30	—	—	—	—	—	·02	·09	—	·01	1·61=	·14	11
12	·25	·11	—	·03	·23	—	—	—	—	·18	·79	—	12
13	·04	·29	—	·01	·50 #	—	—	·51	·05	·03	·14	·17	13
14	·21	·04	—	—	·16	—	—	·46	·04	—	·03	·71	14
15	·98=	·06	—	—	·39	—	·08	·12	·09	·01	·17	·14	15
16	·09	·69	—	—	·53=	—	1·59=	·17	[illegible]	—	3	·06	16
17	·04	·69	—	—	—	—	—	—	—	—	—	01	17
18	·02	·85=	·03	—	·18	—	·13	—	—	—	—	—	18
19	·01	·10	—	·34	—	—	·99	—	—	—	—	—	19
20	·66	—	—	·01	·10	—	—	—	—	·09	—	·31	20
21	·22	·05	—	—	·08	—	·47	—	—	·01	—	·34	21
22	—	·04	·18	·06	—	—	·51	—	—	·01	—	·47	22
23	—	·06	·22	—	—	·29	·02	—	·01	·59=	—	·54	23
24	—	—	·04	·02	—	—	—	—	·09	·52	—	·71	24
25	—	—	·02	—	—	·49	·26	—	·05	·01	—	·29	25
26	—	·31	—	—	—	—	·56	—	·08	—	—	·90	26
27	—	·10	—	—	—	·88=	·59	—	—	·55	—	·26	27
28	—	·33	—	—	—	·11	—	·01	·11	·20	—	·03	28
29	—		—	—	—	·23	—	·01	·08	·02	·43	·09	29
30	·25		—	·18	—	05	—	·03	—	·23	·41	·36	30
31	·05		—		—		·14	·46		·18		·60	31
Total	7·04	7·79	2·04	2·58	2·81	2·15	8·06	3·56	1·35	3·12	5·11	10·82	YEAR'S TOTAL 56·43
Rain Days.	22	24	13	16	12	9	19	18	12	19	10	27	~~198~~ 201

W.7,000, XI. 13

East HW

4123

FORM A. BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Brynoren, Llanwrtyd Wells

in the County of Brecon

by Rhys D. Jones, B.A. (Oxon)

Lat. 52° 5' Long. 3° 38'

Time of Observation 9 A.M.

Nearest Railway Station Llanwrtyd Wells

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ¼ in.

" " " " Sea Level 702 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	·04	·01	—	—	·32	·30	—	—	·29	·51	—	1
2	·89 =	·25	·31	—	·02	·02	·44	—	·34	1·31 =	·29	—	2
3	·04	·80	—	·01	·02	·12	—	—	·39	·57	·17	·06	3
4	·43	·30	—	—	·37	·93 =	·03	—	22	·15	·29	—	4
5	·13	·23	·05	—	·03	·27	·02	—	—	·85	·20	—	5
6	·26	·52	·01	—	·11	·12	·50	—	—	·74	·19	—	6
7	·36	·09	·01	—	·39	·01	—	—	—	·52	·72 =	·25	7
8	·02	·02	·04	—	·53	·07	—	—	—	·15	·18	·10	8
9	·01	·15	·01	—	·15	·19	·04	—	—	·03	·07	·12	9
10	·06	·30	·01	·16	·04	—	·03	—	·02	·07	·05	—	10
11	·28	·09	·02	·62	·08	·12	—	—	·07	—	·01	—	11
12	·09	·28	·01	·22	·31	—	·59 =	·32	·05	·28	—	—	12
13	·01	·28	·11	·29	—	—	—	·45	·01	·34	·01	—	13
14	·02	·54	·01	·15	·10	—	—	·74 =	—	·23	—	·01	14
15	·03	·92 =	·05	·22	·20	—	·02	·18	·02	·14	—	—	15
16	·03	·06	—	·35	·03	—	·03	—	—	·33	—	—	16
17	·51	·50	—	·71	—	—	—	·03	1·02 =	·51	·13	—	17
18	·05	·49	·11	1·19 =	—	—	—	—	·43	·13	·08	·19	18
19	·36	—	·42	·50	—	—	—	·01	—	—	·22	—	19
20	·26	·10	·26	·03	—	—	—	—	—	—	·26	—	20
21	·25	—	·24	·30	·01	·02	—	—	—	—	·07	—	21
22	·01	—	—	—	—	·04	—	·01	—	·35	·08	·25	22
23	·10	—	·01	·08	—	·10	—	·20	—	·51	·14	·34	23
24	~~·08~~	·20	·01	·51	1·22	·02	—	·16	—	·31	·06	·11	24
25	·08 ~~·29~~	·02	·37	—	·33	·02	—	·47	·08	·15	·70	—	25
26	·29 ~~·08~~	·02	·15	—	·03	·26	·20	·36	·24	·19	·10	—	26
27	·03	—	·52 =	—	—	·02	—	·42	·64	·71	—	·06	27
28	·01	·06	[illegible]	—	—	·01	—	—	—	·18	·26	1·01 =	28
29	—	·09	·02	—	—	·65	—	·43	—	·46	·10	·57	29
30	—	✕	·01	—	—	·09	—	·06	—	·53	—	·03	30
31	—	✕	—	✕	·01	✕	—	·29	✕	·23	✕	·19	31
Total	4·70	6·35	2·77	5·34	3·98	3·40	2·20	4·13	3·53	10·26	4·89	3·29	YEAR'S TOTAL 54·84
Rain Days.	27	24	24	15	[illegible]	20	11	15	13	27	24	14	233

W. 8,000. X. 14.

[illegible] 3951

FORM A. BRITISH RAINFALL.

9. JAN 1918

REGISTER OF RAINFALL IN 1914.

Kept at Brynoran, Llanwrtyd Wells.

in the County of Brecon.

by Rhys D. Jones, B.A. (Oxon).

Lat. 52° 5' Long. 3° 38'

Time of Observation 9 A.M.

Nearest Railway Station Llanwrtyd Wells.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 702 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·20	·21	—	·41	—	·02	·12	—	·11	·19	1
2	·01	—	·02	·22	—	·11	—	—	—	·08	·34	·03	2
3	·17	·04	·02	·10	—	·16	—	—	—	·65	·02	·03	3
4	·03	·07	·14	·01	—	—	—	·02	·02	·65	·01	·01	4
5	·86=	—	·24	·42	—	·11	—	·04	·53	·62	·51	—	5
6	·02	—	·35	—	—	·18	—	·06	—	·34	·49	·36	6
7	·74	—	—	—	—	·02	·02	·08	—	·81	·25	·08	7
8	·06	—	·11	·37	—	·02	·55	·82	·06	·87=	·61	·16	8
9	—	—	·04	·27	·09	—	—	·36	·01	·12	·90	—	9
10	·25	—	·57=	·21	·23	—	—	·35	·01	·07	·01	—	10
11	·23	—	—	·10	—	—	—	·62	·02	·57	·16	—	11
12	·32	—	·04	·03	·83	·07	—	·46	—	·39	—	·01	12
13	·02	—	·01	·13	—	·03	—	1·4=	·50	·09	—	·08	13
14	—	—	—	·21	·01	—	·02	·22	—	·11	—	·09	14
15	·02	—	—	·07	·15	—	·24	·01	·10	·33	—	·51=	15
16	·01	·08	—	·15	—	—	·26	·02	·02	·07	·01	·14	16
17	—	·01	·10	43=	·21	—	·71=	·97	·45	·13	·03	—	17
18	—	—	·07	·02	·02	—	·69	·22	·69=	·11	—	—	18
19	—	·58=	·39	—	—	·26	—	·03	·05	—	·64	—	19
20	·01	·11	·03	—	1·03	·61	·02	·32	·31	—	·15	—	20
21	—	·01	·02	—	·02	·02	—	·05	—	·14	·04	—	21
22	—	—	—	—	—	—	—	·57	·08	·15	·09	—	22
23	—	·33	—	—	·32	·11	—	·81	—	·29	·07	·03	23
24	—	·03	—	—	—	·32	·09	·32	·01	·78	·11	·16	24
25	—	·09	·08	—	—	—	—	·09	·03	·21	·24	—	25
26	—	·01	·01	—	·23	·02	—	·63	·40	·14	·61	—	26
27	—	·03	·01	—	1·08=	·78=	·55	1·06	—	·06	·08	—	27
28	—	·04	·25	—	·10	—	—	1·28	—	·02	·06	—	28
29	—	✗	·08	—	—	—	·07	·59	—	·46	·14	·21	29
30	—	✗	—	—	—	—	·07	·52	—	·15	·08	—	30
31	—	✗	·03	✗	·42	✗	—	·5	✗	·03	✗	—	31
Total	2·77 ✓	1·43 ✓	2·78 ✓	2·95 ✓	4·74 ✓	3·23 ✓	3·23 ✓	12·44 ✓	3·41 ✓	8·47 ✓	5·70 ✓	2·12 ✓	YEAR'S TOTAL 53·27 ✓
Rain Days.	15 ✓	13 ✓	22 ✓	16 ✓	14 ✓	16	12 ✓	29 ✓	18 ✓	28 ✓	25 ✓	15 ✓	223 ✓

W. 8,000, VIII. 16

Cwd present

86

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
8.1.19

Kept at Brynoner, Slanwrtyd Wells,
in the County of Brecon,
by Rhys D. Jones, ~~BA~~ (Oxon)

Lat. 52° 5' N. Long. 3° 38' W.
Time of Observation 9 A.M.
Nearest Railway Station Slanwrtyd Wells.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1/4 in.
" " " " Sea Level 702 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.25	—	.28	.04	—	—	.08	.51	.05	.47	.02	1
2	.01	.11	—	.12	—	—	—	.39	.16	08	.17	.55	2
3	—	.06	—	.05	.40	.08	—	.01	.76	.18	.04	.03	3
4	.02	.13	—	—	—	—	—	.08	.43	.75	.62 =	.65	4
5	—	.09	—	.35	.36	—	—	.11	.04	.71	.06	.04	5
6	.10	.97	—	.25	.42	.14	—	—	.13	.34	—	.09	6
7	—	.35	—	.01	—	—	—	.03	.43	.14	.21	.09	7
8	.11	.52	—	—	—	.01	.07	— ~~.07~~	.58	.32	.02	.07	8
9	.15	.70	—	.27	—	.94 "	.39	— ~~.39~~	.28	.57	.08	.40	9
10	.10	.10	—	.01	—	—	.46	— ~~.46~~	.10	.16	.46	.45	10
11	.05	.15	.10	—	.10	—	.73	.01 ~~.73~~	.24	.04	.02	.46	11
12	.10	.45	.01	—	.15	.01	.04	— ~~.04~~	.51	—	—	.19	12
13	.04	.06	—	—	.03	.08	—	—	.30	.08	—	.23	13
14	.58	—	.02	—	.06	.02	.52	.02	.49	.09	—	.75	14
15	1.41 =	—	—	—	—	.10	1. "	—	.40	.04	—	.83 =	15
16	.16	—	—	.44	.02	—	.09	.07	.50	.05	—	.46	16
17	.67	—	.01	—	—	—	.16	.02	.14	.19	—	.64	17
18	1.24	—	.08	—	—	.52	.19	—	.54	.02	—	.81	18
19	.15	.21	.25	.04	—	.02	.40	—	.05	.02	—	.33	19
20	.36	.29	—	.10	—	.19	.05	—	.44	.02	—	—	20
21	.16	.21	—	.08	—	.06	.11	—	.81	.01	—	.12	21
22	.12	.02	—	—	.31	.01	.48	—	.49	.03	—	.74	22
23	.42	.02	—	—	1.46 =	—	.06	.02	.45	—	.08	.03	23
24	.07	.16	—	—	—	—	.07	.10	.29	.02	.26	.29	24
25	.01	.02	—	—	.15	—	.59	.81 =	.05	.03	.11	.04	25
26	.07	.04	—	.03	—	—	.08	.24	.20	.02	.27	.58	26
27	.04	.23	.48	—	—	.01	—	.44	.55	.03	.38	.53	27
28	—	.01	1.09 =	—	—	—	—	—	.07	.05	.38	.24	28
29	—		.16	—	—	—	—	—	.88 "	.01	—	.11	29
30	—	X	.21	—	—	—	—	.06	.01	.06	.08	.30	30
31	—	X	.91	X	—	X	—	.14	X	.02	X	.05	31
Total	6.14	5.15	8.32	2.03	3.5	2.19	5.49	2.63	10.8	4.73	3.71	10.12	YEAR'S TOTAL 59.21
Rain Days.	23	23	11	13	12	14	18	14	30	29	17	30	237

4.13

59.21

W. 8,000, IX. 17.

W MK

3642

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

4 JAN 1921

Kept at Brynoner,

in the County of Brecon,

by Rhys D Jones, B.A. (Oxon)

Lat. 52° 5'. Long. 3° 38'.

Time of Observation 9.30 A.M.

Nearest Railway Station Llanwrtyd Wells

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 702 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·79

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	·06	·09	·34	—	·55	—	·08	·14	·01	·31	1
2	·06	·14	—	·27	·02	—	·28	·08	·18	·43	—	·41	2
3	—	·18	—	·18	·14	—	·29	·05	·15	·10	—	·31	3
4	—	—	·01	—	·01	—	·01	1·35 =	·1	·12	—	—	4
5	—	—	·18	—	·78 =	—	·27	·17	·18	·07	—	—	5
6	—	—	·62	·09	·13	—	·02	—	—	·23	—	·01	6
7	·21	·17	·13	·24	—	—	·03	—	—	—	·02	—	7
8	·31	·13	—	·77	·42	—	·08	·29	—	—	—	·02	8
9	·8	·78 =	·01	·73	—	—	·12	·08	·03	—	·08	—	9
10	1·18 =	·59	·23	·02	—	·35	·23	—	—	—	·12	·02	10
11	·14	·11	·18	·27	·37	·11	·08	—	—	—	—	—	11
12	·48	·31	·02	·25	·01	·90	·22	·27	—	—	·21	—	12
13	·14	·09	·44	·68	—	·02	·01	—	—	·01	·10	—	13
14	·02	·02	·48	·49	—	·19	·25	—	1·6 =	·64	·93 =	·02	14
15	·04	·18	·34	·88	·02	·13	·03	—	·02	·02	·23	—	15
16	·02	—	·21	·33	·20	·14	·67	·01	·42	1·05 =	·12	—	16
17	·26	—	·01	·03	·52	·56	·01	·35	·9	·04	—	·01	17
18	·35	—	—	·14	·26	·15	·06	·05	·36	—	—	·01	18
19	·09	·45	—	·41	·29	·09	·09	·04	·01	—	—	—	19
20	·15	·02	—	·56	—	·12	·05	—	·03	—	—	·35	20
21	·01	—	—	·09	—	·03	·30	·01	—	·03	—	·36	21
22	·32	—	—	·11	—	·03	·35	·06	—	—	—	·23	22
23	·04	—	·07	·02	—	—	·40	—	—	—	—	·49	23
24	·08	·01	·48	·05	—	—	—	—	—	—	·07	·77	24
25	·02	·07	·11	·17	—	·14	·75 =	—	—	—	—	·10	25
26	·23	(·10)	·61 =	·48	—	·02	·12	—	—	—	·04	·08	26
27	·29	·07	·41	·3	·06	·62	·05	—	—	—	—	·40	27
28	·51	·04	·14	·1	·01	·15	·06	—	—	—	—	·46	28
29	·15	·01	·44	·05	·20	·32	·50	—	—	—	·15	1·36 =	29
30	·33		·34	·64	·10	·67 =	·06	—	·39	·02	·28	·55	30
31	·21		·47		·02		·05	—		·88		·22	31
TOTAL	6·44	3·52	5·99	8·44	3·90	4·74	5·99	2·81	4·45	3·78	2·36	6·49	YEAR'S TOTAL 58·91 ✓
Days with ·01 in. or more	26	20	23	28	19	19	30	13	14	14	13	21	240 ✓
	22	16	19	23	13	15	24	11	10	10	11	15	191

(44,283). Wt 22958—218/7500. 10/19. Gp.132. A.&E.W.

REGISTER OF RAINFALL IN 1919.

FORM A.
BRITISH RAINFALL.
3 JAN 20

Kept at Brynonen, Llanwrtyd Wells.

in the County of Brecon

by Rhys D. Jones, B.A. (Oxon)

Lat. 52°5′ N. Long. 3° 38′ W.
Time of Observation 9 A.M.
Nearest Railway Station Llanwrtyd Wells
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ¼ in.
" " " " Sea Level 702 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·52	—	·11	—	·24	—	·22	·21	·20	·50	·02	65	1
2	·26	—	·31	—	·02	—	·02	—	·02	·32	—	48	2
3	—	·01	·01	—	·12	·01	·05	·02	—	—	—	47	3
4	—	·06	·33	—	·07	·02	·29	—	·17	—	—	24	4
5	·11	·09	·01	—	·02	—	—	·07	·21	—	·02	74	5
6	·11	·02	1·07	—	—	—	—	—	·04	—	·01	32	6
7	·80=	—	·22	·06	—	·02	—	—	·02	—	·01	·06	7
8	·31	—	·12	·08	—	·33	—	—	—	—	—	—	8
9	·26	—	·04	·14	—	—	—	—	—	—	—	—	9
10	·35	—	1·01	·19	·01	—	—	—	—	·02	·01	·12	10
11	·08	—	2·29=	·19	·15	·01	·12	—	—	·02	—	·11	11
12	·05	—	·27	·16	·03	1·46=	·02	—	—	·24	·12	·01	12
13	·45	—	—	·32	—	—	·04	—	·54	·48	—	·14	13
14	·59	·03	·01	·70=	·10	—	·09	—	·04	·14	—	·04	14
15	·45	·04	—	·48	·01	—	—	—	—	·27	·01	·96	15
16	·24	·92=	—	·01	—	·03	·02	·38	—	—	·61	·02	16
17	·01	·27	—	·02	—	·20	—	·27	—	—	·84=	·05	17
18	·09	·01	·85	—	—	—	·10	·67=	·16	—	·32	·22	18
19	·27	·36	·53	—	—	·28	—	—	·21	—	·20	·06	19
20	·39	·16	·18	—	—	·03	—	·29	·27	—	·07	·36	20
21	·13	·79	·02	—	—	—	·49	·13	·26	—	·03	·20	21
22	—	·22	—	—	—	·18	·01	—	·76	—	·04	1·41=	22
23	—	·01	—	—	—	—	—	—	—	·62	·19	·17	23
24	·02	—	—	·08	·03	·14	—	—	·13	·22	·30	·49	24
25	·28	—	—	·21	·06	—	—	·59	·15	·01	·26	·04	25
26	·31	—	·40	·18	—	·03	—	·38	·17	—	·01	·79	26
27	·30	—	·24	·16	—	—	·01	·39	—	—	·05	·01	27
28	—	—	·14	·01	—	—	—	·24	—	—	·01	·71	28
29	·04		·11	·02	—	·01	—	·08	—	—	·01	·30	29
30	—		·09	·16	—	·09	—	·22	—	·02	·20	·48	30
31	—		·11		—		—	—		—		·03	31
Total	6·42	2·99	8·47	3·20	·86	2·84	1·48	3·94	3·35	2·89	3·34	9·68	YEAR'S TOTAL 49·46
Rain Days.	24	14	23	18	12	15	13	14	16	12	22	29	212

W. 8,000, IX. 17.

4211

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REG 911

NEWBRIDGE LLYSDIMAM

1911-14
1916-20

Kept at Llysdi
in the County of Bre
by C. Venables Lle

op 5 in.
above Ground 1 ft. 3 in.
„ Sea Level 646 ft.
9 a.m.
tion { Name Newbridge-on-Wye
Distance ½m. Direction

IMPORTANT NOTI and the result entered to the previous day. If an Obs universal rule, he is earnestly requested to add the read ng year in the space provided for it at the end of this paragraph. Full instructio asurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	-	·42	·02	·02	.	·04	·07	.	-	·32	·06	1
2	-	.	·02	·04	·22	.	-	·22	.	·05	·17	·21	2
3	-	.	·04	·02	·82	.	.	·09	·05	.	·25	·25	3
4	.	.	·12	·04	·05	-	-	·67	·03	·02	·57	·33	4
5	·16	.	·10	·03	.	-	.	·38	.	·15	·27	.	5
6	·24	.	·10	·03	.	-	.	·08	.	.	·25	·48	6
7	·05	.	·02	.	.	-	.	.	.	.	·46	-	7
8	·13	.	·20	.	.	.	.	.	-	.	·44	·48	8
9	·07	.	·12	.	.	.	.	.	.	.	·17	·14	9
10	·09	·12	·22	.	·02	.	.	.	.	.	·03	·93	10
11	·31	.	·04	.	·19	.	.	.	·08	.	·33	·23	11
12	·01	·02	·34	.	·13	.	.	.	·95	.	1·46	·09	12
13	-	.	·03	.	·02	.	.	.	·02	·04	·19	·16	13
14	-	·16	·02	.	.	.	.	.	.	-	·09	·38	14
15	·01	·15	·02	.	.	·02	.	.	.	.	·23	·15	15
16	.	·06	·03	.	.	·15	.	.	.	.	·10	·16	16
17	.	·12	·02	·07	.	1·09	.	.	.	.	·50	·33	17
18	.	·83	·14	·18	.	·28	.	.	.	·07	·05	·52	18
19	.	·08	·02	·25	.	·19	·13	·03	·78	·22	·04	·49	19
20	·08	·09	-	·20	.	·02	-	·06	·08	·14	·02	·17	20
21	·01	·26	·13	·03	.	·07	·03	2·40	·13	·74	.	·17	21
22	.	·07	·02	·11	.	·10	-		·03	·82	·07	·42	22
23	·02	·26	·04	·01	·07	·13	.	·03	·20	·50	.	·25	23
24	·07	·09	·01	·01	.	·29	.	·18	·09	·36	.	·46	24
25	·11	·18	-	·06	.	·04	.	.	·05	·13	.	·27	25
26	·01	·27	.	·41	.	·04	.	·12	·02	·29	·04	·25	26
27	.	·37	·11	·21	.	.	.	·62	·26	·01	·09	·17	27
28	.	·40	·02	·26	.	.	.	·05	·05	.	·06	·03	28
29	.		-	·07	.	·20	·25	.	·37	·55	·02	·05	29
30	.		·06	-	·04	·05	-	·02	·01	·48	·19	·03	30
31	.		·02		.		·04	.		·08		·02	31
Total	1·40	3·53	2·43	2·05	1·58	2·67	·49	5·02	3·20	4·65	6·35	7·68	TOTAL for year
No. of Rain Days.	16	17	27	19	10	14	5	15	17	17	26	29	41·05

on 212 da

. 8,000, X. '11.

4211

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Llysdinam

in the County of Brecon 8

by C. Venables Llewelyn

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. 3 in.
	,, ,, ,, Sea Level	646 ft.
Time of Observation		9 a.m.
Nearest Railway Station	Name	Newbridge-on-Wye
	Distance	½m. Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	-	·42	·02	·02	.	·04	·07	.	-	·32	·06	1
2	-	.	·02	·04	·22	.	-	·22	.	·05	·17	·21	2
3	-	.	·04	·02	·82	.	.	·09	·05	.	·25	·25	3
4	.	.	·12	·04	·05	-	.	·67	·03	·02	·57	·33	4
5	·16	.	·10	·03	.	-	.	·38	.	·15	·27	.	5
6	·24	.	·10	·03	.	-	.	·08	.	.	·25	·48	6
7	·05	.	·02	.	.	-	.	-	.	.	·46	-	7
8	·13	.	·20	.	.	.	.	.	-	.	·44	·48	8
9	·07	.	·12	.	.	.	.	.	.	.	·17	·14	9
10	·09	·12	·22	.	·02	.	.	.	.	.	·03	·93	10
11	·31	.	·04	.	·19	.	.	.	·08	.	·33	·23	11
12	·01	·02	·34	.	·13	.	.	.	·95	.	1·46	·09	12
13	-	.	·03	.	·02	.	.	.	·02	·04	·19	·16	13
14	-	·16	·02	.	.	.	-	.	.	.	·09	·38	14
15	·01	·15	·02	.	.	·02	.	-	.	.	·23	·15	15
16	.	·06	·03	.	.	·15	.	.	.	.	·10	·16	16
17	.	·12	·02	·07	.	1·09	.	.	.	.	·50	·33	17
18	.	·83	·14	·18	.	·28	.	.	.	·07	·05	·52	18
19	.	·08	·02	·25	.	·19	·13	·03	·78	·22	·04	·49	19
20	·08	·09	-	·20	.	·02	-	·06	·08	·14	·02	·17	20
21	·01	·26	·13	·03	.	·07	·03	2·40	·13	·74	.	·17	21
22	.	·07	·02	·11	.	·10	-	.	·03	·82	·01	·42	22
23	·02	·26	·04	·01	·07	·13	.	·03	·20	·80	.	·25	23
24	·07	·09	·01	·01	.	·29	.	·18	·09	·36	.	·46	24
25	·11	·18	-	·06	.	·04	.	.	·05	·13	.	·27	25
26	·01	·27	.	·41	.	·04	.	·12	·02	·29	·04	·25	26
27	.	·37	·11	·21	.	.	.	·62	·26	·01	·09	·17	27
28	.	·40	·02	·26	.	.	-	·05	·05	.	·06	·03	28
29	.		-	·07	.	·20	·25	.	·37	·55	·02	·05	29
30	.		·06	-	·04	·05	-	·02	·01	·48	·19	·03	30
31	.		·02		.		·04	.		·08		·02	31
Total	1·40	3·53	2·43	2·05	1·58	2·67	·49	5·02	3·20	4·65	6·35	7·68	TOTAL for year
No. of Rain Days.	16	17	27	19	10	14	5	15	17	17	26	29	41·05

on 212 da

. 8,000, X. '11.

Ex [illegible]

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
3 - JAN 1913

Kept at Llysdinam

in the County of Brecon 8

by C. Venables Llewelyn

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Newbridge-on-Wye
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 646 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·28	-	·03	·57	·04	·08	·04	-	·01	·34	1
2	-	-	·40	·02	·02	1·16	·04	·03	·12	-	-	·04	2
3	·10	-	·08	-	·15	·08	-	·63	·03	-	·06	·17 ·03	3 ME
4	·63	-	1·20	·02	·12	-	-	·21	·09	-	·30	·09	4
5	·55	·05	·50	·01	·14	-	-	·24	-	-	·02	·07	5
6	·94	·20	·03	-	·11	-	-	·17	-	-	·03	·06	6
7	-	·24	·10	-	·19	·27	·21	·13	·03	-	-	-	7
8	·60	·12	·27	·10	·02	·06	·01	·05	-	-	-	·38	8
9	·10	·16	·19	·30	-	·07	·05	·43	-	-	·06	·04	9
10	·30	·02	·02	·03	-	·57	·08	·24	-	·02	·88	·73	10
11	·04	·04	·02	-	-	-	·04	·02	-	·01	·33	·08	11
12	·03	·42	·32	·09	·05	·17	·14	-	-	-	·02	·73	12
13	·06	·02	·03	·02	-	·07	·04	·06	·03	·20	·05	·31	13
14	·10	·06	·69	-	·04	·17	-	·13	-	·02	-	·38	14
15	·09	·16	·05	-	·26	·12	-	·02	·02	-	-	·18	15
16	·10	·07	·54	-	·12	·05	-	·23	-	·24	-	·80	16
17	·45	·04	·09	-	·01	·35	-	·48	·02	·01	·15	·28	17
18	·16	·09	·12	-	-	·02	-	·22	-	·20	·02	·05	18
19	·94	·13	·05	-	-	·08	·13	·61	-	·13	·03	·02	19
20	·10	·06	·30	-	·03	·08	·03	·18	-	·48	·08	·08	20
21	·03	·05	·64	-	·25	-	·02	·68	-	·47	·01	·21	21
22	·24	·40	·08	-	·26	·01	·62	·54	-	·05	·05	·13	22
23	·10	·04	·47	-	-	·25	·03	·40	-	·12	·28	·24	23
24	·03	·06	·13	-		·34	·03	·03	-	-	·03	·48	24
25	·04	·04	·05	-	-	·10	·03	1·22	-	-	·70	·27	25
26	-	·21	·15	-	-	-	·13	·75	-	1·14	·92	·72	26
27	-	·06	·15	-	-	·50	1·05	·02	-	1·36	·04	·05	27
28	-	·17	·02	-	-	·20	·83	·43	·06	·16	·58	·08	28
29	-	·10	·30	-	-	·08	·38	·23	·24	·30	-	·03	29
30	-		·24	-	·04	·13	·11	·01	·02	·48	-		30
31	-		·19		-		·43	·07		·06		·14	31
Total	4·83	3·01	7·70	·59	1·84	5·50	4·47	8·54	·80	5·45	4·65	7·21	YEAR'S TOTAL 54·59
Rain Days.	22	25	31	8	17	24	22	30	11	18	22	30	260

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

3 JAN 1914

Kept at Llysdinam

in the County of Brecon

by C. Venables Llewelyn

8

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Newbridge on Wye

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 646 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·08	·15	·32	·10	—	—	—	·01	—	·17	·02	1
2	·03	·33	·26	·11	·08	·07	—	—	—	·42	·19	·06	2
3	·02	·03	·27	·02	·32	—	—	—	—	·02	·03	·39	3
4	·72	·23	·19	—	·03	—	—	—	·56	·27	·08	·95	4
5	·36	·08	·07	—	·27	·29	·04	—	·02	·34	·31	·03	5
6	·24	·20	·37	—	·07	·17	·05	—	—	·29	·03	·45	6
7	·02	·75	·07	—	·30	·38	·03	—	—	·91	·08	·03	7
8	—	·32	·07	—	·32	·27	·10	·13	—	·14	—	·05	8
9	—	·40	·16	·02	·17	1·46	·17	·33	·03	·02	·16	·04	9
10	·23	·03	·09	·03	·20	·02	—	·19	—	·08	·31	—	10
11	·32	—	·02	·43	·05	—	—	·11	—	·09	·50	·08	11
12	—	—	—	·02	·03	·04	—	·04	·06	—	·47	·11	12
13	·04	—	·28	·04	·08	—	·03	·04	·65	—	·37	·01	13
14	·18	·02	·58	·24	—	—	—	—	·10	·34	·18	—	14
15	·46	—	1·07	1·00	—	—	—	·05	·03	·01	·20	·04	15
16	·13	—	·55	·06	—	—	—	·41	—	—	·14	—	16
17	·12	—	·07	·26	—	—	·17	—	—	—	·26	—	17
18	·14	—	·55	·37	·09	—	·02	—	—	—	·16	—	18
19	·19	—	·12	·04	·08	·16	—	—	·14	·34	·13	—	19
20	·14	—	·33	·22	·05	·05	—	—	·03	·24	·83	—	20
21	·03	—	·25	·30	·18	—	·19	·07	—	·05	·14	—	21
22	·85	—	·91	·02	·03	·33	—	·47	·65	—	—	—	22
23	·11	—	·03	—	—	·06	—	·10	·08	—	·12	·03	23
24	·24	·03	—	·05	—	—	—	·01	—	—	·14	·01	24
25	—	·04	—	·18	—	—	—	—	·15	·04	·12	·09	25
26	—	—	—	1·18	·41	—	—	—	·06	·07	—	·67	26
27	·04	—	·08	·48	·08	—	—	—	—	·25	·01	·10	27
28	·27	—	·23	·37	—	—	—	—	—	·45	—	·17	28
29	·01		·30	·30	·04	—	—	·06	—	·41	·03	—	29
30	·46		·02	·05	—	—	—	—	—	·30	·14	—	30
31	·20		·35		·15		—	—		·05		—	31
Total	5·63	2·54	7·44	6·11	3·13	3·30	·80	2·01	2·57	5·13	5·30	3·33	YEAR'S TOTAL 47·29
Rain Days.	26	13	27	24	22	12	9	13	14	22	26	19	227

W.7,000, XI. 13

Ex Dl

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Llysdinam
in the County of Brecon 8
by C. Venables-Llewelyn

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Newbridge-on-Wye
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 646 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·62

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·17	·05	·07	—	·20	·56	1·18	—	—	·05	·29	1
2	—	·03	·10	—	·01	·02	·88	·11	—	—	·27	·64	2
3	·01	—	·68	·09	·43	—	·03	·08	—	—	—	·62	3
4	·58	—	·30	·14	·18	—	·28	·23	·01	—	·49	1·04	4
5	·28	—	·45	·56	·30	—	·07	·02	—	—	·37	·03	5
6	·18	·09	·02	·25	·10	—	·15	—	—	—	·13	·36	6
7	·02	·16	·64	·20	·24	—	·55	·23	·05	—	·06	·60	7
8	·14	—	·10	·04	·52	·17	·15	·75	—	—	·03	·12	8
9	·32	·14	·14	·20	·09	·80	—	·22	—	—	·07	·02	9
10	·02	·19	·12	·40	·05	·15	—	·04	·25	—	·01	·01	10
11	—	·38	·45	·02	·02	·15	·03	—	·03	—	1·12	·45	11
12	—	·88	·25	—	—	—	—	—	·36	—	·48	·10	12
13	—	·48	·57	·02	—	—	·08	—	·36	·20	·65	·11	13
14	—	·75	·30	—	—	—	·05	—	·06	·04	·26	·01	14
15	—	·04	·55	—	—	—	·03	—	·08	·03	·20	·10	15
16	·01	·03	·17	—	—	—	·03	—	·38	—	—	·11	16
17	·01	·55	·19	—	—	·11	·05	—	·24	—	—	1·09	17
18	—	·05	·18	—	—	—	—	—	·05	·04	—	·25	18
19	—	·05	·08	—	—	—	·34	—	·26	—	·09	·30	19
20	—	·47	·15	—	—	·14	—	—	—	—	—	·42	20
21	—	·16	·02	—	—	·43	·21	·13	—	·10	·02	—	21
22	—	·27	·23	·02	·10	·05	—	·18	·01	·72	—	—	22
23	—	·19	·18	—	·03	—	·14	·02	—	·17	—	—	23
24	·25	·16	·08	—	—	—	·27	·08	—	·07	·11	—	24
25	·23	·03	·06	—	—	—	·35	·52	—	·49	·06	·22	25
26	·04	·03	·02	—	—	—	·14	·18	—	·29	·25	·47	26
27	·04	·05	—	—	—	—	·02	·02	—	·20	·83	1·32	27
28	·36	·14	·09	—	·18	—	·04	—	—	·03	·04	·52	28
29	·36		·10	—	·05	—	—	·02	—	·07	·64	·02	29
30	·06	X	·52	—	—	—	—	·01	—	·04	·68	·55	30
31	·87	X	·13	X	—	X	·48	—	X	·25	X	·12	31
Total	3·75	5·49	6·92	2·01	2·30	2·22	4·93	4·02	2·14	2·74	6·91	9·89	YEAR'S TOTAL 53·32
Rain Days.	19	24	30	12	14	10	23	18	13	15	23	27	228

W. 8,000. X. 14.

[illegible]

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.

11. JAN

Kept at Llysdinam

in the County of Brecon

by C. Venables-Llewelyn Lt. Col.

Lat.

Long.

Time of Observation 9 a.m.

Nearest Railway Station Newbridge-on-Wye.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 646 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan. 1.21	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·21	·02	·05	·—	·—	·15	·40	·—	·—	·37	·63	·—	1
2	·74	·18	s ·22	·—	·—	·08	·27	·—	·43	1.00	·17	·—	2
3	·02	·98	·01	·—	·05	·45	·04	·—	·17	·41	·34	·—	3
4	·33	·30	·—	·03	·38	·20	·02	·—	·05	·17	·35	·—	4
5	·13	·06	·02	·—	·07	·08	·61	·—	·—	·75	·21	·—	5
6	·20	·75	·03	·—	·09	·—	·03	·—	·01	·64	·30	·—	6
7	·45	·10	·07	·—	·39	·03	·06	·—	·05	·31	·65	·15	7
8	·02	·13	·08	·—	·47	·08	·—	·—	·—	·14	·30	·03	8
9	·—	·10	·02	·—	·09	·04	·08	·—	·—	·02	·06	·10	9
10	·03	·11	·02	·12	·05	·—	·03	·—	·—	·03	·02	·—	10
11	·10	·05	·04	·43	·08	·08	·—	·—	·02	·—	·—	·01	11
12	·05	·22	·02	·21	·06	·—	·20	·24	·—	·20	·01	·—	12
13	·03	·42	·15	·24	·02	·—	·—	·45	·—	·25	·—	·—	13
14	·—	8 ·58	·16	·20	·07	·—	·—	·43	·—	·24	·—	·01	14
15	·02	1.32	·10	·12	·18	·—	·03	·10	·05	·14	·—	·—	15
16	·03	·15	·—	·14	·02	·—	·04	·05	·—	·13	·—	·—	16
17	·29	·34	·—	·96	·—	·—	·—	·02	·37	·44	·07 10	·—	17
18	·09	·51	·18	·83	·—	·—	·—	·—	·20	·08	·08	·15	18
19	·32	·01	·47	·10	·—	·—	·—	·01	·05	·03	·35	·03	19
20	·30	·03	·35	·02	·—	·—	·—	·—	·—	·—	·16	·15	20
21	·34	·—	·27	·08	·—	·05	·—	·—	·—	·—	·06	·03	21
22	·—	·—	·01	·01	·—	·10	·—	·—	·—	·25	·01	·27	22
23	·02	·—	·03	·05	·—	·10	·—	·15	·—	·11	·07	·29	23
24	·—	·31	·02	·27	2.25	·03	·—	·12	·—	·34	·03	·15	24
25	·02	·12	·27	·—	·12	·08	·—	·08	·02	·15	·65	·03	25
26	·13	·07	·14	·—	·04	·25	·—	·17	·32	·20	·03	·—	26
27	·05	·03	·7s4	·—	·12	·—	·—	·25	·36	·87	·—	·—	27
28	·02	·35	·06	·—	·14	·—	·—	·—	·—	·15	·09	·56	28
29	·—	·08	·03	·—	·—	·52	·—	·48	·—	·85	·07	·68	29
30	·—	X	·02	·—	·—	·12	·—	·05	·—	·38	·—	·03	30
31	·—	X	·—	X	·—	X	·—	·11	X	·57	X	·32	31
Total	99 3.94	7.32	3.58	3.81	4.69 ~~4.79~~	2.44	1.81	2.71	2.10	9.22	4.71	2.99	YEAR'S TOTAL 49.32 49.32
Rain Days.	24	26	27	16	19	17	12	15	13	28	23	17	234

W. 8,000, VIII. 16

3955

FORM A
8 JAN 1918
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Llysdinam
in the County of Brecon
by C. D. Venables-Llewelyn

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Newbridge-on-Wye
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 646 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
17 1	·03	·—	·15	·10^{S}	·—	·48	·—	·10	·14	·—	·03	·10^{S}	1
2	·02	·—	·01	·12^{S}	·—	·10	·—	·—	·01	·01	·20	·08	2
3	·08	·07	·—	·18	·—	·06	·—	·—	·—	·34	·01	·05	3
4	·05	·05	·14	·02	·—	·—	·—	·02	·—	·39	·—	·—	4
5	·38	·—	·20	·20	·—	·07	·—	·—	·66	·38	·40	·—	5
6	·03	·—	·26	·01	·—	·04	·—	·—	·—	·38	·44	·06	6
7	51	·—	·02	·03	·—	·05	·18	·15	·—	·43	·25	·03	7
8	·38	·—	·13	·22	·—	·02	·58	·60	·03	1·00	·42	·09	8
9	·01	·—	·04	·50	·10	·—	·—	·38	·01	·13	·97	·—	9
10	·15	·—	·59	·22	·15	·02	·—	·15	·—	·02	·01	·—	10
11	·24	·—	·02	·10	·—	·—	·—	·43	·—	·38	·15	·—	11
12	·04	·—	·03	·05	1·17	·—	·—	·22	·—	·28	·03	·03	12
13	·05	·—	·05	·08	·02	·—	·—	1·45	·24	·27	·—	·02	13
14	·01	·—	·02	·08	·—	·—	·05	·37	·—	·12	·—	·03	14
15	·—	·—	·—	·03	·03	·—	·33	·03	·03	·20	·—	·35	15
16	·—	·06	·—	·24	·01	·04	·26	·—	·—	·04	·—	·40	16
17	·—	·01	·03	·08	·08	·—	·56	·61	·23	·20	·03	·—	17
18	·03	·48	·06	·01	·03	·—	·44	·18	·66	·08	·—	·—	18
19	·—	·16	·35	·—	·—	·26	·01	·03	·04	·01	·03	·—	19
20	·—	·02	·06	·—	·45	·38	·—	·40	·20	·—	·05	·—	20
21	·—	·—	·03	·—	·02	·05	·—	·08	·01	·09	·—	·—	21
22	·—	·12	·—	·—	·—	·—	·—	·28	·06	·10	·04	·—	22
23	·—	·05	·—	·—	·35	·—	·—	·36	·01	·20	·—	·02	23
24	·—	·01	·15	·—	·02	·24	·—	·19	·—	·83	·36	·—	24
25	·—	·01	·05	·—	·—	·—	·—	·03	·—	·32	·14	·—	25
26	·—	·—	·03	·—	·30	·44	·—	·49	·28	·28	·33	·—	26
27	·—	·—	·02	·—	·85	·49	·45	·65	·01	·04	·06	·—	27
28	·—	·03	·25	·—	·35	·—	·01	·57	·—	·06	·01	·—	28
29	·—	X	·14	·—	·03	·—	·05	·27	·—	·45	·—	·23	29
30	·—	X	·—	·—	·—	·—	·01	·42	·01	·17	·04	·01	30
31	·—	X	·08	X	·35	X	·—	·36	X	·03	X	·—	31
99 Total	2·01 ✓	1·07 ✓	2·91 ✓	2·27 ✓	4·31 ✓	2·74 ✓	2·93 ✓	8.82 ✓	2·63	7·23 ✓	4·00	1·50 ✓	YEAR'S TOTAL 42.42 ✓
Rain Days.	15 ✓	12 ✓	25 ✓	18 ✓	17 ✓	15 ✓	12 ✓	26 ✓	17 ✓	29 ✓	21 ✓	14 ✓	221 ✓

90

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

2. 1.

Kept at Llysdinam

in the County of Brecon

by Lt Colonel C. D. Venables-Llewelyn

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Newbridge-on-Wye

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 646 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date. 12	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·—	·18	·—	·25	·—	·—	·—	·08	·48	·05	·50	·01	1
2	·—	·08	·—	·18	·—	·—	·—	·14	·16	·03	·05	·33	2
3	·—	·08	·—	·06	·15	·—	·—	·15	·80	·18	·05	·20	3
4	·02	·09	·01	·—	·—	·—	·—	·05	·30	·73	·63	·16	4
5	·—	·10	·01	·20	·58	·04	·—	·20	·10	·70	·07	·12	5
6	·05	1·02	·—	·26	·—	·01	·—	·01	·10	·40	·—	·08	6
7	·—	·18	·—	·04	·62	·—	·—	·02	·37	·30	·23	·05	7
8	·18 s	·52	·—	·—	·—	·—	·—	·—	·11	·34	·06	·08	8
9	·15	·98	·—	·15	·—	·65	·—	·—	·70	·36	·03	·18	9
10	·08	·14	·02	·03	·09	·02	·65	·—	·12	·10	·28	·43	10
11	·05	·18	·10	·03	·12	·—	·85	·—	·19	·20	·—	·28	11
12	·05	·15	·03	·—	·—	·—	·15	·—	·27	·—	·—	·06	12
13	·02	·03	·—	·—	·03	·03	·—	·—	·40	·10	·—	·10	13
14	·65	·—	·—	·—	·—	·14	·52	·—	·30	·04	·—	·65	14
15	s ·70	·—	·—	·—	·—	·08	1·15	·—	·28	·03	·—	·65	15
16	s ·20	·—	·—	·38	·—	·—	·14	·08	·40	·—	·—	·25	16
17	·70	·—	·—	·01	·—	·03	·25	·02	·14	·14	·—	·40	17
18	·80	·—	·03	·—	·—	·22	·15	·—	·38	·05	·—	·65	18
19	·15	·04	·19	·04	·—	·01	·25	·—	·08	·03	·—	·45	19
20	·30	·10	·—	·12	·—	·07	·—	·—	·38	·03	·—	·03	20
21	·12	·20	·—	·22	·19	·02	·08	·—	·68	·02	·—	·12	21
22	·10	·02	·—	·01	·65	·—	·12	·—	·27	·03	·03	·65	22
23	·30	·02	·—	·—	1·20	·—	·20	·—	·17	·—	·22	·03	23
24	·—	·06	·—	·—	·01	·—	·08	·10	·14	·02	·06	·23	24
25	·—	·—	·—	·—	·22	·—	·20	1·00	·04	·05	·15	·10	25
26	·05	·22	·—	·—	·01	·—	·30	·03	·11	·06	·14	·32	26
27	·03	·—	·35	·—	·—	·—	·—	·29	·57	·02	·12	·66	27
28	·—	·18	·96	·—	·—	·—	·—	·—	·02	·02	·—	·35	28
29	·—	✕	·17	·—	·—	·—	·—	·—	·68	·—	·—	·09	29
30	·—	✕	·27	·—	·—	·—	·—	·—	·03	·03	·10	·18	30
31	·01	✕	·30	✕	·—	✕	·—	·10	✕	·04	✕	·03	31
99 Total	4.71	4.57	2.44	1.98	3.87	1.32	5.09	2.27	8.77	4.10	2.72	7.92	YEAR'S TOTAL 49.76.
Rain Days.	21	21	12	15	12	12	15	14	30	27	15	31	225

W, 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at LLYSDINAM

in the County of BRECON

by C D Venables Llewelyn

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station NEWBRIDGE-ON-WYE

Diameter of Funnel of Rain Gauge 1'8" in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level 646 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·65	·03	·09	–	·24	—	·44	—	·07	·36	·01	·57	1
2	·84	—	·14	–	—	—	·02	—	·15	·09	·03	·28	2
3	·01	·08	·33	—	·08	·14	·03	—	·01	—	·01	·38	3
4	·01	·30	—	—	—	·02	·04	·02	·09	—	—	·16	4
5	·11	·05	–	–	·03	–	—	—	·04	·01	·02	·78	5
6	·15	—	·57	–	—	—	—	—	·01	—	—	·43	6
7	·05	—	·15	·06	—	—	—	–	–	—	–	·05	7
8	·37	—	·08	·08	–	·20	–	—	—	—	–	—	8
9	·29	-	·05	·12	—	–	-	-	·02	–	·02	·01	9
10	·27	-	·70	·05	·05	—	—	—	–	·04	·02	·21	10
11	·05	–	1·45	·08	·13	·01	·15	—	—	·03	—	·10	11
12	·01	–	·98	·15	·01	1·17	–	—	–	·14	·09	·01	12
13	·38	·03	·01	·20	—		—	–	·35	·35	–	·06	13
14	·50	·01	—	·66	–	–	·10	—	·02	·12	—	·11	14
15	·34	·01	–	·36	—	—	—	–	—	·18	–	1·13	15
16	·19	·02	–	·01	·01	—	·09	·30	—	·01	·22	·04	16
17	·05	·67	—	—	–	·08	·06	·20	—	–	·89	·03	17
18	·06	—	·72	—	—	—	·07	·57	·03	—	·10	·20	18
19	·27	·25	·52	—	—	·22	—	·26	·19	–	·28	·03	19
20	·28	·10	·35	—	—	·03	–	·12	·15	–	·38	·26	20
21	·02	·59	·01	—	—	—	·20	·03	·15	—	·12	·20	21
22	—	·06	–	—	—	·05	—	—	·24	–	·02	·57	22
23	—	—	—	—	—	·03	—	–	·01	·74	·16	·12	23
24	·02	–	—	·06	·05	·10	—	–	·06	·25	·22	·42	24
25	·06	–	–	·12	·05	·03	—	·43	·06	·02	·28	·12	25
26	·25	·05	·45	·09	–	·05	—	·35	·18	—	·01	·80	26
27	·20	·01	·13	·33	—	–	·03	·36	·04	–	—	·03	27
28	·03	–	·32	·68	—	–	–	·40	·01	—	·01	·60	28
29	·03	X	·13	·04	—	—	—	·20	—	·14	·03	·35	29
30	·02	X	·06	·12	—	·07	—	·12	—	·02	·20	·40	30
31	—	X	·08	X	–	X	·04	—	X	—	X	·08	31
19 TOTAL	5·01	2·26	7·32	2·61	·65	2·20	1·27	3·36	1·88	2·50	3·12	8·53	YEAR'S TOTAL 40·71
Days with ·01 in. or more	28	~~14~~ 15	21	17	9	14	12	13	20	15	21	30	21~~4~~

215

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3652

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Llysdinam

in the County of Brecon

by C. Venables Llewelyn

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Newbridge on Wye

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 646 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·01	·03	·18	·30	—	·35	—	·01	·17	—	·28	1
2	·04	·04	—	·17	·02	—	·16	·03	·04	·14	—	·25	2
3	·01	·11	—	·13	·12	·01	·35	—	·06	1·19	—	·42	3
4	-	—	—	·01	·02	—	·01	·70	·04	·08	—	—	4
5	-	·02	·20	·09	·35	—	·29	·16	·10	·05	—	—	5
6	-	—	·55	·07	·23	—	·05	·01	—	·28	·01	·01	6
7	·05	·05	·09	·12	—	—	·05	—	—	·01	·01	—	7
8	·67	·10	—	·78	·18	—	·08	·20	-	—	—	—	8
9	·78	·66	—	·70	—	—	·08	·03	—	—	·02	—	9
10	1·04	·73	·10	·01	—	·58	·18	—	—	—	·02	·02	10
11	·17	·05	·15	·25	·32	·04	·08	—	—	—	—	—	11
12	·42	·05	·03	·20	—	·75	·19	·19	—	—	·16	—	12
13	·22	·08	·30	·57	—	·14	·01	—	—	—	·04	·01	13
14	·04	·03	·62	·45	—	·08	·14	—	·80	·58	·64	·03	14
15	·02	·17	·28	·87	·03	·19	·03	—	·02	·07	·21	—	15
16	—	·01	·20	·19	·08	·23	·64	—	·29	1·16	·08	—	16
17	·15	—	-	·02	·57	·10	-	·20	·64	·08	-	—	17
18	·21	·63	-	·09	·22	·03	-	·03	·29	—	—	—	18
19	·16	·08	-	·18	·18	·08	·03	—	·02	—	-	—	19
20	·08	—	—	·47	—	·05	·04	—	·04	—	—	·19	20
21	—	—	—	·03	—	·05	·26	—	-	·04	-	·15	21
22	·15	—	-	·10	—	-	·22	·12	—	—	-	·28	22
23	·02	—	·05	—	—	-	·24	—	—	—	-	·50	23
24	·08	·02	·38	·05	—	—	—	—	·01	—	·07	·27	24
25	·02	·14	·14	·15	—	·01	·89	—	—	-	—	·02	25
26	·18	·20	·78	·18	·38	·04	·07	—	—	—	·05	·07	26
27	·23	·06	·67	·20	·05	·44	·13	—	—	-	·03	·34	27
28	·57	·02	·43	·15	·03	·20	·02	—	—	—	—	·18	28
29	·20	—	·18	·01	·13	·07	·34	—	—	-	·15	·98	29
30	·12		·57	·40	·05	·44	·03	—	·27	-	·32	·49	30
31	·26		·32		·01		·05	—		·53		·10	31
19 Total	5·89	3·26	6·07	6·82	3·27	3·53	5·01	1·67	2·63	4·38	1·81	4·59	Year's total 48·93
Days with ·01 in. or more	26	21	20	29	19	19	28	10	14	13	14	19	232
Days with ·04 in. or more	21	14	18	24	14	16	22	6	10	12	9	14	180

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓made

REGIS

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

4145

—

NANTHIR RES

1911-20

Kept at Nanthir Reservoir
in the County of Breckn
by Owen William

in.
ound 1 ft. – in.
a Level 860 ft.
me Llwydcoed
stance ...... Direction ......

IMPORTANT NOTE.—I the result entered to the previous day. If an Observ rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	–	·12	·09	·12	–	·01	·06	–	·01	·75	·09	1
2	·01	–	·04	·03	·58	–	–	·39	–	·16	·38	·98	2
3	–	–	·06	–	1·53	–	–	·40	·02	–	·76	·23	3
4	–	–	·09	·03	·01	·52	–	·62	·03	·01	1·48	1·04	4
5	·34	–	·11	·02	–	–	–	·25	–	·09	·13	·70	5
6	·62	–	·01	·01	–	–	–	·08	–	–	·29	1·07	6
7	·05	–	–	–	–	–	–	–	–	–	1·32	·01	7
8	·32	–	·13	–	–	–	–	–	–	–	·78	1·38	8
9	·19	–	·01	–	–	–	–	–	–	–	·26	1·16	9
10	·16	·05	·76	–	–	–	–	–	–	–	·02	1·05	10
11	·35	–	·01	–	·01	–	–	–	·04	–	·49	·12	11
12	–	·01	·29	–	·02	–	–	–	·43	–	1·28	·21	12
13	–	–	–	–	·21	–	–	–	·15	–	·31	·24	13
14	–	·07	·01	–	·01	–	–	–	–	–	·36	·95	14
15	·01	·16	·02	–	–	·03	–	–	–	–	1·34	·36	15
16	–	·08	–	–	–	·41	–	–	–	–	·48	·96	16
17	–	·39	–	·02	–	1·09	·01	–	–	–	·52	1·45	17
18	–	·96	·02	·35	–	·17	–	–	–	·04	·41	2·07	18
19	–	·04	–	·48	–	·76	–	·01	·98	·15	·12	·93	19
20	·01	·09	–	·51	–	·01	–	–	·27	·16	–	·68	20
21	·01	·98	·02	·10	–	·23	–	·32	·02	1·24	–	·11	21
22	·03	·36	·12	·16	–	·26	–	–	·04	·36	·01	·73	22
23	·02	·68	·01	·01	·16	·01	–	·02	·22	·42	–	·61	23
24	·04	·39	–	–	·01	·49	–	·19	·05	·26	–	·48	24
25	·18	·23	–	·35	–	·03	–	–	·32	·12	–	·12	25
26	·02	·18	–	·48	·02	·01	–	·17	·01	·45	·02	·23	26
27	–	1·04	·08	·18	–	–	–	·41	·28	–	·03	·18	27
28	–	·52	·02	·29	–	·02	–	·23	·01	–	·13	·05	28
29	–		–	·20	–	·78	·07	·01	·47	1·05	–	·04	29
30	–		·01	–	–	·06	·02	–	·02	1·26	·21	·03	30
31	–		–		–		·10	–		·13		·06	31
Total	2·38	6·23	1·94	3·31	2·68	4·88	·21	2·86	3·36	5·91	11·88	17·72	TOTAL for Year 63·36
No. of Rain Days	17	17	20	17	11	16	5	14	17	16	24	31	205

9,000, IX. '10.

made

REGISTER OF RAINFALL IN 19

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

4145

Kept at Nant-hir Reservoir

in the County of Brecknock 4

by Owen Williams

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 860 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Llwydcoed.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	–	·12	·09	·12	–	·01	·06	–	·01	·75	·09	1
2	·01	–	·04	·03	·58	–	–	·39	–	·16	·38	·98	2
3	–	–	·06	–	1·53	–	–	·10	·02	–	·76	·23	3
4	–	–	·09	·03	·01	·52	–	·62	·03	·01	1·48	1·04	4
5	·34	–	·11	·02	–	–	–	·25	–	·09	·13	·70	5
6	·62	–	·01	·01	–	–	–	·08	–	–	·29	1·07	6
7	·05	–	–	–	–	–	–	–	–	–	1·32	·01	7
8	·32	–	·13	–	–	–	–	–	–	–	·78	1·38	8
9	·19	–	·01	–	–	–	–	–	–	–	·26	1·16	9
10	·16	·05	·76	–	–	–	–	–	–	–	·02	1·05	10
11	·35	–	·01	–	·01	–	–	–	·04	–	·49	·12	11
12	–	·01	·29	–	·02	–	–	–	·43	–	1·28	·21	12
13	–	–	–	–	·21	–	–	–	·15	–	·31	·24	13
14	–	·07	·01	–	·01	–	–	–		–	·36	·95	14
15	·01	·16	·02	–	–	·03	–	–	–	–	1·34	·36	15
16	–	·08	–	–	–	·41	–	–	–	–	·48	·96	16
17	–	·39	–	·02	–	1·09	·01	–	–	–	·52	1·45	17
18	–	·96	·02	·35	–	·17	–	–	–	·04	·41	2·07	18
19	–	·04	–	·48	–	·76	–	·01	·98	·15	·12	·93	19
20	·01	·09	–	·51	–	·01	–	–	·27	·16	–	·68	20
21	·01	·98	·02	·10	–	·23	–	·32	·02	1·24	–	·11	21
22	·03	·36	·12	·16	–	·26	–	–	·04	·36	·01	·73	22
23	·02	·68	·01	·01	·16	·01	–	·02	·22	·42	–	·61	23
24	·04	·39	–	–	·01	·49	–	·19	·05	·26	–	·48	24
25	·18	·23	–	·35	–	·03	–	–	·32	·12	–	·12	25
26	·02	·18	–	·48	·02	·01	–	·17	·01	·45	·02	·23	26
27	–	1·04	·08	·18	–	–	–	·41	·28	–	·03	·18	27
28	–	·52	·02	·29	–	·02	–	·23	·01	–	·13	·05	28
29	–		–	·20	–	·78	·07	·01	·47	1·05	–	·04	29
30	–		·01	–	–	·06	·02	–	·02	1·26	·21	·03	30
31	–		–		–		·10	–		·13		·06	31
Total	2·38	6·23	1·94	3·31	2·68	4·88	·21	2·86	3·36	5·91	11·88	17·72	TOTAL for Year 63·36
No. of Rain Days	17	17	20	17	11	16	5	14	17	16	24	31	205

9,000, IX. '10.

4145

BRITISH RAINFALL FORM A.

17 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Nanthir Reservoir

in the County of Brecon. 4

by Owen Williams / Surveyor. Town Hall, Aberdare.

Lat. 51° 45' Long. 3° 28' W.

Time of Observation 9. a. m.

Nearest Railway Station Llwydcoed

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	1·09	—	·03	·47	·05	·09	·01	·53	—	·48	1
2	·01	·01	·96	·09	·01	·34	·02	·01	—	·02	·01	·01	2
3	·43	—	·43	·02	·02	·18	·01	1·29	·25	—	·04	·27	3
4	·96	—	2·25	·05	·09	·12	—	·20	—	—	·20	·01	4
5	·35	·01	·29	·03	·11	·30	—	·38	·01	—	·01	·11	5
6	·76	·28	·02	·01	·13	—	—	·23	—	—	·03	·09	6
7	·01	·75	·38	·02	·21	·75	·13	·01	·01	—	·01	·18	7
8	·83	·34	·46	·12	—	·13	·04	·25	—	—	—	—	8
9	·05	·29	·41	·21	—	·47	·02	·51	—	—	·05	·71	9
10	·38	·12	—	·01	—	·09	·12	·05	—	—	·62	·03	10
11	·01	·04	·01	—	·01	—	·03	·01	—	—	·58	1·48	11
12	·13	·16	·36	·08	·14	·07	·16	—	—	—	·01	·21	12
13	·48	—	·01	·01	—	·10	·01	—	·01	·36	·03	·59	13
14	·32	·02	·73	—	—	·01	—	·03	—	·02	—	·36	14
15	1·03	·25	·02	—	·05	·72	—	·02	—	—	—	·75	15
16	·72	·01	·75	—	·09	·01	—	·36	—	·19	·02	·09	16
17	·35	·02	·08	—	·02	·48	—	·69	—	—	·08	·71	17
18	·03	·05	·10	—	—	—	—	·21	—	·25	·02	·12	18
19	·06	·31	·02	—	—	·07	·04	1·03	—	·13	·05	·10	19
20	·08	·07	·94	—	·01	—	·01	·35	—	·52	·16	·01	20
21	·01	·11	·63	—	·32	—	—	·41	—	·27	·02	·02	21
22	·13	·96	·14	—	·34	·01	·41	·73	—	·03	·08	·24	22
23	·09	·43	·63	—	—	·39	·01	·59	—	·02	·21	·13	23
24	·05	·04	·16	—	—	·71	—	·02	—	—	·03	·46	24
25	—	·01	·12	—	—	·27	·06	1·05	—	·04	·87	·65	25
26	—	·41	·09	—	—	—	·02	·27	—	1·48	1·48	·74	26
27	—	·18	·20	—	—	·83	·76	—	—	1·36	·01	1·23	27
28	—	·32	·03	—	—	·26	1·35	1·09	·13	·82	·53	·26	28
29	—	·28	·01	—	—	·02	·55	·34	·65	·65	—	·03	29
30	—		·23	·01	·01	·76	·04	·01	·01	·81	—	·02	30
31	·01		·18		·04		·52	·18		—		·34	31
Total	7·28	5·47	11·73	·66	1·63	7·56	4·36	10·41	1·08	7·50	5·15	10·43	YEAR'S TOTAL 73·26
Rain Days.	24	25	30	12	17	24	21	28	8	17	24	30	260

W. 7,500, XI. 12

S: made

4145

BRITISH RAINFALL. FORM A.

6 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Nanthir Reservoir.

4

in the County of Brecon.

by Owen Williams.

Lat. 51°45′N. Long. 3°.28′ W.
Time of Observation 9. a.m.
Nearest Railway Station Llwydcoed.
Diameter of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·21	·58	·17	·09	–	–	–	·12	–	·45	·05	1
2	·12	·56	·41	·31	·05	·01	–	–	–	·42	·63	·20	2
3	·41	·04	·29	–	·43	–	–	–	–	·18	–	·41	3
4	1·05	·03	·53	–	·12	–	·01	–	1·28	·09	·08	·39	4
5	·10	·10	·10	–	·18	·26	·01	–	·17	·01	·54	·07	5
6	·65	·32	·56	–	·20	·29	·24	–	–	·48	·48	·46	6
7	·22	1·73	·01	–	·73	·48	–	–	–	1·03	·25	·02	7
8	·05	·79	·02	–	·49	·03	·01	–	–	·05	–	·03	8
9	–	·36	·09	–	·24	·75	·29	·15	·01	·08	·56	·14	9
10	·52	–	·12	·01	·17	·02	–	·47	–	·41	·34	–	10
11	·95	–	–	·54	·10	–	–	–	·01	·03	1·21	·08	11
12	·01	–	–	–	·15	·01	·01	·01	·10	–	·65	·01	12
13	·09	–	·73	·01	–	–	·03	·08	·61	–	·42	–	13
14	·56	–	·98	·36	–	–	–	–	·15	·47	·10	·01	14
15	·18	–	1·15	2·50	–	–	–	·17	·01	–	·06	·11	15
16	·31	–	·42	·12	–	·01	–	·82	–	–	·31	–	16
17	·39	–	·08	·45	–	–	·08	–	–	–	·38	–	17
18	·20	–	1·09	·73	·02	·03	·06	–	–	–	·36	–	18
19	·48	–	·10	·01	·08	·48	·02	–	·06	·36	·09	–	19
20	·36	–	·68	·23	·03	–	–	–	·01	·48	1·67	–	20
21	–	–	·45	·25	·14	–	·04	·12	–	·21	·24	–	21
22	1·09	–	·96	–	·01	·24	–	·75	·29	–	·01	–	22
23	·08	–	·01	–	·02	·10	–	·09	·08	–	·18	·05	23
24	·39	·14	–	·20	–	–	–	·02	–	–	·14	·10	24
25	–	·05	–	·53	–	–	–	–	·07	·02	·29	·31	25
26	–	–	–	3·56	–	·01	–	–	·02	·01	–	·86	26
27	·03	–	·07	·52	–	–	–	–	–	·43	·01	·01	27
28	·42	–	·20	·81	·04	–	–	–	–	·52	·01	·20	28
29	·01	–	·28	·29	·06	–	–	·05	–	·45	·12	–	29
30	·93		·01	–	·01	–	–	·02		·58	·25	–	30
31	·06		·32		·03		–			·12		–	31
Total	9·75	4·33	10·24	11·60	3·39	2·72	·80	2·75	2·96	6·43	9·83	3·51	YEAR'S TOTAL 68·31
Rain Days.	27	11	26	19	22	14	11	12	15	21	27	19	224

W.7,000, XI. 13

written 3/8/15

ordly obr. 4.V.15

HLMCC

4/45

BRITISH RAINFALL. FORM A.
JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Lanthir Reservoir

in the County of Brecon 4

by Owen Williams, Town Hall Aberdare

Lat. 51° 45′ N. Long. 3° 28′ W.

Time of Observation 9. a. m.

Nearest Railway Station Llwydcoed

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·07	·08	·01	—	·10	·18	·82	—	—	·12	·12	1
2	·01	—	·12	—	·10	·01	·73	·26	—	—	·21	·62	2
3	·02	—	·73	·11	·73	—	·02	·34	—	·01	·03	·58	3
4	·75	—	·35	·48	·21	—	·65	·12	—	—	·22	1·25	4
5	·06	—	·76	·42	·07	—	·02	·01	—	—	·14	—	5
6	.08 ·08	·12	·10	·05	·09	—	·09	·08	—	—	·02	·98	6
7	·05	1·09	·63	·23	·76	·01	·56	·06	·01	—	·01	1·07	7
8	·37	—	·38	·16	·45	·36	·01	·98	·02	—	·05	·43	8
9	·54	·14	·24	·38	·20	·78	—	·26	·04	—	·01	—	9
10	·05	·98	·05	·26	·03	·12	—	—	·23	—	·04	—	10
11	—	·43	·79	·01	·24	·08	—	—	·01	—	·45	·82	11
12	—	1·03	·18	—	—	—	—	—	·20	—	·32	·28	12
13	—	1·75	·73	—	·01	—	·16	—	·71	·09	·64	·14	13
14	—	1·87	·69	—	—	—	·04	·12	·02	·01	·52	—	14
15	—	·02	·42	—	—	—	·12	·96	·16	—	·31	·02	15
16	·01	—	·20	—	—	—	·15	—	1·03	—	—	·08	16
17	·01	1·06	·25	—	—	—	·08	—	·21	—	—	1·82	17
18	—	·03	·29	—	—	—	·03	—	·03	—	—	·46	18
19	—	·21	·48	—	—	—	1·38	·01	·05	—	·03	·48	19
20	—	·96	·34	—	—	·19	·02	—	—	—	—	·16	20
21	—	·48	·03	—	—	·01	—	·02	—	·23	—	—	21
22	—	·37	·01	·01	—	·02	·01	·24	—	·71	—	—	22
23	—	·11	·32	—	·13	—	·14	—	—	·21	—	—	23
24	·03	·35	·18	—	·04	·01	·06	·13	—	·02	·24	—	24
25	·29	—	·14	—	·01	—	·43	·56	—	·43	·26	·61	25
26	—	·06	·12	—	—	—	·09	·08	—	·15	·98	.98 ·98	26
27	·01	·04	—	—	—	—	·01	—	·01	·08	·82	·94	27
28	·08	·16	·36	—	·09	—	—	—	—	·06	·16	·75	28
29	·75		·45	·06	·12	—	—	—	—	·09	1·32	·08	29
30	·14	X	·71	·01	—	—	·01	·01	—	·04	1·23	1·20	30
31	1·53	X	·01	X	·01	X	·45	—	X	·81	X	·16	31
Total	4·79	11·33 ~~11·39~~	10·14 ~~10·21~~	2·19	3·29 ~~3·32~~	1·69	5·44 ~~5·48~~	5·06	2·73	2·94	8·13 ~~8·19~~	11·03 ~~11·10~~	YEAR'S TOTAL 71·76 ~~72·29~~
Rain Days.	19	21	30	13	17	11	24	18	14	14	23	23	227

W. 8,000. X. 14.

[illegible]

4107

4145

FORM A. BRITISH RAINFALL.

12 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Nanthir Reservoir

in the County of Brecon.

by Owen Williams.

Lat. 51° 45′. Long. 3° 28′ w.

Time of Observation 8·30 a.m.

Nearest Railway Station Llwydcoed.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·68	·43	·09	—	·35	—	—	·79	·05	·28	·06	·52	1
2	·20	·58	·27	·26	—	·01	·03	·68	·02	·04	—	·09	2
3	—	·47	·24	·38	·01	—	1·09	·02	—	—	—	·56	3
4	·14	·69	·06	—	·16	·01	·27	—	·01	—	—	1·16	4
5	·21	·82	·05	·06	·01	·01	—	·12	—	—	—	1·79	5
6	·28	·08	—	·47	—	—	·38	·10	—	—	—	·64	6
7	·37	1·06	—	·01	·09	—	·12	·09	—	—	·01	·81	7
8	·46	·52	—	·01	—	—	—	·06	—	—	·32	—	8
9	·08	·48	—	·29	—	—	—	·01	—	—	·56	1·68	9
10	·65	·01	·08	·12	—	—	·02	·01	—	·15	·16	·18	10
11	·16	·07	·01	—	—	—	—	·32	—	·04	1·82	·07	11
12	·31	·34	—	·05	·28	—	·01	·08	—	·12	·73	—	12
13	·08	·75	—	—	·93	—	—	·05	·09	·01	·05	·14	13
14	·29	·01	—	—	—	—	—	·72	·12	·01	—	1·32	14
15	1·01	—	—	—	·09	—	·05	·14	·15	·09	·01	·43	15
16	·13	2·13	—	—	·25	—	1·43	·03	·01	—	—	·01	16
17	—	·56	—	—	·31	—	—	·02	—	—	—	—	17
18	·01	·73	·01	·01	—	—	·01	—	—	—	—	—	18
19	·01	·10	—	·10	·38	—	·73	—	—	—	—	—	19
20	·64	—	—	·06	·09	—	·01	·01	—	·07	—	·07	20
21	·25	·31	—	—	·06	—	·36	—	—	·16	—	·20	21
22	·12	·02	·21	·08	—	—	·69	—	·01	·01	—	·98	22
23	·01	·07 Snow.	·12	—	—	·34	·45	—	·14	1·05	—	·69	23
24	—	—	·01	·01	—	·01	·41	—	·07	·27	—	·94	24
25	—	—	·01	—	—	·62	·09	—	—	·01	·01	·36	25
26	—	·75	—	—	—	·08	·82	—	·01	—	—	1·48	26
27	—	·26	—	—	—	·54	·14	—	—	·58	—	·39	27
28	—	·30	·01 Snow	—	—	·12	·03	·01	·25	·20	—	·01	28
29	—		—	—	—	·10	·34	—	·03	—	·52	·08	29
30	·28	×	—	·10	—	·01	·01	—	—	·46	·48	·82	30
31	—	×	—	×	—	×	·38	·11	×	·35	×	1·23.	31
Total	6·37	11·54	1·17	2·01	3·01	1·85	7·87	3·37	·96	3·90	4·73	16·65	YEAR'S TOTAL 63·43.
Rain Days.	22	24	13	15	13	11	23	19	13	18	12	26	209

W. 8,000. X. 15.

1915

THE URBAN DISTRICT COUNCIL
OF
ABERDARE.
Owen Williams.
Engineer & Surveyor.
TELEPHONE Nº 188.

Town Hall
Aberdare,
Glam.

4th. May. 1915.

Dr. H.R.Mill.
62, Camden Square.
LONDON. N.W.

Dear Sir,

In reply to your letter of yesterday's date I am returning you card of rainfall duly altered:- .48 for 6th. January should be .08, and .88 for 26th. December shouldbe .98.

Yours faithfully,

Owen Williams

S made

4034

145

FORM A. BRITISH RAINFALL. 13 JUL 1917

REGISTER OF RAINFALL IN 1916

Kept at Nanthir Reservoir.

in the County of Brecon.

by Owen Williams

Lat. 51° 45' Long. 3° 28'

Time of Observation 8·30 a.m.

Nearest Railway Station Llwydcoed.

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·01	Snow ·01	—	·01	·39	·41	—	—	·26	·49	—	1
2	1·82	·38	Snow ·10	—	—	·10	·18	—	·35	2·45	·26	—	2
3	·04	1·82	—	—	·03	·02	—	—	·21	·78	·85	·01	3
4	·93	·63	—	·01	·32	·81	—	—	·14	·96	·74	—	4
5	·20	·32	Snow ·06	—	·07	·25	·01	—	—	·64	·12	—	5
6	·42	·68	—	—	·18	·12	·34	—	—	1·26	1·31	·01	6
7	·18	·02	Snow ·05	—	·21	·01	·05	—	—	·51	·82	·21	7
8	·02	Snow ·04	Snow ·06	·01	·35	—	—	—	—	·01	·07	·12	8
9	·01	" ·09	—	—	·04	·16	·01	—	—	·18	·04	·10	9
10	·03	·45	Snow ·01	·15	·02	—	·08	—	·01	·09	·06	·08	10
11	·10	·07	·01	·48	·03	·03	—	—	·01	·01	—	—	11
12	·12	·21	·01	·36	·35	·01	·36	·09	·01	·32	—	—	12
13	—	·49	·42	·12	·01	—	·04	·71	—	·38	—	—	13
14	·04	Snow ·46	—	·03	·18	—	—	·58	—	·34	—	—	14
15	·01	1·38	·05	·18	·02	—	·02	·46	·04	·08	—	—	15
16	·03	·12	—	·35	·01	—	·19	—	—	·04	—	—	16
17	·49	·43	—	·68	—	—	—	·04	·96	·53	Snow ·29	—	17
18	—	·82	·21	·42	—	—	—	—	·18	·07	·03	Snow ·25	18
19	·82	—	·46	·56	—	—	—	—	·04	—	·08	—	19
20	·36	·05	·24	·01	—	—	—	—	—	—	·04	·42	20
21	·48	—	·07	·14	·03	·01	·53	—	—	—	·01	·14	21
22	—	—	—	—	·01	·03	—	·01	—	·68	·01	·31	22
23	·05	Snow ·21	—	·18	—	·14	—	·24	—	·21	·62	·24	23
24	—	" ·03	·03	·46	1·45	·06	—	·12	—	·72	·10	·78	24
25	·01	" ·24	·28	—	·12	·01	—	1·32	·03	·38	·95	·02	25
26	·07	" ·02	·01	—	—	·20	—	·81	·82	·60	·12	—	26
27	·03	—	Snow ·48	—	—	·16	—	·74	·68	1·24	—	—	27
28	·01	Snow ·16	—	—	—	—	—	—	·10	·72	·03	1·18	28
29	—	" ·09	·15	—	—	·48	—	·59	—	·65	·01	·89	29
30	—	X	·01	—	—	·09	—	·01	—	·68	—	·06	30
31	—	X	—	X	—	X	—	·20	X	·54	X	·23	31
Total	6.62	9·22	2·72	4·14	3·44	3·08	2·22	5·92	3·58	15·33	7·05	4·45	YEAR'S TOTAL 67·77
Rain Days.	24	25	20	16	19	19	12	14	14	28	22	17	230

W. 8,000, VIII. 16

S. made

FORM A. BRITISH RAINFALL. 145

REGISTER OF RAINFALL IN 1917.

Kept at Nanthir Reservoir

in the County of Brecknock.

by Owen Williams.

Lat. 51° 45' Long. 3° 28' W.

Time of Observation 8.30 a.m.

Nearest Railway Station Llwydcoed. Glam.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	—	·14	·23 snow	—	·81	—	·09	·36	—	·10	·21	1
2	·04	—	·02	·01 snow	—	·02	—	·01	—	·26	·32	·01	2
3	·22	·21 Snow.	·01	·02 snow	—	·01	·06	—	—	1·05	·20	·01	3
4	·03	·18 Snow.	·15 Snow	—	—	—	·21	·06	—	·42	—	—	4
5	·68	—	·27	·24	—	·02	—	·15	·14	·49	·56	—	5
6	·07	—	·56	—	—	·03	—	·05	—	·38	·49	·09	6
7	·41	—	—	—	—	—	·25	·09	—	·34	·32	—	7
8	·24	—	·09 Snow	·14	—	—	·42	1·21	·05	·71	·24	·31	8
9	—	—	·22	·08 snow.	·08	—	—	·32	·21	·04	·52	—	9
10	·12	—	·78	·27 snow	·14	—	—	·51	·01	·06	·01	—	10
11	·08	—	—	·56 snow.	—	—	—	·75	—	·62	·18	—	11
12	·18	—	·01	·01	·91	—	—	·09	—	·51	·01	·01	12
13	—	—	·15	·20	—	·02	—	1·82	·28	·02	·02	·05	13
14	—	—	·02	·02	·01	—	—	·41	·02	—	—	·08	14
15	—	—	—	·04	·15	—	·13	·02	·01	·53	—	·32	15
16	—	·12	—	·18	—	·18	—	·01	—	·03	·01	·04	16
17	—	·05	·04	·29	·10	—	·59	1·28	·31	·18	·09	—	17
18	·01	·01	·01	·05	·01	—	1·24	·10	1·25	·01	—	—	18
19	—	·36	·20	—	—	·32	—	·01	·01	—	·03	—	19
20	—	·14	·09	—	·27	·12	·01	·01	·22	—	·08	—	20
21	—	·01	·01	—	·10	·01	—	·04	—	·12	—	—	21
22	—	·01	—	—	·01	·01	—	·61	—	·15	·06	—	22
23	—	·18	—	—	·18	·06	—	·56	—	·18	·04	·06	23
24	—	·03	·01	—	—	·10	·26	·34	—	·72	·20	·12	24
25	—	·09	·08	—	—	—	·01	·41	·02	·10	·26	—	25
26	—	—	—	—	·38	—	—	·58	·38	·01	·35	—	26
27	—	·01	·01	—	·36	·26	·20	·72	—	—	·08	—	27
28	—	·01	·23	—	·01	·18	—	1·18	—	—	·05	—	28
29	—		·16	—	—	·01	—	·22	—	1·62	·02	·16	29
30	—	X	·01	—	—	—	—	·46	—	·23	·12	—	30
31	—	X	·01	X	·31	X	—	·29	X	·07	X	—	31
Total	2·14	1·41	3·28	2·34	3·02	2·16	3·38	12·40	3·27	8·85	4·36	1·47	YEAR'S TOTAL 48·08
Rain Days.	12	14	24	15	15	16	11	30	14	25	25	13	214

W. 8,000, IX. 17.

6 X 9M4

REGISTER OF RAINFALL IN 1918.

Form A.
BRITISH RAINFALL.
114145
21 JAN 1919

Kept at Nanthir Reservoir
in the County of Brecknock.
by Owen Williams.

Lat. 51° 45′ N. Long. 3° 28′ W.
Time of Observation 8·30 a m
Nearest Railway Station Dwyhcoed GWR.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·28	—	·16	·01	—	—	·15	·01	·05	1·08	·01	1
2	—	·36	—	·34	—	—	—	·31	·03	·03	·24	·86	2
3	—	·61	—	·10	·22	·01	—	·02	·31	·21	·06	·02	3
4	—	·18	—	—	—	—	—	·05	·52	·42	1·94	·95	4
5	—	·12	·01	·22	·01	·01	—	·43	·14	1·68	·22	·08	5
6	·01	·98	—	·45	—	·01	—	·08	·12	·45	—	·12	6
7	—	·27	—	·01	·35	—	·01	·01	1·21	·18	·76	·28	7
8	Snow ·35	·24	—	—	—	—	·01	—	·49	·36	·03	·01	8
9	·12	·36	—	·25	—	·56	·06	—	·75	·39	·12	·52	9
10	·18	·09	—	·18	—	—	·45	—	·32	·14	·28	·65	10
11	·09	·16	·05	·01	—	—	·48	—	·64	·02	·10	·42	11
12	·01	·54	·04	—	·14	·01	·41	—	·21	—	—	·35	12
13	Snow ·09	·05	·01	—	·02	·04	·01	—	·54	·08	—	·48	13
14	1·21	—	·02	—	·05	·03	·20	·01	·52	·01	—	·56	14
15	Snow ·48	—	—	—	·03	·08	·86	—	·21	·01	—	·84	15
16	" ·18	—	—	·85	—	·06	·03	·24	·76	—	—	·25	16
17	·65	—	·06	—	—	·05	·81	·06	·16	·06	—	·62	17
18	1·69	—	·04	—	—	·58	·16	—	·48	·12	—	·58	18
19	·48	·10	·18	·01	—	·01	·21	·01	·06	·01	—	·26	19
20	·46	·39	—	·16	—	·16	·01	·01	·85	—	—	·01	20
21	·24	·12	—	·04	—	·05	·03	—	1·38	·01	—	·19	21
22	·03	·05	—	—	·35	—	·26	·01	·47	·01	—	·68	22
23	·47	·02	—	—	·64	—	·18	—	·23	—	·06	·01	23
24	—	·26	—	—	·01	—	·47	·08	·18	—	·15	·02	24
25	—	·02	—	—	·10	—	·28	·76	·01	·25	·08	·01	25
26	·08	·01	—	·02	—	—	·82	·03	·28	·08	·24	·72	26
27	·03	·01	·52	—	—	—	·61	·35	·46	·04	·35	·46	27
28	—	·09	·64	—	—	·01	—	—	—	·05	·48	·47	28
29	—	X	·21	—	—	—	—	—	1·09	·01	—	·16	29
30	—	X	·65	—	—	—	—	·02	·01	·09	·06	·38	30
31	·01	X	·82	X	—	X	—	·04	X	·02	X	—	31
Total	6·81	5·31	3·25	2·80	1·93	1·67	6·31	2·67	12·44	4·78	6·25	10·92	YEAR'S TOTAL 65·14
Rain Days.	20	23	13	14	12	15	21	19	29	26	17	30	239

W. 6,500, VII. 18. w w c

for auth 3677

4145

9 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Nanthir Reservoir.

in the County of Brecon

by Owen Williams

Lat. 51°45′ N Long. 3°28′ W.

Time of Observation 8·30 a.m.

Nearest Railway Station Llwydcoed.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·75	—	·26	—	·28	—	·35	·01	·39	·32	—	·78	1
2	·28	—	·18	—	·07	—	·01	·24	·28	·01	·01	·62	2
3	·09	—	·05	—	·08	—	—		·04	—	·02	1·05	3
4	·01	·18	38	—	·02	·14	·34		·48	—	—	·34	4
5	·02 ·64	·26	·02	—	—	—	—		·01	—	·01	1·02	5
6	·18	·08	78	—	—	—	—		·01	—	—	·46	6
7	·52	—	·62	·06	—	·01	—		·03	—	—	·12	7
8	·96	—	·05	·02	—	·06	—		—	—	—	—	8
9	·35	—	·04	·14	—	—	—		—	—	·06	·01	9
10	·14	—	1·20	·09	·11	—	—		—	·06	·01	1·09	10
11	·02	—	1·25	·16	·33	—	·08		—	·02	—	·14	11
12	·58	—	·21	·10	—	·98	—		—	·09	·04	·01	12
13	·81	·01	—	·68	—	—	·02		·46	·28	—	·23	13
14	·78	·08	—	·65	·14	—	·01	·01	·03	·09	—	·28	14
15	·25	·12	—	·24	·01	—	—	·06	—	·21	—	·52	15
16	—	·95	—	—	·01	·01	·01	—	—	—	·36	·01	16
17	·05	·16	·71	·06	—	·08	—	·14	—	—	·87	·05	17
18	·51	·02	·54	—	—	—	·12	·41	·05	—	·18	·18	18
19	·54	·48	·12	—	—	·26	—	·38	·08	—	·49	·04	19
20	·01	·25	·01	—	—	·02	—	·16	·21	—	·05	·38	20
21	—	1·38	—	—	—	—	·21	·04	·05	—	·03	·23	21
22	—	·09	—	—	—	·02	·01	—	·46	—	·15	1·47	22
23	·01	—	—	—	—	—	—	·01	—	·45	·38	·34	23
24	·28	—	—	·01	—	·05	—	—	·04	·14	·32	·41	24
25	·10	—	—	·08	·01	·01	—	·98	·03	·01	·21	·20	25
26	·35	·01	·28	·10	—	·03	—	·09	·24	—	—	·95	26
27	—	—	·14	·12	—	—	·06	·34	—	—	·01	·08	27
28	·02	—	·18	·01	—	—	—	·31	—	—	·06	·82	28
29	—	✕	·04	·04	—	·01	—	—	—	·08	—	·58	29
30	—	✕	·01	·25	—	·18	—	·58	·01	·01	·94	·86	30
31	/	✕	·06	✕	—	✕	·18	—	✕	—	✕	·10	31
Total	8·25	4·07	7·23	2·81	106 ~~1·07~~	1·86	1·40	3·76	2·90	1·77	4·20	13·37	Year's Total 52·68 ~~53·69~~
Days with ·01 in. or more	25	14	22	17	10	14	12	15	18	13	19	30	209

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd Wnd

4145

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Nant'hir Reservoir
in the County of Brecon
by Owen Williams. Surveyor. Town Hall. Aberdare

Lat. 51°45' N Long. 3°28' W
Time of Observation 9.0. a.m.
Nearest Railway Station Llwydcoed.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 860 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	·04	·14	·96	—	1·45	·09	·08	·32	—	·76	1
2	·16	·04	—	·21	·03	—	·14	·06	·16	·25	—	·85	2
3	·12	·22	—	·09	·01	—	·52	·05	·12	2·48	—	·20	3
4	—	—	·02	·01	·01	—	·01	1·21	·14	·11	—	—	4
5	—	·01	·24	—	·28	—	·16	·12	·48	·09	—	—	5
6	—	—	·68	·02	·36	—	·11	·01	·06	·26	·01	—	6
7	·09	—	·02	·12	·02	—	·13	—	·01	—	·01	—	7
8	·04	·04	—	·74	·10	—	·21	·15	—	—	—	—	8
9	·76	·62	·03	·65	—	·01	·08	·08	·04	—	·02	—	9
10	1·82	·71	·08	·01	—	·28	·54	·02	—	·01	·03	—	10
11	·45	—	·41	·58	·45	·01	·09	—	—	—	·01	—	11
12	·58	·30	·03	·54	·02	·54	·31	·05	—	·04	·29	—	12
13	·14	·03	·82	·96	—	·02	—	·01	—	·01	·05	—	13
14	·18	·01	·56	·91	—	·04	·18	—	·98	·14	1·62	·01	14
15	·02	·26	·29	1·75	·04	·02	·01	—	·04	·06	·28	—	15
16	·01	·02	·18	·18	·02	·08	·34	·01	·52	·95	·20	—	16
17	·39	—	·09	—	·46	·12	·01	·09	1·48	·08	—	·01	17
18	·35	—	—	·32	·23	·09	·13	·16	·76	—	—	·01	18
19	·06	·15	—	·54	·02	·14	·02	·13	—	—	—	—	19
20	·15	·01	—	·72	—	·10	·03	—	—	·01	—	·75	20
21	—	—	—	·01	—	—	·06	—	—	·14	—	·21	21
22	·24	—	—	·20	—	·01	·24	·05	—	·01	—	·38	22
23	·05	—	·02	·01	—	—	·61	·01	—	—	—	·81	23
24	·12	·02	·81	·05	—	—	·01	—	—	—	·09	·92	24
25	·03	·10	·31	·03	—	·01	·59	—	·01	—	—	·21	25
26	·58	·12	·76	·18	—	·14	·05	—	—	—	·18	·29	26
27	1·19	·22	·88	·52	·04	·58	·04	—	—	—	·04	·48	27
28	·42	·06	·43	·09	·01	·16	·02	—	—	—	—	·16	28
29	·89	·01	·24	·28	·15	·02	·16	—	—	—	·46	1·42	29
30	·48	×	·16	·09	·06	·34	·49	—	·38	·12	·52	1·26	30
31	·36	×	·76	×	·01	×	·05	·01	×	1·09	×	·52	31
TOTAL	9·68	2·99	7·86	9·98	3·28	2·71	6·79	2·31	5·26	6·17	3·81	9·25	YEAR'S TOTAL 70·09
Days with ·01 in. or more	26	20	23	28	20	19	30	18	15	18	15	18	250
Days with ·04 in. or more	23	13	18	22	11	12	23	12	13	14	10	15	186

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

PEND~~ER~~YN
RES
BRECON
1920

FORM A. 1. METEOROLO ORGANIZATION.

RE 1920.

12 JAN 1921

Kept at PENDERY
in the County of BREC
by Sr George Mor
St

Long 3°-32′-11″
9 a.m.
tion HIRWAIN
of Rain Gauge 5 in.
ge above Ground 1 ft. 0 in.
„ Sea Level 717 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·02	·09	·26	—	·00	1·03	·05	·15	·28	·01	·97	1
2	·33	·05	—	—	1·02	·00	·16	·08	·20	·20	·00	·46	2
3	—	·16	·01	—	·01	·00	·22	·09	·14	2·09	·00	·11	3
4	·07	·00	·02	—	·00	·00	·01	1·02	·10	·23	·00	·00	4
5	·00	·01	·35	·08	·37	—	·21	·10	·27	·19	·00	·00	5
6	·00	·00	·00	·03	·48	·00	·09	·00	·03	·25	·02	·00	6
7	·17	—	·49	·14	·03	·00	·24	·00	·00	·00	·00	·00	7
8	·02	·06	·00	·68	—	·00	·14	·18	·00	·00	·00	·00	8
9	·80	·65	·05	·74	·17	·00	·11	·04	·04	·00	·04	·00	9
10	—	·64	·09	—	·60	·47	·57	·00	·00	·00	·08	·00	10
11	1·50	·02	·43	·66	·42	·07	·08	·00	·00	·00	·00	·00	11
12	·63	·12	·05	·60	·04	·64	·26	·22	·00	·04	·24	·00	12
13	·10	·06	—	·64	·00	·04	·00	·00	·00	·00	·03	·00	13
14	·18	—	1·57	·94	·00	·00	·14	·00	1·11	·17	1·10	·00	14
15	·07	·28	·23	1·26	—	·07	·01	·00	·00	·09	·25	·00	15
16	·02	·00	·18	·18	·12	·07	·48	·01	·62	1·01	·11	·00	16
17	—	·00	·03	—	·43	·44	—	·31	1·77	·30	·00	·00	17
18	·71	·00	·00	·30	·16	·25	·05	·20	·82	·00	·00	·03	18
19	·04	·30	·00	·62	·08	·11	·05	·02	·00	·00	·00	·00	19
20	·11	·00	—	·55	·00	·08	·05	·00	·00	·00	·00	·48	20
21	·00	—	·00	·04	·00	·00	·20	·01	·00	·22	·00	·12	21
22	·14	·00	·00	·10	—	·03	·25	·06	·00	·00	·00	·34	22
23	·02	·00	·07	·00	—	·00	·55	·00	·00	·00	·00	·88	23
24	—	·05	·76	—	—	·00	·02	·00	·00	·00	·11	·76	24
25	·15	·10	·35	·09	·00	·01	·56	·00	·00	·00	·00	·17	25
26	·47	·07	·61	·16	·00	·11	·07	·00	·00	·00	·20	·32	26
27	1·05	·07	—	·48	·08	·63	·06	·00	·00	·00	·06	·51	27
28	·55	—	1·28	·05	·02	·19	·01	·00	·00	·00	·00	·09	28
29	·75	·06	·23	·25	—	·02	·44	·00	·00	·00	·34	1·09	29
30	·50		·15	·15	·34	·43	·30	·00	·69	·14	·44	1·12	30
31	·36		·66		·03		·03	·03		1·12		·36	31
TOTAL	8·74	2·72	7·70	9·00	3·80	3·60	6·39	2·42	5·94	6·33	3·03	7·81	YEAR'S TOTAL 67·48
Days with ·01 in. or more	23	17	21	23	16	17	29	15	12	14	14	16	217
Days with ·04 in. or more	20	14	18	22	12	13	24	11	11	14	11	15	185

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

12 JAN 1921

Kept at PENDERYN RESERVOIR

in the County of BRECONSHIRE

by Sr George Moore & La Trobe Bateman
St

Lat. 51° 45′ 14″ Long. 3° 32′ 11″

Time of Observation 9 a.m.

Nearest Railway Station HIRWAIN

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 717 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·02	·09	·26	—	·00	1·03	·05	·15	·28	·01	·97	1
2	·33	·05	—	—	1·02	·00	·16	·08	·20	·20	·00	·46	2
3	—	·16	·01	—	·01	·00	·22	·09	·14	2·09	·00	·11	3
4	·07	·00	·02	—	·00	·00	·01	1·02	·10	·23	·00	·00	4
5	·00	·01	·35	·08	·37	—	·21	·10	·27	·19	·00	·00	5
6	·00	·00	·00	·03	·48	·00	·09	·00	·03	·25	·02	·00	6
7	·17	—	·49	·14	·03	·00	·24	·00	·00	·00	·00	·00	7
8	·02	·06	·00	·68	—	·00	·14	·18	·00	·00	·00	·00	8
9	·80	·65	·05	·74	·17	·00	·11	·04	·04	·00	·04	·00	9
10	—	·64	·09	—	·00	·47	·57	·00	·00	·00	·08	·00	10
11	1·50	·02	·43	·66	·42	·07	·08	·00	·00	·00	·00	·00	11
12	·63	·12	·05	·60	·04	·64	·26	·22	·00	·04	·24	·00	12
13	·10	·06	—	·64	·00	·04	·00	·00	·00	·00	·03	·00	13
14	·18	—	1·57	·94	·00	·00	·14	·00	1·11	·17	1·10	·00	14
15	·07	·28	·23	1·26	—	·07	·01	·00	·00	·09	·25	·00	15
16	·02	·00	·18	·18	·12	·07	·48	·01	·62	1·01	·11	·00	16
17	—	·00	·03	—	·43	·44	—	·31	1·77	·30	·00	·00	17
18	·71	·00	·00	·30	·16	·25	·05	·20	·82	·00	·00	·03	18
19	·04	·30	·00	·62	·08	·11	·05	·02	·00	·00	·00	·00	19
20	·11	·00	—	·55	·00	·08	·05	·00	·00	·00	·00	·48	20
21	·00	—	·00	·04	·00	·00	·20	·01	·00	·22	·00	·12	21
22	·14	·00	·00	·10	—	·03	·25	·06	·00	·00	·00	·34	22
23	·02	·00	·07	·00	—	·00	·55	·00	·00	·00	·00	·88	23
24	—	·05	·76	—	—	·00	·02	·00	·00	·00	·11	·76	24
25	·15	·10	·35	·09	·00	·01	·56	·00	·00	·00	·00	·17	25
26	·47	·07	·61	·16	·00	·11	·07	·00	·00	·00	·20	·32	26
27	1·05	·07	—	·48	·08	·63	·06	·00	·00	·00	·06	·51	27
28	·55	—	1·28	·05	·02	·19	·01	·00	·00	·00	·00	·09	28
29	·75	·06	·23	·25	—	·02	·44	·00	·00	·00	·34	1·09	29
30	·50		·15	·15	·34	·43	·30	·00	·69	·14	·44	1·12	30
31	·36		·66		·03		·03	·03		1·12		·36	31
TOTAL	8·74	2·72	7·70	9·00	3·80	3·60	6·39	2·42	5·94	6·33	3·03	7·81	YEAR'S TOTAL 67·48
Days with ·01 in. or more	23	17	21	23	16	17	29	15	12	14	14	16	217
Days with ·04 in. or more	20	14	18	22	12	13	24	11	11	14	11	15	185

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2/5/24 3632

SENN~~BRIDGE~~ BRECON

LLWYNEYNTYN

1920

Form A. 1. **METEOROLOG ORGANIZATION.**

REG 1920.

Kept at Sennybridge ong.

in the County of Brecon on.

Mrs R. D. Gammons f Rain Gauge in.

e above Ground ft. in.

,, Sea Level ft.

IMPORTANT NOTE.—~~Rain should be measured daily at 9 a.m. and the result~~ entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14			·10	62		5·8	·01	·06				1
2		·02		·40	·02		·03	·18	·13				2
3		·15		·11	·38		·20	·01	·06				3
4			·02					·71	·07				4
5			·24		·30		·20	·26	·35				5
6			·60		·15		·05		·02				6
7	·03		·06	·15	·01		·05						7
8	·16	·09		·74	·05		·56	·10					8
9	·47	·31		·58			·05	·05					9
10	1·26	·49	·03			·24	·13	·01					10
11	·26	·20	·31	·38	·22	·04	·03						11
12	·22	·14	·02	·37		83	·16	·15					12
13	·10	·06	·64	·47									13
14	·02	·03	·41	1·21			13		1·10				14
15		·14	·38	·42	·04	17			·20				15
16			·10	67	·10	·23	·43	·01					16
17	·08			·30	·26	2·06	·02	·20	96				17
18	·24			·20	·05	·04	·03	·09	·67				18
19	·08			·40		·10	·01						19
20	·15			·88		·05							20
21		29		·02			·42						21
22	·15	·01		·08		·03	·20	·04					22
23	·06		·04				·61						23
24	·15		·64										24
25	·09	·18	·24	·16		·05	·35		(–)				25
26	·43	·13	·73	·27		·04	·06						26
27	·93	·06	1·27	·65	·03	·43	·01						27
28	·74		·43	·21		·10							28
29	·79		·23	10	·37	·05	29						29
30	·13		·41	·21	·02	·26	18		(·40)				30
31	·22		·64				·04						31
TOTAL	~~6·88~~ 6·90	2·30	~~7·29~~ 7·44	9·08	2·62	4·72	4·82	~~1·83~~ 1·82	4·02				YEAR'S TOTAL
Days with ·01 in. or more	23	15	~~21~~ 20	24	15	16	25	~~11~~ 13	11				

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3632

FORM A. 1. METEOROLO[illegible]ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sennybridge, Llwyncyntefn
in the County of Brecon
Mrs R. D. Gammons-Williams

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14			·10	·62		5·8	·01	·06		—		1
2		·02		·40	·02		·03	·18	·13				2
3		·15		·11	·38		·20	·01	·06				3
4			·02					·71	·07				4
5			·24		·30		·20	·26	·35				5
6			·60		·15		·05		·02				6
7	·03		·06	·15	·01		·05						7
8	·16	·09		·74	·05		·56	·10					8
9	·47	·31		·5·8			·05	·05					9
10	1·26	·49	·03			·24	·13	·01					10
11	·26	·20	·31	·38	·22	·04	·03						11
12	·22	·14	·02	·37		·83	·16	·15					12
13	·10	·06	·64	·47									13
14	·02	·03	·41	1·21			·13		1·10				14
15		·14	·38	·42	·04	·17			·20				15
16			·10	·67	·10	·23	·43	·01					16
17	·08			·30	·26	2·06	·02	·20	·96				17
18	·24			·20	·05	·04	·03	·09	·67				18
19	·08			·40		·10	·01						19
20	·15			·88		·05							20
21		·29		·02			·42						21
22	·15	·01		·08		·03	·20	·04					22
23	·06		·04				·61						23
24	·15		·64										24
25	·09	·18	·24	·16		·05	·35		(–)				25
26	·43	·13	·73	·27		·04	·06						26
27	·93	·06	1·27	·65	·03	·43	·01						27
28	·74		·43	·21		·10							28
29	·79		·23	·10	·37	·05	·29						29
30	·13		·41	·21	·02	·26	·18		(·40)				30
31	·22		·64				·04						31
TOTAL	~~6·88~~ 6·90	2·30	~~7·29~~ 7·44	9·08	2·62	4·72	4·82	~~1·83~~ 1·82	4·02				YEAR'S TOTAL
Days with ·01 in. or more	23	15	~~21~~ 20	24	15	16	25	~~11~~ 13	11				

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Corrected for

28.VI.12

REG … 11.

BWLCH
SWANSEA W W
BRECON

1911 - 1918

FORM A2.
BRITISH RAINFALL.

28 JUN 1912

Kept at Bwlch … 8 in.

…ove Ground 1 ft. – in.

in the County of Bre… Sea Level 1246 ft.

by R. H. Wyrill … Glam.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	–	·21	·01	·17	–	·05	·04	–	·01	58	·43	1
2	–	–	·03	·07	·45	–	–	·46	–	·09	·06	1·02	2
3	–	–	·40	–	1·02	–	–	·15	–	–	1·04	·22	3
4	–	–	·34	–	–	–	–	1·28	–	·07	1·32	·63	4
5	·43	–	·14	·02	–	–	–	·28	–	–	·22	·02	5
6	·34	–	·02	–	–	–	–	·65	–	–	·30	·92	6
7	·44	–	–	–	–	–	–	–	–	–	·76	–	7
8	·66	–	·30	–	–	–	–	–	–	–	·46	·96	8
9	·06	–	·01	–	–	–	–	–	–	–	·09	·66	9
10	·51	·12	1·05	–	–	–	–	–	–	–	–	1·08	10
11	·75	–	·10	–	·04	–	–	·01	·01	–	·21	·22	11
12	–	·02	·34	–	02	–	–	–	·49	–	1·32	·18	12
13	–	·01	–	–	·02	–	–	–	·05	–	·60	·15	13
14	–	·41	–	–	·03	–	–	–	–	–	·61	·53	14
15	–	·62	·06	–	–	·04	–	–	–	–	·73	·12	15
16	·02	·24	–	–	–	·34	–	–	–	–	·17	·72	16
17	·01	·70	–	·05	–	·90	–	–	–	–	·44	1·15	17
18	–	1·54	·01	·33	–	·21	–	–	–	·03	·11	1·18	18
19	–	·09	–	·62	–	·11	–	·03	·70	·07	·33	·58	19
20	·02	·36	–	·95	–	·02	–	–	·07	·36	–	·25	20
21	·02	1·98	·02	·29	–	·75	·08	·40	·08	·28	–	·27	21
22	–	·15	–	·83	–	·32	·04	–	·11	·53	–	·52	22
23	·07	·45	–	·06	·16	·01	–	·05	·51	·48	·01	·79	23
24	·65	·18	–	·04	·31	·62	–	·23	·05	·21	–	·25	24
25	·76	·20	–	·76	–	·09	·02	–	·38	·12	–	·12	25
26	·09	·14	–	·54	–	–	–	·67	·06	·18	·03	·22	26
27	·01	2·63	·03	·19	–	–	–	·88	·69	–	·20	·23	27
28	–	·75	·01	·20	–	·03	–	·12	–	–	·04	·18	28
29	–		–	·04	–	·61	·11	·01	·50	1·34	–	·15	29
30	–		–	–	–	·02	·08	–	–	·77	·24	–	30
31	–		–		–		·07	–		·02		–	31
Total	4·90	10·59	3·07	5·00	2·22	4·07	·45	5·26	3·70	4·56	9·87	13·75	TOTAL for year 67·44
No. of Rain Days.	17	18	16	16	9	14	7	15	13	15	23	28	191

W. 8,000, X. '11.

Corrected for w

Ref. 28.VI.12

FORM A2. BRITISH RAINFALL.

28 JUN 1912

REGISTER OF RAINFALL IN 1911.

Kept at Bwlch

in the County of Brecon

by R. H. Wyrill, C.E.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 1246 ft.

Time of Observation 9 am.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	–	·21	·01	·17	–	·05	·04	–	·01	58	·43	1
2	–	–	·03	·07	·45	–	–	·46	–	·09	·06	1·02	2
3	–	–	·40	–	1·02	–	–	·15	–	–	1·04	·22	3
4	–	–	·34	–	–	–	–	1·28	–	·07	1·32	·63	4
5	·43	–	·14	·02	–	–	–	·28	–	–	·22	·02	5
6	·34	–	·02	–	–	–	–	·65	–	–	·30	·92	6
7	·44	–	–	–	–	–	–	–	–	–	·76	–	7
8	·66	–	·30	–	–	–	–	–	–	–	·46	·96	8
9	·06	–	·01	–	–	–	–	–	–	–	·09	·66	9
10	·51	·12	1·05	–	–	–	–	–	–	–	–	1·08	10
11	·75	–	·10	–	·04	–	–	·01	·01	–	·21	·22	11
12	–	·02	·34	–	02	–	–	–	·49	–	1·32	·18	12
13	–	·01	–	–	·02	–	–	–	·05	–	·60	·15	13
14	–	·41	–	–	·03	–	–	–	–	–	·61	·53	14
15	–	·62	·06	–	–	·04	–	–	–	–	·73	·12	15
16	·02	·24	–	–	–	·34	–	–	–	–	·17	·72	16
17	·01	·70	–	·05	–	·90	–	–	–	–	·44	1·15	17
18	–	1·54	·01	·33	–	·21	–	–	–	·03	·11	1·18	18
19	–	·09	–	·62	–	·11	–	·03	·70	·07	·33	·58	19
20	·02	·36	–	·95	–	·02	–	–	·07	·36	–	·25	20
21	·02	1·98	·02	·29	–	·75	·08	·40	·08	·28	–	·27	21
22	–	·15	–	·83	–	·32	·04	–	·11	·53	–	·52	22
23	·07	·45	–	·06	·16	·01	–	·05	·51	·48	·01	·79	23
24	·65	·18	–	·04	·31	·62	–	·23	·05	·21	–	·25	24
25	·76	·20	–	·76	–	·09	·02	–	·38	·12	–	·12	25
26	·09	·14	–	·54	–	–	–	·67	·06	·18	·03	·22	26
27	·01	2·63	·03	·19	–	–	–	·88	·69	–	·20	·23	27
28	–	·75	·01	·20	–	·03	–	·12	–	–	·04	·18	28
29	–		–	·04	–	·61	·11	·01	·50	1·34	–	·15	29
30	–		–	–	–	·02	·08	–	–	·77	·24	–	30
31	–		–		–		·07	–		·02		–	31
Total	4·90	10·59	3·07	5·00	2·22	4·07	·45	5·26	3·70	4·56	9·87	13·75	TOTAL for year 67·44
No. of Rain Days.	17	18	16	16	9	14	7	15	13	15	23	28	191

W. 8,000, X. '11.

by: 25 Ex DL

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
21 FEB 1912

Kept at Bwlch
in the County of Brecon
by R. H. Wyrill M. Inst. C.E.

Rain Gauge:
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 1246 ft.

Time of Observation 9 am

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.16		.54	.03	.44		.12	.11		.02	1.48	1.10	1
2			.07	.18	1.16			1.18		.24	.16	2.61	2
3			1.02		2.62			.39			2.65	.56	3
4			.86		.01			3.27			3.36	1.61	4
5	1.11		.36	.04				.73		.17	.57	.06	5
6	.86		.05					1.66		.01	.78	2.36	6
7	1.12										1.95		7
8	1.68		.78								1.19	2.45	8
9	.15		.02								.22	1.70	9
10	1.79	.32	2.68									2.75	10
11	1.92		.25		.09			.03	.03		.53	.57	11
12		.04	.86		.06				1.25		3.38	.45	12
13		.02			.04				.12		1.55	.38	13
14		1.05			.07						1.57	1.36	14
15		1.58	.16			.09					1.88	.32	15
16	.04	.62				.88					.44	1.85	16
17	.02	1.80		.13		2.31					1.13	2.95	17
18		3.94	.03	.85		.54				.08	.29	3.01	18
19		.23		1.58		.28		.08	1.78	.19	.84	1.49	19
20	.06	.92		2.43		.06			.17	.92		.65	20
21	.05	5.08	.02	.74		1.92	.21	1.02	.21	.72		.69	21
22		.38		2.11		.82	.11		.28	1.36		1.32	22
23	.19	1.14	.01	.15	.42	.02		.12	1.30	1.24	.03	2.03	23
24	1.66	.45		.10	.78	1.58		.59	.12	.53		.64	24
25	1.95	.52		1.95		.22	.06		.98	.32		.32	25
26	.23	.35		1.37				1.72	.15	.46	.08	.56	26
27	.03	6.71	.08	.48				2.25	1.76		.50	.59	27
28		1.92	.02	.51		.08		.32			.11	.47	28
29				.09		1.56	.29	.02	1.28	3.42		.38	29
30						.05	.21	.01		1.98	.61		30
31							.17			.06			31
Total	1252	21.07	7.81	12.74	5.69	10.41	1.17	13.50	9.43	11.72	25.30	35.23	TOTAL for year 171.59
No. of Rain Days.	17	18	17	16	10	14	7	16	13	16	23	28	195

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

25 FEB 1913

Kept at Bwlch
in the County of Brecon 7
by L. H. Wyrill, M. Inst. C. E.

Lat. Long.
Time of Observation 9·0 am.
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1246 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06		3·36		·37	·92	·09	·12	·09	·24		·60	1
2	·10	·02	2·42		·01	·81	·03						2
3	·56		·91	·14		·31	·06	1·85	1·89		·06	1·10	3
4	3·30		2·66	·11	·10	·02		1·25			·60	·01	4
5	1·31	·28	·58	·24	·76	·01		·59	·05		·06	·26	5
6	1·72	·38	·05	·18	1·16		·01	·20	·01		·09	·15	6
7	·06	·86	·77	·03	1·58	·42	·90	·02	·06		·05	·31	7
8	1·84	·56	·72	·57	·06	·02		·16	·09		·02		8
9	·19	1·13	·22	·47		·55	·28	1·45			·13	1·56	9
10	·84	·11		·01		·08	1·98	·03			1·38	·58	10
11	·11	·16			·21		·59	·04			·54	3·22	11
12	·50	·73	2·21	·17	·26	·06	·42				·03	·51	12
13	·47		1·05	·05		·23	·10	·06		1·32		2·28	13
14	·72	·40	2·66		·08	·03		·36	·01	·05		1·73	14
15	1·29	·62	·18		·14	1·22		·16			·02	·86	15
16	1·17	·07	3·15		·25			2·52	·01	·92		·05	16
17	·22	·04	·34		·18	2·08		1·48			·15	·80	17
18	·06	·18	·25			·42		1·14		·66	·02	·06	18
19	·07	1·20	~~1·62~~			·21	·09	1·28		·03	·10	·43	19
20	·12	·15	1·62		·06	·06	·04	·22		·94	·28	·02	20
21		·72	1·68	·02	·36		·08	·67		·43	·01	·17	21
22	·13	3·38	·21		·92	·09	·99	2·96		·06	·14	·91	22
23	·08	·39	2·96			1·15	·06	2·54		·12	1·16	·42	23
24	·10	·12	1·84		·03	1·10		·06		·06	·14	·63	24
25			1·02			·62	·15	·98		·02	1·57	1·16	25
26		2·36	·12			·01	·01	·34		2·56	2·15	1·02	26
27		2·40	·82			2·56	2·48			1·81	·05	3·35	27
28		·82	·06			1·68	1·84	1·92	·09	·49	1·56	·06	28
29		1·22	·15			·21	1·36	·90	·31	·59		·04	29
30			·29	·10	·01	1·02	·12	·04		1·21		·12	30
31			·51		·05		·83	·29		·05		·96	31
Total	15·02	18·30	33·91	2·09	6·59	15·89	12·51	24·73	2·61	11·56	10·31	23·37	YEAR'S TOTAL 176·89
Rain Days.	23	24	28	12	19	26	22	28	10	18	23	29	262

W. 7,500, XI. ·12

Ex 92

FORM A.
BRITISH RAINFALL.

12 FEB 1914

REGISTER OF RAINFALL IN 1913

Kept at Bwlch
in the County of Brecon
by R. H. Wyrill, M. Inst. C. E.

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station Penwyllt
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1246 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·61	·82	·38	·15				·02	·03	·86	·16	1
2	·04	·65	1·75	·21	·11	·20				·59	·71	·35	2
3	·65	·62	1·21		1·21					·20	·04	1·05	3
4	·82	·33	1·53		·06	·02			1·34	·12	·07	·40	4
5	·37	·23	·18		·22	·46	·09		·09	·03	·72	·21	5
6	1·21	·59	·43		·33	1·17	·24			·50	·09	·45	6
7	·62	2·07	·02		1·10	·75	·04			·68	·38	·17	7
8	·08	1·84			·70	·06	·07			·05	—	·95	8
9		·52	1·10		·42	1·84	·16	·07	·01		·75	·48	9
10	·47		·84	·02	·35			·75	·02	·47	·19		10
11	·43			·83	·31		·02	·12	·12	·07	1·32	·68	11
12					·09	·19	·03	·06	·30		1·24	·02	12
13	·03		2·53	·09	·05		·27	·15	1·26		·99		13
14	·70		1·22	1·26					·58	·71	·15	·12	14
15	·95		1·06	3·53				·24			·10	·48	15
16	·20		·63	·24			·05	·02	·01		·56		16
17	·32		·19	·56			·35				1·64		17
18	·16		1·62	1·51	·03		·23				·52		18
19	1·15		·55	·01	·07	·32	·03		·38	·55	·86		19
20	·75		·98	·15	·19					·48	4·24		20
21			·62	·83	·61	·02	·25	·90	—	·55	·31		21
22	1·84		·98		·40	·38		1·83	·52				22
23	·57		·06		·12	·22		·09	·35		·09	·14	23
24	1·15	·25		·35				·03	+		·64	·04	24
25		·03		·70					·16	·07	·57	·64	25
26				4·08		·06			·01	·16		1·48	26
27	·09		·07	·68						·55	·03	·05	27
28	·56		·52	·87	·14					·57		·16	28
29			·43	·36	·01			·15		1·21	·28		29
30	1·68		·03	·01	·29					·38	·40		30
31	·05		·42		·02					·08			31
Total	15·04	~~7·80~~ 7·74	19·79	16·67	6·98	5·69	1·82	4·41	5·17	8·05	17·75	8·03	YEAR'S TOTAL 117·14
Rain Days.	25	11	26	20	23	13	13	12	15	21	26	19	223

W.7,000, XI. 13

Ex D L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
10 MAR 1915

Kept at Bwlch
in the County of Brecon
by R. A. Wyrill, M. Inst. C. E.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Penwyllt
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 1·246 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·30	·14	·15		·03	·22	1·03			·31	·20	1
2	·05		·13		·16	·19	·93	·78			·27	·75	2
3	·12		1·15	·27	·45	·05		·03		·09	·03	·95	3
4	·83		·58	·76	·42		·67	·06			·20	1·18	4
5	·23		·89	·70	·32		·02	·04			·35	·02	5
6	·08	·27	·25	·12	·42	·06	·36	·29			·29	1·14	6
7	·40	1·15	1·56	·30	1·06	·07	·66	·37	·02		·17	·88	7
8	1·25		·44	·32	1·12	·34	·03	2·30	·01	·03	·25	·50	8
9	1·65	·35	·12	·33	·33	1·03		1·55	·12		·30		9
10	·15	·98	·16	·18	·27	·17			1·10		·06		10
11		·70	1·18		·54	·31					·76	·75	11
12		1·40	·47			·01			·32		·95	·35	12
13		3·12	1·00	·04			·32		1·02	·23	·75	·15	13
14		2·76	·65				·06	·18	·07	·02	·57		14
15		·11	·86				·19	·33	·11	·05	·63	·12	15
16	·02		·12				·21		·78			·27	16
17	·04	1·94	·46				·24		·07			3·30	17
18		·19	·74				·10		·16			·85	18
19		·28	·22				1·39		·18		·09	·48	19
20		1·00	·42			·24	·13					·30	20
21		·45	·06			·16	·05	·17		·35			21
22		·40		·02		·24	·01	·65		1·30			22
23		·17	·56		·01		·28	·07		·23			23
24	·14	·08	·25		·04	·09	·26	·15		·04	·30		24
25	·55		·44		·02		·82	·92		·81	·74	1·07	25
26		·06	·09				·43	·22		·27	1·13	·56	26
27	·15	·19					·12			·12	1·18	1·72	27
28	·43	·45	·45		·17					·03	·36	·42	28
29	1·85		·35		·16			·05		·09	2·46	·23	29
30	·18	×	1·28							·04	1·40	1·48	30
31	2·86	×	·02	×		×	·80		×	·45	×	·52	31
Total	10·98	16·35	15·04	3·49	5·49	2·99	8·30	9·19	3·96	4·15	13·55	18·19	YEAR'S TOTAL 111·68
Rain Days.	18	21	29	11	15	14	23	18	12	16	23	24	224

W. 8,000. X. 14.

cnd 16.V.16

4155

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
22 FEB 1916

Kept at Bwlch
in the County of Brecon
by R. H. Wyrill M. Inst. C. E.

Lat. Long.
Time of Observation 9·0 a.m.
Nearest Railway Station Penwyllt
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1246 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·31	1·44	·22		1·18			·63	·12	·35		·82	1
2	·55	·80	1·23	1·05		·05	·26	·60	·09	·08		·37	2
3	·01	·96	1·42	·32	·06	·03	·59	·01				·84	3
4	·15	·65	·24		·13	·21	·97	·03				1·48	4
5	·21	·66	·10	·26		·26	·06	·23				1·82	5
6	·57	·10	·06	·73		·02	·65	·15				·43	6
7	·54	1·45	·02	·10			·30	·45			·01	1·17	7
8	·55	·90		·03				·07			1·17		8
9	·10	1·09		·76				·20			·37	2·17	9
10	1·62	·06	·10	·12			·03	·17		·15	·23	·37	10
11	·22	·09	·04				·01	·55		·02	1·09	·07	11
12	·61	·15		·10	·34					·24	·84	·09	12
13	·22	·75			·38			·06	·14	·11	·09	·46	13
14	1·18	·11		·01				·45	·54	·01	·03	2·14	14
15	1·12	·05			·26		·12	·07	·38	·05	·25	·44	15
16	·14	2·08		·01	·49		1·58	·01	·07			·01	16
17	·05	·64	·05		·53			·19					17
18	·03	1·25	·03	·06			·40						18
19	·02	·07		·78	·72		1·87						19
20	1·23			·09	·02		·01			·10		·37	20
21	·44	·06		·03	·06		1·12			·24		·65	21
22	·02	·07	·15	·15		·01	·60		·02	·09		1·45	22
23		·06	·37			·54	·35		·10	·84		·82	23
24				·02		·01			·05	·40		1·35	24
25			·07			·49	·25		·09		·01	·42	25
26		1·28				·12	·92		·05			1·55	26
27		·12				·27	·45		·02	1·29		·55	27
28		·25				·16	·03	·01	·25	·07		·06	28
29						·35	·24	·07	·04	·06	·84	·35	29
30	·36	X		·70		·02	·03			·46	·80	1·09	30
31	·01	X		X		X	·41	·25	X	·53	X	1·80	31
Total	11·26	15·14	4·10	5·32	4·17	2·54	11·25	4·20	1·96	5·09	5·73	23·14	YEAR'S TOTAL 93·95 93·90
Rain	24	25	14	18	11	14	23	19	14	18	12	27	219

. X. 15.

4082

Cx 9.2

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 9. MAR 1917

Kept at Bwlch

in the County of Brecon

by R. H. Wyrill – M. Inst. C. E.

Lat. Long.

Time of Observation 9.0 a.m.

Nearest Railway Station Penwyllt

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1246 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·68	·10	–	–	–	1·15	·53	–	–	·42	·85	–	1
2	2·70	·88	·24	–	–	·12	·49	·02	·55	2·13	·45	–	2
3	·42	2·56	–	·01	·06	·35	·04	–	·45	·86	·63	·05	3
4	1·70	·43	–	·01	·25	1·78	·01	–	·17	·60	·76	–	4
5	·39	1·50	·04	–	·10	·39	·05	–	–	1·98	·29	–	5
6	1·90	·67	·02	–	·48	·06	·85	–	–	1·77	1·28	·01	6
7	·17	·03	·03	–	·36	·07	·05	–	–	·79	·92	·30	7
8	·03	·04	·07	–	·70	·14	–	–	–	·25	·11	·21	8
9	–	·13	·02	–	·02	·10	–	–	–	·02	·16	·17	9
10	·10	·47	·02	·20	·10	·01	·10	–	–	·42	·31	·16	10
11	·15	·12	·05	·76	·19	·17	·02	–	·10	·14	·02	–	11
12	·27	·72	–	·41	·55	–	1·38	·84	·03	·82	–	–	12
13	·02	·48	·30	·35	·01	–	·01	1·50	·01	1·03	–	·01	13
14	·06	·69	·02	·07	·34	–	–	·11	–	·90	–	–	14
15	·02	2·90	·05	·25	·10	–	·10	·32	·03	·13	–	–	15
16	·25	·09	–	·83	·14	–	·18	·30	–	·32	–	–	16
17	1·29	·70	–	·87	–	–	–	·06	2·00	·59	·12	–	17
18	·19	1·17	·10	·82	–	–	–	–	·30	·24	·13	·36	18
19	2·16	–	·63	·92	–	–	–	–	–	–	·25	·16	19
20	1·42	·14	·20	·02	–	–	–	–	–	–	·13	·39	20
21	1·98	–	·12	·06	·07	–	·49	–	–	–	·09	·14	21
22	–	–	–	–	–	·20	–	–	–	·81	·20	·29	22
23	·54	·05	·02	·56	–	·19	–	·38	–	·69	1·58	·18	23
24	–	·03	·02	1·86	1·23	·03	·01	·53	–	·89	·28	·20	24
25	·40	·03	·48	–	·05	·09	–	1·68	·04	·37	·82	·07	25
26	·52	·05	·11	–	·10	·25	·85	·50	·92	·61	·36	–	26
27	·16	–	·15	–	·04	·36	–	·51	·70	1·50	–	–	27
28	·03	·08	–	–	–	–	–	–	·09	·63	1·24	3·20	28
29	–	·07	·10	–	–	·82	–	·60	–	1·25	·36	2·00	29
30	–	X	–	–	–	·26.	–	·08	–	1·05	–	·15	30
31	–	X	–	X	·01	X	–	·68	X	1·00	X	·16	31
Total	17·55	14·13	2·79	8·00	4·90	6·54	5·16	8·11	5·39	22·24	11·34	8·21	YEAR'S TOTAL 114·36
Rain Days.	25	25	21	16	20	19	16	15	13	28	23	19	240

W. 8,000, VIII. 16

3915

FORM A.
BRITISH RAINFALL.

REGISTER OF ~~RAIN~~FALL IN 1917

Exd

Kept at Bwlch

in the County of Brecon

by Geo. R. Collinson B.Sc., A.M.Inst.C.E., Water ~~Engineer & Manager~~ Swansea Corporation.

Lat. Long.

Time of Observation 9.0 am.

Nearest Railway Station Penwyllt

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1246 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	–	·29	·36	–	·63	–	·11	·31	–	·41	·24	1
2	·08	–	·07	·26	–	·32	–	–	–	·18	·28	·10	2
3	·61	·06	·02	·23	–	·60	·14	–	–	1·75	·22	·04	3
4	·10	·02	·30	·01	–	–	·12	·01	·08	·80	·01	–	4
5	·95	–	·57	·67	–	·02	–	·34	·22	·73	2·25	–	5
6	·11	–	·53	–	–	·01	–	·01	–	1·06	·71	1·16	6
7	·65	–	·06	–	–	·02	·22	·07	–	·42	·28	·14	7
8	·37	–	·14	·31	–	·01	·54	1·12	·18	1·45	1·10	·30	8
9	–	–	·24	·38	·16	–	–	·46	·08	·19	1·03	–	9
10	·90	–	1·25	·35	·28	·10	–	1·03	–	·20	·20	–	10
11	·23	–	·01	·36	–	–	–	2·00	–	1·07	·20	–	11
12	·08	–	·05	·01	1·12	–	–	·52	·02	·40	–	–	12
13	·10	–	·26	·58	–	·15	–	1·88	·72	·10	·07	·12	13
14	–	–	·02	·12	·03	–	·01	·76	–	·06	–	·18	14
15	·01	–	–	·03	·12	–	·45	·12	·38	1·50	–	·72	15
16	·01	·27	–	·60	–	–	–	·18	·10	·11	–	·12	16
17	–	·11	·16	·75	·12	–	1·92	3·30	·68	·25	·11	–	17
18	–	·02	·09	·18	·03	–	1·41	·15	1·02	·07	·01	–	18
19	–	·70	·36	·01	–	·26	–	·03	·38	–	·07	–	19
20	·01	·15	·18	–	·68	·72	·28	·19	·23	–	·15	–	20
21	–	·03	·02	–	·16	·11	·01	·12	–	·60	·05	–	21
22	·01	·02	–	–	–	·02	–	·68	–	·56	·13	–	22
23	–	·64	–	–	·73	·32	–	1·70	–	·20	·08	·06	23
24	–	·10	·01	–	–	·45	·09	·94	·01	1·54	·12	·20	24
25	–	·17	·18	–	–	–	·09	1·17	·31	·14	·18	–	25
26	–	–	·02	–	·36	·16	·17	·62	·72	·13	·82	–	26
27	–	·02	·02	–	·60	·79	·78	2·38	–	·06	·05	–	27
28	–	·08	·37	–	·06	·25	·01	·80	–	–	·38	·01	28
29	–		·10	–	–	–	·02	·26	–	1·67	·35	·13	29
30	–	X	·11	–	–	–	·01	1·03	–	·60	·46	·01	30
31	–	X	·03	X	1·10	X	–	1·28	X	·04	X	·01	31
Total	4·28 ✓	2·39 ✓	5·46 ✓	5·21 ✓	5·55 ✓	4·94 ✓	6·27 ✓	23·26 ✓	5·44 ✓	15·88 ✓	9·72 ✓	3·54 ✓	YEAR'S TOTAL 91·94 ✓
Rain Days.	16 ✓	14 ✓	27 ✓	17 ✓	14 ✓	18 ✓	17 ✓	29 ✓	16 ✓	27 ✓	26 ✓	16 ✓	237 ✓

W. 8,000, VIII. 16

Exd

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
17. 1. 19

Kept at Bwlch
in the County of Brecon
by G. R. Collinson Lt R.E.

Lat. 51° 51′ 42½″ Long. 3° 38′ 29″ W.
Time of Observation 9.0 a.m.
Nearest Railway Station Penwyllt (Neath & Brecon)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1246 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
			·07										
1	—	·52	·01	·26	·06	—	—	·21	·23	·05	1·25	·03	1
2	·02	·55	—	·02	—	—	—	·19	·09	·30	·38	2·61	2
3	—	·54	—	·14	·36	·16	—	—	·70	·27	·03	·42	3
4	·01	·24	·01	—	—	—	—	·10	·28	1·40	2·00	1·16	4
5	—	·27	·01	1·00	·10	—	—	·64	·14	2·16	·09	·45	5
6	·03	2·42	—	·43	—	·30	—	—	·05	·49	—	·47	6
7	·01	·96	—	·08	·44	—	·01	·13	1·44	·26	·09	·48	7
8	·25	·17	—	—	—	·06	·01	—	·42	1·10	·09	·10	8
9	·28	·70	—	·21	—	1·24	·73	—	·99	1·73	·20	1·16	9
10	·22	·72	—	·20	—	—	1·28	—	·21	·35	1·10	·85	10
11	·18	·37	·27	·01	·03	—	·92	—	·47	·02	·10	·85	11
12	·11	1·26	·11	—	·38	·02	·32	—	·31	·01	—	·70	12
13	·08	·09	·01	—	·12	·08	·02	—	·99	·17	—	1·20	13
14	2·12	—	·02	—	·29	·05	·49	—	·50	·10	—	1·53	14
15	·14	—	—	—	·03	·04	1·96	—	·83	·03	—	1·13	15
16	·23	—	—	·37	·03	·07	·41	·13	·73	·06	—	·62	16
17	1·05	—	·02	—	—	·14	·48	·10	·78	·12	—	·98	17
18	2·20	—	·06	—	—	1·00	·63	—	·48	·10	—	·97	18
19	·60	·49	·41	·04	—	—	·21	·02	·10	·05	—	·36	19
20	·90	·82	·01	·23	—	·17	·16	·06	·93	·01	—	—	20
21	·43	·48	·01	·04	—	·09	·50	—	2·03	—	—	·22	21
22	·36	·05	—	—	·49	—	1·00	·02	·56	·09	—	1·45	22
23	1·38	·01	—	—	1·52	—	·21	—	·48	—	·22	·05	23
24	·20	·32	—	—	·01	—	·23	·30	·89	—	·39	·04	24
25	—	·03	—	—	·22	—	·87	·70	·27	·14	·18	·06	25
26	·49	·01	—	—	—	—	·25	·06	·83	·24	·40	1·75	26
27	·14	·34	1·35	—	—	·01	—	1·17	·63	·16	·59	·62	27
28	—	·02	·92	—	—	—	—	—	—	·14	·73	·79	28
29	—		·47	—	—	—	—	—	1·00	·02	—	·15	29
30	—	×	·70	—	—	—	—	·08	·04	·48	·21	·47	30
31	—	×	1·80	×	—	×	—	·08	×	·08	×	·14	31
Total	11·43	11·38	6·19	3·03	4·08	3·43	10·69	3·99	17·40	10·13	8·05	21·81	YEAR'S TOTAL 111·61
Rain Days.	23	23	17	13	14	14	20	16	29	28	17	30	244

W, 6,500, VII. 18. W W G

4142

SWANSEA W W,
NANT YR WYDD
1911 – 20

FORM A2.
BRITISH RAINFALL.

9 - JAN 1912

911

Kept at

in the County of

by Tregaro

p 43 in.
bove Ground ft. 13 in.
„ Sea Level 1000 ft.
9 a.m.

Name William Roberts
Distance 11½ Direction Sea way

IMPORTANT ... and the result entered to the previous day. If a ... universal rule, he is earnestly requested to add the ... year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	½		1 ¼	Dry	3 ¼	Dry	Dry	1 ½	Dry	Dry	3 ¼	4 ¼	1
2	frost	frost	2	Dry	4	Dry	Dry	1 ½	Dry	1 ½	1 ¾	3 ¼	2
3	frost	frost	¼	frost	10 ¼	Dry	Dry	2 ½	¼	Dry	5		3
4	frost	frost	2 ¾	frost	¾	Dry	Dry	12	Dry	Dry	6	4	4
5	4 ¾	frost	2	frost ¾	Dry	Dry	Dry	5 ½	Dry	2 ½	1 ¼	8	5
6	2 ¾	frost	1 ½	frost	Dry	Dry	Dry	3	Dry	Dry	3 ¼		6
7	1 ¼	frost	Dry	frost	Dry	Dry	Dry	Dry	Dry	Dry	4 ½	11	7
8	6 ¼	frost	5	Dry	Dry	Dry	Dry	½	Dry	Dry	3 ½	frost	8
9	¼	frost	1 ¼	Dry	Dry	Dry	Dry	Dry	Dry	Dry	2	6 ½	9
10	2 ¼	2	6 ¼	frost	Dry	Dry	Dry	Dry	Dry	Dry	Dry	4 ¾	10
11	4 ¼	frost	Dry	frost	½	Dry	Dry	Dry	½	Dry	Dry	1½	11
12	frost	frost	5 ¾	frost	Dry	Dry	Dry	Dry	14	Dry	3	2	12
13	frost	frost	frost	frost	2 ¼	Dry	Dry	Dry	Dry	Dry	18 ¾	1 ¼	13
14	½	2 ½	frost	frost	Dry	Dry	Dry	Dry	Dry	Dry	3 ¾	¾	14
15	Dry	2 ½	¼	Dry	½	¼	Dry	Dry	Dry	Dry	2 ½	5 ¼	15
16	Dry	1 –	frost	Dry	Dry	7 ¼	Dry	Dry	Dry	Dry	5 ¼	1 ¾	16
17	½	¾	frost	Dry	Dry	17 ¾	¼	Dry	Dry	Dry	3 ¼	6 ¼	17
18	frost	8 ¼	2 ¼	3 ¾	Dry	7 ¼	Dry	Dry	Dry	¾	2 ¾	1 ¼	18
19	frost	2 ¼	Dry	7 ¾	Dry	1 ¼	¾	¼	9 ¾	¾	4	3	19
20	½	¾	[illegible]	3 ¼	Dry	3 ½	Dry	4 ¼	1 ½	2 ¼	3	9 ½	20
21	frost	4 ¼		1 ¼	Dry	2 ½	1 ½	4 ½	¾	9 ¾	Dry	3 ¾	21
22	Dry	1 ¼	Dry	2 ¼	Dry	3 ¼	Dry	Dry	Dry	9 ½	Dry	2 ¾	22
23	Dry	1 ¾	Dry	1 ¼	Dry	1 ¼	Dry	½	5 – ½	2 ¾	Dry	4 ¾	23
24	¼	2 ¼	frost	Dry	Dry	9 ¼	Dry	Dry ½	¼	8 ¼	Dry	4 ¼	24
25	3 ¼	2 ¼	frost	3 ¾	½	4 ¾	¼	½	3 ¾	1 ¼	Dry	4 ¾	25
26	¼	1 ¾	frost	6 ¼	5	Dry	Dry	2 ½	½	Dry	Dry	3	26
27	Dry	4 ¾	11 ¼	2 ¾	Dry	Dry	½	11 ½	5 ¾	Dry	Dry	2 ½	27
28	Dry	6 ¼	Dry	3	Dry	¼	Dry	1	Dry	Dry	½	3 ¼	28
29	Dry	~~4 ¼~~	frost	2 ½	Dry	4 ¼	2 ¼	Dry	4 ¾	13 ¼	Dry	1 ¼	29
30	Dry		Dry	Dry	Dry	Dry	¼	Dry	Dry	1 ¼	Dry	½	30
31	frost				Dry		Dry	Dry		2 ½		Dry	31
Total	28 ½ 2·85	45 4·55	37 ¾ 3·78	38 ¾ 3·85	27 2·70	60 ¾ 6·07	5 ¾ ·58	52 ½ 5·25	47 4·70	555 6·00	77 ¼ 7·72	140 14·00	TOTAL for year 62·05
No. of Rain Days	14	16	13	12	9	13	7	16	12	14	19	28	~~1506~~ 172

9,000, IX. '10.

61·9¼

FORM A2.
BRITISH RAINFALL.

9 - JAN 1912

11

Kept at [illegible]

in the County of [illegible] 4

by Tregaron,

RAIN GAUGE
Pattern
Diameter of top 4 3 in.
Height of top above Ground ft. 13 in.
" " " Sea Level 1000 ft.

Time of Observation 9 a. m.

Nearest Railway Station
Name William Roberts
Distance 11½ Direction Sea way

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1/2		1 1/4	Dry	9 1/4	Dry	Dry	1 1/2	Dry	Dry	3 1/2	1/4	1
2	frost		2	Dry	4	Dry	Dry	1 1/2	Dry	1 1/2	1 3/4	3 1/4	2
3	frost	frost	1/4	frost	10 1/2	Dry	Dry	2 1/2	1/4	Dry	5		3
4	frost		2 3/4	frost	3/4	Dry	Dry	12	Dry	Dry	6	4	4
5	4 3/4	frost	2	frost 3/4	Dry	Dry	Dry	5 1/2	Dry	2 1/2	1 1/4	8	5
6	2 3/4	frost	1 1/2	frost	Dry	Dry	Dry	3	Dry	Dry	3 1/4		6
7	1 1/4	frost	Dry	frost	Dry	Dry	Dry	Dry	Dry	Dry	4 1/2	11	7
8	6 1/4	frost	5	Dry	Dry	Dry	Dry	1/2	Dry	Dry	3 1/2	frost	8
9	1/4	frost	1 1/4	Dry	Dry	Dry	Dry	Dry	Dry	Dry	2	6 1/2	9
10	2 1/4	2	6 1/4	frost	Dry	Dry	Dry	Dry	Dry	Dry	Dry	4 3/4	10
11	4 3/4	frost	Dry	frost	1/2	Dry	Dry	Dry	1/2	Dry	Dry	16	11
12	frost	frost	5 3/4	frost	Dry	Dry	Dry	Dry	14	Dry	3	2	12
13	frost	frost	frost	frost	2 1/4	Dry	Dry	Dry	Dry	Dry	18 3/4	1 1/4	13
14	1/2	2 1/2	frost	frost	Dry	Dry	Dry	Dry	Dry	Dry	3 3/4	3/4	14
15	Dry	2 1/2	1/4	Dry	1/2	1/4	Dry	Dry	Dry	Dry	2 1/2	5 1/2	15
16	Dry	1 -	frost	Dry	Dry	7 1/4	Dry	Dry	Dry	Dry	5 1/4	1 3/4	16
17	1/2	3/4	frost	Dry	Dry	17 3/4	1/4	Dry	Dry	Dry	3 1/4	6 1/4	17
18	frost	8 1/4	2 1/4	3 3/4	Dry	7 1/4	Dry	Dry	Dry	3/4	2 3/4	1/4	18
19	frost	2 1/4	Dry	7 3/4	Dry	1 1/4	3/4	1/4	9 3/4	3/4	4	10	19
20	1/2	3/4	raen	3 1/4	Dry	3 1/2	Dry	4 1/4	1 1/2	2 1/4	3	9 1/2	20
21	frost	4 1/4		1 1/4	Dry	2 1/2	1 1/2	4 1/2	3/4	9 3/4	Dry	3 3/4	21
22	frost	1 1/4		2 1/4	Dry	3 1/4	Dry	Dry	Dry	9 1/2	Dry	2 3/4	22
23		1 3/4	Dry	1 1/4	Dry	1 1/4	Dry	1/2	5 1/4	2 3/4	Dry	4 3/4	23
24	3/4	2 -	frost	Dry		7 1/4	Dry	1/2	1/4	8 1/4	Dry	4 1/4	24
25	3 1/4	2 1/4	frost	3 3/4	1/2	4 3/4	1/4	1/2	3 3/4	1 1/4	Dry	4 3/4	25
26	1/4	1 1/4	frost	6 1/4	5	Dry	Dry	2 1/2	1/2	Dry	Dry	3 1/2	26
27	Dry	4 3/4	1 1/4	2 3/4	Dry	Dry	1/4	11 1/2	5 3/4	Dry	Dry	2 1/2	27
28		6 3/4	frost	3	Dry	1/4	Dry	1	Dry	Dry	1/2	3 1/4	28
29		~~4 1/2~~		2 1/2	Dry	4 1/4	2 1/4	Dry	4 3/4	13 1/4	Dry	1 1/4	29
30	Dry		Dry	Dry	Dry	Dry	1/4	Dry	Dry	1 1/4	Dry	1/2	30
31	frost		Dry		Dry		Dry	Dry		2 1/2		Dry	31
Total	28 1/2 2·85	45 4·55	37 3/4 3·78	38 1/2 3·85	27 2·70	60 3/4 6·07	5 3/4 ·58	52 1/2 5·25	47 4·70	595 600	77 1/4 7·72	140 14·00	TOTAL for year 62·05
No. of Rain Days	14	16	13	12	9	13	7	16	12	14	19	28	~~1506~~ 172

61·9 1/4

9,000, IX. '10.

cor by own stats 3.III.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

25 FEB 1913

Kept at Nantyprwyad 2
in the County of Brecon
by R. H. Wyrill, M. Inst. C. E.

Lat. .... Long. ....
Time of Observation 9·0 am
Nearest Railway Station Penwyllt
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 920 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			1·30		·03	·68	·10	·09	·18	·32		·36	1
2			1·26	·03		·49	·03					·01	2
3	·35		·54			·18	·05	1·23	·68		·09	·82	3
4	1·05		2·57	·03	·09			(·67)	·17		·59	·01	4
5	·82		·06	·04		·07		·48				·10	5
6	1·85	·02			·18			·11	·06		·10	·21	6
7		·17	·07		·32	·37	·39	·13	·04		·06	·16	7
8	·98	·21	·10	·28	·02	·04	·05	·31	·05		·01	·01	8
9	·09	·28	·06	·34		·36	·07	1·17			·08	1·04	9
10	·48	·08				·07	·76	·09	·02		1·09	·28	10
11	·06	·03			·02		·39	·07			·67	2·11	11
12	·15	·35	·15	·07	·23	·09	·24				·06	·33	12
13	·17		·02	·05		·18			·01	·76		·74	13
14	·33	·15	1·25		·05	·03		·17				·61	14
15	·49	·16	·15		·03	·53		·11			·02	·59	15
16	·41	·03	3·10		·23	·03		·81		·52		·03	16
17	·20		·11		·17	·68		·96			·18	·58	17
18	·05	·10	·15			·11		·78		·37	·07	·11	18
19	·08	·48				·20	·04	·89		·09	·04	·16	19
20	·10	·11	·69			·07	·02	·21		·65	·21		20
21		·36	1·80		·17			·36		·37		·12	21
22		·68	·20		·31	·09	·48	1·37		·08	·17	·66	22
23	·21	·18	·42			·90	·23	1·54		·04	·81	·30	23
24	·04	·11	·49			·58	·23	·11		·02	·07	·41	24
25		·07	·28			·31	·19	·79		·04	1·08	·76	25
26		·69	·11			·02	·05	·27		1·93	1·35	·66	26
27		·45	·03			1·45	1·72	·02		1·81	·04	1·93	27
28		·32				1·04	1·09	1·34	·23	·34	1·16	·10	28
29		·27				·42	·72	·57	·62	·51		·06	29
30			·21			·48	·13	·03		1·07	·01	·07	30
31			·25				·47	·28		·03		·65	31
Total	7·91	5·40	15·37	·84	1·85	9·47	7·22	14·96 ✓	2·06	8·95	7·96	13·98	YEAR'S TOTAL 95·97 ✓
Rain Days.	19	22	25	7	13	26	20	28	10	17	22	30	239

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

12 FEB 1914

REGISTER OF RAINFALL IN 1913

Kept at Nantyrwydd
in the County of Brecon
by R. H. Wyrill, M. Inst. C. E.

Lat. .... Long. ....
Time of Observation 9.0 a.m.
Nearest Railway Station Penwllyt
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 920 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·40	·59	·27	·15						·52	·18	1
2	·06	·48	·99	·15	·16	·16				·59	·63	·46	2
3	·46	·21	·62		·97					23	·08	·43	3
4	·76	·22	·63		·07				1·33	·15	·11	·35	4
5	·34	·17	·11		·42	·41			·06		·65	·21	5
6	·72	·31	·16		·34	·81	·25			·41	·09	·42	6
7	·32	1·39			·93	·52				·73	·28	·11	7
8	·04	1·21	·04		·40	·11	·22			·08		·51	8
9		·41	·59		·35	1·35	·24	·16	·02	·04	·71	·32	9
10	·34		·61		·33			·62		·51	·17		10
11	·74		·02		·25		·02	·07		·07	1·18	·42	11
12				·79	·08	·10	·09	·03	·38		1·02		12
13			1·43	·09	·03		·15	·17	1·03		1·03		13
14	·68		1·06	·88					·54	·43	·16	·08	14
15	·79		·76	2·29				·12			·12	·21	15
16	·22		·37	·22		·04	·12				·57	·11	16
17	·31		·18	·48			·42				·99		17
18	·12		·93	·84	·03		·20				·45		18
19	·79		·64	·02	·09	·24	·01		·28	·53	·49		19
20	·63		·63	·38	·15				·02	·47	3·12		20
21			·27	·34	·41	·03	·17	·41		·55	·31		21
22	1·27		·95		·31	·37		1·31	·54				22
23	·39		·03		·08	·13		·10	·11		·10	·13	23
24	·62	·08		·25							·54		24
25		·03		·48						·08	·36	·45	25
26				2·76					·15			·98	26
27	·08		·17	·87						·54	·03	·07	27
28	·47		·32	·76	·11					·53	·02		28
29			·38	·31				·10		·93	·25		29
30	·81		·04		·25					·32	·34		30
31	·04		·37							·10			31
Total	11·07	4·91	12·89	12·18	5·91	4·27	1·89	3·09	4·46	7·29	14·32	5·44	YEAR'S TOTAL 87·72
Rain Days.	24	11	26	18	21	12	11	10	11	19	24	17	207

W.7,000, XI. 13

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

12 FEB 1914

RAINFALL IN 1913

At Nantyrwydd

In the County of Brecon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top: *Above Ground* [illegible] ft. 0 in.
Above Sea Level 920 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	11·07	1·27	22	24
FEB.	4·91	1·29	7	11
MAR.	12·89	1·43	13	26
APR.	12·18	2·76	26	18
MAY	5·91	·97	3	21
JUNE	4·27	1·35	9	12
JULY	1·89	·42	17	11
AUG.	3·09	1·31	22	10
SEPT.	4·46	1·33	4	11
OCT.	7·29	·93	29	19
NOV.	14·32	3·12	20	24
DEC.	5·44	·98	26	17
Total	87·72			207

Signed R. H. Wyatt

[*Please fill in the other side also.*

W. 16,000. XI.13.

Exe Dl

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
10 MAR 1915

Kept at Nantyrwyad

in the County of Brecon 2)

by R. H. Wyrill, M. Inst. C. E.

Lat. .... Long. ....
Time of Observation 9·0 AM.
Nearest Railway Station Penwllyt
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 920 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·18	·29	·08		·17	·27	·97			·21	·14	1
2			·18		·03		1·03	·60			·20	·61	2
3	·10		·80	·28	1·20			·11	[illegible]	·07		·65	3
4	1·15		·43	·52	·63		·68	·04			·05	·87	4
5	·21		·79	·57	·45			·10			·35	·07	5
6	·04	·17	·21	·09	·27	·04	·46	·21			·35	·68	6
7	·26	·67	1·37	·25	1·03	·09	·69	·40			·25	·72	7
8	1·25		·28	·19	1·12	·49	·02	1·48			·09	·39	8
9	1·43	·23	·10	·23	·32	1·24		1·31			·19		9
10	·11	·87		·54	·19	·03		·03	·09		·07	·03	10
11		·63	1·08		·42	·31			·61		·58	·70	11
12		1·29	·41		·03				·27		·85	·32	12
13		2·31	·78	·04			·26		1·20	·26	·75	·17	13
14		1·79	·52				·11	·28	·13	·02	·48	·04	14
15		·07	·48				·10	·15	·07	·07	·68	·03	15
16			·26				·22		·53			·19	16
17	·08	1·48	·38				·18		·13			2·31	17
18		·15	·92				·07		·17	·03		·89	18
19		·36	·05				1·27		·27		·06	·19	19
20		·81	·47			·21	·03	·10				·50	20
21		·38				·11	·11	·58		·26			21
22		·37	·06	·06		·31		·10		1·02			22
23		·16	·38				·17	·03		·18			23
24	·14	·04	·09		·11	·05	·26	·09		·03	·37		24
25	·38		·37				·89	·80		·63	·41	·98	25
26	·02		·08				·26	·16		·25	·81	·71	26
27	·15	·16					·02			·20	·85	1·15	27
28	·29	·37	·36		·04			·03		·06	·19	·82	28
29	1·53		·25		·26					·15	1·89	·05	29
30	·13	X	·83							·08	·93	1·15	30
31	1·83	X		X	·02	X	·18		X	·70	X	·41	31
Total	9·32	12·49	12·15	2·85	6·12	2·98	7·81	7·57	3·47	4·01	10·61	14·77	YEAR'S TOTAL 94·15
Rain Days.	18	20	24	11	15	11	21	20	10	16	22	26	217

W. 8,000. X. 14.

4104

FORM A.
BRITISH RAINFALL.

22 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Nant-yr-wydd.

in the County of Brecon.

by R. H. Wyrill. M. Inst. C. E.

Lat. Long.

Time of Observation 9·0 a.m.

Nearest Railway Station Penwyllt

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 920 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·03	·85	·13	-	·85	-	-	·68	·15	·35	·02	·61	1
2	·44	·61	1·18	·69	-	-	·28	·46	·06	·08	-	·06	2
3	·01	·59	1·12	·32	·04	·01	·45	·09	-	-	·01	·87	3
4	·15	·51	·15	-	·16	·27	·98	·03	-	-	-	·92	4
5	·19	·49	·07	·20	·03	·13	-	·12	-	-	-	1·45	5
6	·58	·06	-	·61	-	-	·44	·11	-	-	-	·28	6
7	·41	1·12	-	·24	-	-	·21	·39	-	-	·04	·94	7
8	·53	·71	-	·06	-	-	-	·06	-	-	·51	·01	8
9	·05	·67	-	·99	-	-	-	·09	-	-	·45	1·53	9
10	1·31	·10	·21	·15	-	-	-	·18	-	·16	·26	·16	10
11	·10	·06	-	-	-	-	-	·05	-	·02	1·29	·09	11
12	·42	·04	-	·07	·41	-	-	·41	-	·14	·78	-	12
13	·10	1·12	-	-	·59	-	-	·08	·11	·12	·17	·09	13
14	·41	·07	-	-	-	-	-	·44	·28	·16	·07	1·43	14
15	·77	·06	-	-	·25	-	·25	·10	·25	·06	·27	·33	15
16	·15	1·62	-	-	·41	-	1·31	·02	·05	-	-	·03	16
17	·03	·42	-	-	·31	-	·28	-	-	-	-	·02	17
18	·01	1·09	·02	·01	-	-	-	-	-	-	-	-	18
19	-	·06	-	·41	·51	-	1·72	-	-	-	-	-	19
20	1·08	-	-	·08	-	-	·01	·01	-	·07	-	·33	20
21	·32	·11	-	-	-	-	·51	-	-	·28	-	·71	21
22	·02	·03	·35	·16	-	-	·59	-	-	·07	-	·79	22
23	·06	-	·27	-	-	·49	·28	-	·10	·81	-	·58	23
24	-	-	·02	·04	-	-	-	-	·04	·31	-	·87	24
25	-	-	·01	-	-	·52	·24	-	·09	-	·01	·38	25
26	-	·91	-	-	-	-	·69	-	·05	-	-	1·27	26
27	-	·12	-	-	-	·39	·34	-	·02	·79	-	·29	27
28	-	·31	-	-	-	·13	·09	·02	·25	·09	-	·04	28
29	-	-	-	-	-	·30	·28	·07	·04	·02	·63	·29	29
30	·06	╳	-	·51	-	-	·01	-	-	·48	·58	·67	30
31	·20	╳	-	╳	-	╳	·29	·12	╳	·42	╳	1·02	31
Total	8·43	11·73	3·53	4·54	3·56	2·24	9·25	3·53	1·49	4·43	5·09	16·40	YEAR'S TOTAL 73·92
Rain Days.	24	24	11	15	10	8	20	20	13	18	14	28	205

W. 8,000. X. 15.

4032

FORM A.
BRITISH RAINFALL.
9. MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Nant-yr-wydd
in the County of Brecon
by R. H. Wyrill - M. Inst. C. E.

Lat. Long.
Time of Observation 9-0 a.m.
Nearest Railway Station Penwyllt
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 920 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·08	·03	–	–	·75	·61	–	–	·38	·69	–	1
2	1·27	·54	·30	–	·01	·12	·48	–	·49	2·13	·48	–	2
3	·34	1·87	–	·03	–	·18	–	–	·43	·86	·51	–	3
4	·81	·45	–	·02	·26	1·10	·01	–	·17	·62	·48	–	4
5	·28	·84	–	–	·08	·34	·04	–	–	·92	·16	–	5
6	1·02	·41	·05	–	·22	·10	·76	–	–	1·38	·86	·01	6
7	·20	·01	·11	–	·26	·05	·16	–	–	·68	·84	·32	7
8	·02	–	·03	·01	·58	·18	–	–	–	·15	·16	·11	8
9	·01	·19	–	–	·07	·16	–	–	–	·09	·16	·13	9
10	·06	·35	·02	·27	·09	·01	·13	–	–	·26	·23	·04	10
11	·23	·11	–	·48	·12	·19	–	–	·11	·27	·03	–	11
12	·21	·42	–	·19	·43	–	·79	·46	·03	·13	–	–	12
13	·03	·38	·42	·46	·01	–	–	1·07	·01	·71	–	–	13
14	·02	·29	–	·08	·21	–	–	·16	–	·42	–	·03	14
15	·04	1·88	·27	·03	·07	–	·06	·12	·02	·28	–	–	15
16	·15	·08	–	·61	·12	–	·07	·49	–	·28	–	–	16
17	·72	·53	–	·42	–	–	–	·14	1·38	·64	–	–	17
18	·12	·72	·17	·61	–	–	–	·01	·39	·26	·04	·27	18
19	1·09	·11	·54	·92	–	–	–	–	–	·01	·40	·04	19
20	·52	·08	·37	·03	–	–	–	–	–	–	·14	·31	20
21	·98	·01	·28	·02	·05	–	1·17	–	–	–	·07	·20	21
22	·02	–	·03	–	–	·13	–	·02	–	·54	·09	·28	22
23	·01	–	–	·39	–	·12	–	·43	–	·58	·69	·21	23
24	–	–	–	1·09	1·38	·04	–	·49	–	·67	·17	·08	24
25	·12	–	·24	–	·04	·07	–	1·51	·01	·38	·88	–	25
26	·35	–	·18	–	·09	·22	·11	·57	1·09	·36	·27	–	26
27	·17	–	·06	–	·18	·23	–	·48	·86	1·01	–	–	27
28	–	–	–	–	–	–	–	·03	·09	·51	·49	2·16	28
29	–	·39	·13	–	–	·69	–	·61	–	·99	·14	1·04	29
30	–	X	–		–	·07	–	·11	–	·71	–	·05	30
31	–	X	–	X	–	X	–	·41	X	·68	X	·14	31
Total	9·27	9·74	3·23	5·96	4·27	4·75	4·39	7·11	5·08	16·90	7·98	5·45	YEAR'S TOTAL 84·13
Rain Days.	26	21	17	17	19	19	12	17	13	29	22	17	229

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

8. Jan

Kept at Nant yr Wydd

in the County of Breccon

by Geo. R. Collinson B.Sc., A.M.Inst.C.E., Water Engineer & Manager, Swansea Corporation.

Lat. Long.

Time of Observation 9.0 am.

Nearest Railway Station Penwyllt.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 920 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	–	·29	·37	–	·69	–	·14	·16	–	·32	·20	1
2	·03	–	·04	·12	–	·29	–	·01	·01	·19	·27	·16	2
3	·29	·15	·02	·16	–	·31	·19	–	–	1·16	·31	·08	3
4	·02	·10	·29	·01	–	–	–	·02	·02	·69	·11	·05	4
5	·73	–	·51	·51	–	·05	·13	·38	·23	·66	·64	·01	5
6	·08	–	·58	–	–	–	–	·03	–	·58	·47	·56	6
7	·67	–	–	–	–	·01	·12	·07	–	·49	·24	·04	7
8	·17	–	·02	·21	–	–	·47	1·28	·11	1·01	·48	·28	8
9	–	–	·27	·17	·08	–	–	·32	·09	·27	·82	·03	9
10	·48	–	·79	·41	·34	·18	–	·58	·01	·10	·09	–	10
11	·14	–	·01	·37	–	–	–	1·52	–	·68	·20	–	11
12	·17	–	·04	·16	1·37	–	–	·61	–	·42	·01	·03	12
13	·06	–	·22	·12	·01	·13	–	1·51	·49	·21	·06	·08	13
14	–	–	·01	·19	·04	–	·01	·63	·02	·18	·08	·11	14
15	·02	–	–	·14	·12	–	·41	·14	·37	·89	·01	·32	15
16	–	·04	–	·35	–	·09	·04	·12	·04	·10	–	·24	16
17	–	·08	·17	·61	·17	–	1·21	2·01	·45	·23	·02	–	17
18	–	–	·04	·11	·07	–	1·17	·08	1·07	·07	–	–	18
19	–	·72	·19	–	·13	·28	–	·05	·04	–	·07	–	19
20	–	·16	·21	–	·69	·89	·42	·15	·43	–	·12	–	20
21	–	·02	·01	–	·09	·10	·02	·04	–	·34	·04	–	21
22	–	–	–	–	·01	·06	–	·51	·01	·16	·10	–	22
23	–	·49	–	–	·39	·21	–	1·02	–	·05	·03	·02	23
24	–	·01	–	–	–	·26	·23	·62	–	1·05	·13	·09	24
25	–	·22	·20	–	–	–	·10	·67	·47	·12	·25	–	25
26	–	–	–	–	·59	·12	·12	·72	·74	·06	·47	–	26
27	–	·06	·04	–	·46	·68	·74	2·23	–	·07	·03	–	27
28	–	·07	·21	–	·07	·30	·03	·69	–	–	·16	·01	28
29	–		·18	–	–	–	·12	·30	–	·98	·18	·34	29
30	–	X	·11	–	–	–	·04	·74	–	·47	·27	·03	30
31	–	X	·04	X	·58	X	·02	·68	X	·05	X	–	31
Total	2·92 ✓	2·12 ✓	4·49 ✓	4·01 ✓	5·21 ✓	4·65 ✓	5·59 ✓	17·87 ✓	4·76 ✓	11·28 ✓	5·98 ✓	2·68 ✓	YEAR'S TOTAL 71·56 ✓
Rain Days.	13 ✓	12 ✓	24 ✓	16 ✓	17 ✓	17 ✓	19 ✓	30 ✓	18 ✓	27 ✓	28 ✓	19 ✓	240 ✓

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Nant-yr-wydd
in the County of Brecon
by G. R. Collinson Lt R.S.

Lat. 51° 50' 59" Long. 3° 39' 22½" W.
Time of Observation 9·0 a.m.
Nearest Railway Station Penwyllt (Neath & Brecon Ry)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 915·99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·42	–	·19	·05	–	–	·17	·15	·04	·81	·05	1
2	–	·19	–	·03	–	–	–	·15	·07	·05	·29	1·26	2
3	–	·42	–	·14	·34	·08	–	·03	·56	·07	·05	·27	3
4	–	·14	–	–	–	–	–	·14	·48	1·08	1·39	·78	4
5	–	·12	–	·53	·08	–	–	·71	·12	1·42	·10	·32	5
6	·08	1·35	–	·23	–	·27	–	–	·06	·48	–	·26	6
7	–	·56	–	·03	·49	–	–	·08	·12	·11	·06	·37	7
8	·38	·12	–	·01	–	·01	·04	–	·25	·46	·39	–	8
9	·21	·43	–	·21	–	1·15	·78	–	·75	·98	·11	·69	9
10	·15	·10	–	·19	–	–	1·29	–	·08	·29	·54	·72	10
11	·12	·27	·06	·03	·02	–	·76	–	·52	·03	·03	·35	11
12	·09	·68	·08	–	·31	–	·26	–	·28	–	–	·27	12
13	·22	·14	·03	–	·05	·07	·06	–	·72	·04	–	·49	13
14	·70	–	·05	–	·18	–	·37	–	·46	·12	–	1·02	14
15	·42	–	–	–	–	·04	1·27	–	·48	·05	–	·79	15
16	·28	–	–	·49	–	·02	·79	·21	·52	·11	–	·35	16
17	·52	–	·03	–	–	–	·13	·08	·69	·09	–	·40	17
18	1·43	–	·13	–	–	·69	·72	–	·50	·10	–	·72	18
19	·54	·26	·34	·04	–	·02	·01	·06	·14	·05	–	·34	19
20	·39	·38	·03	·15	–	·10	·09	·04	·72	·03	–	·05	20
21	·28	·20	–	·03	–	·07	·32	–	1·25	·01	–	·11	21
22	·23	·03	–	–	·22	–	·69	·07	·32	·07	–	·85	22
23	·88	–	–	–	·97	–	·26	–	·52	·06	·01	·04	23
24	·09	·28	–	–	·02	–	·24	·32	·47	·04	·51	·01	24
25	·02	·02	–	–	·16	–	·59	·54	·12	·11	·09	·03	25
26	·29	·01	–	–	–	–	·27	·04	·49	·08	·16	·92	26
27	·09	·08	·81	–	–	–	–	·84	·49	·10	·34	·44	27
28	–	·02	·65	–	–	–	–	–	·01	·03	·63	·46	28
29	–		·34	–	–	–	–	–	1·02	·05	·06	·38	29
30	–		·72	–	–	–	–	–	·08	·30	·24	·19	30
31	–		·93		–		–	·07		·05		·04	31
Total	7·41	6·22	4·20	2·30	2·89	2·52	8·94	3·55	12·44	6·50	5·81	12·97	YEAR'S TOTAL 75·75
Rain Days.	21	22	13	14	12	11	19	16	30	30	18	30	236

W. 8,000, IX. 17.

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

9 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Nantyrwydd

in the County of Brecon

by Geo R. Collinson B.Sc, A.M.Inst.C.E.

Lat. 51° 50′ 59″ Long. 3° 39′ 22½″

Time of Observation 9·0 am

Nearest Railway Station Penwyllt

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

" " " " Sea Level 915·99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·84	-	·39	·04	·31	-	·09	-	·89	·29	-	·78	1
2	·02	-	·35	-	·23	-	·07	·05	·20	-	·04	·66	2
3	·04	-	·04	-	·50	·02	-	-	-	-	·11	·94	3
4	-	·04	·38	-	-	·06	·14	-	·45	-	-	·51	4
5	·08	·46	·02	-	·11	-	-	-	·04	-	-	·90	5
6	·87	·10	·91	-	-	-	-	-	·01	-	·03	·49	6
7	·36	-	·54	·15	-	·04	-	-	·05	-	-	·15	7
8	·48	-	·26	·05	-	·12	-	-	-	-	-	-	8
9	·49	-	·09	·36	·02	-	-	-	-	-	·09	·04	9
10	·36	-	1·48	·16	·23	-	-	-	-	·15	·04	·81	10
11	·18	-	1·51	·35	·29	·09	·09	-	-	·06	-	·11	11
12	·01	-	·29	·17	·14	1·92	-	-	-	·27	·08	-	12
13	·56	·03	·01	·75	-	-	·03	·05	·67	·42	-	·22	13
14	1·20	·08	-	1·03	·32	-	·08	-	·03	·41	-	·14	14
15	·86	·02	-	·48	·03	-	-	-	-	·19	-	1·70	15
16	·12	·89	-	-	·02	·05	·03	·12	-	-	·68	·11	16
17	·01	·15	-	·11	-	·57	·01	·75	-	-	1·39	·09	17
18	·14	·05	·89	-	-	-	·27	·85	·12	-	·58	·51	18
19	·59	·67	·58	-	-	·55	-	·23	·27	-	·18	·13	19
20	·68	·39	·11	-	·01	·01	-	·27	·69	-	·09	1·01	20
21	·10	1·42	·02	-	-	-	·17	·07	·31	-	·07	·14	21
22	-	·29	-	-	-	·35	·19	-	·11	-	·12	1·29	22
23	·03	-	-	-	-	·04	-	·01	-	·84	·34	·21	23
24	·09	-	-	·10	-	·06	-	·01	·21	·26	·43	·24	24
25	·26	-	-	·12	·01	·04	-	1·53	·14	-	·14	·35	25
26	·03	-	·56	·29	-	·07	-	·19	·42	-	-	1·11	26
27	·32	-	-	·29	-	-	-	·33	-	-	-	·02	27
28	·24	-	·09	·03	-	-	-	·17	-	-	·06	1·03	28
29	·02		·07	·10	-	·05	-	·01	-	·15	·11	·59	29
30	-		-	·27	-	·25	-	·49	·14	·05	·71	1·10	30
31	-		·09		-		·19	-		-		·04	31
Total	9·28	4·62	8·68	4·85	2·22	4·29	1·36	5.13	4·78	3·09	5·32	15·48	Year's Total 69.10
Days with ·01 in. or more	27	13	21	18	13	14	12	16	14	11	19	29	213

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Nant yr Wydd
in the County of Brecon
by G. R. Collinson, B.Sc. A.M.Inst.C.E.

Lat. 51° 50′ 59″ Long. 3° 39′ 22½″
Time of Observation 9.0 a.m.
Nearest Railway Station Craig-y-nos.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 915·99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·08	·02	·20	1·11	–	1·23	·05	·15	·21	·02	·64	1
2	·09	·28	–	·17	·06	–	·36	·22	·31	·13	–	1·04	2
3	·04	·31	–	·19	·04	–	·25	·27	·17	1·87	–	·19	3
4	–	–	·03	–	·03	–	–	1·80	·15	·23	–	–	4
5	–	–	·37	–	·99	–	·38	·25	·25	·11	–	–	5
6	–	·02	·69	·04	1·29	–	·03	·03	·04	·23	·03	–	6
7	·88	–	·10	·40	·23	–	·04	–	–	–	·03	–	7
8	·10	–	–	1·11	·20	–	·11	·38	–	–	–	–	8
9	1·05	1·06	·01	·99	–	–	·21	·15	·01	–	·08	–	9
10	2·83	·97	·75	·17	–	·38	·72	·02	–	–	·30	–	10
11	·20	·07	·50	·69	·51	·06	·21	–	–	–	–	–	11
12	1·00	·42	·07	·72	·09	·68	·33	·12	–	·03	·42	–	12
13	·15	·12	1·00	·81	–	·03	·04	–	–	·01	·16	–	13
14	·39	·17	·78	·86	–	–	·46	–	2·51	·94	1·52	–	14
15	·20	·14	·43	1·64	·04	·11	·04	–	·07	·04	·13	–	15
16	·12	·02	·31	·36	·11	·46	·62	·03	·35	1·27	·01	–	16
17	·68	–	·04	·29	·52	·38	·01	·63	1·42	·04	–	–	17
18	·53	·01	–	·46	·20	·16	·09	·27	·70	–	–	·01	18
19	·06	·24	–	·51	·37	·10	·12	·03	–	–	–	–	19
20	·04	·07	–	·99	–	·16	·17	·20	–	–	–	·79	20
21	–	–	–	·05	–	–	·57	·07	–	·11	–	·30	21
22	·83	–	–	·34	–	·07	·60	·04	–	–	–	·41	22
23	·31	–	·21	·05	–	–	·58	·02	–	–	–	1·42	23
24	·09	–	1·10	·08	–	·03	·04	–	–	–	·20	1·18	24
25	·08	·19	·21	·21	–	·05	·96	–	–	–	–	·33	25
26	·48	·06	·62	·31	–	·17	·27	–	–	–	·15	·20	26
27	1·11	·11	·98	·37	·14	1·09	·04	–	–	–	·07	·58	27
28	·62	·07	·51	·24	·01	·52	·07	–	–	–	–	·23	28
29	·74	·04	·20	·19	·16	·10	·78	–	–	–	·13	1·58	29
30	·75		·21	·14	·05	·91	·47	–	·67	·20	·48	1·52	30
31	·27		·62		–		·04	–		1·16		·72	31
Total	13·71	4·75	9·76	12·58	6·09	5·46	9·84	4·58	6·80	6·58	3·73	11·14	YEAR'S TOTAL 95·02
Days with ·01 in. or more	27	20	23	28	19	18	30	18	13	15	15	16	242
Days with ·04 in. or more	27	17	20	28	17	16	28	13	12	13	11	15	217

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

AIR MINISTRY.

Form 1090 **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

(formerly B.R.O. Form A.1).

REGISTER OF RAINFALL IN 1921.

11 JAN 1922

Kept at Nantyrwydd (Old gauge)

in the County of Brecon

by C. R. Collinison, B.Sc., Assoc. M. Inst. C.E., F.R. Met. Soc.

Lat. 51°. 50'. 59" N. Long. 3°. 39'. 22½" W.

Time of Observation 9.0 a.m.

Nearest Railway Station Craig-y-nos

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 915·99 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to The Superintendent, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
×

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·44	—	·30	—	—	—	—	·90	·31	—	·30	·02	1
2	·20	—	—	—	—	—	—	·80	—	·52	·65	·01	2
3	·50	—	1·15	—	·11	·01	—	·01	—	·60	·76	—	3
4	1·48	—	·20	—	·07	—	—	1·40	—	—	·44	—	4
5	·07	—	·28	—	·24	—	—	1·81	—	—	·89	·26	5
6	·44	—	·04	—	·20	—	—	·21	—	—	·21	·39	6
7	·34	—	·30	—	·10	—	—	·45	—	—	·15	—	7
8	·37	·02	·22	—	·10	—	—	—	—	—	·02	·02	8
9	·38	—	·05	·17	·09	—	—	·18	·21	·01	—	·05	9
10	·61	—	·06	—	·05	—	—	·43	·02	—	—	·41	10
11	·91	—	—	—	·06	—	—	·37	·74	·05	—	—	11
12	·58	—	·44	—	—	·03	—	·18	2·01	—	—	·25	12
13	·01	·01	·60	·40	—	—	·05	·04	·45	·29	·81	—	13
14	—	—	·41	·05	·31	—	—	—	·40	—	·08	·71	14
15	·12	—	1·52	·07	—	—	·20	—	·20	—	·18	—	15
16	·95	—	1·39	·58	—	—	·50	·30	—	—	·25	·25	16
17	1·58	—	·30	·11	—	—	—	·14	·03	—	—	·04	17
18	·16	—	·11	·04	—	—	—	—	—	—	—	·07	18
19	·04	—	·46	—	·25	·06	—	—	·05	·85	—	·31	19
20	·03	—	·25	—	—	—	—	—	—	—	·01	·05	20
21	·43	—	·18	·05	—	—	—	—	—	·25	·15	·48	21
22	·07	—	·49	·50	—	—	1·02	—	·01	·79	—	·37	22
23	·46	—	·06	·07	—	—	·75	—	·01	·18	—	·05	23
24	·07	·20	—	—	—	—	·48	—	—	—	—	·58	24
25	·99	—	·03	—	—	·15	1·06	—	—	—	—	·03	25
26	·49	—	—	—	—	—	·01	·06	—	—	·12	1·40	26
27	·18	—	·24	—	·03	·04	·11	·30	—	—	·26	1·28	27
28	·49	—	·80	—	—	—	·24	·30	—	—	·03	·07	28
29	·50	—	·25	—	·88	—	·04	·15	—	—	—	·20	29
30	·30	×	—	—	·51	—	1·01	—	—	—	·38	·71	30
31	·17	×	—	×	—	×	·16	·61	×	—	×	·04	31
Total	14·36	·23	10·13	2·04	3·00	·29	5·63	8·64	4·44	3·53	5·69	8·05	YEAR'S TOTAL 66·03 ✓
Days with ·01 in. or more	30	3	25	10	14	5	13	19	12	9	18	25	183 ✓
Days with ·04 in. or more	28	1	24	10	13	3	12	18	8	8	15	21	161 ✓

(65,296). Wt. 21,625—6780. 7000. 11/21. **Gp.132.** A.&E.W.

No 11 REC 1911

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

TAF FECHAN
NEVADD RES N°11
1911-20

Kept at Neuadd
top 5 in.
above Ground 1 ft. 0 in.
in the County of Bre
„ Sea Level 1524 ft.
by Ths. F. Ha
9 a.m.
tion Name
Distance Direction

IMPORTANT NOTE , and the result entered to the previous day. If an Obser universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	·06	·06	·16	—	·02	·04	—	·04	·54	·20	1
2	—	—	·02	—	·48	—	—	·61	—	·09	·16	·93	2
3	·05	—	·03	·05	1·07	·03	—	·21	—	—	·46	·33	3
4	·03	—	·23	—	·02	—	—	1·12	·08	·08	·80	1·08	4
5	·25	—	·10	·05	—	—	—	·45	—	·31	·05	·06	5
6	·98	—	·06	·02	—	—	—	·27	—	·01	·35	1·26	6
7	·09	—	—	—	—	—	—	·01	—	—	·91	·01	7
8	·16	—	·37	—	—	—	—	—	—	—	·63	1·26	8
9	·08	—	·01	—	—	—	—	—	—	—	·51	1·10	9
10	·18	·14	·95	—	—	—	—	—	—	—	·03	·54	10
11	·43	·01	·19	—	·31	—	—	·02	·06	—	·39	·14	11
12	—	·06	·23	—	·23	—	—	—	·47	—	·65	·50	12
13	—	·04	·19	—	·02	—	—	—	·15	·48	·23	·35	13
14	—	·13	·03	—	·02	—	—	—	—	·03	·38	1·18	14
15	—	·30	·01	—	·01	·09	—	—	—	·04	·99	·23	15
16	—	·04	·04	—	—	·65	—	—	—	—	·28	·95	16
17	·01	·25	·01	—	—	1·45	·03	—	—	—	·39	1·46	17
18	—	1·17	·15	·45	—	·20	—	—	—	·12	·03	1·48	18
19	—	·01	—	·41	—	·50	·03	·02	1·17	·53	·35	·97	19
20	·03	·16	—	·63	—	·08	—	—	·15	·18	·03	·76	20
21	·02	·82	·10	·12	—	·46	·03	·12	·11	1·13	—	·26	21
22	·01	·25	·02	·41	—	·50	—	—	·09	·26	—	1·05	22
23	·03	·51	·04	·01	·05	·03	—	—	·70	·39	—	·50	23
24	·05	·28	—	·02	·01	·79	—	·26	·04	·12	—	·46	24
25	·15	·18	—	·42	—	·09	—	·04	·41	·09	—	·19	25
26	·01	·18	—	·74	·02	·03	—	·63	·03	·27	—	·16	26
27	·01	1·27	—	·09	—	—	—	·51	·48	·01	·10	·20	27
28	—	·46	·46	·32	—	·05	—	·14	—	—	·21	·03	28
29	—		·02	·14	—	·53	·13	·05	·30	1·37	—	·02	29
30	—		—	·03	—	·03	·03	·01	·01	·54	·25	·05	30
31	—		—		·03		·18	—		·04		·01	31
Total	2·61	6·26	3·32	3·97	2·43	5·51	·45	4·51	4·25	6·13	8·72	17·72	TOTAL for year 65·88
No. of Rain Days	19	19	22	17	13	16	7	17	15	21	23	31	220

9,000, IX. '10.

No 11 REG 1911

FORM A2.
BRITISH RAINFALL
20 JAN 1912

Kept at Neuadd Reservoir
in the County of Brecknock 4
by Mr S. F Harvey

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 1524 ft.

Time of Observation 9 a m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	·06	·06	·16	—	·02	·04	—	·04	·54	·20	1
2	—	—	·02	—	·48	—	—	·61	—	·09	·16	·93	2
3	·05	—	·03	·05	1·07	·03	—	·21	—	—	·46	·33	3
4	·03	—	·23	—	·02	—	—	1·12	·08	·08	·80	1·08	4
5	·25	—	·10	·05	—	—	—	·45	—	·31	·05	·06	5
6	·98	—	·06	·02	—	—	—	·27	—	·01	·35	1·26	6
7	·09	—	—	—	—	—	—	·01	—	—	·91	·01	7
8	·16	—	·37	—	—	—	—	—	—	—	·63	1·26	8
9	·08	—	·01	—	—	—	—	—	—	—	·51	1·10	9
10	·18	·14	·95	—	—	—	—	—	—	—	·03	·54	10
11	·43	·01	·19	—	·31	—	—	·02	·06	—	·39	·14	11
12	—	·06	·23	—	·23	—	—	—	·47	—	·65	·50	12
13	—	·04	·19	—	·02	—	—	—	·15	·48	·23	·35	13
14	—	·13	·03	—	·02	—	—	—	—	·03	·38	1·18	14
15	—	·30	·01	—	·01	·09	—	—	—	·04	·99	·23	15
16	—	·04	·04	—	—	·65	—	—	—	—	·28	·95	16
17	·01	·25	·01	—	—	1·45	·03	—	—	—	·39	1·46	17
18	—	1·17	·15	·45	—	·20	—	—	—	·12	·03	1·48	18
19	—	·01	—	·41	—	·50	·03	·02	1·17	·53	·35	·97	19
20	·03	·16	—	·63	—	·08	—	—	·15	·18	·03	·76	20
21	·02	·82	·10	·12	—	·46	·03	·12	·11	1·13	—	·26	21
22	·01	·25	·02	·41	—	·50	—	—	·09	·26	—	1·05	22
23	·03	·51	·04	·01	·05	·03	—	—	·70	·39	—	·50	23
24	·05	·28	—	·02	·01	·79	—	·26	·04	·12	—	·46	24
25	·15	·18	—	·42	—	·09	—	·04	·41	·09	—	·19	25
26	·01	·18	—	·74	·02	·03	—	·63	·03	·27	—	·16	26
27	·01	1·27	—	·09	—	—	—	·51	·48	·01	·10	·20	27
28	—	·46	·46	·32	—	·05	—	·14	—	—	·21	·03	28
29	—		·02	·14	—	·53	·13	·05	·30	1·37	—	·02	29
30	—		—	·03	—	·03	·03	·01	·01	·54	·25	·05	30
31	—		—		·03		·18	—		·04		·01	31
Total	2·61	6·26	3·32	3·97	2·43	5·51	·45	4·51	4·25	6·13	8·72	17·72	TOTAL for year 65·88
No. of Rain Days	19	19	22	17	13	16	7	17	15	21	23	31	220

9,000, IX. '10.

No 11 old letter O

Ex 7. 6.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
4 - FEB 1913

Kept at Neuadd Reservoirs (230 yards East of north end of Lower Neuadd Reservoir)

in the County of Brecknock 4

by Mr. F. Harvey M. Inst. C.E.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·73	–	·05	·65	·03	·11	·03	·77	–	·27	1
2	·01	–	·95	·04	·01	·60	·22	·01	–	·02	–	·01	2
3	·23	–	·26	–	·05	·15	·06	1·53	·31	–	·06	·68	3
4	·58	–	1·51	·03	·03	·30	–	·45	–	–	·24	·01	4
5	·38	·13	·40	·03	·11	–	–	·52	·04	–	·01	·16	5
6	·86	·35	·06	–	·34	–	–	1·00	·02	–	·02	·18	6
7	·08	·55	·34	–	·30	·32	·34	·01	·01	–	·02	·23	7
8	1·11	·31	·69	·05	·01	·04	·06	·16	·04	–	·01	·02	8
9	·05	·31	·53	·15	–	·40	·14	·90	–	–	·02	·67	9
10	·45	·21	–	·06	–	·10	·43	·13	–	–	·51	·16	10
11	·12	·21	–	–	·03	–	·08	·06	–	–	·21	1·21	11
12	·18	·63	·33	·11	·25	·07	·14	–	–	–	·01	·34	12
13	·34	–	·03	·05	–	·04	·02	–	–	·82	·01	·56	13
14	·24	–	·95	–	–	·01	–	·07	–	·04	–	·39	14
15	1·21	·60	·03	–	·14	·30	–	·07	–	–	·01	·51	15
16	·98	·03	1·11	–	·12	·02	–	1·44	·01	·59	·02	·01	16
17	·48	·02	·15	–	·03	·03	–	·99	–	–	·10	·54	17
18	·02	·10	·09	–	–	·07	–	·53	–	·18	–	·19	18
19	·27	·25	·04	–	–	·03	·26	1·08	–	·05	·04	·13	19
20	·20	·05	·79	–	·02	–	·11	·14	–	·33	·07	·01	20
21	–	·21	1·09	–	·35	·06	·01	·49	–	·28	·01	·04	21
22	·04	1·12	·10	–	·45	·58	1·04	·71	–	·05	·03	·87	22
23	·27	·23	·75	–	–	·61	·15	·37	–	·12	·41	·28	23
24	·38	·05	·44	–	–	·33	–	·04	–	·01	·08	·50	24
25	·02	·04	·46	–	–	·04	·24	·74	–	·02	·78	·68	25
26	–	·61	·08	–	–	·85	·06	·50	–	1·92	·91	·53	26
27	–	·21	·04	–	–	·76	1·07	·01	–	1·40	·02	1·60	27
28	–	·26	–	–	–	·22	·80	1·25	·60	·68	·72	·24	28
29	–	·40	·04	–	–	·40	·53	·45	·51	·60	·03	·06	29
30	–		·30	–	·01	·16	·19	·01	·01	·75	·01	·07	30
31	–		·24		·08		·63	·15		·05		·37	31
Total	8·50	6·88	12·53	·52	2·38	7·14	6·61	13·92	1·58	8·68	4·36	11·52	YEAR'S TOTAL 84·62 ✓
Rain Days.	23	23	28	8	18	26	22	29	10	19	26	31	263 ✓

W. 7,500, XI. ·12

Exo-D-L

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4 FEB 1914

Kept at Taf Fechan Newadd Reservoir No 11 (Old letter O) 4
in the County of Brecknock
by Thos F Harvey M. Inst C.E.

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Torpantau
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1524 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·74	·62	·35	·05	—	—	—	·06	·15	·34	·08	1
2	·10	·03	·45	·48	·15	·07	·01	—	·01	·65	·60	·15	2
3	·49	·10	·37	—	·54	·04	-	—	—	·40	—	·25	3
4	1·06	·18	·22	—	·12	·02	·01	—	1·34	·15	·23	·25	4
5	·20	·13	·11	-	·25	·26	—	—	·45	—	·76	·15	5
6	·77	·35	·27	—	·22	·36	·82	—	-	·53	·26	·58	6
7	·20	1·03	·01	—	1·20	·52	·05	—	-	·99	·24	·05	7
8	·09	·98	·02	—	·64	—	·10	·12	-	·20	—	·15	8
9	—	·47	·11	-	·30	·61	·06	·20	·11	·01	·70	·10	9
10	·45	—	·13	·03	·30	—	—	·44	·02	·29	·30	—	10
11	·70	—	·02	·45	·18	—	—	·05	·01	·18	1·00	·20	11
12	—	—	—	·01	·30	·02	·03	·03	·19	·01	·65	·01	12
13	—	—	·77	·05	·03	—	·07	·08	·93	—	·47	—	13
14	·68	—	·61	·66	—	—	—	·01	·06	·40	·08	·03	14
15	·34	·04	·50	1·61	—	—	—	·45	·01	·01	·10	·15	15
16	·49	—	·15	·11	—	—	·03	·37	·10	—	·20	—	16
17	·36	·01	·40	·39	—	—	·10	—	—	—	·45	—	17
18	·36	—	·71	·64	·08	·05	·03	-	—	—	·30	—	18
19	·32	—	·22	·04	·05	·32	—	-	·18	·70	·15	—	19
20	·58	—	·55	·20	·02	·01	—	—	—	·59	1·94	—	20
21	·02	—	·35	·36	·23	—	·20	·43	·02	·33	·20	—	21
22	·91	—	1·28	·01	·05	·30	·01	·94	·51	·05	·02	—	22
23	·13	—	·10	-	·02	·17	—	·10	·15	·01	·22	·08	23
24	·35	·16	—	·22	—	—	—	—	—	-	·50	—	24
25	·01	·08	—	·55	—	—	—	—	·11	·05	·20	·38	25
26	—	·01	—	3·80	—	·09	—	·03	·05	·02	—	·60	26
27	·05	—	·16	·44	—	—	—	—	—	·70	—	·03	27
28	·47	—	·43	·87	·09	—	—	—	-	·62	—	·06	28
29	—		·86	·44	·05	—	—	·07	—	·45	·05	·15	29
30	·85		·01	·01	·02	—	—	—	·02	·44	·18	—	30
31	·02		·35		·22		—	·08		·13		—	31
Total	10·97	4·31	9·78	11·72	5·11	2·84	1·52	3·40	4·33	8·86	10·14	3·45	YEAR'S TOTAL 74·73
Rain Days.	26	14	27	22	23	14	13	15	19	25	25	19	242

242

1/1 № 11. Old Letter "O". № 11 EX

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

16 JAN 1915

Kept at Neuadd Reservoir.

in the County of Brecknock 4

by Wd. F. Harvey M. Inst C.E.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Torpantau

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 1524 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·08	·08	·05	–	·18	·30	·90	–	–	·08	·10	1
2	–	·03	·05	–	·15	·02	1·35	·14	–	–	·34	·60	2
3	·01	·01	·50	·25	·85	–	·07	·15	–	·02	·07	1·60	3
4	·55	–	·20	·36	·25	–	·60	·08	–	–	·70	·40	4
5	·02	–	·33	·47	·40	–	–	·07	–		·25	–	5
6	·06	·20	·13	·16	·20	·05	·09	·11	–		·10	·98	6
7	·12	·94	·95	·11	·64	·05	·60	·30	·20		·03	·70	7
8	·35	·01	·15	·25	·35	·55	·12	1·60	·13		·05	·28	8
9	·62	·20	·17	·25	·20	1·45	–	·26	·12		·08	·01	9
10	·05	·80	·03	·37	·02	·24	–	·02	·32		·03	·10	10
11	–	·55	·80	·04	·45	·35	·10	–	–		·36	1·00	11
12	–	1·10	·33	–	·01	·01	–	–	·25		·34	·55	12
13	–	1·90	·80	·03	–	–	·23	–	·70	·42	·25	·20	13
14	–	1·40	·45	–	–	–	·12	·36	·02	·06	·38	·03	14
15	–	·03	·62	–	–	–	·10	·18	·13	·05	·50	·05	15
16	·01	–	·04	–	–	–	·17	–	·60	–	·01	·20	16
17	·16	·75	·29	–	–	·02	·13	–	·06	–	–	1·20	17
18	–	·10	·20	–	–	–	·18	–	·15	–	–	·45	18
19	–	·23	·75	–	–	–	1·77	–	·19	–	·08	·36	19
20	–	·90	·05	–	–	·24	·01	–	–	–	–	·15	20
21	–	·54	·01	–	–	–	·01	·05	–	·30	–	·14	21
22	–	·30	·01	·05	–	·15	·08	·45	–	·96	–	–	22
23	–	·22	·45	–	·10	–	·10	·03	–	·31	–	–	23
24	·20	·01	·15	–	·02	·02	·20	·08	–	·20	·22	–	24
25	·35	–	·26	–	–	–	·43	·85	–	·42	·42	·90	25
26	·02	·07	·12	–	–	–	·48	·25	–	·26	·72	·85	26
27	·05	·18	·01	–	–	–	·01	–	–	·21	·50	1·10	27
28	·30	·20	·36	–	·18	–	–	–	·02	·20	·10	·25	28
29	·75	–	·60	–	·05	–	–	–	–	·30	1·60	·18	29
30	·22	X	·71	–	–	–	–	·04	–	·18	·85	1·40	30
31	1·40	X	·02	X	·05	X	·70	–	X	1·06	X	·56	31
Total	5·26	10.75	9·62	2·39	3.92	3.33	7·89	5·92	2·89	4·95	8·00	14·34	YEAR'S TOTAL 79·26
Rain Days.	19	24	31	12	16	13	24	19	13	15	24	27	237

W. 8,000. X. 14.

No 11 Gauge

ext 78

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.
10. JAN 19

Kept at Taf Fechan (Neuadd Res:)

in the County of Brecknock.

by Thos: F. Harvey

Lat. Long.

Time of Observation 9am

Nearest Railway Station Torpantau B/M. Rly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1524 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·70	·80	·04	–	·45	–	–	1·00	·08	·53	·10	·45	1
2	·30	·35	·55	·44	·01	·05	·08	·50	·13	·18	–	·34	2
3	·10	·67	·36	·10	·08	–	·50	·14	–	–	–	·68	3
4	·28	·58	·05	–	·25	·05	·35	·01	·08	–	–	·90	4
5	·16	1·05	·03	·26	·03	·03	–	·18	–	–	–	1·46	5
6	·38	·28	·01	·25	–	–	·65	·17	–	–	–	·46	6
7	·33	·80	·03	·05	–	–	·15	·20	–	–	·02	·73	7
8	·40	·88	–	–	–	–	·01	·08	–	–	·55	·01	8
9	·27	·50	–	·40	–	–	–	·10	–	–	·35	1·70	9
10	·72	·04	·05	·08	–	–	–	·05	–	·18	·31	·10	10
11	·10	–	·05	·04	–	–	–	·24	–	·10	1·51	·10	11
12	·25	·05	–	·15	·80	–	·03	·01	–	·20	1·21	–	12
13	·05	1·70	–	·01	·80	–	–	·21	·12	·03	·05	·35	13
14	·28	·23	–	–	·02	–	–	·18	·35	–	·01	1·30	14
15	·60	–	–	–	·18	–	·07	·10	·08	·03	·10	·28	15
16	·07	2·20	–	·03	·60	–	1·50	·08	·04	·01	–	·01	16
17	·01	·40	–	–	·55	–	·01	·20	–	–	–	·01	17
18	·01	·66	·03	–	–	–	·11	–	–	–	–	–	18
19	·01	·05	–	·44	·30	–	·90	–	–	–	–	–	19
20	·43	·02	–	·02	·20	–	·01	·03	–	·14	–	·07	20
21	·05	·15	–	–	·18	–	·50	–	–	·20	–	·07	21
22	·15	·05	·35	·15	–	·05	·57	–	·05	·05	–	1·00	22
23	·13	·03	·15	–	–	·30	·20	–	·15	1·38	–	·70	23
24	·01	–	·04	·10	–	–	·10	–	·10	·58	–	1·22	24
25	–	–	·02	–	–	·55	·08	–	·05	·08	·06	·25	25
26	–	·58	–	–	–	·15	·58	–	·08	–	–	1·20	26
27	–	·07	–	–	–	·10	·20	–	·05	·95	–	·45	27
28	–	·10	·03	–	–	·10	·03	–	·40	·21	·01	·09	28
29	–	–	–	–	–	·22	·14	·10	·03	·03	·90	·28	29
30	·20	X	–	·30	–	·10	–	–	·01	·58	·65	·65	30
31	·02	X	–	X	–	X	·40	·15	X	1·70	X	1·00	31
Total	6·01 ✓	12·24	1·79 ✓	2·82 ✓	4·45 ✓	1·70 ✓	7·17 ✓	3·73 ✓	1·80 ✓	7·16 ✓	5·83 ✓	15·76	YEAR'S TOTAL 70·46
Rain Days.	26 ✓	24	15	16 ✓	14 ✓	11 ✓	23 ✓	20 ✓	16 ✓	19 ✓	14 ✓	28	226

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
8 JAN 1917

Kept at Taff Fechan (Neuadd Res:) No 11.

in the County of Breconshire

by Mr T. F. Harvey.

Lat.
Long.
Time of Observation 9am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1524 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·06	·11	·14	-	·03	·42	·60	-	-	·45	·38	-	1
2	·87	·60	·12	-	·02	·06	·18	-	·42	1·60	·40	·01	2
3	·24	1·90	·10	-	·21	·43	·10	-	·14	·60	·65	-	3
4	·31	·40	·45	·02	·21	·40	·01	-	·13	·50	·97	·04	4
5	·21	·42	·08	-	·15	·15	·09	-	-	1·25	·08	-	5
6	·34	·15	·16	-	·25	·11	·55	-	-	·96	1·03	-	6
7	·23	·02	·09	-	·20	·05	·05	-	-	·27	·95	·18	7
8	·02	·04	·13	-	·76	·04	-	-	-	·20	·12	·18	8
9	·01	·05	·23	-	·02	·01	-	-	-	·02	·10	·07	9
10	-	·43	-	·13	·08	-	·05	-	·02	·16	·04	·03	10
11	·14	·05	·27	·35	·17	-	·07	-	·04	·06	·01	·10	11
12	·10	·30	·07	·03	·35	·03	·40	·35	·02	·35	-	·01	12
13	·01	·25	·35	·15	·01	-	·01	·65	·02	·54	·01	-	13
14	·02	·65	·10	·03	·05	-	-	·26	-	·38	·01	·04	14
15	·02	·90	·20	·35	·08	-	·10	·25	·03	·20	-	-	15
16	·12	·05	·01	·20	·05	-	·02	·08	-	·23	-	-	16
17	·90	·35	-	·63	-	-	-	·01	·77	·50	·06	-	17
18	·30	·32	·61	·20	-	-	-	-	·34	·20	·04	·02	18
19	·50	·08	·50	·40	-	-	-	-	·01	·03	·63	·27	19
20	·45	·15	·25	·02	-	-	-	-	-	-	·10	·50	20
21	·48	-	·15	·20	·05	·01	-	-	-	-	·08	·20	21
22	·01	-	·35	·02	-	·07	-	·03	-	·65	·10	·05	22
23	·05	-	·03	·40	-	·28	-	·20	-	·36	·50	·35	23
24	·01	·10	·03	·48	1·25	·10	-	·32	-	1·04	·06	·15	24
25	·11	·30	·21	·01	·03	·06	-	·80	·04	·25	·54	·14	25
26	·20	·12	·15	-	-	·27	-	·75	·41	·58	·13	-	26
27	·10	·03	·35	-	·02	·26	-	·40	·70	1·15	·01	·01	27
28	·02	·21	·25	-	-	-	-	·01	·10	·76	·17	2·60	28
29	-	·15	·11	-	-	·72	-	·94	-	·55	·04	·10	29
30	-	X	-	-	-	·20	-	·03	-	·86	·01	·04	30
31	-	X	·01	X	·08	X	-	·30	X	·57	X	·16	31
Total	6·83	8·13	5·50	3·62	4·07	3·67	2·23	5·38	3·19	15·27	7·22	5·25	YEAR'S TOTAL 70·36
Rain Days.	27	26	28	17	21	19	13	16	15	29	27	22	260

W. 8,000, VIII. 16

No. 11

3898

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
1 MAR 1918

Kept at Neuadd Reservoirs

in the County of Brecknock

by Thos F Harvey

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station Torpantau

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 1524 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	–	.21	.25	–	.48	–	.33	.12	–	.14	.10	1
2	.06	–	.06	.25	–	.07	–	.04	.01	.24	.36	–	2
3	.07	.10	–	.18	–	.08	.01	.02	–	.85	.18	.04	3
4	.04	–	.26	–	–	–	.15	.16	.03	.43	.02	–	4
5	.50	–	.84	.38	–	.08	–	.15	.43	.50	.53	–	5
6	.04	–	.50	.01	–	.32	–	–	–	.78	.45	.23	6
7	.35	–	.10	–	–	–	.20	.23	–	.15	.15	.15	7
8	.21	–	.05	.15	–	.05	.48	1.25	.08	.80	.38	.26	8
9	.10	–	.15	.07	.18	–	.01	.35	.18	.15	.55	–	9
10	.25	–	.80	.11	.14	.30	–	.60	.10	.10	.01	–	10
11	.15	–	.01	.08	.01	–	–	.86	–	.78	.16	–	11
12	.03	–	.04	.08	1.14	–	–	.12	–	.38	.04	.05	12
13	–	–	.30	.21	–	.04	–	2.60	.18	22	–	.03	13
14	–	–	08	.11	.03	–	–	20	.01	.05	.02	.02	14
15	–	–	–	.10	.25	–	.43	.05	.10	.55	–	.13	15
16	.01	.10	–	.18	–	.05	.08	.20	.01	.18	.03	.04	16
17	–	.15	.08	.15	.35	–	1.95	1.65	.30	.15	.03	.05	17
18	.06	.06	.04	02	.07	–	.45	.06	1.15	.02	–	–	18
19	–	.74	.06	–	–	.33	.01	.20	.12	–	.02	–	19
20	–	.05	.02	–	1.04	.32	.08	.13	.30	.02	.03	–	20
21	–	.02	.03	–	.12	.02	–	.06	–	.20	.01	–	21
22	–	.17	–	–	.01	.03	–	.80	.01	.20	.04	–	22
23	–	.20	–	–	.34	.15	–	1.30	–	.15	.04	.65	23
24	–	.07	–	–	–	.20	.15	.60	.01	.75	.10	.06	24
25	–	.10	.10	–	–	.01	.08	.80	.20	.13	.07	–	25
26	–	.01	.05	–	.70	.14	.01	.40	.40	.05	.17	–	26
27	–	.01	.03	–	.68	1.10	.38	1.10	.01	.10	.03	–	27
28	–	.01	.26	–	.02	.20	–	.40	–	–	.06	.04	28
29	–		.03	–	–	.01	–	.10	–	1.20	.06	.19	29
30	–		.12	–	–	–	–	.73	.01	.33	.12	.10	30
31	–		.05		.56		.01	.74		.10		08	31
Total	1.89	1.79	4.27	2.33	5.64	3.98	4.48	16.23	3.76	9.56	3.80	2.22	YEAR'S TOTAL 59.95
Rain Days.	14	14	25	16	16	20	16	30	21	28	27	17	244

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

32

27 6 19

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at TAF FECHAN (NEAUDD RES:) No: 11

in the County of BRECON

by Thd. F Harvey M. Inst C.E.

Lat. .... Long. ....

Time of Observation 9 A/M

Nearest Railway Station TORPANTAU.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1,524 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·38	·02	·30	·10	–	–	·23	·10	·05	1·46	·01	1
2	–	·48	–	·10	–	–	–	·27	·05	·06	·30	·01	2
3	–	·27	–	·20	·30	·04	–	–	·68	·32	·10	·14	3
4	–	·20	·03	–	·02	–	–	·10	·42	·95	1·65	1·05	4
5	–	·27	·01	·56	·24	·04	–	·35	·15	1·05	·15	·19	5
6	·06	·79	–	·14	–	·10	–	·01	·14	·30	–	·21	6
7	–	·22	–	·02	·46	–	–	·05	1·44	·20	·45	·40	7
8	–	·50	–	–	·01	·10	·01	–	·10	·40	·13	–	8
9	·17	·58	–	·40	–	·40	·12	–	·70	·45	·15	·60	9
10	·06	·15	–	·32	–	–	1·06	–	·35	·13	·62	·62	10
11	·03	·15	·20	·05	·04	–	·80	–	·28	·22	·08	·30	11
12	·05	·50	·18	–	·17	–	·30	–	·15	–	–	·28	12
13	–	·06	·05	·02	·06	·10	·04	–	·83	·18	–	·72	13
14	1·35	–	·10	–	·12	·01	·26	·02	·48	·04	–	1·03	14
15	·03	·01	–	–	·07	·05	1·00	–	·30	–	–	·75	15
16	·10	–	–	·90	–	·06	·17	·10	·95	·02	–	·70	16
17	1·40	–	·08	–	–	·10	1·37	·05	·57	·10	–	·36	17
18	1·20	–	·20	–	–	·61	·43	–	·45	·10	–	·76	18
19	·55	·17	·25	·04	–	·02	·15	·02	·05	·10	–	·22	19
20	·64	·38	–	·06	–	·12	·05	·02	·78	–	–	·03	20
21	·25	·40	–	·24	–	·04	·28	–	1·18	·03	–	·51	21
22	·15	·01	–	·01	·50	–	1·02	·02	·38	–	·01	·40	22
23	1·04	·05	–	–	·65	–	·18	–	·18	–	·18	·04	23
24	·05	·18	–	–	·01	–	·22	·75	·10	·04	·33	·08	24
25	–	·03	–	–	·10	–	·65	·40	·20	·12	·20	–	25
26	·30	–	–	·05	–	–	·20	·10	·15	·10	·18	·55	26
27	·07	·10	·70	–	–	–	·08	·65	·45	·06	·21	·26	27
28	–	·05	·26	–	–	–	–	·01	·15	·04	·20	·20	28
29	–		·30	–	–	–	–	–	1·10	·05	·03	·15	29
30	–	X	·90	–	–	–	–	·04	·02	·17	·01	·30	30
31	–	X	·43	X	–	X	–	·10	X	·14	X	·04	31
Total	7·50 ✓	5·93 ✓	3·71 ✓	3·41 ✓	2·85 ✓	1·79 ✓	8·39 ✓	3·29 ✓	12·88 ✓	5·42 ✓	6·44 ✓	10·91 ✓	YEAR'S TOTAL 72·52 ✓
Rain Days.	18 ✓	23 ✓	15 ✓	16 ✓	15	14 ✓	20	19 ✓	30 ✓	26	19 ✓	29	244 ✓

W. 8,000, VIII. 16

3706

No. 11

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

(Old letter O)

5 FEB 20

Kept at 230 yds East of North end of Lower Neuadd Reservoir
in the County of Brecon
by Thos F Harvey M. Inst. C. E.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·04

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·82	·17	·38	·02	·24	–	·50	–	·72	·56	–	·84	1
2	·22	–	·23	–	·05	–	·10	·10	·10	·08	·07	·45	2
3	·02	–	·14	–	·25	·15	–	–	·12	–	·14	·50	3
4	·05	·12	·31	–	·04	–	·05	·10	·53	–	·01	·40	4
5	·05	·16	·10	·01	·05	–	–	–	·07	–	·10	·58	5
6	·78	·20	·82	–	–	–	–	–	·04	–	·10	·24	6
7	·21	–	·24	·12	–	·05	–	–	·07	–	–	·01	7
8	·50	–	·18	·06	–	·30	–	–	–	–	–	–	8
9	·40	–	·24	·21	–	–	–	–	·11	–	·05	·01	9
10	·42	–	1·13	·13	·06	–	–	–	–	·10	·20	·97	10
11	·28	–	1·10	·12	·26	·07	·05	–	–	·05	·24	·12	11
12	·05	–	·35	·12	·14	·58	–	–	–	·18	–	–	12
13	1·06	·05	·01	·74	–	–	·03	–	1·05	·33	–	·15	13
14	1·19	·18	–	·30	·20	–	·10	·03	·01	·18	–	·34	14
15	·72	·09	–	·10	·01	–	–	·05	–	·17	–	·67	15
16	·10	1·32	–	·03	–	·18	·04	·05	–	–	·23	·06	16
17	·03	·58	–	·02	–	·20	·01	·39	–	–	·65	·11	17
18	·13	·30	·95	–	–	–	·27	·76	·10	–	·52	·13	18
19	·50	·40	·56	–	–	·40	·07	·24	·09	–	·14	·02	19
20	·67	·43	·30	–	–	·02	–	·03	·26	–	·05	·25	20
21	·05	1·45	·40	–	–	–	·30	·10	·18	–	·04	·07	21
22	·02	·17	·05	–	–	·10	–	–	·64	–	·15	·52	22
23	–	·01	–	–	–	–	–	·03	–	1·03	·44	·20	23
24	·02	–	–	·10	·02	·06	–	·05	·14	·64	·31	·32	24
25	·23	–	–	·16	·01	–	–	1·05	·30	·04	·06	·08	25
26	·02	–	·25	·18	–	·04	–	·10	·06	–	–	1·30	26
27	·12	–	·08	·04	–	–	·40	·74	·02	–	–	·01	27
28	·08	–	·40	·08	–	–	–	·10	–	–	·01	·88	28
29	·04		·02	·06	–	·05	–	·13	–	·27	·24	·58	29
30	·01		·02	·20	–	·30	–	·47	·04	·07	·66	·80	30
31	–		·03		–		·13	–		–		·10	31
Total	8·79	5·63	8·29	2·80	1·33	2·50	2·05	4·52	4·65	3·70	4·41	10·71	Year's Total 59·38
Days with ·01 in. or more	29	15	24	20	12	14	13	18	20	13	21	29	22·8

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

6X 8112 3604

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

14 JAN 1921

Kept at Lower Neuadd No 11
in the County of Breconshire
by J F Harvey M. Inst. C.E.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Torpantau
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1524 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 1.67

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.02	.05	.43	1.00	-	1.82	.04	.10	.02	.08	.78	1
2	.07	.08	.03	.25	.02	/	.16	.16	.10	.20	/	1.00	2
3	.36	.20	-	.27	.05	.01	1.05	.12	.08	2.16	-	.20	3
4	-	-	.02	.02	.04	-	.01	1.66	.04	.19	-	/	4
5	-	.02	.48	.04	.60	-	.28	.20	.18	.48	/	-	5
6	-	-	.59	.01	.55	/	.04	.01	.01	.12	.01	.02	6
7	.25	-	.01	.28	.05	/	.19	-	-	.01	.02	.01	7
8	.05	.07	-	1.11	.28	/	.27	.43	-	-	-	/	8
9	.93	.63	.01	.73	-	.10	.30	.08	.02	-	.02	/	9
10	1.75	.39	.39	.13	/	.76	.48	-	-	-	.12	/	10
11	.17	.03	.49	.87	.55	.08	.13	-	-	.03	-	/	11
12	.56	.27	.02	.46	.04	.75	.43	.12	-	.04	.30	/	12
13	.08	.06	.79	.80	-	.02	-	-	-	.04	.20	/	13
14	.27	.12	.48	1.16	-	-	.34	-	1.63	.34	1.60	-	14
15	.07	.45	.36	1.58	.10	.20	-	-	-	.02	.08	/	15
16	.08	.01	.17	.18	.10	.55	.55	.02	.89	1.30	.02	/	16
17	.27	-	.01	-	.66	1.55	-	.47	1.64	.10	/	-	17
18	.40	-	.01	.33	.26	.09	.10	.05	1.04	-	/	.05	18
19	.03	.28	-	.52	.34	.33	.02	.14	-	-	/	.04	19
20	.06	.03	-	.74	-	.15	.03	-	-	.04	/	.86	20
21	-	-	-	.06	-	-	.26	.02	.03	.27	/	.25	21
22	.20	-	-	.21	-	.04	.65	.13	.04	/	/	.25	22
23	.06	.01	.07	.01	-	-	.43	-	-	/	-	1.30	23
24	.12	.09	.99	.02	-	-	.02	-	-	/	.20	1.40	24
25	.12	.12	.25	.12	/	.02	.90	-	-	/	-	.20	25
26	.44	.09	.61	.17	.40	.31	.09	/	-	-	.35	.30	26
27	1.15	.08	1.55	.25	.06	.60	.41	/	-	/	.10	.77	27
28	.08	.04	.55	.13	.03	.30	.12	/	/	/	.03	.25	28
29	1.08	.01	.32	.16	.16	.08	.58	/	-	-	.33	1.55	29
30	.70	X	.27	.35	-	.95	.15	/	.90	.28	.52	1.66	30
31	.14	X	.50	X	-	X	.04	/	X	.70	X	.30	31
TOTAL	9.53	3.10	9.02	11.39	5.29	6.89	9.85	3.65	6.70	6.34	3.98	11.19	YEAR'S TOTAL 86.93
Days with ·01 in. or more	27	22	25	29	19	19	28	15	14	18	16	19	251
Days with ·04 in. or more	26	15	18	25	17	16	24	12	11	14	11	17	206

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

No 4A.
6

REG 11

~~TORPANTAU~~
TAF FECHAN
NEUADD RES.
BRECON
1911- 1920

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

Kept at Neuadd 5 in.

ove Ground 1 ft. 0 in.

in the County of Breck ,, Sea Level 1487 ft.

by W. F. Ha 9 a.m

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	—	·18	·06	·20	—	·03	·07	—	·04	·74	·20	1
2	—	—	·08	—	·40	—	—	·54	—	·11	·29	·91	2
3	·05	—	·09	·05	1·18	·03	—	·29	—	—	·78	·36	3
4	·03	—	·38	—	·03	—	—	1·06	·08	·10	1·43	·94	4
5	·21	—	·13	·05	—	—	—	·52	—	·31	·10	·09	5
6	·98	—	·08	·04	—	—	—	·46	—	·01	·40	1·11	6
7	·27	—	—	—	—	—	—	·01	—	—	1·15	·01	7
8	·29	—	·44	—	—	—	—	—	—	—	·80	1·30	8
9	·13	—	·02	—	—	—	—	—	—	—	·55	·90	9
10	·20	·14	1·06	—	—	—	—	—	—	—	·04	·73	10
11	·68	·01	·28	—	·30	—	—	·02	·06	—	·37	·18	11
12	—	·06	·36	—	·20	—	—	—	·49	—	1·18	·45	12
13	—	·04	·18	—	·03	—	—	—	·15	·37	·29	·28	13
14	—	·23	·04	—	·05	—	—	—	—	·03	·45	1·04	14
15	—	·39	·02	—	·01	·09	—	—	—	·03	1·35	·28	15
16	—	·14	·05	—	—	·56	—	—	—	—	·32	·87	16
17	·02	·57	·01	—	—	1·52	·06	—	—	—	·48	1·35	17
18	—	2·00	·10	·40	—	·23	—	—	—	·11	·11	1·33	18
19	—	·05	—	·51	—	·62	·06	·04	1·27	·51	·45	·93	19
20	·03	·17	—	·65	—	·13	—	—	·18	·16	·04	·70	20
21	·02	1·55	·09	·25	—	·50	·06	·14	·11	1·04	—	·36	21
22	·01	·30	·02	·71	—	·78	—	—	·09	·47	—	·80	22
23	·04	·84	·04	·02	·20	·03	—	—	·73	·44	—	·47	23
24	·20	·35	—	·02	·07	1·07	—	·27	·04	·17	—	·55	24
25	·43	·29	—	·61	—	·20	—	·05	·35	·10	—	·33	25
26	·05	·33	—	·82	·02	·05	—	·81	·05	·30	—	·16	26
27	·01	1·77	—	·22	—	—	—	·60	·73	·01	·18	·21	27
28	—	·70	·39	·39	—	·08	—	·14	—	—	·18	·09	28
29	—		·01	·18	—	·94	·19	·06	·60	1·86	—	·05	29
30	—		—	·03	—	·05	·04	·03	·01	·73	·24	·06	30
31	—		—		·05		·20	—		·07		·02	31
Total	3·71	9·93	4·05	5·01	2·74	6·88	·64	5·11	4·94	6·97	11·92	17·06	TOTAL for year ✓ 78·96
No. of Rain Days	19 ✓	19 ✓	22 ✓	17 ✓	13 ✓	16 ✓	7 ✓	17 ✓	15 ✓	21 ✓	23.	31	220 ✓

7,000. X. '09.

No 4A

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

Kept at Nenadd Reservoir

in the County of Brecknock 4

by Mrs. F. Harvey

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 1487 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	—	·18	·06	·20	—	·03	·07	—	·04	·74	·20	1
2	—	—	·08	—	·40	—	—	·54	—	·11	·29	·91	2
3	·05	—	·09	·05	1·18	·03	—	·29	—	—	·78	·36	3
4	·03	—	·38	—	·03	—	—	1·06	·08	·10	1·43	·94	4
5	·21	—	·13	·05	—	—	—	·52	—	·31	·10	·09	5
6	·98	—	·08	·04	—	—	—	·46	—	·01	·40	1·11	6
7	·27	—	—	—	—	—	—	·01	—	—	1·15	·01	7
8	·29	—	·44	—	—	—	—	—	—	—	·80	1·30	8
9	·13	—	·02	—	—	—	—	—	—	—	·55	·90	9
10	·20	·14	1·06	—	—	—	—	—	—	—	·04	·73	10
11	·68	·01	·28	—	·30	—	—	·02	·06	—	·37	·18	11
12	—	·06	·36	—	·20	—	—	—	·49	—	1·18	·45	12
13	—	·04	·18	—	·03	—	—	—	·15	·37	·29	·28	13
14	—	·23	·04	—	·05	—	—	—	—	·03	·45	1·04	14
15	—	·39	·02	—	·01	·09	—	—	—	·03	1·35	·28	15
16	—	·14	·05	—	—	·56	—	—	—	—	·32	·87	16
17	·02	·57	·01	—	—	1·52	·06	—	—	—	·48	1·35	17
18	—	2·00	·10	·40	—	·23	—	—	—	·11	·11	1·33	18
19	—	·05	—	·51	—	·62	·06	·04	1·27	·51	·45	·93	19
20	·03	·17	—	·65	—	·13	—	—	·18	·16	·04	·70	20
21	·02	1·55	·09	·25	—	·50	·06	·14	·11	1·04	—	·36	21
22	·01	·30	·02	·71	—	·78	—	—	·09	·47	—	·80	22
23	·04	·84	·04	·02	·20	·03	—	—	·73	·44	—	·47	23
24	·20	·35	—	·02	·07	1·07	—	·27	·04	·17	—	·55	24
25	·43	·29	—	·61	—	·20	—	·05	·35	·10	—	·33	25
26	·05	·33	—	·82	·02	·05	—	·81	·05	·30	—	·16	26
27	·01	1·77	—	·22	—	—	—	·60	·73	·01	·18	·21	27
28	—	·70	·39	·39	—	·08	—	·14	—	—	·18	·09	28
29	—		·01	·18	—	·94	·19	·06	·60	1·86	—	·05	29
30	—		—	·03	—	·05	·04	·03	·01	·73	·24	·06	30
31	—		—		·05		·20	—		·07		·02	31
Total	3·71	9·93	4·05	5·01	2·74	6·88	·64	5·11	4·94	6·97	11·92	17·06	TOTAL for year 78·96
No. of Rain Days	19	19	22	17	13	16	7	17	15	21	23	31	220

7,000. X. '09.

No 4 A. (Check) Ex 93

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
8 FEB 1913

Kept at Neuadd Reservoirs
made
in the County of Brecknock. 4
by Thomas F Harvey, Esq. C.E.

Lat. Long.
Time of Observation
Nearest Railway Station Torpantau
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 1487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	1.08	-	·10	·65	·05	·11	·05	·73	-	·30	1
2	·02	-	1·05	·09	·02	·62	·26	·01	+	·03	-	·01	2
3	·39	-	36	-	·05	·15	·06	1·39	·58	-	·07	·83	3
4	1·00	-	1·96	·09	·03	·33	-	·51	-	-	·29	·01	4
5	·44	·02	·65	·05	·16	-	-	·47	·09	-	·01	·15	5
6	1·06	·60	·09	-	·38	-	-	1·18	·04	-	·02	·23	6
7	·09	·50	·41	-	·60	·38	·40	·03	·01	-	·04	·20	7
8	·98	·31	·60	22	·02	·04	·07	·21	·06	-	·01	·02	8
9	·07	·43	·57	27	-	·39	·14	·91	-	-	·06	·79	9
10	·42	·18	-	08	-	·12	·50	·18	-	-	1·06	·18	10
11	·10	·21	-	-	·05	-	·09	·08	-	-	·32	1·30	11
12	·16	·65	·46	16	·26	·09	·17	-	-	-	·01	·64	12
13	·29	-	·09	09	-	·05	·02	-	-	·75	·02	1·26	13
14	·21	-	1·09	-	-	·03	-	·13	-	·07	-	1·28	14
15	1·00	·55	·06	-	·25	·47	-	·13	-	-	·01	·85	15
16	·77	·03	1·02	-	·18	·03	-	1·42	·01	·68	·04	·07	16
17	·44	·02	·18	-	·07	·63	-	·95	-	-	·14	·82	17
18	·04	·10	·14	-	-	·08	-	·50	-	·28	+	·23	18
19	·26	·44	·09	-	-	·13	·30	1·18	-	·09	·10	·15	19
20	·17	·11	·83	-	·04	·04	·12	·20	-	·53	·21	·02	20
21	-	·22	1·25	-	·32	-	·01	·54	-	·43	·01	·04	21
22	·08	1·36	·15	-	·44	·07	·98	·90	-	·05	·10	·82	22
23	·17	·32	·81	-	-	·72	·14	·94	-	·12	·67	·31	23
24	·43	·07	·51	-	-	·58	·25	·04	-	·01	·12	·50	24
25	·01	·04	·63	-	-	·39	·06	·80	-	·02	1·13	·70	25
26	-	·75	·12	-	-	·04	1·15	·62	-	1·70	1·18	·58	26
27	-	·50	·26	-	-	·77	·94	·01	-	1·42	·04	2·08	27
28	-	·29	-	-	-	·77	·66	1·10	·53	·75	·68	·31	28
29	-	·44	·07	-	-	·30	·18	·49	·47	·58	·06	·08	29
30	-		·48	-	·01	·15		·01	·01	·90	·01	·15	30
31	-		·32		·08		·70	·18		·05		·63	31
Total	8·60 ✓	8·14 ✓	15·33 ✓	1·05 ✓	3·06 ✓	8·02 ✓	7·25 ✓	15·22 ✓	1·85 ✓	9·19 ✓	6·41 ✓	15·54 ✓	YEAR'S TOTAL 99·66
Rain Days.	23	23	28	8	18	26	22	29	10	19	26	31	263

W. 7,500, XI. 12

Esc DL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

-4 FEB 1914

Kept at Taf Fechan Neuadd Reservoir N^{o} 4^{a}

in the County of Brecknock (Check gauge) 4

by Thos. F. Harvey M. Inst. C.E.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Torpantau

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 1487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	.98	.66	.39	.07	–	–	–	.06	.14	.35	.10	1
2	.08	.03	.68	.48	.15	.09	.01	–	.01	.65	.64	.45	2
3	.40	.40	.81	–	.65	.05	–	–	–	.40	–	.45	3
4	1.07	.27	.74	–	.17	.03	.01	–	1.26	.16	.23	.44	4
5	.18	.17	.19	–	.24	.33	–	–	.41	–	.75	.18	5
6	.65	.39	.40	–	.31	.60	.90	–	–	.52	.28	.56	6
7	.14	.92	.03	–	1.05	.67	.05	–	–	.94	.20	.08	7
8	.07	.97	.08	–	.50	–	.10	.16	–	.22	–	.32	8
9	–	.45	.48	–	.27	1.20	.08	.26	.11	.01	.64	.27	9
10	.37	–	.42	.03	.32	–	–	.51	.02	.25	.30	–	10
11	.65	–	.03	.68	14	–	–	.07	.03	.18	.95	.42	11
12	–	–	–	.01	.24	.07	.08	.06	.20	.01	1.00	.02	12
13	–	–	1.20	.06	.03	–	.11	.13	.93	–	.66	–	13
14	.56	–	.97	.99	–	–	–	.02	.07	.55	.11	.08	14
15	.27	.05	.79	1.86	–	–	–	.49	.01	.01	.15	.30	15
16	.50	–	.33	.16	–	–	.05	.40	.08	–	.30	–	16
17	.41	.01	.34	.56	–	–	.15	–	–	–	.91	–	17
18	.36	–	1.95	.95	.13	.08	.09	–	–	–	.47	–	18
19	.24	–	.39	.07	.08	.42	–	–	.17	67	.31	–	19
20	.63	–	.90	.17	.05	.01	–	–	–	.58	2.75	–	20
21	.02	–	.53	.32	.35	–	.26	.68	.02	.36	.25	–	21
22	1.08	–	1.34	.01	.11	.30	.01	.99	.47	.05	.03	–	22
23	.25	–	.13	–	.06	.23	–	.11	.13	.01	.25	.10	23
24	.60	.15	–	.25	–	–	–	–	–	–	.50	–	24
25	.01	.08	–	.70	–	–	–	–	.12	.06	.32	.76	25
26	–	.02	–	3.27	–	.11	–	.04	.05	.02	–	1.48	26
27	.04	–	.16	.50	–	–	–	–	–	.64	–	.06	27
28	.43	–	.40	.83	.10	–	–	–	–	.54	–	.05	28
29	–		.80	.39	.05	–	–	.08	–	.41	.16	.28	29
30	.94		.01	.01	.03	–	–	–	.01	.47	.44	–	30
31	.12		.37		.22		–	.08		.15		–	31
Total	10.15	4.89	15.13	12.69	5.32	4.19	1.90	4.08	4.16	8.00	12.95	6.40	YEAR'S TOTAL 89.86
Rain Days.	26	14	27	22	23	14	13	15	19	25	25	19	242

W.7,000, XI. 13

Exd L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

16 JAN 1915

Kept at Neuadd Reservoir No 4 (4)
in the County of Brecknock 4
by Thos. F. Harvey M. Inst. C. E.

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Torpantau
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	·08	·12	·05	-	·20	·30	1·02	–	–	·09	10	1
2	–	·03	·10	–	·20	·02	1·46	·15	–	–	·33	60	2
3	·05	·02	·84	·29	·90	–	·01	·20	–	·02	·01	1·70	3
4	1·30	–	·41	·43	·42	–	·55	·08	–	–	·66	58	4
5	·05	–	·58	·74	·66	–	–	·08	–	–	·30	–	5
6	·25	·20	·18	·25	·27	·06	·09	·15	–	–	·12	1·20	6
7	·15	·88	1·60	·20	·86	·05	·62	·30	·20	–	·07	95	7
8	·55	·01	·15	·33	·80	·60	·15	2·30	·13	–	·11	40	8
9	·85	·18	·20	·28	·33	1·48	–	·70	·13	–	·15	01	9
10	·08	·66	·14	·44	·05	·23	–	·30	·35	–	·06	10	10
11	–	·54	·85	·04	·65	·40	·10	–	–	–	·75	88	11
12	–	1·07	·35	–	·02	·02	–	–	·33	–	·78	50	12
13	–	2·15	·90	·04	–	–	·22	–	1·06	·45	·43	20	13
14	–	1·95	·58	–	–	–	·15	·36	·05	·08	·34	03	14
15	–	·05	·74	–	–	–	·11	·18	·15	·05	·54	07	15
16	·02	–	·40	–	–	–	·20	–	·75	–	·01	25	16
17	·16	·95	·39	–	–	·02	·16	–	·11	–	–	1·80	17
18	–	·15	·28	–	–	–	·19	–	·18	–	–	60	18
19	–	·25	·70	–	–	–	1·76	–	·25	–	·10	40	19
20	–	·85	·32	–	–	·25	·02	–	–	–	–	20	20
21	–	·57	·10	–	–	–	·01	·07	–	·32	–	10	21
22	–	·38	·03	·08	–	·15	·08	·55	–	1·05	–	–	22
23	–	·24	·50	–	·14	–	·25	·07	–	·32	–	–	23
24	·23	·02	·24	–	·03	·05	·35	·10	–	·16	·28	–	24
25	·45	–	·25	–	–	–	·60	·83	–	·46	·50	80	25
26	·04	·07	·13	–	–	–	·66	·31	–	·26	1·05	75	26
27	·10	·18	·02	–	–	–	·01	–	–	·25	·75	1·05	27
28	·45	·30	·35	–	·20	–	–	–	·04	·21	·21	40	28
29	1·00		·55	–	·08	–	–	–	–	·36	1·90	40	29
30	·28	X	·84	–		–	–	·05	–	·17	1·10	1·32	30
31	1·84	X	·02	X	·08	X	·65	–	X	·96	X	·50	31
Total	8·03	11·78	12·86	3·17	5·69	3·53	8·70	7·80	3·73	5·12	10·64	15·89	YEAR'S TOTAL 96·94
Rain Days.	19	24	31	12	16	13	24	19	13	15	24	27	237

W. 8,000. X. 14.

No 4 A Gauge ex^d

4132

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
10. JAN

Kept at Taf Fechan ([illegible] Res.)

in the County of Brecknock

by Thos: F. Harvey

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Torpantau (B & M Rly)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·75	1·00	·18	-	·68	-	-	·90	·08	·51	·10	·50	1
2	·40	·53	·72	·70	·01	·05	·12	·56	·15	·18	-	·33	2
3	·05	·65	·65	·22	·10	-	·60	·15	-	-	-	·75	3
4	·41	·70	·14	-	·25	·15	·40	·01	·08	-	-	·90	4
5	·20	·90	·07	·30	·02	·05	∞	·20	-	-	-	1·55	5
6	·45	·26	·04	·35	-	-	·65	·22	-	-	-	·40	6
7	·50	·95	·05	·08	-	-	·20	·35	-	-	·03	·82	7
8	·65	1·10	-	-	-	-	·01	·10	-	-	·80	·01	8
9	·34	·65	-	·73	-	-	-	·10	-	-	·32	1·75	9
10	1·12	·03	·10	·09	-	-	-	·07	-	·16	·31	·15	10
11	·25	-	·05	·05	-	-	-	·26	-	·10	1·18	·14	11
12	·31	·08	-	·23	·82	-	·06	·01	-	·22	1·23	-	12
13	·15	1·30	-	·03	1·00	-	-	·26	·15	·04	·08	·36	13
14	·70	·04	-	-	·16	-	-	·24	·35	-	·01	1·20	14
15	1·27	-	-	-	·16	-	·08	·11	·16	·04	·17	·30	15
16	·15	2·00	-	·04	·55	-	1·50	·10	·05	·03	-	·01	16
17	·01	·50	-	-	·53	-	·01	·22	-	-	-	·01	17
18	·05	·90	·13	-	-	-	·22	-	-	-	-	-	18
19	·08	·06	-	·60	·40	-	1·40	-	-	-	-	-	19
20	·95	·02	-	·05	·14	-	·01	·04	-	·13	-	·14	20
21	·18	·18	-	-	·15	-	·70	-	-	·19	-	·18	21
22	·50	·10	·35	·16	-	·07	·65	-	·05	·05	-	1·04	22
23	·12	·12	·17	-	-	·28	·25	-	·15	1·38	-	·74	23
24	·01	-	·06	·12	-	-	·10	-	·10	·48	-	1·47	24
25	-	-	·03	-	-	·60	·10	-	·07	·07	·08	·31	25
26	-	·71	-	-	-	·17	·61	-	·10	-	-	1·25	26
27	-	·20	-	-	-	·16	·24	-	·06	·71	-	·45	27
28	-	·30	·05	-	-	·19	·04	-	·37	·29	·01	·10	28
29	-	-	-	-	-	·26	·19	·10	·04	·02	·90	·25	29
30	·35	X	-	·45	-	·13	-	-	·02	·40	·65	·40	30
31	·03	X	-	X	-	X	·35	·17	X	1·46	X	1·15	31
Total	9·98 ✓	13·28 ✓	2·79 ✓	4·20 ✓	4·97 ✓	2·11 ✓	8·49 ✓	4·17 ✓	1·98 ✓	6·46 ✓	5·87 ✓	16·66	YEAR'S TOTAL 80·96
Rain Days.	26 ✓	24 ✓	15 ✓	16 ✓	14 ✓	11 ✓	23 ✓	20 ✓	16 ✓	19 ✓	14 ✓	28	226 ✓

W. 8,000. X. 15.

4059

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Taff Fechan (Neuadd Res) No 4.A.
in the County of Breconshire
by Mr T. F. Harvey.

Lat. ..... Long. .....
Time of Observation 9 am
Nearest Railway Station .....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·20	·12	·30	-	·05	·70	·72	-	-	·48	·45	-	1
2	1·68	·76	·22	-	·02	·10	·50	-	·44	1·61	·54	·01	2
3	·32	1·75	·18	-	·21	·50	·12	-	·23	·56	·47	-	3
4	·80	·50	·20	·04	·22	·85	·01	-	·18	·75	·75	·05	4
5	·25	·80	·50	-	·14	·32	·10	-	-	1·45	·18	-	5
6	1·00	·20	·09	-	·25	·15	·55	-	-	1·05	·96	-	6
7	·45	·06	·09	-	·45	·04	·05	-	-	·40	1·15	·25	7
8	·02	·08	·16	-	·85	·05	-	-	-	·28	·17	·19	8
9	·02	·18	·60	-	·03	·03	-	-	-	·06	·12	·10	9
10	-	·50	-	·27	·13	-	·08	-	·03	·38	·07	·04	10
11	·16	·06	·05	·45	·17	-	·10	-	·05	·14	·01	·10	11
12	·22	·50	·85	·20	·48	·05	·83	·40	·05	·58	-	·01	12
13	·01	·54	·35	·45	·01	-	·01	·90	·03	1·08	·01	-	13
14	·05	·61	·10	·13	·20	-	-	·38	-	·48	·01	·04	14
15	·04	2·40	·20	·40	·10	-	·13	·36	·06	·26	-	-	15
16	·17	·10	·01	·44	·08	-	·05	·08	-	·27	-	-	16
17	·83	·45	-	1·00	-	-	-	·01	1·18	·55	·25	-	17
18	·40	·58	·55	·62	-	-	-	-	·40	·28	·15	·02	18
19	·85	·07	·45	·70	-	-	-	-	·02	·03	·86	·15	19
20	1·08	·17	·27	·05	-	-	-	-	-	-	·15	·75	20
21	1·10	-	·25	·22	·07	·02	-	-	-	-	·11	·25	21
22	·03	-	·33	·05	-	·06	-	·04	-	·72	·15	·10	22
23	·12	-	·05	·40	-	·28	-	·25	-	·38	·70	·40	23
24	·01	·25	·05	·50	1·33	·10	-	·35	-	·95	·10	·18	24
25	·18	·40	·52	·01	·03	·08	-	·87	·05	·30	·95	·03	25
26	·35	·20	·20	-	-	·28	-	·93	·40	·65	·15	-	26
27	·11	·06	·18	-	·03	·20	-	·45	·65	·75	·01	·01	27
28	·05	·84	·12	-	-	-	-	·01	·11	·68	·40	2·85	28
29	-	·60	·80	-	-	·78	-	·73	-	·64	·05	·90	29
30	-	X	-	-	-	·20	-	·03	-	1·00	·01	·15	30
31	-	X	·02	X	·10	X	-	·36	X	·98	X	·20	31
Total	11·50	12·78	7·69	5·93	4·95	4·79	3·25	6·15	3·88	17·74	8·93	6·78	YEAR'S TOTAL 94·37
Rain Days.	27	26	28	17	21	19	13	16	15	29	27	22	260

W. 8,000, VIII. 16

Nº 4a

3844

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

15 MAR 1918

Kept at Nantddu Reservoirs

in the County of Brecknock

by Thos. F. Harvey

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Torpantau
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 1487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	·28	·35	–	·65	–	·38	·22	–	·18	·20	1
2	·10	–	·07	·60	–	·12	–	·04	·01	·30	·35	–	2
3	·48	·12	–	·30	–	·23	·01	·02	–	1·20	·16	·07	3
4	·07	–	·25	–	–	–	·17	·18	·03	·50	·04	–	4
5	·95	–	·70	·52	–	·09	–	·15	·44	·55	·75	–	5
6	·07	–	·60	·01	–	·32	–	–	–	·83	·60	·54	6
7	·42	–	·20	–	–	–	·18	·23	–	·15	·20	·20	7
8	·43	–	·80	·50	–	·06	·45	1·36	·12	1·20	·55	·30	8
9	·40	–	1·40	·12	·18	–	·01	·44	·18	·20	·55	–	9
10	·30	–	1·02	·47	·14	·35	–	·55	·10	·10	·02	–	10
11	·35	–	·01	·40	·01	–	–	1·03	–	·78	·22	–	11
12	·20	–	·05	·50	1·17	–	–	·14	–	·40	·02	·05	12
13	–	–	·25	·60	–	·08	–	2·50	·44	·21	–	·08	13
14	–	–	·09	·18	·05	–	–	·22	·01	·07	·02	·08	14
15	–	–	–	·18	·28	–	·50	·05	·18	·55	–	·20	15
16	·06	·15	–	·37	–	·06	·10	·27	·01	·20	·05	·30	16
17	–	·18	·10	·25	·34	–	1·85	1·75	·35	·15	·07	·10	17
18	·08	·07	·06	·04	·10	–	·60	·10	1·25	·03	–	–	18
19	–	·63	·49	–	–	·35	·02	·27	·13	–	·06	–	19
20	–	·07	·05	–	1·05	·36	·11	·15	·40	·03	·10	–	20
21	–	·05	·07	–	·15	·04	–	·06	–	·28	·02	–	21
22	–	·20	–	–	·01	·01	–	·68	·02	·34	·14	–	22
23	–	·25	–	–	·34	·28	–	1·66	–	·20	·09	·45	23
24	–	·10	–	–	–	·33	·16	1·00	·01	1·40	·18	·10	24
25	–	·15	·20	–	–	·01	·10	·70	·24	·14	·14	–	25
26	–	·01	·10	–	·70	·17	·03	·45	·52	·08	·35	–	26
27	–	·01	·06	–	·70	1·16	·46	1·00	·02	·15	08	–	27
28	–	·03	·35	–	·02	·20	–	·57	–	–	·20	·03	28
29	–		·22	–	–	·01	–	·10	–	1·00	·17	·27	29
30	–		·20	–	–	–	–	·76	·01	·40	30	·10	30
31	–		·06		69		·02	1·00		·10		·05	31
Total	3·93	2·02	7·68	5·39	5·90	4·88	4·77	17·81	4·69	11·54	5·61	3·12	YEAR'S TOTAL 77·34
Rain Days.	14	14	25	16	16	20	16	30	21	28	27	17	244

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

28

Cor. for aith.

FORM A.
BRITISH RAINFALL.

27 6 19

REGISTER OF RAINFALL IN 1918

Kept at TAF FECHAN (NEAUDD RES:) No 4 A

in the County of BRECON

by Thos. F. Harvey M. Inst. C.E.

Lat. Long.

Time of Observation 9 A/M

Nearest Railway Station TORPANTAU

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1,487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·38	·04	·48	·10	—	—	·25	·15	·08	1·27	·02	1
2	—	·45	—	·17	—	—	—	·27	·07	·15	·30	·03	2
3	—	·26	—	·15	·38	·04	—	—	·71	·35	·12	·17	3
4	—	·21	·06	—	·02	—	—	·12	·43	1·35	1·60	1·00	4
5	—	·32	·04	·75	·18	·05	—	·41	·15	1·44	·20	·22	5
6	·10	1·24	—	·24	—	·15	—	·01	·18	·41	—	·23	6
7	—	·45	—	·03	·46	—	—	·07	1·44	·30	·45	·35	7
8	—	·70	—	—	·01	·11	·03	—	·15	·52	·17	—	8
9	·50	1·05	—	·40	—	·50	·15	—	·80	·70	·20	·65	9
10	·17	·56	—	·33	—	—	1·12	—	·43	·25	·70	·75	10
11	·11	·23	·20	·05	·06	—	1·00	—	·30	·25	·10	·37	11
12	·10	·76	·17	—	·20	—	·37	—	·25	—	—	·30	12
13	—	·10	·05	·02	·06	·12	·06	—	·95	·20	—	·88	13
14	1·40	—	·10	—	·17	·02	·33	·04	·48	·05	—	1·10	14
15	·04	·01	—	—	·08	·08	1·11	—	·36	—	—	·85	15
16	·20	—	—	·76	—	·07	·20	·16	1·02	·04	—	·84	16
17	1·48	—	·08	—	—	·10	1·55	·10	·61	·15	—	·65	17
18	1·58	—	·20	—	—	·56	·55	—	·41	·10	—	·97	18
19	·50	·24	·25	·05	—	·02	·16	·05	·08	·11	—	·45	19
20	·55	·50	—	·25	—	·23	·08	·04	·90	—	—	·05	20
21	·22	·70	—	·30	—	·08	·35	—	1·35	·04	—	·56	21
22	·20	·06	—	·02	·80	—	1·00	·04	·49	—	·01	·71	22
23	1·00	·09	—	—	·90	—	·26	—	·24	—	·19	·07	23
24	·08	·25	—	—	·02	—	·32	·68	·27	·06	·36	·21	24
25	—	·05	—	—	·13	—	·87	·54	·30	·16	·21	—	25
26	·28	—	—	·05	—	—	·30	·14	·35	·16	·25	·85	26
27	·07	·18	·84	—	—	—	·10	·85	·59	·09	·31	·55	27
28	—	·40	·51	—	—	—	—	·02	·15	·11	·30	·60	28
29	—		·40	—	—	—	—	—	1·25	·05	·06	·20	29
30	—	X	·85	—	—	—	—	·06	·07	·21	·04	·54	30
31	—	X	·70	X	—	X	—	·13	X	·14	X	·05	31
Total	8·58 ✓	9·19 ✓	4·49 ✓	4·05 ✓	3·57 ✓	2·13 ✓	9·91 ✓	3·98 ✓	14·93 ✓	7·47 ✓	6·84 ✓	14·22 ✓	YEAR'S TOTAL ~~89·32~~ 89·36
Rain Days.	18 ✓	23 ✓	15 ✓	16 ✓	15 ✓	14 ✓	20 ✓	19 ✓	30 ✓	26 ✓	19 ✓	29 ✓	244 ✓

W. 8,000, VIII. 16

3702

No 4a

5 FEB 20

FORM A/1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at 150 Yds East of Lower Neuadd Reservoir Check Gauge
in the County of Brecon
by Thos. F. Harvey M Inst C E

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge ....in.
Height of top of Gauge above Ground ....ft. ....in.
" " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·07

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·95	·15	·37	·04	·52	–	·57	–	·70	·63	–	·95	1
2	·25	–	·26	–	·08	–	·10	·18	·12	·10	·07	·65	2
3	·03	–	·13	–	·31	·20	–	–	·15	–	·13	·82	3
4	·06	·14	·31	–	·09	–	·08	·22	·54	–	·02	·68	4
5	·05	·12	·10	·02	·06	–	–	–	·10	–	·13	·96	5
6	·62	·50	1·20	–	–	–	–	–	·08	–	·11	·35	6
7	·20	–	·32	·15	–	·06	–	–	·11	–	–	·04	7
8	·60	–	·20	·07	–	·33	–	–	–	–	–	–	8
9	·75	–	·30	·26	–	–	–	–	·01	–	·10	·01	9
10	·42	–	1·54	·30	·07	–	–	–	–	·15	·18	·74	10
11	·30	–	1·10	·25	·30	·10	·10	–	–	·07	·24	·14	11
12	·06	–	·75	·15	·15	1·22	–	–	–	·28	–	–	12
13	1·24	·08	·02	·92	–	–	·05	–	1·06	·48	–	·14	13
14	1·12	·12	–	·70	·21	–	·13	·07	·02	·25	–	·28	14
15	·93	·08	–	·15	·03	–	–	·06	–	·22	–	·62	15
16	·17	1·50	–	·08	–	·25	·06	·10	–	–	·48	·07	16
17	·08	·25	–	·03	–	·35	·01	·55	–	–	1·18	·16	17
18	·16	·20	·95	–	–	–	·28	·90	·15	–	·68	·26	18
19	·48	·71	·75	–	–	·66	·10	·44	·13	–	·20	·07	19
20	·62	·36	·45	–	–	·04	–	·04	·32	–	·15	·75	20
21	·05	1·58	·34	–	–	–	·40	·14	·25	–	·05	·25	21
22	·02	·30	·03	–	–	·24	–	–	·75	–	·25	·97	22
23	–	·02	–	–	–	–	–	·05	–	·96	·65	·32	23
24	·02	–	–	·15	·03	·10	–	·06	·30	·58	·41	·62	24
25	·30	–	–	·20	·02	–	–	1·17	·56	·05	·15	·15	25
26	·02	–	·55	·37	–	·08	–	·20	·11	–	–	1·58	26
27	·22	–	·26	·10	–	–	·30	·70	·04	–	–	·01	27
28	·55	–	·30	·13	–	–	–	·12	–	–	·02	·99	28
29	·10	–	·18	·10	–	·05	–	·20	–	·27	·45	·72	29
30	·08	X	·07	·25	–	·37	–	·51	·05	·08	·60	·86	30
31	–	X	·08	X	–	X	·18	–	X	–	X	·10	31
TOTAL	10·45 ✓	6·11 ✓	10·56 ✓	4·42 ✓	1·87 ✓	4·05 ✓	2·36 ✓	5·71 ✓	5·55 ✓	4·12 ✓	6·25 ✓	14·26 ✓	YEAR'S TOTAL 75·71 ✓
Days with ·01 in. or more	29 ✓	15 ✓	24 ✓	20 ✓	12 ✓	14 ✓	13 ✓	18 ✓	20 ✓	13 ✓	21 ✓	29 ✓	228 ✓

24 R

3606

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

14 JAN 1921

Kept at Lower Neuadd. 4. a.
in the County of Breconshire
by T. J. Harvey M. Inst. C. E.

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Torpantau
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 1·64

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·07	·05	·47	·94	-	1·80	·07	·15	·02	·08	·69	1
2	·02	·35	·05	·37	·04	-	·12	·21	·18	·18	-	1·28	2
3	·23	·37	-	·31	·11	·01	1·05	·17	·12	1·85	-	·43	3
4	-	-	·13	·04	·05	-	·02	1·59	·08	·19	-	-	4
5	-	·02	·49	·04	·75	-	·35	·32	·44	·45	-	-	5
6	-	-	·66	·04	·71	-	·07	·01	·01	·11	·03	·03	6
7	·61	-	·01	·41	·08	-	·18	-	-	·01	·03	·01	7
8	·20	·08	-	1·03	·36	-	·29	·48	-	-	-	-	8
9	1·47	1·41	·01	·78	-	·05	·32	·14	·04	-	·05	-	9
10	2·78	1·07	·69	·14	-	·62	·53	-	-	-	·21	-	10
11	·28	·07	·42	·69	·55	·08	·13	-	-	·05	-	-	11
12	1·27	·47	·02	·40	·08	·76	·44	·12	-	·05	·36	-	12
13	·17	·22	·87	·95	-	·02	-	-	-	·04	·31	-	13
14	·32	·16	·50	1·01	-	-	·34	-	1·80	·34	2·54	-	14
15	·16	·40	·92	1·54	·10	·21	-	-	-	·03	·13	-	15
16	·15	·01	·23	·32	·11	·52	·46	·03	·95	1·16	·03	-	16
17	·60	-	·05	-	·66	1·46	-	·71	1·71	·10	-	-	17
18	·70	-	·01	·28	·50	·09	·15	·06	1·09	-	-	·17	18
19	·05	·28	-	·52	·41	·32	·04	·16	-	-	-	·06	19
20	·08	·06	-	1·17	-	·19	·12	-	-	·05	-	·80	20
21	-	-	-	·11	-	-	·39	·03	·04	·26	-	·40	21
22	·33	-	-	·17	-	·07	·71	·20	·04	-	-	·27	22
23	·07	·01	·11	·01	-	-	·56	-	-	-	-	1·65	23
24	·14	·10	·89	·08	-	-	·04	-	-	-	·18	1·35	24
25	·09	·15	·29	·18	-	·04	·74	-	-	-	-	·23	25
26	·44	·15	·61	·31	·44	·40	·10	-	-	-	·30	·38	26
27	·82	·22	1·23	·41	·08	·80	·46	-	-	-	·10	·71	27
28	·28	·10	·53	·22	·03	·45	·17	-	-	-	·04	·34	28
29	1·88	·03	·31	·23	·22	·12	·78	-	-	-	·30	1·84	29
30	·85	X	·25	·40	-	·96	·24	-	·88	·29	·53	1·65	30
31	·25	X	·54	X	-	X	·05	-	X	·65	X	·43	31
TOTAL	14·31	5·80	9·87	12·63	6·22	7·17	10·65	4·30	7·53	5·83	5·22	12·72	YEAR'S TOTAL ~~[illegible]~~ 102·25
Days with ·01 in. or more	27	22	25	29	19	19	28	15	14	18	16	19	251
Days with ·04 in. or more	26	18	21	28	18	17	27	12	13	15	13	17	225

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Nº 4 REGIS

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

Kept at Nevadd Re

in the County of Breck

by Mrs. F. Har

TAF FECHIN
NEVADD RES Nº4

1911-12.
1914-20

in.

round 1 ft. 0 in.

a Level 1487 ft.

m

ame

istance Direction

IMPORTANT NOTE.— the result entered to the previous day. If an Observ ersal rule, he is earnestly requested to add the reading r in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	–	·18	·06	·20	–	·03	·06	–	·04	·73	·20	1
2	–	–	·08	–	·44	–	–	·57	–	·11	·30	·95	2
3	·05	–	·07	·05	1·20	·03	–	·28	–	–	·80	·36	3
4	·03	–	·37	–	·03	–	–	1·07	·08	·10	1·40	·94	4
5	·23	–	·13	·04	–	–	–	·50	–	·31	·10	·08	5
6	·99	–	·08	·03	–	–	–	·46	–	·01	·41	1·13	6
7	·24	–	–	–	–	–	–	·01	–	–	1·13	·01	7
8	·27	–	·44	–	–	–	–	–	–	–	·77	1·30	8
9	·12	–	·02	–	–	–	–	–	–	–	·57	1·00	9
10	·20	·13	1·06	–	–	–	–	–	–	–	·04	·73	10
11	·75	·01	·27	–	·29	–	–	·02	·06	–	·38	·18	11
12	–	·06	·36	–	·20	–	–	–	·49	–	1·14	·46	12
13	–	·04	·18	–	·03	–	–	–	·15	·37	·30	·28	13
14	–	·23	·04	–	·04	–	–	–	–	·03	·45	1·05	14
15	–	·40	·01	–	·01	·09	–	–	–	·03	1·35	·28	15
16	–	·14	·05	–	–	·57	–	–	–	–	·32	·89	16
17	·02	·55	·01	–	–	1·49	·05	–	–	–	·48	1·35	17
18	–	1·97	·09	·41	–	·22	–	–	–	·11	·11	1·34	18
19	–	·05	–	·51	–	·61	·05	·03	1·27	·50	·44	·90	19
20	·03	·17	–	·70	–	·13	–	–	·17	·17	·04	·72	20
21	·02	1·56	·09	·23	–	·52	·05	·12	·11	1·04	–	·36	21
22	·01	·30	·02	·68	–	·78	–	–	·09	·47	–	·84	22
23	·04	·86	·04	·02	·19	·03	–	–	·73	·44	–	·50	23
24	·20	·34	–	·02	·05	1·06	–	·26	·04	·16	–	·54	24
25	·41	·29	–	·61	–	·21	–	·05	·38	·10	–	·31	25
26	·04	·34	–	·81	·02	·06	–	·80	·04	·30	–	·16	26
27	·01	1·81	–	·21	–	–	–	·60	·78	·01	·18	·20	27
28	–	·70	·34	·39	–	·09	–	·14	–	–	·18	·08	28
29	–		·01	·17	–	·97	·18	·06	·58	1·86	–	·04	29
30	–		–	·03	–	·05	·04	·03	·01	·73	·23	·06	30
31	–		–		·04		·20	–	–	·07		·02	31
Total	3·72	9·95	3·94	4·97	2·74	6·90	·60	5·06	4·93	6·96	11·85	17·26	TOTAL for year 78·88
No. of Rain Days	19	19	22	17	13	16	7	17	15	21	23	31	220

9,000, IX. '10.

No. 4

REGISTER OF RAINFALL IN

FORM A2.
BRITISH RAINFALL
20 JAN 1912

Kept at Nenadd Reservoir

in the County of Brecknock 4

by Mrs. F. Harvey

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 1487 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	—	·18	·06	·20	—	·03	·06	—	·04	·73	·20	1
2	—	—	·08	—	·44	—	—	·57	—	·11	·30	·95	2
3	·05	—	·07	·05	1·20	·03	—	·28	—	—	·80	·36	3
4	·03	—	·37	—	·03	—	—	1·07	·08	·10	1·40	·94	4
5	·23	—	·13	·04	—	—	—	·50	—	·31	·10	·08	5
6	·99	—	·08	·03	—	—	—	·46	—	·01	·41	1·13	6
7	·24	—	—	—	—	—	—	·01	—	—	1·13	·01	7
8	·27	—	·44	—	—	—	—	—	—	—	·77	1·30	8
9	·12	—	·02	—	—	—	—	—	—	—	·57	1·00	9
10	·20	·13	1·06	—	—	—	—	—	—	—	·04	·73	10
11	·75	·01	·27	—	·29	—	—	·02	·06	—	·38	·18	11
12	—	·06	·36	—	·20	—	—	—	·49	—	1·14	·46	12
13	—	·04	·18	—	·03	—	—	—	·15	·37	·30	·28	13
14	—	·23	·04	—	·04	—	—	—	—	·03	·45	1·05	14
15	—	·40	·01	—	·01	·09	—	—	—	·03	1·35	·28	15
16	—	·14	·05	—	—	·57	—	—	—	—	·32	·89	16
17	·02	·55	·01	—	—	1·49	·05	—	—	—	·48	1·35	17
18	—	1·97	·09	·41	—	·22	—	—	—	·11	·11	1·34	18
19	—	·05	—	·51	—	·61	·05	·03	1·27	·50	·44	·90	19
20	·03	·17	—	·70	—	·13	—	—	·17	·17	·04	·72	20
21	·02	1·56	·09	·23	—	·52	·05	·12	·11	1·04	—	·36	21
22	·01	·30	·02	·68	—	·78	—	—	·09	·47	—	·84	22
23	·04	·86	·04	·02	·19	·03	—	—	·73	·44	—	·50	23
24	·20	·34	—	·02	·05	1·06	—	·26	·04	·16	—	·54	24
25	·41	·29	—	·61	—	·21	—	·05	·38	·10	—	·31	25
26	·04	·34	—	·81	·02	·05	—	·80	·04	·30	—	·16	26
27	·01	1·81	—	·21	—	—	—	·60	·78	·01	·18	·20	27
28	—	·70	·34	·39	—	·09	—	·14	—	—	·18	·08	28
29	—		·01	·17	—	·97	·18	·06	·58	1·86	—	·04	29
30	—		—	·03	—	·05	·04	·03	·01	·73	·23	·06	30
31	—		—		·04		·20	—	—	·07		·02	31
Total	3·72	9·95	3·94	4·97	2·74	6·90	·60	5·06	4·93	6·96	11·85	17·26	TOTAL for year 78·88
No. of Rain Days	19 ✓	19 ✓	22 ✓	17 ✓	13 ✓	16 ✓	7 ✓	17 ✓	15	21 ✓	23 ✓	31 ✓	220

9,000, IX. '10.

ex. JC.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

4 - FEB 1913

Kept at Neuadd (No 4. 150 Yards east of Lower Neuadd Reservoir)

in the County of Brecknock 4

by Thomas F. Harvey M. Inst. C.E

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	1·06	—	·10	·65	·05	·11	·05	·73	—	·30	1
2	·02	—	1·04	·09	·02	·62	·25	·01	—	·02	—	·01	2
3	·37	—	·34	—	·05	·15	·06	1·38	·58	—	·07	·83	3
4	·98	—	1·90	·08	·03	·33	—	·51	—	—	·29	·01	4
5	·44	·04	·62	·05	·15	—	—	·41	·08	—	·01	·15	5
6	1·06	·35	·09	—	·37	—	—	1·15	·04	—	·02	·22	6
7	·09	·50	·40	—	·58	·37	·40	·09	·02	—	·04	·21	7
8	·98	·31	·60	·22	·02	·04	·06	·20	·06	—	·01	·02	8
9	·07	·41	·56	·26	—	·39	·15	·92	—	—	·04	·78	9
10	·43	·18	—	·09	—	·12	·50	·16	—	—	1·15	·20	10
11	·10	·21	—	—	·05	—	·08	·08	—	—	·40	1·37	11
12	·17	·66	·45	·15	·26	·08	·16	—	—	—	·02	·63	12
13	·30	—	·07	·08	—	·05	·02	—	—	·85	·02	1·26	13
14	·21	—	1·07	—	—	·03	—	·12	—	·07	—	1·26	14
15	·99	·55	·06	—	·23	·45	—	·13	—	—	·01	·84	15
16	·78	·03	1·02	—	·17	·03	—	1·51	·01	·70	·04	·06	16
17	·45	·02	·17	—	·06	·63	—	·98	—	—	·14	·80	17
18	·05	·10	·13	—	—	·07	—	·50	—	·28	—	·23	18
19	·27	·43	·08	—	—	·12	·34	1·15	—	·08	·10	·18	19
20	·17	·11	·80	—	·04	·04	·12	·18	—	·53	·24	·02	20
21	—	·22	1·25	—	·32	—	·01	·54	—	·40	·01	·04	21
22	·05	1·35	·15	—	·43	·07	1·00	·92	—	·05	·10	·82	22
23	·19	·32	·80	—	—	·70	·14	·98	—	·12	·66	·31	23
24	·42	·07	·50	—	—	·61	—	·04	—	·01	·11	·50	24
25	·01	·04	·59	—	—	·39	·25	·80	—	·02	1·15	·70	25
26	—	·74	·12	—	—	·04	·06	·62	—	1·90	1·25	·58	26
27	—	·47	·24	—	—	·79	1·14	·01	—	1·44	·05	2·00	27
28	—	·29	—	—	—	·77	·93	1·18	·54	·75	·66	·31	28
29	—	·44	·07	—	—	·29	·65	·49	·48	·58	·07	·08	29
30	—		·46	—	·01	·14	·19	·01	·01	·88	·01	·14	30
31	—		·30		·08		·70	·18		·05		62	31
Total	8·60	7·84	14·94	1·02	2·97	7·97	7·26	15·36	1·87	9·46	6·67	15·48	YEAR'S TOTAL 99·44 ✓
Rain Days.	23	23	28	8	18	26	22	29	10	19	26	31	263 ✓

W. 7,500, XI. 12

Exe DL

REGISTER OF RAINFALL IN 19*13*

FORM A.
BRITISH RAINFALL.
-4 FEB 1914

Kept at Taf Fechan Newydd Reservoir No. 4

in the County of Brecknock

by Thos. F. Harvey M Inst CE

4

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Torpantau

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 1487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	1·00	·66	·38	·06	—	—	—	·06	·13	·36	·10	1
2	·08	·03	·71	·47	·14	·08	·01	—	·01	·64	·65	·45	2
3	·40	·40	·84	—	·65	·04	—	—	—	·40	—	·45	3
4	1·05	·25	·70	—	·17	·03	·01	—	1·28	·17	·25	·50	4
5	·20	·18	·18	—	·23	·32	—	—	·41	—	·75	·18	5
6	·71	·40	·38	—	·31	·63	·90	—	—	·51	·27	·56	6
7	·16	·94	·02	—	1·10	·66	·05	—	—	·92	·22	·08	7
8	·07	·98	·08	—	·50	—	·10	·15	—	·22	—	·31	8
9	—	·45	·45	—	·26	1·18	·08	·26	·11	·01	·65	·26	9
10	·37	—	·38	·04	·30	—	—	·51	·02	·25	·29	29 —	10
11	·65	—	·03	·70	·14	—	—	·07	·02	·18	·95	·42	11
12	—	—	—	·01	·24	·07	·08	·05	·20	·01	1·00	·02	12
13	—	—	1·16	·05	·03	—	·11	·12	·95	—	·66	—	13
14	·59	—	·93	·96	—	—	—	·01	·07	·54	·11	·08	14
15	·30	·05	·76	1·77	—	—	—	·48	·01	·01	·15	·30	15
16	·50	—	·30	·16	—	—	·05	·40	·08	—	·30	—	16
17	·40	·01	·23	·53	—	—	·15	—	—	—	·90	—	17
18	·38	—	2·10	·93	·12	·07	·08	—	—	—	·48	—	18
19	·24	—	·38	·07	·06	·43	—	—	·18	·73	·32	—	19
20	·61	—	·86	·17	·05	·01	—	—	—	·57	2·75	—	20
21	·02	—	·52	·32	·34	—	·25	·70	·02	·36	·25	—	21
22	·96	—	1·33	·01	·11	·28	·01	1·18	·49	·05	·03	—	22
23	·26	—	·13	—	·04	·23	—	·11	·13	·01	·25	·10	23
24	·57	·15	—	·24	—	—	—	—	—	—	·50	—	24
25	·01	·08	—	·65	—	—	—	—	·12	·06	·32	·75	25
26	—	·02	—	3·40	—	·10	—	·03	·05	·02	—	1·50	26
27	·03	—	·16	·50	—	—	—	—	—	·64	—	·06	27
28	·44	—	·40	·77	·10	—	—	—	—	·55	—	·10	28
29	—		·88	·39	·05	—	—	·08	—	·44	·16	·25	29
30	1·00		·01	·01	·03	—	—	—	·02	·46	·14	—	30
31	·10		·37		·22		—	·08		·14		—	31
Total	10·19	4·94	14·95	12·53	5·25	4·13	1·88	4·23	4·23	8·02	12·79	6·47	YEAR'S TOTAL 89·53
Rain Days.	26	14	27	22	23	14	13	15	19	25	25	19	242

W.7,000, XI. 13

4/a

4a. (Check Guage) Exe DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

16 JAN 1915

Kept at Nevadd Reservoir (No. 4a)

in the County of Brecknock 4

by Fred. F. Harvey M. Inst. C.E.

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Torpantau

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 1487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18	·08	·13	·06	-	·20	·30	1·02	-	-	·09	·10	1
2	-	·04	·10	-	·20	·02	1·45	·17	-	-	·33	·55	2
3	·05	·02	·85	·30	·92	-	·01	·20	-	·02	·01	1·62	3
4	1·34	-	·43	·43	·45	-	·55	·08	-	-	·66	·60	4
5	·05	-	·60	·75	·68	-	-	·08	-	-	·30	-	5
6	·25	·20	·18	·26	·28	·07	·10	·15	-	-	·12	1·10	6
7	·16	·82	1·65	·20	·88	·05	·62	·30	·20	-	·08	·95	7
8	·55	·01	·15	·33	·84	·60	·15	1·90	·13	-	·12	·40	8
9	·85	·18	·20	·30	·35	1·48	-	·66	·13	-	·15	·01	9
10	·08	·66	·08	·45	·05	·23	-	·04	·35	-	·06	·10	10
11	-	·55	·90	·05	·68	·42	·10	-	-	-	·72	·85	11
12	-	1·09	·37	-	·02	·02	-	-	·32	-	·80	·44	12
13	-	2·11	·91	·05	-	-	·22	-	1·06	·45	·43	·20	13
14	-	1·98	·60	-	-	-	·15	·36	·05	·08	·32	·03	14
15	-	·05	·76	-	-	-	·11	·19	·15	·05	·55	·07	15
16	·03	-	·35	-	-	-	·20	-	·73	-	·01	·25	16
17	·16	1·00	·40	-	-	·03	·18	-	·10	-	-	1·80	17
18	-	·15	·10	-	-	-	·20	-	·18	-	-	·60	18
19	-	·25	1·05	-	-	-	1·73	-	·25	-	·10	·40	19
20	-	·90	·35	-	-	·25	·02	-	-	-	-	·15	20
21	-	·54	·04	-	-	-	·01	·07	-	·30	-	·15	21
22	-	·38	·03	·08	-	·17	·09	·55	-	1·02	-	-	22
23	-	·25	·50	-	·15	-	·25	·08	-	·32	-	-	23
24	·23	·02	·24	-	·03	·05	·37	·10	-	·18	·28	-	24
25	·45	-	·25	-	-	-	·62	·78	-	·40	·42	·80	25
26	·04	·08	·14	-	-	-	·70	·33	-	·27	1·00	·70	26
27	·10	·20	·02	-	-	-	·01	-	-	·26	·72	1·00	27
28	·50	·30	·35	-	·20	-	-	-	·04	·23	·22	·40	28
29	1·00		·55	-	·09	-	-	-	-	·33	1·80	·35	29
30	·28		·84	-	-	-	-	·05	-	·17	1·14	1·21	30
31	1·86		·02		·08		·65	-		·94		·35	31
Total	8·16	11·86	13·24	3·26	5·90	3·59	8·79	7·11	3·69	5·02	10·43	15·18	YEAR'S TOTAL 96·23
Rain Days.	19	24	31	12	16	13	24	19	13	15	24	27	237

W. 8,000. X. 14.

4131

FORM A.
BRITISH RAINFALL
10. JAN 191

No 4 Gauge. REGISTER OF RAINFALL IN 1915.

Kept at Taf Fechan (Neuadd Res:)

in the County of Brecknock

by Mess: F. Harvey.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Torpantau. B & M. Rly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·75	1·05	·20	–	·65	–	–	·92	·08	·50	·10	·50	1
2	·40	·51	·71	·68	·01	·05	·12	·55	·15	·18	–	·32	2
3	·05	·67	·65	·20	·10	–	·58	·15	–	–	–	·75	3
4	·41	·70	·13	–	·25	·14	·40	·01	·08	–	–	·95	4
5	·20	·95	·06	·30	·02	·05	–	·20	–	–	–	1·60	5
6	·45	·26	·04	·35	–	–	·64	·20	–	–	–	·40	6
7	·50	·95	·05	·08	–	–	·25	·35	–	–	·03	·80	7
8	·63	1·05	–	–	–	–	·01	·10	–	–	·82	·01	8
9	·35	·60	–	·70	–	–	–	·10	–	–	·40	1·83	9
10	1·12	·03	·10	·09	–	–	–	·05	–	·16	·51	·15	10
11	·25	–	·05	·05	–	–	–	·25	–	·10	1·30	·12	11
12	·30	·14	–	·21	·82	–	·06	·01	–	·22	1·31	–	12
13	·15	1·28	–	·03	·85	–	–	·25	·15	·04	·08	·38	13
14	·70	·04	–	–	·18	–	–	·22	·35	–	·01	1·30	14
15	1·28	–	–	–	·17	–	·07	·10	·15	·04	·19	·30	15
16	·15	2·10	–	·03	·55	–	1·50	·10	·05	·02	–	·01	16
17	·02	·50	–	–	·53	–	·01	·20	–	–	–	·01	17
18	·05	·85	·13	–	–	–	·22	–	–	–	–	–	18
19	·08	·05	–	·58	·40	–	1·38	–	–	–	–	–	19
20	·93	·02	–	·05	·14	–	·02	·05	–	·13	–	·13	20
21	·13	·16	–	–	·15	–	·80	–	–	·19	–	·18	21
22	·60	·10	·35	·15	–	·06	·65	–	·05	·05	–	1·00	22
23	·16	·12	·17	–	–	·28	·24	–	·15	1·40	–	·72	23
24	·01	–	·06	·12	–	–	·10	–	·10	·50	–	1·45	24
25	–	–	·03	–	–	·60	·10	–	·07	·08	·08	·31	25
26	–	·71	–	–	–	·16	·60	–	·10	–	–	1·30	26
27	–	·20	–	–	–	·15	·23	–	·06	·90	–	·46	27
28	–	·30	·05	–	–	·18	·05	–	·37	·28	·02	·10	28
29	–	–	–	–	–	·25	·18	·12	·04	·02	·93	·25	29
30	·35	X	–	·45	–	·12	–	–	·02	·50	·65	·60	30
31	·03	X	–	X	–	X	·35	·15	X	1·60	X	1·15	31
Total	10·05 ✓	13·34 ✓	2·78 ✓	4·07 ✓	4·82 ✓	2·04 ✓	8·56 ✓	4·08 ✓	1·97 ✓	6·91 ✓	6·43 ✓	17·08	YEAR'S TOTAL 82·13
Rain Days.	26 ✓	24 ✓	15 ✓	16 ✓	14 ✓	11 ✓	23 ✓	20 ✓	16 ✓	19 ✓	14 ✓	28	226

W. 8,000. X. 15.

4058

FORM A.
BRITISH RAINFALL.
8 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Taff Fechan (Neuadd Res.) No 4.
in the County of Breconshire
by Mr T. F. Harvey.

Lat. Long.
Time of Observation 9 a/m
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·25	·12	·20	–	·05	·70	·70	–	–	·48	·44	–	1
2	1·70	·80	·10	–	·02	·10	·55	–	·46	1·60	·60	·01	2
3	·33	1·85	·10	–	·21	·53	·11	–	·28	·60	·55	–	3
4	·80	·54	·08	·04	·22	·85	·01	–	·18	·73	·90	·05	4
5	·25	·84	·28	–	·14	·30	·10	–	–	1·60	·16	–	5
6	1·02	·20	·04	–	·25	·15	·55	–	–	1·17	1·08	–	6
7	·45	·06	·02	–	·45	·04	·05	–	–	·42	1·14	·25	7
8	·02	·08	·04	–	·85	·05	–	–	–	·28	·17	·20	8
9	·02	·19	·33	–	·03	·03	–	–	–	·06	·13	·10	9
10	–	·50	–	·25	·13	–	·08	–	·03	·40	·06	·04	10
11	·18	·06	·05	·45	·16	–	·10	–	·05	·14	·01	·10	11
12	·22	·50	1·00	·18	·48	·05	·85	·40	·05	·59	–	·01	12
13	·01	·56	1·05	·45	·01	–	·01	·90	·03	1·10	·01	–	13
14	·06	·49	·10	·10	·20	–	–	·37	–	·57	·01	·04	14
15	·03	2·45	·20	·40	·10	–	·12	·35	·06	·30	–	–	15
16	·18	·10	·01	·45	·07	–	·03	·08	–	·25	–	–	16
17	·92	·45	–	·95	–	–	–	·01	1·18	·56	·20	–	17
18	·36	·60	·56	·60	–	–	–	–	·45	·28	·05	·02	18
19	·90	·07	·45	·70	–	–	–	–	·02	·03	·85	·27	19
20	1·10	·16	·28	·03	–	–	–	–	–	–	·18	·65	20
21	1·15	–	·24	·21	·06	·02	–	–	–	–	·10	·25	21
22	·04	–	·35	·05	–	·06	–	·03	–	·76	·16	·10	22
23	·11	–	·18	·40	–	·28	–	·25	–	·40	·88	·46	23
24	·01	·02	·05	·56	1·33	·10	–	·38	–	1·00	·10	·40	24
25	·18	·08	·47	·01	·03	·08	–	·88	·05	·30	·95	·03	25
26	·35	·05	·20	–	–	·27	–	·88	·40	·72	·15	–	26
27	·11	·03	·45	–	·03	·20	–	·45	·66	1·10	·01	·01	27
28	·05	·81	·28	–	–	–	–	·01	·11	·80	·46	2·90	28
29	–	·30	·70	–	–	·80	–	·95	–	·65	·05	·90	29
30	–	✕	–	–	–	·20	–	·03	–	·95	·01	·15	30
31	–	✕	·02	✕	·10	✕	–	·40	✕	·98	✕	·20	31
Total	11·80	11·91	7·83	5·83	4·92	4·81	3·26	6·37	4·01	18·82	9·41	7·14	YEAR'S TOTAL 96·11
Rain Days.	27	26	28	17	21	19	13	16	15	29	27	22	260

W. 8,000, VIII. 16

No. 4 3893

FORM A. BRITISH RAINFALL.

15 MAR 1918

REGISTER OF RAINFALL IN 1917

Kept at Neuadd Reservoirs

in the County of Brecknock

by Thos. F. Harvey

Lat. .... Long. ....

Time of Observation 9. a.m.

Nearest Railway Station Torpantau

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 1487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	·27	·35	–	·60	–	·40	·20	–	·17	·20	1
2	·10	–	·07	·25	–	·11	–	·04	·01	·30	·35	–	2
3	·48	·12	–	·20	–	·23	·01	·02	–	1·27	·16	·07	3
4	·06	–	·45	–	–	–	·17	~~1·70~~ ·17	·03	·65	·04	–	4
5	·94	–	·45	·50	–	·08	–	·15	·43	·60	·79	–	5
6	·07	–	·60	·01	–	·32	–	–	–	·91	·65	·53	6
7	·45	–	·15	–	–	–	·18	·23	–	·22	·30	·20	7
8	·44	–	·30	·48	–	·05	·45	1·35	·12	1·25	·55	·30	8
9	·50	–	·35	·10	·18	–	·01	·40	·18	·20	·94	–	9
10	·40	–	·75	·60	·14	·35	–	·55	·10	·10	·02	–	10
11	·35	–	·02	·15	·01	–	–	1·00	–	·79	·20	–	11
12	·35	–	·04	·45	1·15	–	–	·14	–	·40	·02	·05	12
13	–	–	·25	·55	–	·08	–	2·50	·42	·22	–	·08	13
14	–	–	·09	·18	·05	–	–	·22	·01	·06	·02	·10	14
15	–	–	–	·20	·28	–	·50	·05	·20	·65	–	·18	15
16	·04	·15	–	·35	–	·06	·10	·27	·01	·20	·05	·10	16
17	–	·10	·10	·25	·33	–	2·00	1·95	·35	·15	·06	·06	17
18	·10	·08	·06	·03	·10	–	·75	·08	1·20	·03	–	–	18
19	–	·85	·49	–	–	·38	·02	·25	·14	–	·06	–	19
20	–	·15	·05	–	1·05	·35	·11	·15	·40	·04	·10	–	20
21	–	·05	·07	–	·15	·04	–	·06	–	·30	·03	–	21
22	–	·20	–	–	·01	·01	–	75	·02	·36	·15	–	22
23	–	·25	–	–	·34	·30	–	1·70	–	·20	·10	·75	23
24	–	·10	–	–	–	·30	·15	1·00	·01	1·40	·24	·10	24
25	–	·16	·20	–	–	·01	·10	·75	·24	·15	·18	–	25
26	–	·01	·10	–	·70	·17	·02	·43	·53	·10	·41	–	26
27	–	·01	·05	–	·70	1·15	·45	1·15	·02	·15	·10	–	27
28	–	·02	·35	–	·02	·25	–	·75	–	–	·20	·03	28
29	–		·22	–	–	·01	–	·14	–	1·20	·16	·20	29
30	–		·20	–	–	–	–	75	·01	·40	30	·10	30
31	–		06		·68		02	1·02		·10		05	31
Total	4·30	2·25	5·74	4·65	5·89	4·85	5·04	18·42	4·63	12·40	6·35	3·10	YEAR'S TOTAL 77·62
Rain Days.	14	14	25	16	16	20	16	30	21	28	27	17	244

W.7,000, XI. 13

27

FORM A.
BRITISH RAINFALL.

27 6 19

REGISTER OF RAINFALL IN 1918.

Kept at TAF FECHAN (NEUADD RES:) No: 4.

in the County of BRECON

by Thos F. Harvey M Inst C.E.

Lat. Long.

Time of Observation 9 A/M.

Nearest Railway Station TORPANTAU

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·38	·05	·48	·10	–	–	·24	·15	·07	1·28	·02	1
2	–	·45	–	·15	–	–	–	·25	·05	·14	·30	·03	2
3	–	·28	–	·15	·36	·04	–	–	·68	·37	·12	·17	3
4	–	·22	·07	–	·01	–	–	·11	·43	1·30	1·60	1·00	4
5	–	·32	·04	·68	·17	·04	–	·40	·15	1·48	·18	·22	5
6	·15	1·20	–	·24	–	·15	–	·02	·17	·40	–	·23	6
7	–	·43	–	·03	·45	–	–	·07	1·44	·30	·45	·35	7
8	–	·71	–	–	·01	·10	·03	–	·16	·55	·17	–	8
9	·60	1·08	–	·40	–	·65	·15	–	·80	·75	·20	·65	9
10	·18	·58	–	·33	–	–	1·06	–	·41	·25	·70	·76	10
11	·11	·22	·20	·05	·06	–	1·00	–	·30	·24	·10	·38	11
12	·10	·78	·18	–	·20	–	·38	–	·25	–	–	·30	12
13	–	·10	·05	·02	·07	·11	·06	–	1·00	·20	–	·89	13
14	1·38	–	·10	–	·17	·02	·30	·04	·47	·05	–	1·10	14
15	·04	·01	–	–	·08	·09	1·20	–	·36	–	–	·84	15
16	·10	–	–	1·15	–	·09	·20	·18	1·00	·04	–	·83	16
17	1·40	–	·08	–	–	·10	1·55	·10	·60	·15	–	·65	17
18	2·05	–	·20	–	–	·61	·50	–	·41	·10	–	·98	18
19	·50	·23	·25	·05	–	·02	·20	·05	·08	·12	–	·45	19
20	·60	·50	–	·21	–	·25	·08	·04	·94	–	–	·05	20
21	·20	·65	–	·37	–	·08	·35	–	1·35	·04	–	·55	21
22	·20	·08	–	·02	·75	–	1·00	·04	·45	–	·01	·70	22
23	1·02	·08	–	–	·85	–	·25	–	·24	–	·19	·07	23
24	·08	·30	–	–	·02	–	·30	·70	·26	·06	·35	·17	24
25	–	·05	–	–	·12	–	·85	·56	·30	·15	·21	–	25
26	·28	–	–	·05	–	–	·30	·13	·35	·15	·20	·87	26
27	·08	·16	·80	–	–	–	·10	·93	·58	·09	·31	·55	27
28	–	·50	·53	–	–	–	–	·02	·15	·10	·30	·57	28
29	–		·40	–	–	–	–	–	1·20	·05	·05	·20	29
30	–	✕	·82	–	–	–	–	·06	·06	·22	·05	·50	30
31	–	✕	·70	✕	–	✕	–	·14	✕	·15	✕	·05	31
Total	9·07 ✓	9·31 ✓	4·47 ✓	4·38 ✓	3·42 ✓	2·35 ✓	9·86 ✓	4·08 ✓	14·79 ✓	7·52 ✓	6·77 ✓	14·13 ✓	YEAR'S TOTAL 90·15 ✓
Rain Days.	18 ✓	23 ✓	15 ✓	16 ✓	15 ✓	14 ✓	20 ✓	19 ✓	30 ✓	26 ✓	19 ✓	29 ✓	244 ✓

W. 8,000, VIII. 16

5

3701

No 4

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

6 FEB 20

Kept at 150 yds East of Lower Neuadd Reservoir

in the County of Brecon.

by Thos F. Harvey M Inst C E

Lat.................. Long..................

Time of Observation..................

Nearest Railway Station..................

Diameter of Funnel of Rain Gauge..................in.

Height of top of Gauge above Ground..........ft..........in.

" " " " Sea Level..................ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·08

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·00	·10	·38	·04	·50	–	·57	–	·72	·64	–	·95	1
2	·25	–	·26	–	·08	–	·10	·18	·11	·10	·08	·65	2
3	·03	–	·13	–	·30	·20	–	–	·15	–	·13	·80	3
4	·05	·18	·31	–	·08	–	·07	·22	·56	–	·02	·66	4
5	·15	·20	·10	·02	·05	–	–	–	·10	–	·12	·95	5
6	·65	·26	1·20	–	–	–	–	–	·08	–	·11	·35	6
7	·20	–	·30	·15	–	·06	–	–	·10	–	–	·04	7
8	·62	–	·20	·06	–	·33	–	–	–	–	–	–	8
9	·75	–	·30	·25	–	–	–	–	·02	–	·10	·01	9
10	·48	–	1·55	·30	·08	–	–	–	–	·15	·28	·95	10
11	·30	–	1·10	·25	·30	·10	·10	–	–	·08	·12	·15	11
12	·06	–	·54	·15	·15	1·20	–	–	–	·30	–	–	12
13	1·25	·08	·02	·90	–	–	·05	–	1·05	·50	–	·16	13
14	1·12	·12	–	·72	·21	–	·15	·06	·03	·25	–	·31	14
15	·82	·10	–	·13	·03	–	–	·06	–	·22	–	·64	15
16	·19	1·52	–	·07	–	·25	·06	·10	–	–	·50	·07	16
17	·08	·25	–	·03	–	·35	·01	·60	–	–	1·15	·15	17
18	·15	·20	·94	–	–	–	·29	1·00	·18	–	·68	·28	18
19	·52	·60	·70	–	–	·66	·10	·43	·13	–	·20	·06	19
20	·64	·36	·31	–	–	·04	–	·04	·32	–	·15	·70	20
21	·05	1·57	·24	–	–	–	·41	·13	·25	–	·05	·27	21
22	·02	·30	·04	–	–	·24	–	–	·75	–	·25	·94	22
23	–	·02	–	–	–	–	–	·05	–	1·01	·65	·31	23
24	·03	–	–	·15	·03	·10	–	·06	·32	·58	·41	·60	24
25	·30	–	–	·20	·02	–	–	1·18	·58	·05	·15	·15	25
26	·02	–	·55	·36	–	·08	–	·20	·12	–	–	1·61	26
27	·18	–	·16	·10	–	–	·30	·82	·04	–	–	·01	27
28	·25	–	·36	·11	–	–	–	·11	–	–	·02	1·01	28
29	·10		·10	·10	–	·06	–	·20	–	·27	·35	·72	29
30	·02		·05	·25	–	·37	–	·50	·05	·08	·65	·87	30
31	–		·08		–		·16	–				·10	31
TOTAL	10·28 ✓	5·86 ✓	9·92 ✓	4·34 ✓	1·83 ✓	4·04 ✓	2·37 ✓	5·94 ✓	5·66 ✓	4·23 ✓	6·17 ✓	14·47 ✓	YEAR'S TOTAL 75·11 ✓
Days with ·01 in. or more	29 ✓	15 ✓	24 ✓	20 ✓	12 ✓	14 ✓	13 ✓	18 ✓	20 ✓	13 ✓	21 ✓	29 ✓	228 ✓

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

3599

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

14 JAN 1921

Kept at Lower Neuadd. No 4

in the County of Breconshire

by T J Harvey M. Inst. C.E.

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Torpantau

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 1487 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 1.67

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·07	·05	·45	1·02	-	1·85	·06	·15	·02	·08	·70	1
2	·01	·34	·04	·35	·04	-	·13	·20	·18	·17	-	1·43	2
3	·26	·37	-	·30	·10	·01	1·13	·17	·12	1·95	-	·41	3
4	-	-	·03	·03	·05	-	·02	1·62	·08	·19	-	-	4
5	-	·02	·48	·04	·75	-	·35	·30	·43	·45	-	-	5
6	-	-	·66	·03	·71	-	·06	·01	·01	·11	·03	·03	6
7	·60	-	·01	·41	·08	-	·18	-	-	·01	·04	·01	7
8	·20	·09	-	1·03	·34	-	·30	·47	-	-	-	-	8
9	1·47	1·41	·01	·77	-	·05	·33	·14	·04	-	·04	-	9
10	2·73	1·04	·66	·13	-	·63	·54	-	-	-	·22	-	10
11	·28	·07	·44	·74	·55	·08	·13	-	-	·05	-	-	11
12	1·27	·48	·02	·39	·07	·76	·47	·12	-	·05	·36	-	12
13	·16	·21	·83	1·01	-	·02	-	-	-	·04	·31	-	13
14	·34	·16	·49	1·11	-	-	·39	-	1·80	·34	2·56	-	14
15	·16	·42	·49	1·58	·10	·20	-	-	-	·03	·13	-	15
16	·14	·01	·21	·30	·11	·50	·56	·03	·94	1·20	·03	-	16
17	·60	-	·04	-	·66	1·48	-	·70	1·67	·10	-	-	17
18	·70	-	·01	·29	·50	·09	·14	·06	1·05	-	-	·13	18
19	·05	·27	-	·53	·40	·34	·04	·16	-	-	-	·06	19
20	·08	·05	-	1·13	-	·18	·12	-	-	·05	-	·86	20
21	-	-	-	·12	-	-	·40	·03	·04	·27	-	·40	21
22	·33	-	-	·19	-	·07	·80	18	·03	-	-	·42	22
23	·08	·01	·10	·01	-	-	·54	-	-	-	-	1·60	23
24	·15	·09	·94	·07	-	-	·04	-	-	-	·18	1·34	24
25	·08	·15	·29	·17	-	·04	·90	-	-	-	-	·24	25
26	·45	·15	·61	·30	·44	·38	·12	-	-	-	·32	·38	26
27	1·03	·22	1·33	·40	·08	·78	·47	-	-		·11	·71	27
28	·25	·07	·53	·20	·04	·49	·17	-	-		·04	·34	28
29	2·03	·03	·31	·23	·22	·12	·84	-	-		·31	1·85	29
30	·85	×	·26	·40	-	·98	·23	-	·85	·29	·53	1·75	30
31	·25	×	·53	×	-	×	·05	-	×	·65	×	·43	31
Total	14·63	5·73	9·37	12·71	6·26	7·20	11·30	4·25	7·39	5·97	5·29	13·09	Year's Total 103·19
Days with ·01 in. or more	27	22	25	29	19	19	28	15	14	18	16	19	251
Days with ·04 in. or more	26	18	20	26	19	17	27	12	12	15	14	17	223

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

4146

TAF FECHAN
PONTSTICILL No 12

1914 - 20

RE

FORM A.
BRITISH RAINFALL.

16 JAN 1915

Kept at Tâf Fechan
a.m.
in the County of
Pontsticill
5" in.
by Merthyr Tydf
bove Ground 1 ft. = in.
Sea Level 1031.42 ft.

IMPORTANT N d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.06	.06	.04	.03	-	.12	.38	.58	-	-	.24	.09	1
2	-	-	.03	-	.09	-	.94	.20	-	-	.29	.39	2
3	0.04	-	.60	.22	.51	-	-	.14	-	.03	-	.43	3
4	0.66	-	.25	.28	.21	-	.48	.08	-	-	.48	.98	4
5	0.09	-	.48	.50	.29	-	.06	-	-	-	.05	.05	5
6	0.20	.09	.13	.05	.11	.03	.07	.09	-	-	-	.70	6
7	0.05	.67	.70	.10	.74	.05	.48	.11	.18	-	.01	.82	7
8	0.45	-	.35	.09	.37	.71	.04	.62	.14	-	.04	.30	8
9	0.42	.16	.12	.37	.10	1.39	-	.26	.05	-	.11	-	9
10	0.06	.55	.07	.24	.13	.25	-	-	.31	-	.01	-	10
11	-	.27	.60	-	.15	.24	.07	-	-	-	.52	.83	11
12	-	.89	.15	-	-	-	-	-	.24	-	.42	.37	12
13	-	.99	.58	-	-	-	.15	-	.86	.28	.66	.17	13
14	-	1.21	.45	-	-	-	.04	.16	-	.10	.32	.01	14
15	-	.06	.63	-	-	-	.04	.54	.16	.02	.30	-	15
16	-	-	.16	-	-	-	.16	-	.87	-	-	.08	16
17	0.01	.48	.24	-	-	-	.09	-	.03	-	-	1.06	17
18	-	.02	.34	-	-	-	.02	-	.05	-	-	.44	18
19	-	.19	.50	-	-	-	1.82	-	.09	-	.06	.31	19
20	-	.49	.33	-	-	.58	.02	-	-	-	-	.18	20
21	-	.43	.01	-	-	-	-	-	-	.31	-	.09	21
22	-	.21	-	.05	.01	.08	.04	.37	-	.76	-	-	22
23	-	.09	.35	-	.16	-	.09	-	-	.25	-	-	23
24	0.04	-	.15	-	-	.02	.15	.16	-	-	.21	-	24
25	0.33	-	.28	-	-	-	.26	.39	-	.37	.15	.34	25
26	0.02	.04	.05	-	-	-	.16	.12	-	.26	.74	.64	26
27	0.03	.03	-	-	-	-	.02	-	-	.08	.71	.59	27
28	0.13	.26	.26	-	.10	-	-	-	-	.12	.11	.78	28
29	0.56		.34	-	.14	-	-	.01	-	.25	1.01	.05	29
30	0.12	×	.47	-	.01	-	-	.01	-	.19	.94	.86	30
31	0.80	×	-	×	.01	×	.37	-	×	.86	×	.29	31
Total	4.07 ✓	7.19 ✓	8.66 ✓	1.93 ✓	3.13 ✓	3.47 ✓	5.95 ✓	3.84 ✓	2.98 ✓	3.88 ✓	7.38 ✓	10.85 ✓	YEAR'S TOTAL 63.33
Rain Days.	18 ✓	20 ✓	28 ✓	10 ✓	16 ✓	10 ✓	23 ✓	16 ✓	11 ✓	14	21 ✓	25 ✓	212

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

16 JAN 1915

REGISTER OF RAINFALL IN 1914

No 12

Kept at Tâf Fechan Works, Pontsticill
in the County of Brecknock 4
by Merthyr Tydfil Corporation

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Pontsticill
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level 1031.42 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.06	.06	.04	.03	-	.12	.38	.58	-	-	.24	.09	1
2	-	-	.03	-	.09	-	.94	.20	-	-	.29	.39	2
3	0.04	-	.60	.22	.51	-	-	.14	-	.03	-	.43	3
4	0.66	-	.25	.28	.21	-	.48	.08	-	-	.48	.98	4
5	0.09	-	.48	.50	.29	-	.06	-	-	-	.05	.05	5
6	0.20	.09	.13	.05	.11	.03	.07	.09	-	-	-	.70	6
7	0.05	.67	.70	.10	.74	.05	.48	.11	.18	-	.01	.82	7
8	0.45	-	.35	.09	.37	.71	.04	.62	.14	-	.04	.30	8
9	0.42	.16	.12	.37	.10	1.39	-	.26	.05	-	.11	-	9
10	0.06	.55	.07	.24	.13	.25	-	-	.31	-	.01	-	10
11	-	.27	.60	-	.15	.24	.07	-	-	-	.52	.83	11
12	-	.89	.15	-	-	-	-	-	.24	-	.42	.37	12
13	-	.99	.58	-	-	-	.15	-	.86	.28	.66	.17	13
14	-	1.21	.45	-	-	-	.04	.16	-	.10	.32	.01	14
15	-	.06	.63	-	-	-	.04	.54	.16	.02	.30	-	15
16	-	-	.16	-	-	-	.16	-	.87	-	-	.08	16
17	0.01	.48	.24	-	-	-	.09	-	.03	-	-	1.06	17
18	-	.02	.34	-	-	-	.02	-	.05	-	-	.44	18
19	-	.19	.50	-	-	-	1.82	-	.09	-	.06	.31	19
20	-	.49	.33	-	-	.58	.02	-	-	-	-	.18	20
21	-	.43	.01	-	-	-	-	-	-	.31	-	.09	21
22	-	.21	-	.05	.01	.08	.04	.37	-	.76	-	-	22
23	-	.09	.35	-	.16	-	.09	-	-	.25	-	-	23
24	0.04	-	.15	-	-	.02	.15	.16	-	-	.21	-	24
25	0.33	-	.28	-	-	-	.26	.39	-	.37	.15	.34	25
26	0.02	.04	.05	-	-	-	.16	.12	-	.26	.74	.64	26
27	0.03	.03	-	-	-	-	.02	-	-	.08	.71	.59	27
28	0.13	.26	.26	-	.10	-	-	-	-	.12	.11	.78	28
29	0.56		.34	-	.14	-	-	.01	-	.25	1.01	.05	29
30	0.12		.47	-	.01	-	-	.01	-	.19	.94	.86	30
31	0.80		-		.01		.37	-		.86		.29	31
Total	4.07 ✓	7.19 ✓	8.66 ✓	1.93 ✓	3.13 ✓	3.47 ✓	5.95 ✓	3.84 ✓	2.98 ✓	3.88 ✓	7.38 ✓	10.85 ✓	YEAR'S TOTAL 63.33
Rain Days.	18 ✓	20 ✓	28 ✓	10 ✓	16 ✓	10 ✓	23 ✓	16 ✓	11 ✓	14 ✓	21 ✓	25 ✓	212

W. 8,000. X. 14.

4110

FORM A.
BRITISH RAINFALL.
10 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Pontsticill

in the County of Brecknock

by The Merthyr Tydfil Corporation (T. F. Harvey, Esq. C.E.)

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Pontsticill

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 1031·42 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·53	·43	·16	-	·45	-	-	·65	·04	·37	·04	·46	1
2	·17	·42	·62	·25	-	·01	·02	·94	·18	·11	-	·09	2
3	-	·33	·32	·18	·08	-	·96	·03	-	-	-	·44	3
4	·15	·74	·05	-	·15	·02	·19	·08	·03	-	-	·82	4
5	·32	·68	·02	·07	-	·02	·01	·15	-	-	-	1·25	5
6	·35	·07	-	·32	-	-	·66	·05	-	-	-	·46	6
7	·40	·70	-	·04	-	-	·10	·12	-	-	·02	·71	7
8	·38	·37	-	·01	-	-	-	·06	-	-	·25	-	8
9	·09	·43	-	·31	-	-	-	-	-	-	·46	1·30	9
10	·83	·02	·04	·09	-	-	·01	·12	-	·11	·32	·08	10
11	·20	-	·09	·01	-	-	-	·18	-	·02	1·27	·11	11
12	·27	·41	-	·01	·34	-	-	·11	-	·20	·74	·01	12
13	·06	·98	-	-	1·36	-	-	-	·13	·01	·07	·06	13
14	·25	·03	-	-	-	-	·04	·21	·17	·02	-	·81	14
15	·88	-	-	-	·13	-	·12	·08	·16	·07	·16	·31	15
16	·21	1·32	-	-	·35	-	1·19	·06	·01	-	-	-	16
17	-	·41	-	-	·52	-	-	·07	-	-	-	-	17
18	-	·72	·02	·01	-	-	·03	-	-	-	-	-	18
19	·01	·06	-	·19	·28	-	·80	-	-	-	-	-	19
20	·68	-	-	·03	-	-	·02	-	-	·09	-	·04	20
21	·27	·31	-	-	·02	-	·31	-	-	·16	-	·14	21
22	·22	·06	·19	·13	-	-	·63	-	-	·05	-	·57	22
23	·10	·08	·13	-	-	·25	·24	-	·10	·85	-	·65	23
24	-	-	·02	·03	-	-	·04	-	·09	·58	-	·86	24
25	-	-	·01	-	-	·72	·03	-	·03	·03	·03	·41	25
26	-	·42	-	-	-	·12	·59	-	·03	-	-	·91	26
27	-	·08	-	-	-	·04	·13	-	-	·40	-	·32	27
28	-	·34	·01	-	-	·16	-	-	·33	·14	-	·03	28
29	-		-	-	-	·28	·23	·01	-	-	·47	·12	29
30	·24		-	·25	-	·10	·19	-	-	·50	·55	·47	30
31	-		-		-		·24	·10		1·41		·98	31
Total	6·61	9·41	1·68	1·93	3·68	1·72	6·78	3·02	1·30	5·12	4·38	12·41	YEAR'S TOTAL 58·04
Rain Days.	21	23	13	16	10	10	23	17	12	18	12	26	201

W. 8,000. X. 14.

4037

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Taff Fechan (Pontsticill) No 12
in the County of Breconshire
by Mr T. F. Harvey

Lat. Long.
Time of Observation 9 a/m
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1031 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17	-	·02	-	·02	·44	·50	-	-	·34	·42	-	1
2	1·27	·31	·33	-	-	·20	·16	-	·36	1·80	·57	-	2
3	·03	1·35	-	-	·06	·07	·02	-	·15	·57	·24	-	3
4	·54	·55	-	-	·35	·72	-	-	·11	·63	·73	-	4
5	·16	·12	·01	-	·10	·20	·02	-	-	·50	·15	-	5
6	·53	·38	·01	-	·13	·06	·44	-	-	·82	·88	·03	6
7	·22	-	·12	-	·25	·03	-	-	-	·80	·71	·19	7
8	-	·06	·05	-	·40	·03	-	-	-	·11	·07	·18	8
9	·02	·12	·03	-	·01	-	-	-	-	·01	·07	·12	9
10	·01	·41	·01	·18	·04	-	·06	-	-	·17	·04	·14	10
11	·12	·04	·03	·39	·07	·01	-	-	·01	·05	·01	·06	11
12	·15	·21	·03	·27	·41	-	·57	·15	-	·33	-	-	12
13	·01	·45	·24	·15	·01	-	·03	·93	-	·26	-	-	13
14	·05	·45	·01	·07	·15	-	-	·42	-	·20	-	·01	14
15	-	1·62	·20	·20	·01	-	·04	·66	·06	·12	-	-	15
16	·04	·09	-	·40	·02	-	·07	[illegible]	-	·12	-	-	16
17	·30	·37	-	·42	-	-	-	·01	·77	·38	·30	-	17
18	-	·64	·21	·25	-	-	-	[illegible]	·31	·10	·10	·08	18
19	·50	·03	·79	·38	-	-	-	-	·03	-	·15	·05	19
20	·27	·11	·26	·01	-	-	-	-	-	-	·08	·46	20
21	·51	-	·31	·10	·09	·01	-	-	-	-	·05	·13	21
22	-	-	-	-	-	·03	-	-	-	·53	·02	·28	22
23	·02	-	-	·08	-	·44	-	·25	-	·16	·33	·26	23
24	-	-	·03	·18	1·27	·03	-	·14	-	·79	·02	·20	24
25	·02	·35	·26	-	-	·02	-	1·35	·03	·25	·57	-	25
26	·27	·01	·05	-	-	·16	1·39	·32	·49	·59	·13	-	26
27	·08	·11	·68	-	-	·02	-	·32	·64	·74	-	·02	27
28	·03	·27	-	-	-	-	-	-	·10	·82	·05	1·51	28
29	-	·19	·07	-	-	·45	-	·80	-	·61	-	·73	29
30	-	✕	-	-	-	·06	-	·03	-	·88	-	·05	30
31	-	✕	-	✕	-	✕	-	·21	✕	·72	✕	·20	31
Total	5·32	8·24	3·75	3·08	3·39	2·98	3·30	5·58	3·06	13·40	5·69	4·70	YEAR'S TOTAL 62·49
Rain Days.	23	23	22	14	17	18	11	13	12	28	22	19	222

W. 8,000, VIII. 16

3872

FORM A.
BRITISH RAINFALL
15 MAR 1918

N:12 **REGISTER OF RAINFALL IN 1917**

Kept at Pontsticill

in the County of Brecknock

by Mrs F Harvey

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Pontsticill

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 1030 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	–	·15	·34	–	.82	–	·12	·11	–	·10	·17	1
2	·04	–	·04	·03	–	·03	–	–	–	·26	·25	–	2
3	·23	·24	·01	·10	–	·03	·01	–	–	·87	·13	·03	3
4	·02	–	·27	–	–	–	·24	–	–	·39	–	–	4
5	·53	–	·43	·29	–	·09	–	·15	.36	·44	·46	·01	5
6	·03	–	·66	–	–	·33	–	·10	–	·25	·38	·11	6
7	·70	–	–	–	–	–	·14	·14	–	·60	·24	·14	7
8	·23	–	·12	·23	–	·04	·43	·82	·07	·90	·34	·29	8
9	–	–	·10	·28	·12	–	–	·38	·15	·07	·76	–	9
10	·25	–	·48	·19	·03	–	–	·38	–	·06	·03	–	10
11	·20	–	·01	·34	–	–	–	·78	–	·68	·13	–	11
12	·16	–	·01	–	1.20	–	–	·12	–	·40	–	–	12
13	–	–	·20	·26	–	·01	–	1.33	.30	·11	·02	·02	13
14	–	–	·03	·07	·01	–	·01	·20	–	–	–	·06	14
15	·05	–	–	·08	·17	–	·18	–	·07	·26	–	·20	15
16	–	·10	–	·23	–	·27	–	·03	–	–	·01	·12	16
17	–	–	·04	15	·16	–	1.08	1.03	·26	·27	·06	·05	17
18	–	–	·06	–	·05	–	·69	·15	1.31	–	–	–	18
19	–	·60	·29	–	–	·35	–	–	–	–	·04	–	19
20	·03	·07	·06	–	·67	·69	·01	·05	·15	–	·09	–	20
21	–	–	·01	–	·09	·01	–	·04	–	.90	–	–	21
22	–	·01	–	–	–	–	–	·65	–	.20	·05	–	22
23	–	·21	–	–	·33	·07	–	·64	–	·19	·04	–	23
24	–	·08	·01	–	–	·11	·18	·40	–	1.10	·24	·05	24
25	–	·07	·16	–	–	–	·10	·35	·07	~~1.19~~ ·09	·14	–	25
26	–	–	–	–	·54	·05	–	·88	·42	– ~~·09~~	·32	–	26
27	–	–	·01	–	·54	·40	·43	·78	–	·05	·08	–	27
28	–	01	·22	–	·01	·37	–	·76	–	~~·05~~	·09	·02	28
29	–		28	–	–	·09	–	·08	–	1.09	·05	·38	29
30	–		·08	–	–	–	–	·50	–	±·25	.08	–	30
31	–		06		·38		–	·46		·03		–	31
Total	2·52	1·39	3·79	2·59	4·39	3·76	3·59	11·32	3·27	9·46	4·13	1·65	YEAR'S TOTAL 51·68
Rain Days.	13	9	25	13	14	17	12	26	11	23	24	14	201

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

St BR

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

27 6 19

7

Kept at TAF FECHAN (PONTSTICLL) No: 12.

in the County of BRECON

by Thos. F. Harvey M. Inst. C.E.

Lat. Long.
Time of Observation 9 A/M
Nearest Railway Station PONTSTICILL
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1,030 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·20	–	·27	·06	–	–	·22	·05	·04	1·00	–	1
2	–	·27	–	·25	–	–	–	·24	–	·03	·10	·52	2
3	–	·34	–	·16	·25	–	–	–	·43	·16	·03	·03	3
4	·02	·12	–	–	–	–	–	·06	·60	·46	1·28	·55	4
5	–	·09	·02	·33	·09	–	–	·25	·16	·93	·09	·05	5
6	·05	·71	–	·20	–	·05	–	–	·04	·33	–	·19	6
7	–	·19	–	·01	·35	–	·01	·01	·81	·20	·45	·13	7
8	·09	·11	–	–	–	·01	·01	–	·09	·31	·02	·01	8
9	·09	·39	–	·29	–	·65	·04	–	·40	·36	·14	·26	9
10	·18	·29	–	·32	–	–	·56	–	·33	·09	·29	·42	10
11	·09	·38	·11	·01	–	–	·54	–	·34	·10	·09	·45	11
12	·07	·37	·08	–	·17	–	·68	–	·15	–	–	·22	12
13	–	·07	·04	–	–	·04	·02	–	·50	·06	–	·36	13
14	·77	–	·06	–	·05	·03	·19	·01	·53	·02	–	·33	14
15	·40	–	–	·03	·02	·06	·65	–	·15	–	–	·71	15
16	·20	–	·03	·83	–	·02	·06	·11	·75	–	–	·38	16
17	·44	–	·12	–	–	·04	·44	·10	·42	·09	–	·41	17
18	1·03	–	·12	–	–	·36	·08	–	·52	·08	–	·65	18
19	·38	·10	·17	·03	–	–	·18	·03	·09	·05	–	·27	19
20	·27	·37	–	·20	–	·18	·02	–	·65	·01	–	·01	20
21	·15	·37	–	·09	–	·05	·11	–	1·03	·03	–	·18	21
22	·03	·07	–	–	·48	–	·25	·01	·47	–	–	·74	22
23	·15	·08	–	–	·74	–	·17	–	·19	–	·06	·05	23
24	·03	·19	–	–	–	–	·32	·15	·17	–	·26	·09	24
25	–	–	–	–	·11	–	·31	·89	·05	·18	·09	·01	25
26	·03	·01	–	·13	–	–	·25	·03	·15	·06	·17	·59	26
27	·01	·13	·47	–	–	–	·05	·46	·63	·02	·20	·33	27
28	–	·14	·50	–	–	–	–	–	·02	·02	·22	·38	28
29	–		·14	–	–	–	–	–	1·57	·03	–	·18	29
30	–	X	·50	–	–	–	–	·02	·01	·12	·07	·23	30
31	–	X	·60	X	–	X	–	·08	X	·01	X	·01	31
Total	4·48 ✓	4·99 ✓	2·96 ✓	3·15 ✓	2·32 ✓	1·49 ✓	4·94 ✓	2·67 ✓	11·30 ✓	3·79 ✓	4·56 ✓	8·74 ✓	YEAR'S TOTAL 55·39
Rain Days.	~~22~~ 20	22 ✓	14 ✓	15 ✓	10 ✓	11 ✓	21 ✓	16 ✓	29 ✓	25 ✓	17 ✓	30 ✓	23~~2~~0

6

W. 6,500, VII. 18. W W C

3680

No 12

5 FEB 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Pontsticill Centre
in the County of Brecon
by Thos. J. Harvey M. Inst. C. E.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Nil.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	–	·19	–	·41	–	·64	–	·13	·35	·01	·70	1
2	·22	–	·12	·02	·06	–	·10	·12	·18	·04	·03	·37	2
3	·13	–	·08	–	·08	·14	–	–	·07	–	·06	1·34	3
4	·05	·18	·38	–	·01	·01	·14	·05	·35	–	–	·39	4
5	·05	·20	·14	–	·05	–	–	–	·04	–	·03	·86	5
6	·77	·05	·62	–	–	–	–	–	·02	–	–	·48	6
7	·31	–	·31	·10	–	–	–	–	·07	–	–	·04	7
8	·33	–	·12	·02	–	·11	–	–	–	–	·04	–	8
9	·81	–	·08	·25	–	–	–	–	–	–	·10	·01	9
10	·26	–	·83	·10	·04	–	–	–	–	·06	·09	·63	10
11	·16	–	·82	·18	·13	·01	·10	–	–	·05	–	·12	11
12	·01	–	·29	·15	·04	1·20	–	–	·01	·15	–	·01	12
13	·33	–	–	·58	–	–	·01	–	·41	·34	–	·13	13
14	·55	·05	–	·33	·36	–	·06	·01	·01	·05	–	·18	14
15	·45	·06	–	·13	–	–	–	·23	–	·22	–	·39	15
16	·20	·96	–	·01	·01	·07	·02	·03	–	–	·31	·02	16
17	·01	·05	–	–	–	·11	–	·21	–	–	1·07	·07	17
18	·09	·09	·61	–	–	–	–	·33	·05	–	·28	·16	18
19	·31	·35	·47	–	–	·31	·01	·36	·04	–	·50	·08	19
20	·39	·25	·15	–	·01	·02	–	·08	·19	–	·09	·54	20
21	·03	1·08	·24	–	–	–	·21	·12	·21	–	·05	·22	21
22	–	·15	–	–	–	·08	·01	–	·70	–	·11	1·18	22
23	–	–	–	–	–	·01	–	·04	–	·65	·32	·27	23
24	·02	–	–	·07	–	·06	–	·04	·09	·40	·28	·38	24
25	·22	–	–	·10	–	–	–	1·13	·08	·02	·07	·30	25
26	·03	·01	·46	·16	–	·05	–	·05	·15	–	–	·63	26
27	·34	–	·21	·31	–	–	·13	·69	·05	–	–	·10	27
28	–	–	·10	·02	–	–	–	·11	–	–	·07	·72	28
29	·10		·04	·07	–	·01	–	·06	–	·16	·01	·65	29
30	–	✕	·02	·13	–	·20	–	·53	·01	·06	·54	·71	30
31	–	✕	·09	✕	–	✕	·11	–	✕	–	✕	·15	31
TOTAL	6·67 ✓	3·48 ✓	6·37 ✓	2·73 ✓	1·20 ✓	2·39 ✓	1·54 ✓	4·19 ✓	2·86 ✓	2·55 ✓	4·06 ✓	11·83 ✓	YEAR'S TOTAL 49·87 ✓
Days with ·01 in. or more	26 ✓	13 ✓	22 ✓	18 ✓	11 ✓	15 ✓	12 ✓	18 ✓	20 ✓	13 ✓	20 ✓	30 ✓	218

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Cox MS

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

14 JAN 1921

Kept at Pontsticill Centre.
in the County of Breconshire
by T. J. Harvey M. Inst. C.E

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Ponsticill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1031 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .98

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03	.03	.37	.72	-	.85	.11	.11	.09	-	.74	1
2	.08	.02	-	.24	.03	-	.20	.07	.11	.29	-	.60	2
3	.17	.16	-	.13	.08	-	1.55	.10	.09	1.40	-	.29	3
4	-	-	.05	.01	.02	-	.01	.66	.07	.14	-	-	4
5	-	.03	.26	.03	.34	-	.28	.15	.35	.36	-	-	5
6	-	-	.45	.04	.41	-	.05	-	-	.18	.01	.01	6
7	.21	-	.03	.12	.15	-	.18	-	-	-	.02	-	7
8	.07	.04	-	1.06	.23	-	.13	.29	-	-	-	-	8
9	1.00	.92	.02	.81	-	-	.22	.01	.04	-	.02	-	9
10	1.36	.96	.14	.05	-	.49	.48	-	-	.01	.08	.01	10
11	.41	.05	.38	.62	.47	.05	.09	-	-	-	-	-	11
12	.59	.15	.08	.34	.08	.75	.17	.10	-	.06	.22	-	12
13	.11	.12	.71	.51	-	.03	.01	.03	-	.02	.06	-	13
14	.22	.09	.59	.92	-	-	.17	-	1.16	.23	1.18	-	14
15	.10	.22	.35	1.38	.09	.11	-	-	-	.06	.24	-	15
16	.05	.02	.20	.19	.05	1.00	.27	.01	.84	.91	.06	.05	16
17	.43	-	.06	.01	.42	.15	-	.29	1.15	.15	-	.05	17
18	.25	-	-	.12	.19	.10	.20	.07	.95	-	-	-	18
19	.50	.22	-	.50	.11	.11	.02	.07	-	-	-	-	19
20	.10	.04	-	.87	-	.13	.08	-	-	.02	-	.44	20
21	-	-	-	.04	-	.01	.17	-	-	.12	-	.18	21
22	.13	-	-	.24	-	.04	.25	.14	.02	-	-	.44	22
23	.04	-	.05	.01	-	-	.45	-	-	-	-	.78	23
24	.07	.04	.61	.06	-	-	.06	-	-	-	.13	.76	24
25	.05	.09	.25	.09	-	-	.44	-	-	-	-	.27	25
26	.36	.15	.42	.18	.03	.18	.11	-	-	-	.20	.17	26
27	.77	.19	.73	.46	.06	.70	.16	-	-	-	.04	.58	27
28	.25	.05	.33	.10	.02	.25	.05	-	-	-	-	.15	28
29	.70	.02	.23	.15	.25	.09	.50	-	-	-	.18	1.07	29
30	.37		.13	.20	.03	.45	.15	-	.85	.30	.38	.64	30
31	.32		.49		-		.04	.01		.71		.36	31
TOTAL	8.71	3.61	6.59	9.85	3.78	4.64	7.34	2.11	5.74	5.05	2.82	7.59	YEAR'S TOTAL 67.83
Days with ·01 in. or more	26	21	23	30	20	17	29	15	12	17	14	19	243
Days with ·04 in. or more	26	16	20	26	15	15	26	11	11	14	11	17	208

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

—

TAF FECHAN

PENTWYN RES No 15

1911-20

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

Daily gauge. REGIS

Kept at Pentwyn

in the County of Breckn

by Thos. F. Harv

in.

round 1 ft. 0 in.

a Level 1120 ft.

m.

me

stance Direction

IMPORTANT NOTE.—R he result entered to the previous day. If an Observe sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	·17	·06	·09	—	·07	·12	—	·02	·85	·07	1
2	·01	—	·03	·03	·45	—	—	·51	—	·08	·32	·76	2
3	·02	—	·08	·04	·88	—	—	·18	·03	—	·56	·33	3
4	—	—	·19	·02	·01	—	—	·73	·04	·06	1·04	·90	4
5	·28	—	·12	·02	—	—	—	·35	—	·23	·12	·09	5
6	·47	—	·03	·01	—	—	—	·40	—	—	·26	1·06	6
7	·16	—	—	—	—	—	—	—	—	—	·79	—	7
8	·27	—	·28	—	—	—	—	—	—	—	1·80	1·57	8
9	·08	—	·01	—	—	—	—	—	—	—	·44	·83	9
10	·13	·11	·82	—	—	—	—	—	—	—	·02	·97	10
11	·46	—	—	—	·24	—	—	·01	·05	—	·40	·24	11
12	—	·05	·60	—	·47	—	—	—	·50	—	1·09	·34	12
13	—	·01	—	—	·02	—	—	—	·23	·11	·30	·33	13
14	—	·22	·02	—	·01	—	—	—	—	·03	·33	1·13	14
15	—	·28	·02	—	—	·08	—	—	—	·02	1·11	·28	15
16	—	·13	·01	—	—	·46	—	—	—	—	·35	·69	16
17	·01	·53	—	·04	—	1·86	·05	—	—	—	·38	1·37	17
18	—	1·22	·09	·35	—	·18	—	—	—	·06	·07	1·31	18
19	—	·07	·01	·52	—	1·01	·03	·02	1·32	·76	·25	·75	19
20	·04	·15	—	·66	—	·10	—	—	·12	·18	·01	·82	20
21	·02	1·08	·02	·16	—	·28	·03	·13	·63	1·06	—	·20	21
22	—	·27	·02	·34	—	·53	—	—	·06	·42	—	·83	22
23	·02	·71	·03	·06	·16	·02	·01	·03	·60	·34	—	·46	23
24	·10	·29	—	·01	·05	·61	—	·26	·03	·22	—	·36	24
25	·28	·20	—	·38	—	·11	—	·01	·36	·09	—	·14	25
26	·02	·35	—	·68	·01	·02	—	·35	·01	·30	·09	·26	26
27	—	1·45	·29	·29	—	—	—	·50	·49	—	·13	·20	27
28	—	·45	·02	·34	—	·10	—	·11	—	—	·23	·04	28
29	—	—	—	·19	—	·73	·16	·01	·55	1·48	·01	·05	29
30	—	—	·01	·02	—	·07	·08	·03	—	·55	·19	·03	30
31	—	—	—		·05	—	·28	—		·05		·02	31
Total	2·40	7·57	2·87	4·22	2·44	6·16	·71	3·75	4·42	6·06	10·34	16·43	TOTAL for year 67·37
No. of Rain Days	17	18	21	20	12	15	8	17	15	19	25	30	217

9,000, IX. '10.

Daily gauge. REGISTER OF RAINF

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

Kept at Pentwyn Reservoir

in the County of Brecknock 4

by Thos. F. Harvey

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 1120 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	·17	·06	·09	—	·07	·12	—	·02	·85	·07	1
2	·01	—	·03	·03	·45	—	—	·51	—	·08	·32	·76	2
3	·02	—	·08	·04	·88	—	—	·18	·03	—	·56	·33	3
4	—	—	·19	·02	·01	—	—	·73	·04	·06	1·04	·90	4
5	·28	—	·12	·02	—	—	—	·35	—	·23	·12	·09	5
6	·47	—	·03	·01	—	—	—	·40	—	—	·26	1·06	6
7	·16	—	—	—	—	—	—	—	—	—	·79	—	7
8	·27	—	·28	—	—	—	—	—	—	—	1·00	1·57	8
9	·08	—	·01	—	—	—	—	—	—	—	·44	·83	9
10	·13	·11	·82	—	—	—	—	—	—	—	·02	·97	10
11	·46	—	—	—	·24	—	—	·01	·05	—	·40	·24	11
12	—	·05	·60	—	·47	—	—	—	·50	—	1·09	·34	12
13	—	·01	—	—	·02	—	—	—	·23	·11	·30	·33	13
14	—	·22	·02	—	·07	—	—	—	—	·03	·33	1·13	14
15	—	·28	·02	—	—	·08	—	—	—	·02	1·11	·28	15
16	—	·13	·01	—	—	·46	—	—	—	—	·35	·69	16
17	·01	·53	—	·04	—	1·86	·05	—	—	—	·38	1·37	17
18	—	1·22	·09	·35	—	·18	—	—	—	·06	·07	1·31	18
19	—	·07	·01	·52	—	1·01	·03	·02	1·32	·76	·25	·75	19
20	·04	·15	—	·66	—	·10	—	—	·12	·18	·01	·82	20
21	·02	1·08	·02	·16	—	·28	·03	·13	·63	1·06	—	·20	21
22	—	·27	·02	·34	—	·53	—	—	·06	·42	—	·83	22
23	·02	·71	·03	·06	·16	·02	·01	·03	·60	·34	—	·46	23
24	·10	·29	—	·01	·05	·61	—	·26	·03	·22	—	·36	24
25	·28	·20	—	·38	—	·11	—	·01	·36	·09	—	·14	25
26	·02	·35	—	·68	·01	·02	—	·35	·01	·30	·09	·26	26
27	—	1·45	·29	·29	—	—	—	·50	·49	—	·13	·20	27
28	—	·45	·02	·34	—	·10	—	·11	—	—	·23	·04	28
29	—	—	—	·19	—	·73	·16	·01	·55	1·48	·01	·05	29
30	—	—	·01	·02	—	·07	·08	·03	—	·55	·19	·03	30
31	—	—	—		·05	—	·28	—		·05		·02	31
Total	2·40	7·57	2·87	4·22	2·44	6·16	·71	3·75	4·42	6·06	10·34	16·43	TOTAL for year 67·37
No. of Rain Days	17	18	21	20	12	15	8	17	15	19	25	30	217

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

4 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Taf Fechan (Pentwyn Reservoir)
in the County of Breconshire 4
by T F Harvey Esq C.E. M. Inst. C.E

Lat. Long.
Time of Observation
Nearest Railway Station Dolygaer.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 1120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			1·03		·11	·63	·02	·23	·05	·69	–	·30	1
2	·02	·02	·85	·05	·02	·40	·11	·03	·01	·02	·01	·01	2
3	·31	·02	·42	·02	·03	·17	·10	1·38	·44	–	·08	·41	3
4	·93	–	1·43	·05	·04	·36	·01	·44	–	–	·22	·06	4
5	·51	·10	·26	·07	·18	·01	–	·49	·04	–	·01	·09	5
6	·81	·14	·03	·01	·34	–	–	1·03	·02	–	·04	·13	6
7	·08	·57	·48	·01	·39	·46	·36	·01	·01	–	·04	·23	7
8	·96	·39	·44	·14	·01	·04	·01	·14	·03	–	·01	·03	8
9	·07	·25	·45	·18	–	·60	·08	·85	·01	–	·08	·65	9
10	·44	·19	–	·05	–	·08	·38	·08	·01	–	·66	·09	10
11	·03	·21	·02	–	·02	–	·06	·03	–	–	·40	1·22	11
12	·10	·26	·44	·10 ~~·04~~	·23	·12	·08	–	–	–	·02	·32	12
13	·26	·01	·05	·03	–	·06	·04	–	–	·57	·02	·81	13
14	·26	·02	·79	–	·01	·05	–	·10	·02	·02	–	·66	14
15	1·03	·28	·03	–	·26	·59	–	·05	–	–	–	·57	15
16	·64	·03	·75	–	·10	·02	–	·92	–	·41	·02	·03	16
17	·50	·02	·17	–	·03	·50	–	·77	–	–	·09	·59	17
18	·08	·09	·11	–	–	·02	–	·30	–	·23	–	·08	18
19	·10	·30	·04	–	–	·05	·26	1·18	–	·09	·07	·17	19
20	·08	·05	1·11	–	·05	·02	·03	·17	–	·45	·12	·02	20
21	·01	·12	·72	–	·31	–	·01	·54	–	·31	·01	·01	21
22	·18	·84	·11	–	·98	·04	·76	·85	–	·06	·06	·67	22
23	·25	·36	·85	–	–	·56	·12	·90	–	·08	·41	·22	23
24	·11	·06	·36	–	–	·56	–	·04	–	–	·10	·42	24
25	·01	·04 ·06	·27	–	–	·22	·09	·97	–	·03	·83	·73	25
26	–	·45	·12	–	–	·01	·04	·40	–	1·61	1·00	·58	26
27	–	·20	·20	–	–	·75	1·08	–	–	1·36	·01	·98	27
28	–	·29	·02	–	–	·42	·87	1·06	·46	·71	·56	·27	28
29	–	·32	·04	–	–	·10	·46	·59	·66	·67	–	·06	29
30	–	–	·32	·01	·01	·04	·12	·01	–	·60	–	·07	30
31	–		·28		·03	–	·55	·21		·04		·45	31
Total	7·77 ✓	5·63 ✓	12·19 ✓	·72 ✓	3·15 ✓	6·88 ✓	5·64 ✓	13·77 ✓	1·76 ✓	7·95 ✓	4·87 ✓	10·93 ✓	YEAR'S TOTAL 81·26 ✓
Rain Days.	24	27	30	12	19	27	23	28	12	18	24	31	275 ✓

W. 7,500, XI. ·12

FORM A. BRITISH RAINFALL. 4 FEB 1914

REGISTER OF RAINFALL IN 1913

Kept at Taf Fechan Pentwyn Reservoir

in the County of Brecknock 4

by Thos. F. Harvey M. Inst. C.E.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·22	·59	·26	·03	–	–	–	·05	·10	·42	·07	1
2	·09	·53	·61	·34	·12	·03	–	–	–	·44	·36	·34	2
3	·38	·21	·47	·01	·45	·01	–	–	·01	·48	·01	·38	3
4	1.01	·19	·40	–	·26	·03	–	–	1.38	·07	·13	·30	4
5	·14	·08	·13	–	·23	·42	·02	–	·35	·02	·68	·10	5
6	·60	·33	·29	–	·18	·37	·33	–	–	·40	·37	·48	6
7	·18	1·20	·01	–	·88	·42	·03	–	–	·79	·22	·05	7
8	·09	·68	·02	–	·54	·10	·07	–	–	·10	–	·18	8
9	–	·29	·37	–	·27	1·04	·10	·28	·03	·02	·53	·17	9
10	·81	–	·26	·02	·31	·01	–	·40	–	·39	·17	·01	10
11	1.07	–	·03	·57	·15	–	·01	·02	·03	·08	·91	·19	11
12	·03	–	–	–	·26	·03	·02	·03	·13	–	·80	·01	12
13	·17	–	·75	·03	01	–	·09	·08	·82	–	·43	–	13
14	·73	–	·84	·62	–	–	–	·01	·08	·45	·07	·04	14
15	·30	·02	·78	1.47	–	–	–	·20	·01	–	·06	·20	15
16	·34	–	·85	·13	–	–	·05	·82	–	–	·31	·01	16
17	·32	–	·08	·42	·03	–	·16	–	–	-	·50	–	17
18	·16	–	·99	·81	·03	·02	·03	–	–	–	·32	·01	18
19	·50	–	·20	·03	·10	·36	·02	–	·13	·39	·16	–	19
20	·45	–	·52	·20	·03	–	–	–	–	·47	1.69	–	20
21	–	–	·35	·27	·23	–	·21	·30	–	·28	·18	–	21
22	1.14	–	1.26	–	·06	·25	–	·91	·43	–	·01	–	22
23	·14	–	·07	–	·04	·14	–	·06	·04	–	·18	·12	23
24	·32	·16	–	·18	–	–	–	·02	–	–	·44	·05	24
25	–	·07	–	·54	–	–	–	–	·10	·04	26	·36	25
26	–	–	–	2·91	·01	·06	–	·04	·01	·02	–	·91	26
27	·05	–	·26	·68	–	–	–	–	–	·99	·01	·03	27
28	·37	–	·39	·71	·09	–	–	–	–	·66	–	·23	28
29	·01		·70	·36	·02	–	–	·05	–	·60	·10	–	29
30	·90		·01	·01	·02	–	–	–	–	·54	·33	–	30
31	·14		·31		·21		–	·04		·20		–	31
Total	10·48	3·98	11.54	10.54	4.56	3·29	1·14	3·26	3·60	4·53	9·65	4·24	YEAR'S TOTAL 43.84
Rain Days.	24	12	24	21	25	15	13	15	15	22	24	22	241

W.7,000, XI. 13

Ese DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

16 JAN 1915

Kept at Pentwyn Reservoir.
in the County of Brecknock. 4
by Wm. F Harvey M. Inst. C.E.

Lat. .... Long. ....
Time of Observation 9. am
Nearest Railway Station Dolygaer.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 1120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·10	·07	·03	–	·14	·31	·86	–	–	·17	·08	1
2	–	·01	·05	·03	·12	·01	1·02	·22	–	–	·33	·57	2
3	04	–	·68	·25	·75	–	–	·21	–	·02	·01	·70	3
4	69	–	·31	·33	·29	–	·47	·06	–	–	·58	1·22	4
5	13	–	·47	·54	·33	–	·09	·01	–	–	·08	·03	5
6	04	·17	·13	·19	·20	·02	·07	·12	–	–	·02	·87	6
7	09	·97	·87	·20	·79	·03	·53	·26	·17	–	–	·73	7
8	57	–	·34	·15	·53	·61	·05	·95	·09	–	·12	·23	8
9	65	·18	·18	·46	·11	1·43	–	·54	·07	–	·09	–	9
10	04	·82	·06	·28	·18	·30	–	–	·32	–	·04	–	10
11	–	·42	·62	·01	·26	·38	·05	–	·01	–	·49	1·18	11
12	–	1·16	·21	–	·01	–	–	–	·26	–	·53	·39	12
13	–	1·52	·64	·03	–	–	·21	–	·91	·31	·54	·17	13
14	–	1·64	·50	–	–	–	·07	·17	·02	·05	·37	·02	14
15	01	·04	·69	–	–	–	·08	·48	·21	·03	·37	·01	15
16	02	–	·13	–	–	–	·19	–	·81	–	–	·13	16
17	05	·63	·30	–	–	–	·10	–	·09	–	–	1·41	17
18	01	·08	·54	–	–	–	·02	–	·08	–	–	·50	18
19	–	·21	·45	–	–	–	1·81	–	·11	·01	·08	·30	19
20	–	·71	·30	–	–	·42	·02	–	–	–	–	·33	20
21	–	·61	·02	–	–	–	·05	·02	–	·33	–	–	21
22	–	·37	·01	·07	–	·12	·05	·37	–	·89	–	–	22
23	–	·11	·43	–	·15	–	·14	·01	–	·30	–	–	23
24	16	·01	·16	–	–	·02	·10	·14	–	·01	·22	–	24
25	35	·02	·31	–	–	–	·38	·75	–	·49	·21	·56	25
26	01	·04	·08	–	–	–	·31	·16	–	·34	·88	1·00	26
27	03	·05	–	–	–	–	·03	–	–	·11	·72	·88	27
28	22	·26	·36	–	·11	–	–	–	–	·12	·11	·55	28
29	72		·64	–	·12	–	–	·01	–	·27	1·46	·03	29
30	09	✕	·58	–	–	–	–	·02	–	·20	1·13	1·17	30
31	1·40	✕	·01	✕	·03	✕	·48	–	✕	·94	✕	·41	31
Total	5·32	10·13	10·14	2·57	3·98	3·48	6·63	5·36	3·15	4·42	8·55	13·41	YEAR'S TOTAL 77·14
Rain Days.	20	23	30	13	15	11	24	19	13	16	22	25	231

W. 8,000. X. 14.

ex 0-93

4119

FORM A.
BRITISH RAINFALL.
10. JAN 19

REGISTER OF RAINFALL IN 1915.

Kept at Taf Fechan (Pentwyn Reservoir)

in the County of Brecknock

by Thos: F. Harvey

Lat. Long.

Time of Observation 9 a/m

Nearest Railway Station Dolygaer B&M Rly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·95	·63	·12	–	·55	–	–	·98	·03	·40	·02	·44	1
2	·26	·47	·72	·37	–	·01	·03	·90	·06	·12	–	·09	2
3	·01	·48	·54	·23	·06	–	1·24	·04	–	–	–	·53	3
4	·18	·77	·08	–	·21	·03	·36	·04	·03	–	–	1·05	4
5	·21	1·03	·03	·11	·01	·04	·01	·14	–	–	–	1·44	5
6	·42	·09	·01	·41	–	–	·80	·09	–	–	–	·48	6
7	·39	·86	·01	·09	–	–	·12	·25	–	–	·02	·87	7
8	·36	·62	–	·02	–	–	–	·10	–	–	·38	·01	8
9	·06	·53	–	·35	–	–	–	·01	–	–	·45	1·56	9
10	1·06	·02	·04	·08	–	–	·03	·11	–	·14	·33	·15	10
11	·17	–	·03	·01	–	–	·01	·38	–	·04	1·31	·07	11
12	·28	·39	–	·06	·50	–	–	·07	–	·31	1·17	·04	12
13	·08	1·41	–	·01	·86	–	–	·02	·13	·02	·05	·12	13
14	·35	·06	·01	–	–	–	–	·17	·22	·02	–	1·24	14
15	·94	·01	–	–	·12	–	·15	·06	·18	·06	·12	·41	15
16	·14	1·72	–	–	·41	–	1·43	·06	·02	–	–	·01	16
17	·02	·43	–	–	·65	–	–	·13	–	–	–	–	17
18	·01	·78	·03	·01	·01	–	·13	–	–	–	–	–	18
19	·02	·05	–	·28	·30	–	·95	–	–	–	–	–	19
20	·70	·01	–	·04	·01	–	·01	–	–	·12	–	·06	20
21	·39	·28	–	–	·28		·54	·02	–	·16	–	·11	21
22	·01	·05	·20	·18	–	·27	·68	–	·01	·05	–	·80	22
23	·08	·02	·16	–	–	·01	·16	–	·18	·88	–	·54	23
24	–	–	·02	·05	–	·71	·05	–	·09	·65	–	·96	24
25	–	–	·02	–	–	·05	·02	–	·02	·03	·04	·53	25
26	–	·62	–	–	–	·04	·65	–	·05	–	–	1·18	26
27	–	·07	–	–	–	·18	·15	–	·02	·67	–	·31	27
28	–	·26	·01	–	–	·15	–	–	·31	·14	–	·03	28
29	–	–	–	–	–	·06	·14	·02	·01	·04	·76	·16	29
30	·29	☒	–	·30	–	–	·01	–	·02	·58	·64	·66	30
31	·01	☒	–	☒	–	☒	·29	·14	☒	1·27	☒	1·32	31
Total	7·39	11·65	2·03	2·60	3·97	1·55	7·96	3·73	1·38	5·70	5·29	15·17	YEAR'S TOTAL 68·42
Rain Days.	25 ✓	25 ✓	16 ✓	17 ✓	13 ✓	11 ✓	23 ✓	20 ✓	16 ✓	19 ✓	12 ✓	28	225

W. 8,000. X. 15.

4046

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Taff Fechan (Pentwyn Res:)

in the County of Breconshire

by Mr T. F. Harvey.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17	·04	·02	-	·01	·63	·59	-	-	·28	·49	-	1
2	1·61	·64	·43	-	·01	·09	·32	-	·42	1·64	·45	-	2
3	·04	1·67	-	-	·06	·07	·03	-	·22	·64	·73	·02	3
4	·69	·63	-	-	·34	·95	-	-	·13	·76	·97	-	4
5	·18	·27	·02	-	·12	·12	·03	-	-	·81	·16	-	5
6	·94	·41	·02	-	·19	·17	·48	-	-	·82	1·05	·01	6
7	·26	·03	·08	-	·31	·02	·01	-	-	·73	1·03	·22	7
8	·01	·05	·05	-	·46	·12	-	-	-	·13	·05	·18	8
9	·02	·13	·04	-	·01	·01	-	-	-	·04	·10	·13	9
10	·03	·47	·07	·16	·08	-	·05	-	-	·25	·08	·16	10
11	·05	·03	·11	·42	·14	·02	·01	-	·08	·08	·01	-	11
12	·17	·34	·04	·28	·61	-	·63	·22	·01	·47	-	-	12
13	·01	·40	·25	·22	·01	-	·01	1·03	-	·54	·01	-	13
14	·07	·69	·04	·06	·20	-	-	·28	-	·22	-	·01	14
15	·02	1·85	·20	·21	·03	-	·03	·73	·04	·10	-	-	15
16	·09	·06	-	·50	·04	-	·08	·01	-	·12	-	-	16
17	·47	·36	-	·46	-	-	-	·02	·93	·49	·42	-	17
18	·01	·64	·21	·30	-	-	-	-	·33	·15	·05	·16	18
19	·75	·02	·95	·42	-	-	-	-	·06	-	·19	·09	19
20	·49	·16	·20	·01	-	-	-	-	-	-	·10	·52	20
21	·76	·01	·38	·19	·08	·02	-	-	-	-	·06	·24	21
22	·01	-	·02	·01	-	·03	-	·01	-	·70	·07	·30	22
23	·07	·24	·01	·21	-	·64	-	·26	-	·27	·47	·20	23
24	-	·18	·02	·45	1·37	·03	-	·13	-	·90	·06	·28	24
25	·05	·22	·29	-	·05	·03	-	1·15	·05	·36	·64	·08	25
26	·34	·09	·05	-	·04	·23	·03	·17	·38	·75	·14	-	26
27	·09	·08	·39	-	-	·08	-	·31	·62	·87	-	·01	27
28	·05	·13	·05	-	-	·01	-	-	·08	·65	·26	1·53	28
29	-	·22	·07	-	-	·67	-	·91	-	·74	·03	1·17	29
30	-	X	-	-	-	·08	-	·01	-	·83	-	·07	30
31	-	X	-	X	-	X	-	·30	X	·70	X	·25	31
Total	7·45	10·06	4·01	3·90	4·16	4·02	2·30	5·54	3·35	15·04	7·62	5·63	YEAR'S TOTAL 73·08
Rain Days.	27	28	25	15	20	20	13	15	13	28	24	20	248

W. 8,000, VIII. 16

3881

Entd M.O.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
15 MAR 1918

Kept at Pentwyn Reservoir
in the County of Brecknock
by Thos. F. Harvey

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Dolygaer
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 1120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	—	.19	.21	—	.86	—	.20	.32	—	.15	.11	1
2	.05	—	.03	.06	—	.04	—	.02	.01	.26	.30	.07	2
3	.31	.21	.03	.10	—	.06	—	.01	—	.83	.14	.02	3
4	.03	.03	.30	—	—	—	.23	.06	.01	.47	.01	.01	4
5	.61	—	.58	.43	—	.13	—	.03	.43	.46	.45	.01	5
6	.02	—	.93	—	—	.34	—	.03	.01	.54	.45	.27	6
7	.85	—	.02	—	—	—	.17	.12	—	.22	22	.21	7
8	.14	—	.14	.31	—	.05	.47	1.00	.07	.92	.43	.24	8
9	—	—	.15	.17	.12	—	—	.26	.10	.11	.75	—	9
10	38	—	.76	.33	.04	.01	—	.28	.04	.05	.01	.01	10
11	.16	—	.01	.37	.01	—	—	.77	—	.83	.17	—	11
12	.15	—	.02	.02	1.27	—	—	.34	—	.38	.01	.01	12
13	—	—	.23	.33	—	.04	—	2.36	.36	.09	.02	.05	13
14	—	—	.04	.09	.02	—	—	.13	—	.03	.01	.09	14
15	.03	—	—	.07	.22	—	.19	.01	.08	.39	—	.42	15
16	.03	.10	—	.27	—	.16	.01	.04	.01	.02	.02	.26	16
17	—	.06	.07	.15	.21	.02	.96	1.51	.29	.25	.05	—	17
18	.02	.01	.04	.01	.06	—	1.44	.08	1.31	.01	—	—	18
19	.02	.68	.32	—	—	.42	—	.03	.03	—	.05	—	19
20	.03	.10	.08	—	.74	.53	.03	.06	.15	—	.04	.01	20
21	—	.01	.03	—	.10	.02	—	.06	—	.17	—	—	21
22	.02	.02	—	—	.01	.01	—	1.77	—	.28	.07	—	22
23	—	.25	—	—	.40	.15	—	1.10	—	.16	.05	—	23
24	—	.06	—	—	.01	.17	.17	.68	—	1.04	.25	.04	24
25	—	.07	.18	—	—	—	.03	.45	.09	.08	.12	—	25
26	—	—	.01	—	.57	.13	.02	.87	.56	.07	.32	—	26
27	—	.01	.05	—	.52	.44	.37	.78	—	.05	.07	.01	27
28	—	02	.20	—	.10	48	.01	.58	—	—	.18	.02	28
29	—		.35	—	—	.09	—	.09	—	1.26	.14	.35	29
30	—		.09	—	—	—	.02	.61	—	.26	.17	.06	30
31	—		.05		.42		—	56		.04		.01	31
Total	2.93	1.63	4.89	2.92	4.82	4.15	4.12	14.89	3.87	9.27	4.65	2.28	YEAR'S TOTAL 60.42
Rain Days.	17	14	26	15	17	20	14	31	17	27	27	21	246

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

16

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

27 6 19

Kept at TAF FECHAN (PENTWYN RES:)

in the County of BRECON

by Thos. F. Harvey M Inst C.E.

Lat. Long.

Time of Observation 9 A/M

Nearest Railway Station DOLYGAER

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1,120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·28	·01	·28	·04	–	–	·18	·06	·05	1·46	·03	1
2	·04	·36	–	·15	–	–	–	·24	·01	·05	·18	1·05	2
3	–	·48	–	·19	·28	–	–	–	·50	·29	·06	·07	3
4	–	·19	·01	·01	–	–	–	·08	·56	·65	1·73	·93	4
5	–	·12	·02	·29	·13	·03	–	·30	·18	1·23	·06	·11	5
6	·03	·91	–	·40	–	·03	–	·01	·09	·50	·01	·29	6
7	–	·35	–	·02	·32	·06	·01	·02	1·37	·28	·50	·20	7
8	·15	·10	–	–	–	–	–	–	·08	·39	·04	·06	8
9	·09	·57	–	·28	–	·59	·07	–	·59	·59	·17	·40	9
10	·12	·43	–	·37	–	·01	1·10	–	·25	·18	·44	·51	10
11	·11	·38	·17	·03	·01	–	·63	–	·30	·06	·11	·55	11
12	·06	·44	·09	–	·17	–	·48	–	·14	–	–	·28	12
13	·04	·06	·03	–	·04	·06	·02	–	·70	·12	–	·59	13
14	·98	–	·06	–	·11	·03	·30	·02	·56	·06	–	·62	14
15	·62	–	–	–	·03	·08	·90	–	·25	–	–	·87	15
16	·23	–	–	·78	–	·06	·06	·14	·92	–	–	·39	16
17	·59	–	·12	·01	–	·04	·66	·10	·23	·08	–	·53	17
18	1·35	–	·11	–	–	·48	·24	·01	·47	·07	–	·90	18
19	·38	·13	·40	·03	–	·01	·20	·04	·12	·06	–	·32	19
20	·51	·50	·01	·19	–	·17	·01	·02	·60	·01	–	·02	20
21	·21	·43	–	·13	–	·04	·21	–	1·05	·04	–	·19	21
22	·08	·06	–	–	·40	–	·60	·02	·41	–	–	·87	22
23	·78	·01	–	–	·94	–	·17	–	·21	–	·10	·07	23
24	·04	·22	–	–	–	–	·32	·16	·24	–	·25	·11	24
25	·01	·01	–	–	·07	–	·53	1·04	·06	·16	·10	·02	25
26	·07	·01	–	·08	–	–	·35	·03	·28	·10	·21	·73	26
27	·04	·17	·53	–	–	–	·08	·57	·71	·04	·23	·48	27
28	–	·09	·63	·01	–	–	–	–	–	·04	·22	·50	28
29	–		·18	–	–	–	–	[illegible]	1·30	·05	–	·20	29
30	–	×	·74	–	–	–	–	·06	·03	·18	·08	·36	30
31	–	×	·81	×	–	×	–	·07	×	·03	×	·01	31
Total	6·53 ✓	6·30 ✓	3·92 ✓	3·25 ✓	2·54 ✓	1·69 ✓	6·94 ✓	3·11 ✓	12·27 ✓	5·31 ✓	5·95 ✓	12·26 ✓	YEAR'S TOTAL 70·07 ✓
Rain Days.	22 ✓	23 ✓	16 ✓	17 ✓	12 ✓	14 ✓	20 ✓	19 ✓	29 ✓	25 ✓	18 ✓	31 ✓	246 ✓

W. 6,500, VII. 18. w w c

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

5 FEB 20

Kept at Pentwyn Reservoir

in the County of Brecon

by Thos F. Harvey M. Inst. C.E.

Lat. Long.

Time of Observation

Nearest Railway Station –

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·03

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·03	–	·26	·05	·40	–	·86	–	·41	·59	·01	·93	1
2	·23	–	·21	–	·04	–	·08	·28	·42	·04	·02	·46	2
3	·07	–	·10	–	·14	·04	–	–	·05	–	·04	1·03	3
4	·06	·31	·33	–	·04	·17	·11	·08	·54	–	·01	·35	4
5	·03	·31	·07	–	·04	–	–	–	·03	–	·04	·86	5
6	1·20	·07	·71	–	–	–	–	–	·03	–	·08	·46	6
7	·33	–	·40	·10	–	·02	–	–	·09	–	–	·04	7
8	·49	–	·14	·06	–	·18	–	–	–	–	–	–	8
9	·80	–	·14	·21	–	–	–	–	·01	–	·35	·02	9
10	·30	–	1·15	·16	·10	–	–	–	–	·06	·02	·99	10
11	·22	–	1·20	·29	·25	·02	·08	–	–	·04	–	·17	11
12	·04	–	·18	·18	·10	1·11	–	–	–	·21	·04	·02	12
13	·71	·02	–	·74	–	–	·02	–	·50	·30	–	·17	13
14	·97	·07	–	·38	·22	–	·09	·01	·08	·07	–	·26	14
15	·53	·05	–	·15	·01	–	–	·10	–	·22	–	·47	15
16	·27	1·16	–	·01	·01	·10	·03	·06	–	–	·33	·03	16
17	·01	·55	–	·04	–	·20	–	·23	–	–	1·04	·11	17
18	·08	·04	·70	–	–	–	·22	·59	·09	–	·36	·20	18
19	·48	·43	·71	–	–	·48	·01	·49	·06	–	·29	·06	19
20	·66	·30	·44	–	–	·03	–	·11	·17	–	·09	·62	20
21	·02	1·36	·05	–	·01	·01	·26	·08	·12	–	·06	·20	21
22	–	·25	–	–	–	·15	·03	–	·71	–	·18	1·01	22
23	–	·01	–	–	–	–	–	·02	–	·81	·52	·34	23
24	·02	–	–	·07	–	·06	–	·01	·13	·35	·28	·38	24
25	·25	–	–	·08	·01	·02	–	1·06	·10	·02	·09	·19	25
26	·07	·02	·38	·25	–	·04	–	·11	·18	–	·01	1·10	26
27	·31	·01	·19	·21	–	–	·20	·48	·03	–	–	·07	27
28	·04	–	·28	·04	–	–	–	·27	–	·01	·19	1·06	28
29	·09		·03	·09	–	·03	–	·11	–	·16	·03	·70	29
30	·01		·03	·14	–	·23	–	·56	·01	·04	·63	·83	30
31	–		·04		–		·10	·01				·13	31
TOTAL	9·32	4·96	7·74	3·25	1·37	2·89	2·09	4·66	3·82	2·92	4·71	13·26	YEAR'S TOTAL 60·99
Days with ·01 in. or more	28	16	22	19	13	17	13	19	20	14	23	30	234

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

14 JAN 1921

Kept at Pentwyn Reservoir
in the County of Breconshire.
by T. J. Harvey M. Inst. C.E.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Dolygaer.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 1·30

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·06	·05	·40	·93	-	1·29	·03	·11	·31	·07	1·11	1
2	·29	·12	·01	·20	·04	-	·36	·09	·14	·32	-	·64	2
3	·09	·33	-	·11	·23	·01	1·45	·06	·11	1·97	-	·26	3
4	-	-	·03	·02	·03	-	-	1·16	·05	·21	-	·01	4
5	-	·02	·39	·06	·47	-	·26	·23	·37	·29	-	-	5
6	-	-	·59	·03	·60	-	·05	-	·01	·39	·01	·01	6
7	·46	-	·02	·20	·07	-	·16	-	-	-	·02	-	7
8	·08	·06	-	1·17	·35	-	·15	·40	-	-	-	-	8
9	1·26	1·17	·03	·76	-	-	·19	·03	·03	-	·03	-	9
10	1·65	·85	·34	·03	-	·61	·57	·01	-	·01	·16	-	10
11	·69	·05	·46	·82	·50	·06	·11	-	-	·01	-	-	11
12	·79	·30	·08	·39	·08	·82	·30	·10	-	·04	·27	-	12
13	·12	·13	·89	·85	-	·01	-	·02	-	·01	·05	-	13
14	·38	·10	·71	1·00	-	-	·22	-	1·42	·35	1·99	·04	14
15	·15	·35	·22	1·53	·04	·14	-	-	·02	·01	·23	-	15
16	·07	·02	·21	·26	·11	·66	·38	·02	·79	1·05	·07	-	16
17	·55	-	·06	·01	·46	·16	·01	·39	1·45	·19	·01	·04	17
18	·48	-	-	·17	·36	·05	·08	·13	·84	-	-	·08	18
19	·05	·23	-	·56	·14	·19	·02	·09	·01	-	-	-	19
20	·08	·04	-	·97	-	·21	·10	·01	-	·02	-	·46	20
21	-	-	-	·05	-	·01	·25	·01	-	·13	-	·32	21
22	·19	-	-	·22	-	·06	·36	·11	·01	-	-	·35	22
23	·08	-	·09	·01	-	-	·65	·03	-	-	-	1·06	23
24	·13	·05	·87	·07	-	-	·01	-	-	-	·16	·98	24
25	·08	·13	·31	·08	-	·01	·76	-	·01	-	-	·21	25
26	·48	·15	·55	·13	·08	·10	·09	-	·01	-	·22	·31	26
27	1·23	·22	1·10	·41	·05	·68	·21	-	-	-	·06	·69	27
28	·54	·08	·41	·13	·02	·29	·11	-	-	-	-	·20	28
29	·83	·03	·21	·20	·32	·05	·59	-	-	-	·31	1·52	29
30	·56	╳	·18	·25	·07	·59	·22	-	·71	·08	·45	1·11	30
31	·30	╳	·55	╳	·01	╳	·04	-	╳	·84	╳	·56	31
TOTAL	11·64	4·49	8·36	11·09	4·96	4·71	8·99	2·92	6·09	6·23	4·11	9·96	YEAR'S TOTAL 83·55
Days with ·01 in. or more	27	21	24	30	21	19	28	18	17	18	16	20	259
Days with ·04 in. or more	26	18	20	25	18	15	25	10	10	13	12	18	210

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

TAF FECHAN
NEVADD RESERVOIR
Nº1

1911 - 1920·

REGI

Nº 1

Kept at Neuadd Res

in the County of Breckn

by Thos. F. Har

in.

Ground 1 ft. 0 in.

Sea Level 1462 ft.

m

ame

istance Direction

IMPORTANT NOTE.— the result entered to the previous day. If an Observ ersal rule, he is earnestly requested to add the reading in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	–	·13	·05	·20	–	·03	·06	–	·04	·72	·16	1
2	–	–	·06	–	·35	–	–	·57	–	·11	·25	·81	2
3	·05	–	·07	·04	1·09	·03	–	·26	–	–	·67	·34	3
4	·03	–	·35	–	·03	–	–	·92	·08	·10	1·33	·81	4
5	·16	–	·12	·03	–	–	–	·47	–	·31	·07	·08	5
6	·95	–	·08	·02	–	–	–	·38	–	·01	·38	·93	6
7	·17	–	–	–	–	–	–	·01	–	–	1·01	·01	7
8	·22	–	·41	–	–	–	–	–	–	–	·66	1·18	8
9	·11	–	·02	–	–	–	–	–	–	–	·70	·75	9
10	·16	·13	1·00	–	–	–	–	–	–	–	·03	·60	10
11	·68	·01	·25	–	·28	–	–	·02	·05	–	·37	·15	11
12	–	·05	·32	–	·19	–	–	–	·49	–	1·02	·41	12
13	–	·03	·21	–	·03	–	–	–	·15	·33	·26	·24	13
14	–	·19	·03	–	·04	–	–	–	–	·03	·38	·95	14
15	–	·33	·02	–	·01	·08	–	–	–	·03	1·19	·26	15
16	–	·11	·04	–	–	·50	–	–	–	–	·28	·76	16
17	·01	·46	·01	–	–	1·43	·05	–	–	–	·42	1·17	17
18	–	1·73	·09	·30	–	·20	–	–	–	·10	·09	1·10	18
19	–	·05	–	·39	–	·60	·05	·03	1·22	·49	·45	·83	19
20	·03	·13	–	·60	–	·11	–	–	·15	·15	·04	·70	20
21	·02	1·30	·09	·18	–	·44	·04	·14	·09	·94	–	·36	21
22	·01	·25	·02	·58	–	·72	–	–	·07	·40	–	·85	22
23	·04	·73	·04	·01	·15	·03	–	–	·65	·41	–	·41	23
24	·14	·31	–	·02	·04	1·09	–	·24	·03	·14	–	·49	24
25	·33	·26	–	·51	–	·20	–	·04	·30	·11	–	·30	25
26	·03	·22	–	·74	·01	·05	–	·73	·04	·25	–	·13	26
27	·01	1·62	–	·18	–	–	–	·53	·66	·01	·15	·19	27
28	–	·66	·36	·36	–	·09	–	·15	–	–	·18	·05	28
29	–		·01	·16	–	·85	·17	·05	·55	1·66	–	·03	29
30	–		–	·03	–	·04	·04	·03	·01	·65	·20	·05	30
31	–		–		·03	–	·18	–		·06		·02	31
Total	3·20	8·57	3·73	4·20	2·45	6·46	·56	4·63	4·54	6·33	10·85	15·12	TOTAL for year 70·64
No. of Rain Days	19	19	22	17	13	16	7	17	15	21	23	31	220

9,000, IX. '10.

REGI

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

No 1

Kept at Neuadd Reservoir

in the County of Brecknock 4

by Thos. F. Harvey

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 1462 ft.

Time of Observation 9 a. m

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	–	·13	·05	·20	–	·03	·06	–	·04	·72	·16	1
2	–	–	·06	–	·35	–	–	·57	–	·11	·25	·81	2
3	·05	–	·07	·04	1·09	·03	–	·26	–	–	·67	·34	3
4	·03	–	·35	–	·03	–	–	·92	·08	·10	1·33	·81	4
5	·16	–	·12	·03	–	–	–	·47	–	·31	·07	·08	5
6	·95	–	·08	·02	–	–	–	·38	–	·01	·38	·93	6
7	·17	–	–	–	–	–	–	·01	–	–	1·01	·01	7
8	·22	–	·41	–	–	–	–	–	–	–	·66	1·18	8
9	·11	–	·02	–	–	–	–	–	–	–	·70	·75	9
10	·16	·13	1·00	–	–	–	–	–	–	–	·03	·60	10
11	·68	·01	·25	–	·28	–	–	·02	·05	–	·37	·15	11
12	–	·05	·32	–	·19	–	–	–	·49	–	1·02	·41	12
13	–	·03	·21	–	·03	–	–	–	·15	·33	·26	·24	13
14	–	·19	·03	–	·04	–	–	–	–	·03	·38	·95	14
15	–	·33	·02	–	·01	·08	–	–	–	·03	1·19	·26	15
16	–	·11	·04	–	–	·50	–	–	–	–	·28	·76	16
17	·01	·46	·01	–	–	1·43	·05	–	–	–	·42	1·17	17
18	–	1·73	·09	·30	–	·20	–	–	–	·10	·09	1·10	18
19	–	·05	–	·39	–	·60	·05	·03	1·22	·49	·45	·83	19
20	·03	·13	–	·60	–	·11	–	–	·15	·15	·04	·70	20
21	·02	1·30	·09	·18	–	·44	·04	·14	·09	·94	–	·36	21
22	·01	·25	·02	·58	–	·72	–	–	·07	·40	–	·85	22
23	·04	·73	·04	·01	·15	·03	–	–	·65	·41	–	·41	23
24	·14	·31	–	·02	·04	1·09	–	·24	·03	·14	–	·49	24
25	·33	·26	–	·51	–	·20	–	·04	·30	·11	–	·30	25
26	·03	·22	–	·74	·01	·05	–	·73	·04	·25	–	·13	26
27	·01	1·62	–	·18	–	–	–	·53	·66	·01	·15	·19	27
28	–	·66	·36	·36	–	·09	–	·15	–	–	·18	·05	28
29	–		·01	·16	–	·85	·17	·05	·55	1·66	–	·03	29
30	–		–	·03	–	·04	·04	·03	·01	·65	·20	·05	30
31	–		–		·03	–	·18	–		·06		·02	31 ✓
Total	3·20	8·57	3·73	4·20	2·45	6·46	·56	4·63	4·54	6·33	10·85	15·12	TOTAL for year 70·64
No. of Rain Days	19 ✓	19 ✓	22 ✓	17 ✓	13 ✓	16 ✓	7 ✓	17 ✓	15 ✓	21 ✓	23 ✓	31 ✓	220 ✓

9,000, IX. '10.

Nº 1

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 - FEB 1913

Kept at Neuadd Reservoirs

in the County of Brecknock 4

by Thos. F. Harvey M Inst C.E.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Torpantau

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 1462 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	/	—	·89	—	·08	·65	·05	·09	·05	·73	—	·25	1
2	·02	—	·97	·05	·02	·60	·26	·01	—	·02	—	·01	2
3	·31	—	·28	/	·05	·14	·06	1.40	·50	—	·07	·74	3
4	·98	—	1·76	·06	·03	·33	—	·47	—	—	·28	·01	4
5	·44	·04	·58	·04	·13	/	—	·46	·07	—	·01	·14	5
6	·97	·26	·08	/	·32	/	—	1·16	·04	—	·02	·20	6
7	·10	·40	·36	/	·45	·35	·36	·02	·01	—	·03	·17	7
8	·79	·30	·48	·17	·02	·04	·04	·19	·05	—	·01	·02	8
9	·07	·35	·54	·25	/	·36	·14	·90	—	—	·05	·73	9
10	·38	·18	/	·08	/	·12	·44	·16	—	—	1·00	·15	10
11	·09	·20	/	/	·04	/	·08	·07	—	—	·55	1·28	11
12	·14	·70	·38	·15	·25	·08	·14	—	—	—	·02	·57	12
13	·28	/	·06	·07	/	·05	·02	—	—	·74	·03	1·04	13
14	·19	/	·95	—	/	·02	/	·09	—	·06	—	1·10	14
15	·84	·46	·05	—	·23	·43	/	·09	—	—	·01	·78	15
16	·62	·03	·89	—	·19	·02	/	1·35	·01	·65	·03	·05	16
17	·46	·02	·17	—	·06	·55	/	·90	—	—	·12	·75	17
18	·04	·10	·13	—	/	·05	/	·45	—	·25	—	·20	18
19	·28	·40	·03	—	/	·11	·36	1·09	—	·07	·10	·15	19
20	·16	·10	·76	—	·03	·02	·11	·17	—	·50	·20	·01	20
21	/	·17	1·20	—	·30	/	·01	·52	—	·41	·01	·04	21
22	·05	1·14	·13	—	·44	·06	·95	·84	—	·05	·07	·77	22
23	·20	·30	·74	—	—	·68	·13	·88	—	·10	·60	·29	23
24	·41	·06	·42	—	—	·58	/	·04	—	·01	·09	·44	24
25	·01	·03	·48	—	—	·36	·23	·80	—	·02	1·12	·52	25
26	—	·62	·11	—	—	·03	·05	·60	—	1·72	1·08	·58	26
27	—	·36	·20	—	—	·70	1·12	·01	—	1·33	·05	1·92	27
28	—	·25	/	—	—	·72	·87	1·04	·50	·70	·67	·31	28
29	—	·36	·02	—	—	·27	·64	·45	·45	·50	·04	·06	29
30	—	/	·43	—	·01	·13	·17	·01	·01	·82	·03	·13	30
31	—	/	·30		·09		·63	·17		·05		·52	31
Total	7·83	6·83	13·39	·87	2·74	7·45	6·86	14·43	1·69	8·73	6·29	13·93	YEAR'S TOTAL 91·04
Rain Days.	23	23	28	8	18	26	22	29	10	19	26	31	263

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
4 FEB 1914

Kept at Taf Fechan Neuadd Reservoir No 1

in the County of Brecknock

4

by W. L. F. Harvey M. Inst C.E.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1462 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07	.90	.57	.37	.06	–	–	–	.05	.12	.30	.10	1
2	.06	.03	.63	.43	.13	.06	.01	–	.01	.66	.59	.45	2
3	.35	.31	.65	–	.62	.03	–	–	–	.40	–	.35	3
4	1.00	.23	.58	–	.18	.02	.01	–	1.30	.15	.21	.40	4
5	.22	.14	.16	–	.22	.30	–	–	.39	–	.70	.18	5
6	.61	.35	.36	–	.29	.55	.93	–	–	.51	.26	.50	6
7	.12	.83	.01	–	.95	.60	.05	–	–	.91	.20	.05	7
8	.06	.85	.05	–	.43	–	.09	.15	–	.20	–	.25	8
9	–	.43	.35	–	.23	1.12	.06	.24	.11	.01	.60	.23	9
10	.35	–	.32	.04	.28	–	–	.47	.02	.24	.26	–	10
11	.61	–	.02	.71	.12	–	–	.06	.02	.17	.85	.35	11
12	–	–	–	.01	.22	.04	.05	.05	.18	.01	1.04	.01	12
13	–	–	1.06	.05	.03	–	.09	.11	.90	–	.66	–	13
14	.57	–	.84	.86	–	–	–	.01	.06	.50	.10	.05	14
15	.25	.05	.67	1.63	–	–	–	.48	.01	.01	.15	.25	15
16	.48	–	.22	.15	–	–	.04	.39	.07	–	.26	–	16
17	.40	.01	.54	.50	=	–	.15	–	–	–	.75	–	17
18	.35	–	.72	.83	.11	.05	.07	–	–	–	.44	–	18
19	.23	–	.32	.06	.05	.40	–	–	.15	.67	.24	–	19
20	.57	–	.75	.14	.03	.01	–	–	–	.57	2.50	–	20
21	.01	–	.46	.29	.30	–	.25	.60	.01	.35	.25	–	21
22	.89	–	1.24	.01	.10	.26	.01	1.08	.45	.04	.02	–	22
23	.21	–	.13	–	.03	.20	–	.10	.10	.01	.25	.08	23
24	.53	.12	–	.22	–	–	–	–	–	–	.45	–	24
25	.01	.06	–	.60	–	–	–	–	.10	.05	.26	.68	25
26	–	.01	–	2.95	–	.08	–	.03	.04	.01	–	1.14	26
27	.04	–	.15	.45	–	–	–	–	–	.55	–	.05	27
28	.42	–	.36	.74	.08	–	–	–	–	.50	–	.08	28
29	–		.80	.37	.04	–	–	.07	–	.37	.12	.15	29
30	.89		.01	.01	.02	–	–	–	.01	.45	.35	–	30
31	.08		.36		.20		–	.08		.13		–	31
Total	9.38	4.32	12.33	11.42	4.72	3.72	1.81	3.92	3.98	7.59	11.81	5.35	YEAR'S TOTAL 80.35
Rain Days.	26	14	24	22	23	14	13	15	19	25	25	19	242

W.7,000, XI. 13

N°1 100 Yds. east of Lower Neuadd. N°1

REGISTER OF RAINFALL IN 1914

Exd

FORM A.
BRITISH RAINFALL.
16 JAN 1915

Kept at Neuadd Reservoir

in the County of Brecknock 4

by Wd. F. Harvey M Inst CE

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Torpantau

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1462 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·06	·10	·05	-	·19	·27	·95	-	-	·08	·10	1
2	-	·02	·10	-	·15	·01	1·46	·15	-	-	·33	·50	2
3	·04	·01	·80	·25	·80	-	·01	·16	-	·02	·01	1·55	3
4	1·18	-	·35	·36	·36	-	·50	·07	-	-	·66	·44	4
5	·03	-	·50	·65	·57	-	-	·07	-	-	·30	-	5
6	·18	·18	·16	·24	·21	·06	·08	·16	-	-	·10	1·00	6
7	·13	·68	1·40	·18	·80	·04	·60	·27	·20	-	·08	·90	7
8	·50	·01	·15	·28	·78	·65	·11	1·80	·13	-	·10	·35	8
9	·80	·16	·20	·25	·33	1·50	-	·60	·13	-	·12	·01	9
10	·06	·50	·10	·45	·05	·20	-	·02	·35	-	·05	·10	10
11	-	·50	·75	·05	·65	·40	·10	-	-	-	·68	·90	11
12	-	·94	·33	-	·01	·01	-	-	·33	-	·70	·48	12
13	-	1·90	·80	·04	-	-	·19	-	1·06	·47	·40	·18	13
14	-	1·65	·54	-	-	-	·13	·36	·05	·08	·23	·03	14
15	-	·05	·60	-	-	-	·10	·19	·15	·05	·53	·07	15
16	·01	-	·42	-	-	-	·18	-	·75	-	·01	·22	16
17	·10	·85	·32	-	-	·02	·15	-	·11	-	-	1·10	17
18	-	·14	·15	-	-	-	·18	-	·18	-	-	·60	18
19	-	·23	·65	-	-	-	1·73	-	·25	-	·08	·31	19
20	-	·80	·30	-	-	·25	·01	-	-	-	-	·20	20
21	-	·45	·03	-	-	-	·01	·05	-	·30	-	·05	21
22	-	·35	·01	·07	-	·15	·08	·50	-	·96	-	-	22
23	-	·22	·46	-	·13	-	·20	·07	-	·31	-	-	23
24	·18	·01	·24	-	·02	·04	·33	·08	-	·15	·25	-	24
25	·40	-	·24	-	-	-	·55	·75	-	·40	·40	·80	25
26	·04	·07	·14	-	-	-	·65	·31	-	·25	·90	·60	26
27	·10	·15	·01	-	-	-	·01	-	-	·25	·65	·90	27
28	·43	·23	·31	-	·18	-	-	-	·04	·21	·15	·40	28
29	·88		·45	-	·06	-	-	-	-	·40	1·68	·20	29
30	·25		·40	-	-	-	-	·03	-	·15	1·05	1·00	30
31	1·58		·02		·07		·55	-		·95		·35	31
Total	6·94	10·16	11·33	2·87	5·17	3·52	8·18	6·59	3·73	4·95	9·54	13·34	YEAR'S TOTAL 86·32
Rain Days.	19	24	31	12	16	13	24	19	13	15	24	27	237

W. 8,000. X. 14.

Gauge No 1. ✓

esc 78

4129

FORM A. BRITISH RAINFALL 10. JAN 19

REGISTER OF RAINFALL IN 1915.

Kept at Taf Fechan (Neuadd Reservoir)

in the County of Brecknock

by Thos: F. Harvey

Lat. Long.

Time of Observation 9 a/m

Nearest Railway Station Torpantau B&M. Rly.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1462 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·75	·86	·15	–	·60	–	–	·75	·08	·50	·10	·45	1
2	·35	·46	·68	·61	·01	·05	·10	·70	·14	·15	–	·32	2
3	·04	·55	·55	·18	·08	–	·58	·15	–	–	–	·75	3
4	·40	·62	·06	–	·25	·10	·36	·01	·07	–	–	·85	4
5	·18	·83	·05	·25	·02	·04	–	·15	–	–	–	1·45	5
6	·42	·22	·03	·30	–	–	·61	·20	–	–	–	·38	6
7	·45	·88	·05	·07	–	–	·22	·30	–	–	·02	·72	7
8	·60	·95	–	–	–	–	·01	·08	–	–	·73	·01	8
9	·32	·50	–	·70	–	–	–	·10	–	–	·22	1·75	9
10	1·02	·03	·08	·08	–	–	–	·06	–	·15	·51	·13	10
11	·20	–	·05	·05	–	–	–	·25	–	·10	1·28	·13	11
12	·30	·10	–	·25	·85	–	·03	·01	–	·20	1·30	–	12
13	·10	1·28	–	·02	·90	–	–	·25	·14	·03	·07	·35	13
14	·56	·03	–	–	·02	–	–	·23	·34	–	·01	1·10	14
15	1·15	–	–	–	·15	–	·07	·10	·12	·04	·15	·30	15
16	·13	1·73	–	·03	·53	–	1·45	·10	·05	·02	–	·01	16
17	·01	·41	–	–	·55	–	·01	·24	–	–	–	·01	17
18	·04	·80	·10	–	–	–	·18	–	–	–	–	–	18
19	·05	·05	–	·50	·35	–	1·28	–	–	–	–	–	19
20	·90	·01	–	·05	·10	–	·01	·04	–	·11	–	·10	20
21	·12	·15	–	–	·14	–	·68	–	–	·17	–	·17	21
22	·15	·08	·33	·15	–	·05	·60	–	·05	·05	–	1·00	22
23	·15	·05	·15	–	–	·27	·22	–	·15	1·40	–	·68	23
24	·01	–	·06	·11	–	–	·10	–	·10	·55	–	1·35	24
25	–	–	·02	–	–	·61	·07	–	·07	·07	·07	·31	25
26	–	·64	–	–	–	·16	·55	–	·10	–	–	1·18	26
27	–	·14	–	–	–	·13	·21	–	·06	·80	–	·40	27
28	–	·25	·05	–	–	·15	·02	–	·36	·29	·01	·10	28
29	–	–	–	–	–	·25	·16	·10	·03	·02	·90	·23	29
30	·30	×	–	·42	–	·11	–	–	·01	·44	·60	·45	30
31	·02	×	–	×	–	×	·35	·15	×	1·65	×	1·05	31
Total	8·72	11·62	2·41	3·77	4·55	1·92	7·87	3·97	1·87	6·74	5·97	15·73	YEAR'S TOTAL 75·14
Rain Days.	26 ✓	24 ✓	15 ✓	16 ✓	14 ✓	11 ✓	23 ✓	20 ✓	16 ✓	19 ✓	14 ✓	28	226

W. 8,000. X. 15.

4056

FORM A.
BRITISH RAINFALL.
8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Taff Fechan (Neuadd Res:) No: 1.

in the County of Breconshire

by Mr T. F. Harvey

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1462 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·15	·10	·10	-	·04	·64	·65	-	-	·46	·41	-	1
2	1·51	·65	·20	-	·02	·06	·46	-	·44	1·53	·52	·01	2
3	·25	1·60	·15	-	·21	·45	·10	-	·25	·56	·46	—	3
4	·72	·47	·01	·03	·22	·75	·01	-	·17	·65	·77	·05	4
5	·20	·70	·14	-	·14	·30	·09	-	-	1·36	·15	-	5
6	·85	·25	·02	-	·20	·12	·55	-	-	1·02	·91	-	6
7	·45	·05	·01	-	·40	·04	·05	-	-	·41	1·05	·22	7
8	·02	·06	·02	-	·84	·05	-	-	-	·23	·15	·18	8
9	·02	·13	·10	-	·03	·03	-	-	-	·06	·10	·07	9
10	-	·48	-	·23	·10	-	·06	-	·02	·34	·05	·03	10
11	·15	·06	·14	·40	·14	-	·08	-	·03	·10	·01	·08	11
12	·20	·45	·13	·17	·45	·05	·75	·35	·04	·50	-	·01	12
13	·01	·50	·30	·40	·01	-	·01	·85	·02	·90	·01	-	13
14	·05	·55	·10	·10	·14	-	-	·35	-	·50	·01	·04	14
15	·03	1·85	·20	·33	·08	-	·10	·35	·06	·30	-	-	15
16	·15	·06	·01	·36	·05	-	·02	·06	-	·28	-	-	16
17	·65	·43	-	·90	-	-	-	·01	1·10	·50	·06	-	17
18	·32	·55	·55	·55	-	-	-	-	·45	·25	·02	·02	18
19	·80	·06	·43	·65	-	-	-	-	·01	·03	·55	·25	19
20	·95	·12	·30	·03	-	-	-	-	-	-	·12	·60	20
21	·95	-	·22	·22	·06	·01	-	-	-	-	·10	·23	21
22	·02	-	·22	·04	-	·05	-	·02	-	·78	·12	·05	22
23	·08	-	·03	·35	-	·25	-	·22	-	·37	·63	·40	23
24	·01	·15	·04	·40	1·31	·10	-	·31	-	·91	·07	·15	24
25	·12	·12	·38	·01	·03	·07	-	·80	·05	·25	·92	·02	25
26	·30	·08	·18	-	-	·27	-	·90	·40	·60	·14	-	26
27	·10	·04	·20	-	·03	·18	-	·40	·61	·93	·01	·01	27
28	·03	·14	·10	-	-	-	-	·07	·11	·65	·35	2·70	28
29	-	·16	·08	-	-	·75	-	1·05	-	·60	·05	·80	29
30	-	X	-	-	-	·18	-	·02	-	·90	·01	·10	30
31	-	X	·01	X	·08	X	-	·36	X	·90	X	·20	31
Total	10·09	9·81	4·37	5·17	4·58	4·35	2·93	6·06	3·76	16·84	7·75	6·22	YEAR'S TOTAL 81·93
Rain Days.	27	26	28	17	21	19	13	16	15	29	27	22	260

W. 8,000, VIII. 16

No. 1. No 1 3891

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
15 MAR 1918

Kept at Nuadd Reservoirs

in the County of Brecknock

by Thos. F. Harvey

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Torpantau

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1462 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	·25	·25	–	·60	–	·40	·19	–	·15	·15	1
2	·08	–	·06	·08	–	·11	–	·03	·01	·28	·35	–	2
3	·30	·10	–	·10	–	·18	·01	·02	–	1·15	·14	·03	3
4	·06	–	·28	–	–	–	·16	·18	·02	·67	·03	–	4
5	·85	–	·26	·41	–	·08	–	·14	·42	·55	·71	–	5
6	·05	–	·56	·01	–	·34	–	–	–	·80	·58	·45	6
7	·40	–	·05	–	–	–	·18	·22	–	·22	·28	·18	7
8	·25	–	·40	·38	–	·05	·40	1·35	·10	1·20	·50	·30	8
9	·15	–	·55	·05	·17	–	·01	·40	·16	·20	·95	–	9
10	·30	–	·70	·20	·13	·40	–	·50	·08	·10	·01	–	10
11	·25	–	·01	·10	·01	–	–	·95	–	·70	·20	–	11
12	·15	–	·04	·05	1·14	–	–	·12	–	·37	·02	·03	12
13	–	–	·25	·42	–	·05	–	2·33	·35	·22	–	·05	13
14	–	–	·08	·16	·04	–	–	·20	·01	·05	·01	·10	14
15	–	–	–	·20	·28	–	·42	·05	·13	·55	–	·10	15
16	·01	·12	–	·26	–	·06	·10	·23	·01	·18	·03	·10	16
17	–	·15	·10	·22	·33	–	1·95	1·74	·30	·13	·04	·06	17
18	·08	·08	·05	·02	·08	–	·64	·08	1·20	·07	–	–	18
19	–	·61	·42	–	–	·35	·01	·25	·10	–	·05	–	19
20	–	·05	·03	–	1·02	·30	·11	·13	·35	·02	·08	–	20
21	–	·02	·02	–	·14	·03	–	·05	–	·25	·02	–	21
22	–	·17	–	–	·01	·01	–	·65	·01	·35	·14	–	22
23	–	·21	–	–	·34	·25	–	1·55	–	·20	·06	·10	23
24	–	·09	–	–	–	·28	·14	·88	·01	1·25	·20	·12	24
25	–	·12	·18	–	–	·01	·09	·55	·20	·12	·16	–	25
26	–	·01	·07	–	·60	·15	·01	·53	·48	·08	·35	–	26
27	–	·01	·05	–	·68	1·10	·42	1·15	·02	·15	·10	–	27
28	–	·02	·28	–	·02	·25	–	·70	–	–	·15	·03	28
29	–		·18	–	–	·01	–	·10	–	1·05	·11	·26	29
30	–		·18	–	–	–	–	·70	·01	·36	·20	·10	30
31	–		·05		·60		·01	·90		·08		·05	31
Total	2·95	1·76	5·10	2·91	5·59	4·61	4·66	17·08	4·16	11·30	5·62	2·21	YEAR'S TOTAL 67·95
Rain Days.	14	14	25	16	16	20	16	30	21	28	27	17	244

W.7,000, XI. 13

E+RL

25

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

27 6 19

Kept at TAF FECHAN (NEUADD RES.) No 1

in the County of BRECON.

by Thd F Harvey M Inst C.E.

Lat.
Long. –
Time of Observation 9 A/M.
Nearest Railway Station TORPANTAU
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1,462 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·33	·02	·43	·10	–	–	·20	·12	·06	1·10	·01	1
2	–	·39	–	·15	–	–	–	·26	·05	·10	·27	·03	2
3	–	·21	–	·15	·35	·02	–	–	·71	·29	·10	·14	3
4	–	·18	·05	–	·01	–	–	·10	·40	1·20	1·28	·90	4
5	–	·30	·03	·67	·17	·05	–	·40	·14	1·30	·19	·18	5
6	·07	1·03	–	·23	–	·13	–	·01	·14	·35	–	·22	6
7	–	·37	–	·02	·45	–	–	·05	1·45	·25	·40	·31	7
8	–	·68	–	–	·01	·10	·01	–	·12	·45	·15	–	8
9	·27	·95	–	·35	–	·63	·12	–	·75	·65	·17	·62	9
10	·16	·41	–	·35	–	–	1·02	–	·37	·19	·64	·74	10
11	·10	·25	·16	·05	·04	–	·90	–	·29	·23	·10	·38	11
12	·06	·68	·17	–	·17	–	·35	–	·25	–	–	·34	12
13	–	·10	·05	·02	·05	·10	·05	–	·86	·17	–	·88	13
14	1·18	–	·10	–	·12	·01	·30	·02	·46	·05	–	1·11	14
15	·03	·01	–	–	·06	·08	1·05	–	·31	–	–	·77	15
16	·15	–	–	1·24	–	·05	·18	·15	·95	·03	–	·80	16
17	1·50	–	·08	–	–	·10	1·50	·08	·55	·12	–	·55	17
18	1·52	–	·19	–	–	·50	·45	–	·40	·10	–	·95	18
19	·45	·20	·23	·05	–	·02	·17	·02	·07	·10	–	·45	19
20	·50	·45	–	·16	–	·22	·08	·02	·85	–	–	·04	20
21	·18	·55	–	·28	–	·06	·35	–	1·24	·03	–	·50	21
22	·16	·05	–	·02	·75	–	·85	·02	·43	–	·02	·65	22
23	·90	·04	–	–	·86	–	·20	–	·20	–	·18	·06	23
24	·06	·28	–	–	·01	–	·30	·60	·22	·05	·35	·13	24
25	–	·05	–	–	·10	–	·80	·48	·25	·14	·20	–	25
26	·25	–	–	·05	–	–	·28	·10	·30	·12	·21	·70	26
27	·05	·12	·70	–	–	–	·10	·83	·51	·07	·27	·46	27
28	–	·10	·50	–	–	–	–	·02	·13	·08	·25	·46	28
29	–		·34	–	–	–	–	–	1·18	·05	·04	·18	29
30	–	X	·68	–	–	–	–	·05	·06	·18	·04	·46	30
31	–	X	·63	X	–	X	–	·10	X	·10	X	·05	31
Total	7·59 ✓	7·73 ✓	3·93 ✓	4·22 ✓	3·25 ✓	2·07 ✓	9·06 ✓	3·51 ✓	13·76 ✓	6·46 ✓	5·96 ✓	13·07 ✓	YEAR'S TOT 80·61 ✓
Rain Days.	18 ✓	23 ✓	15 ✓	16 ✓	15 ✓	14 ✓	20 ✓	19 ✓	30 ✓	26 ✓	19 ✓	29 ✓	244 ✓

3699

No 1

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at 100 yds East of Lower Neuadd Reservoir

in the County of Brecon

by Thos F. Harvey M. Inst. C. E.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·07

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·81	·15	·30	·02	·40	–	·60	–	·60	·60	–	·92	1
2	·22	–	·24	–	·07	–	·10	·15	·10	·08	·07	·60	2
3	·02	–	·13	–	·23	·20	–	–	·13	–	·12	·75	3
4	·05	·08	·30	–	·07	–	·06	·18	·47	–	·02	·66	4
5	·05	·12	·10	·01	·05	–	–	–	·08	–	·12	·91	5
6	·57	·20	1·10	–	–	–	–	–	·06	–	·10	·35	6
7	·18	–	·28	·12	–	·05	–	–	·10	–	–	·04	7
8	·54	–	·17	·06	–	·30	–	–	–	–	–	–	8
9	·60	–	·27	·24	–	–	–	–	·10	–	·08	·01	9
10	·38	–	1·40	·26	·06	–	–	–	–	·12	·32	·75	10
11	·27	–	1·03	·23	·28	·08	·08	–	–	·06	·05	·13	11
12	·05	–	·37	·14	·12	1·10	–	–	–	·33	–	–	12
13	1·10	·05	·01	·82	–	–	·04	–	1·10	·50	–	·14	13
14	·95	·12	–	·65	·21	–	·15	·03	·02	·27	–	·27	14
15	·86	·08	–	·18	·02	–	–	·04	–	·21	–	·58	15
16	·14	1·22	–	·06	–	·20	·05	·08	–	–	·42	·06	16
17	·07	·20	–	·02	–	·30	·01	·54	–	–	1·12	·12	17
18	·12	·25	·87	–	–	–	·25	·90	·15	–	·62	·23	18
19	·50	·45	·67	–	–	·61	·10	·41	·12	–	·18	·06	19
20	·58	·32	·45	–	–	·03	–	·03	·34	–	·13	·63	20
21	·05	1·40	·15	–	–	–	·36	·11	·24	–	·05	·26	21
22	·02	·28	·02	–	–	·20	–	–	·74	–	·20	·88	22
23	–	·01	–	–	–	–	–	·03	–	·90	·61	·31	23
24	·02	–	–	·14	·02	·10	–	·06	·27	·60	·41	·55	24
25	·27	–	–	·18	·02	–	–	1·12	·51	·05	·13	·17	25
26	·02	–	·48	·34	–	·05	–	·17	·08	–	–	1·45	26
27	·18	–	·15	·06	–	–	·27	·66	·03	–	–	·01	27
28	·25	–	·15	·11	–	–	–	·10	–	–	·01	·90	28
29	·04	–	·06	·08	–	·05	–	·19	–	·30	·15	·68	29
30	·01		·03	·23	–	·35	–	·50	·05	·07	·55	·78	30
31	–		·05		–		·16	–		–		·04	31
TOTAL	8·92	4·93	8·78	3·95	1·55	3·62	2·23	5·30	5·29	4·09	5·46	13·24	YEAR'S TOTAL 67·36
Days with ·01 in. or more	29	15	24	20	12	14	13	18	20	13	21	29	228

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

3597

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

14 JAN 1921

Kept at Lower Neuadd No I
in the County of Breconshire
by T. J Harvey M. Inst - CE

Lat. Long.
Time of Observation 9. a m
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1462 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 1.46

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·05	·04	·47	·88	-	1·65	·05	·13	·02	·07	·60	1
2	·01	·27	·04	·35	·02	-	·10	·18	·15	·17	-	1·08	2
3	·17	·33	-	·30	·08	·01	1·18	·14	·10	1·61	-	·38	3
4	-	-	·03	·04	·04	-	·02	1·41	·06	·18	-	-	4
5	-	·02	·42	·04	·68	-	·32	·28	·42	·43	-	-	5
6	-	-	·60	·03	·63	-	·04	·01	·01	·10	·02	·02	6
7	·47	-	·01	·35	·06	-	·16	-	-	·01	·02	·01	7
8	·15	·08	-	1·00	·37	-	·28	·43	-	-	-	-	8
9	1·34	1·10	·01	·75	-	·05	·28	·10	·03	-	·04	-	9
10	2·52	·92	·56	·13	-	·60	·48	-	-	-	·18	-	10
11	·27	·05	·34	·64	·51	·07	·12	-	-	·03	-	-	11
12	·97	·39	·02	·36	·06	·74	·40	·11	-	·05	·30	-	12
13	·15	·18	·68	·89	-	·02	-	-	-	·03	·28	-	13
14	·30	·10	·41	·90	-	-	·33	-	1·72	·32	2·05	-	14
15	·14	·36	·36	1·38	·08	·11	-	-	-	·02	·10	-	15
16	·11	·01	·08	·27	·10	·52	·46	·02	·88	1·20	·02	-	16
17	·51	-	·03	-	·58	1·50	-	·63	1·66	·10	-	-	17
18	·64	-	·01	·24	·40	·07	·14	·06	1·07	-	-	·04	18
19	·05	·28	-	·45	·36	·28	·03	·15	-	-	-	·04	19
20	·07	·02	-	1·08	-	·17	·10	-	-	·04	-	·70	20
21	-	-	-	·09	-	-	·34	·03	·03	·26	-	·38	21
22	·27	-	-	·12	-	·05	·68	·18	·03	-	-	·37	22
23	·05	·01	·08	·01	-	-	·50		-	-	-	1·43	23
24	·13	·09	·78	·05	-	-	·02		-	-	·17	1·20	24
25	·07	·14	·25	·17	-	·02	·74		-	-	-	·20	25
26	·39	·14	·51	·28	·49	·35	·10		-	-	·25	·33	26
27	·76	·19	1·06	·38	·07	·73	·46		-	-	·08	·70	27
28	·08	·05	·48	·21	·03	·38	·15		-	-	·02	·30	28
29	·83	·02	·30	·21	·20	·09	·84		-	-	·26	1·60	29
30	·78		·24	·35	-	·85	·19		·75	·23	·45	1·62	30
31	·20		·50		-		·04			·58		·38	31
Total	11·50	4·80	7·84	11·54	5·64	6·61	10·15	3·78	7·04	5·38	4·31	11·38	Year's Total 89·97
Days with ·01 in. or more	27	22	25	29	19	19	28	15	14	18	16	19	251
Days with ·04 in. or more	26	17	19	27	17	16	25	12	10	13	12	17	211

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

4208

TALGARTH SANATORIUM

1916 – 30

FORM A.
BRITISH RAINFALL.

REGIS

Cr

Kept at The Sanatorium

in the County of Breco

by per Marcus

garth.

ge 5 in.

ound — ft. 10 in.

a Level 600. ft.

IMPORTANT NOTE result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.7	-	s	-	-	-	.1	-	-	θ	.61	-	1
2	.44	-	s	-	-	.125	.025	-	-	.34	.3	-	2
3	.3	.17	s	-	.1	.015	.14	-	.22	-	.45	-	3
4	-	.8	s	-	.31	.105	-	-	.125	.95	-	-	4
5	.31	-	s	-	.17	.34	.035	-	-	.07	-	-	5
6	.02	.03	s	-	.09	.15	.12	-	-	-	-	-	6
7	.18	.28	s	-	.34	-	.4	-	-	-	1.5	.15	7
8	.08	-	s	-	.17	-	-	-	-	-	.45	-	8
9	-	.09	.815	-	.28	-	-	-	-	--	.095	-	9
10	-	-	-	-	T	-	-	-	-	-	-	.08	10
11	.01	.315	-	.26	-	-	-	-	-	.71	-	-	11
12	.03	-	.195	.36	.03	-	-	-	-	-	-	-	12
13	.06	-	T	-	-	-	-	-	-	-	-	-	13
14	.03	.58	.12	.165	-	-	.17	.33	-	.2	-	-	14
15	.1	.28	.14	.04	-	-	-	.17	-	.05	-	-	15
16	-	.77	-	.185	.61	-	.02	-	.06	.23	-	-	16
17	T	.17	T	.175	-	-	-	.14	-	.32	-	-	17
18	.08	.25	-	.29	-	-	.07	-	.31	.125	-	s	18
19	-	.17	.365	.185	-	-	-	-	.17	-	s	s	19
20	-	-	.21	-	-	-	-	-	-	-	s	.23	20
21	.05	-	.3	-	-	-	-	-	-	-	.76	-	21
22	-	-	.25	-	.065	-	.035	.28	-	-	-	-	22
23	T	-	-	-	-	-	-	-	-	.33	-	.09	23
24	-	s	.01	-	-	-	-	.16	-	.165	.23	-	24
25	-	s	-	T	1.52	-	-	-	-	.66	-	-	25
26	-	s	.15	.1	-	-	-	-	-	-	.45	-	26
27	.02	s	s	-	-	-	-	.34	.335	.45	-	-	27
28	-	.64	s	-	-	-	-	.35	.54	-	-	.15	28
29	-	.3	.52	-	-	.03	-	-	.12	.12	.02	.91	29
30	-	X	-	-	-	.34	-	.58	-	.2	-	.08	30
31	-	X	-	X	-	X	-	T	X	.37	X	.02	31
Total	1·71 ~~3.41~~	4·85 ~~4.845~~	3·07 ~~3.075~~	1·76 ~~1.76~~	3·68 ~~3.675~~	·10 1·20 ~~1.105~~	1·02 ~~1.415~~	2·35 ~~2.35~~	1·88 ~~1.88~~	·61 5·90 ~~5.29~~	4·25 ~~4.865~~	1·71 ~~1.71~~	YEAR'S TOTAL 33·38 ~~34.03~~
Rain Days.	15 Trace in 2 days.	14 4 Snow	11 2 Trace 18 snow	9 1 Trace	11 1 Trace	7	10	8 1 Trace	8	16	10 2 snow	8 2 snow	127 18 snow

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at The Sanatorium, Talgarth.

in the County of Brecon.

by per Marcus Paterson

Lat. Long.

Time of Observation 12 noon.

Nearest Railway Station Talgarth.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 600. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.7	-	s	-	-	-	.1	-	-	-	.61	-	1
2	.44	-	s	-	-	.125	.025	-	-	.34	.3	-	2
3	.3	.17	s	-	.1	.015	.14	-	.22	-	.45	-	3
4	-	.8	s	-	.31	.105	-	-	.125	.95	-	-	4
5	.31	-	s	-	.17	.34	.035	-	-	.07	-	-	5
6	.02	.03	s	-	.09	.15	.12	-	-	-	-	-	6
7	.18	.28	s	-	.34	-	.4	-	-	-	1.5	.15	7
8	.08	-	s	-	.17	-	-	-	-	-	.45	-	8
9	-	.09	.815	-	.28	-	-	-	-	--	.095	-	9
10	-	-	-	-	T	-	-	-	-	-	-	.08	10
11	.01	.315	-	.26	-	-	-	-	-	.71	-	-	11
12	.03	-	.195	.36	.03	-	-	-	-	-	-	-	12
13	.06	-	T	-	-	-	-	-	-	-	-	-	13
14	.03	.58	.12	.165	-	-	.17	.33	-	.2	-	-	14
15	.1	.28	.14	.04	-	-	-	.17	-	.05	-	-	15
16	-	.77	-	.185	.61	-	.02	-	.06	.23	-	-	16
17	T	.17	T	,175	-	-	-	.14	-	.32	-	-	17
18	.08	.25	-	.29	-	-	.07	-	.31	.125	-	s	18
19	-	.17	.365	.185	-	-	-	-	.17	-	s	s	19
20	-	-	.21	-	-	-	-	-	-	-	s	.23	20
21	.05	-	.3	-	-	-	-	-	-	-	.76	-	21
22	-	-	.25	-	.065	-	.035	.28	-	-	-	-	22
23	T	-	-	-	-	-	-	-	-	.33	-	.09	23
24	-	s	.01	-	-	-	-	.16	-	.165	.23	-	24
25	-	s	-	T	1.52	-	-	-	-	.66	-	-	25
26	-	s	.15	.1	-	-	-	-	-	-	.45	-	26
27	.02	s	s	-	-	-	-	.34	.335	.45	-	-	27
28	-	.64	s	-	-	-	-	.35	.54	-	-	.15	28
29	-	.3	.52	-	-	.03	-	-	.12	.12	.02	.91	29
30	-	X	-	-	-	.34	-	.58	-	.2	-	.08	30
31	-	X	-	X	-	X	-	T	X	.37	X	.02	31
Total	1.71 ~~2.41~~	4.85 ~~4.845~~	3.07 ~~3.075~~	1.76 ~~1.76~~	3.68 ~~3.675~~	.10 1.20 ~~1.105~~	1.02 ~~1.415~~	2.35 ~~2.35~~	1.88 ~~1.88~~	.61 5.90 ~~5.29~~	4.25 ~~4.865~~	(1.71) ~~1.71~~	YEAR'S TOTAL 33.38 ~~34.08~~
Rain Days.	15 Trace in 2 days.	14 4 Snow	11 2 Trace 18 snow	9 1 Trace	11 1 Trace	7	10	8 1 Trace	8	16	10 2 snow	8 2 snow	127 18 snow

W. 8,000, VIII. 16

3949

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Talgarth Sanatorium

in the County of Breconshire,

by Medical Superintendent.

Lat. Long.

Time of Observation 12 noon

Nearest Railway Station Talgarth.

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 575. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 1917	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date. 1917
1						·52			·98				1
2			·09	S.		·08			·12				2
3				S.		·17		·29			No record taken after 10th Oct. owing to the difficulty in obtaining gauge glasses.		3
4		S.	S.	·875.						·56			4
5		·11S.	·21S.	·03						·38			5
6	·54					·02			·86	·315		D. B. S.	6
7						·05				·235			7
8	·455			S.		·04	·21	·26	·01	·35			8
9	·16			·35S			·45	·68		·72			9
10				·235S.	·225					·045		Records have been taken since Jan 1st.	10
11	·185								·045				11
12								·7		2·905			12
13	·01				·92								13
14				·46				2·18	·14				14
15					·03		·24						15
16								·68					16
17		·34			·025	·08		·24					17
18					·34								18
19									·06				19
20						·38			·9				20
21		·48	·28		1·24				·04				21
22					·04								22
23		·17											23
24						·02							24
25								·6	·13.				25
26								·58					26
27					·29			·11					27
28			H		·68	·41	·53.	·68					28
29			·23.		·04	·05							29
30		X											30
31		X		X		X			X		X		31
Total	1·35	1·10	·81	1·945	3·83	1·82	1·43	7·00	3·285	5			YEAR'S TOTAL
Rain Days.	5	4	4	5	10	11	4	11	10				

W. 8,000, IX. 17.

S = Snow H = Hail.

an. 23.IV

REGI 11

TALGARTH
DAN-Y-GARTH
BRECON
1911 - 1920

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Talgarth 5 in.

ve Ground 4 ft. · in.

in the County of Br Sea Level 404 ft.

by Fred Morg 9 AM

Name Talgarth

Distance 700 ft Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05	·09			·05	·01			·06		1
2	·01				·13			·06		·02	·03	·15	2
3					·51			·04	·05		·09 ~~40~~	33 ~~·61~~	3
4			·10	·03				·15			·40 ~~40~~	·61	4
5	·19		·05					·23		·15	10 ~~·52~~	~~·84~~	5
6	·10		·09					·08			~~·32~~ 40	89	6
7											4 ~~49~~	~~1·04~~	7
8	·02		·18						·01		·40 ~~24~~	1·04 ~~·43~~	8
9			·04								·24 ~~82~~	~~·43~~	9
10	·06	·04	·20								·02 ~~31~~	57 ~~·04~~	10
11	·12		·01		·50				·05		31 ~~74~~	04 ~~·23~~	11
12			·38		·12				·40		·74	·23	12
13									·11		·07	·31	13
14		·01	·01									·85	14
15		·04				·05					·17	·08	15
16						·16					·11	·15	16
17		·10				1·37					·23	·80	17
18		·61	·06	·33		·10				·06	·02	·52	18
19						·37		·04	·59	·45	·03	·59	19
20		·06		·07		·02			·04	·03		·22	20
21		·26	·10			·01		·79	·06	·43		·11	21
22		·06	·01	·01		·08				·42		·40	22
23		·17	·03			·04			·28	·27		·13	23
24		·05				·35		·14		·07		·10	24
25		·07		·10		·06				·08		·07	25
26		·23		·24	·06	·03		·15	·11		·11	·15	26
27		·13	·46	·11					·25		·12	·14	27
28		·16		·29				·05					28
29				·09		·21	·05	·07	·15	·51			29
30					·03	03		·28		·31	·03		30
31					·05		·04			·07			31
Total	·50	1·99	1·77	1·36	·140	2·88	·14	2·09	2·10 2·10	2·87	4·16	8·91	TOTAL for year 30·17
No. of Rain Days.	6	14	15	10	7	14	3	13	12	13	21	24	15·2

W. 8,000, X. '11.

Cor. 23.1.12

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Talgarth (Dan-y-garth)

in the County of Brecon 8

by Fred Morgan

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 4 ft. · in.
" " " Sea Level 404 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Talgarth
Distance 700 ft Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·05	·09			·05	·01			·06		1
2	·01				·13			·06		·02	·03	·15	2
3					·51			·04	·05		·09 ~~48~~	33 ~~84~~	3
4			·10	·03				·15			·40 ~~48~~	·61	4
5	·19		·05					·23		·15	40 ~~·52~~	~~·84~~	5
6	·10		·09					·08			·32 ~~47~~	89	6
7											46 ~~49~~	~~1·04~~	7
8	·02		·18						·01		49 ~~·24~~	1·04	8
9			·04								·24 ~~82~~	·43 ~~89~~	9
10	·06	04	·20								·02 ~~31~~	·57 ~~·04~~	10
11	·12		·01		·50				·05		31 ~~74~~	04	11
12			·38		·12				·40		·74	·23	12
13									·11		·07	·31	13
14		·01	·01									·85	14
15		·04				·05					·17	·08	15
16						·16					·11	·15	16
17		·10				1·37					·23	·80	17
18		·61	·06	·33		·10				·06	·02	·52	18
19						·37		·04	·59	·45	·03	·59	19
20		·06		·07		·02			·04	·03		·22	20
21		·26	·10			·01		·79	·06	·43		·11	21
22		·06	·01	·01		·08				·42		·40	22
23		·17	·03			·04			·28	·27		·13	23
24		·05				·35		·14		·07		·10	24
25		·07		·10		·06				·08		·07	25
26		·23		·24	·06	·03		·15	·11		·11	·15	26
27		·13	·46	·11					·25		·12	14	27
28		·16		·29				·05					28
29				·09		·21	·05	·07	·15	·51			29
30					·03	03		·28		·31	·03		30
31					·05		·04			·07			31
Total	·50	1·99	1·77	1·36	·140	2·88	·14	2·09	2·10 2:10	2·87	4·16	8·91	TOTAL for year 30·17
No. of Rain Days.	6	14	15	10	7	14	3	13	12	13	21	24	15·2

W. 8,000, X. '11.

cop [illegible] } 3.11.13

W H.8.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

Kept at The Bungalow Talgarth

in the County of Brecon 8

by Mr Fred Morgan

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 4 ft. · in.
" " " Sea Level 404 ft.

Time of Observation 9· AM

Nearest Railway Station { Name Talgarth
Distance 800ft Direction S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·30			·42	·03		·02	·27		·23	1
2		·06	·24	·01		·43	·10						2
3	·03	·10	·11		·07	·06	·02	·80	·05				3
4	·27		1·04		·06	·12		·20	·02		·20		4
5	·40	·20	·17		·05			·16	·06			·05	5
6	·40	·02			03			·61					6
7	·05		·29		·04	·42	·10	·13				·07	7
8	·30	·21	·22			·15		·01					8
9	·05		·58	·14		·15	·01	·80			·02	·36	9
10	·28	·07		·05		·08		·02			·29		10
11		·10						·03			10	·53	11
12		·22		·10	·11		·06					·07	12
13	·02					·01	·01		·04	(·03)		·16	13
14	·03		·49					·09				·03	14
15	·30	·02			·30	·13						}	15
16	·16		·10					·13		11		·37	16
17	·29		·06			·16		·30			·08	·35	17
18	·27		·04					·19		·03		·05	18
19	·03							·36		·02		·11	19
20	·03		·56				·15	·22		·17	02		20
21	·02		·47		·29		·02	·38		·31			21
22	·11	·23	·10		·37	·01	·94	·41		·06		·17	22
23	·24	·10	·36			·22		·36			·07	·25	23
24	13		·04			·21		·03				·25	24
25						·08	06	1·66			44	·60	25
26		·11	·09				·05	·92		·72	·43	·40	26
27		·02	·03			·23	1·52			·81		·52	27
28		·08	·01			·31	·64	·30	·67	·31	37	·14	28
29		·09	05			·26	·18	·17	·50	·30		·03	29
30			11			·37	·06		·02	·44			30
31			07		06		·30	·03				02	31
Total	3·41	1·65	6·53	0·30	1·38	3·82	4·25	8·31	1·38	3·58	2·02	~~4·36~~ 4·56	TOTAL for year 40.19
No. of Rain Days.	20	16	23	4	10	19	17	24	8	13	10	21	185

W. 8,000, X. '11.

only [illegible] stats 28.IV. DL

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

9 JAN 1914

Kept at Talgarth (Dan y garth)

in the County of Brecon

8

by Fred Morgan

Not F.J.

Lat. Long.

Time of Observation 9·AM

Nearest Railway Station Talgarth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. in.

" " " " Sea Level 404 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·16	·24	·10	·02				·08		·08		1
2		·30	·05		·06				·01	·70	·15		2
3	·08	·02	·16		·29					·07		·14	3
4	·83	·07	·04		·04		·03		1·13	·52	·06	·38	4
5	·19	·05	·06		·13	·24	·02		·10	·22	·36		5
6	·04	·16	·16		·04	·01				·49		·52	6
7	·01	·57			·47	·11	·04			1·08	·05		7
8		·13			·45		·01	·05		·09			8
9		·20		·01	·20	·60	·23	·18	·04		·23		9
10	·34		·03	·03	·05			·29		·46			10
11	·46			·25	·02					·03	·65		11
12	·04				·01			·02			·30	·07	12
13	·07		·23	·01			·02	·04	·61		·31		13
14	·29		·28	·12					·05	·17	·07	·03	14
15	·05		·81	·45				·08			·11		15
16	·35	·03	·80	·03			·02		·15		·02		16
17	·10		·10	·13	·01		·05		·01		·02		17
18	·06		·32	·43			·01				·06		18
19	·33		·25	·04		·07			·02	·28	·02		19
20	·19		·47	·09							·38		20
21			·34		·12		·07	·02		·08	·14		21
22	·74		·78			·28		·60					22
23	·03								·57		·10	·06	23
24	·06	·07									·11		24
25		·02		·35					·10	·05	·02	·05	25
26				·96	·23			·01			~~·31~~	·31	26
27			·18	·37						1·14		·02	27
28	·11		·32	·38	·08					·55		·15	28
29			·64	·39	·02			·06		·24			29
30	·17							·14		·36	·07		30
31	·07		·26		08			·06		·02			31
Total	4·66 ✓	1·78	6·52	4·14	2·32	1·31	·50	1·55	2·87	6·55	3·31 ✓	1·73	YEAR'S TOTAL 37·24 ✓
Rain Days.	23	12	21	17	18	6	10	12	12	18	22	10	181 ✓

W. 7,500, XI. 12

endd for arith 26.IV.15 ~~W~~ 8L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Dan-y-garth Talgarth
in the County of Brecon 8
by Fred Morgan

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Talgarth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 404 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·06			·07	·34	·76			·02	·05	1
2			·07		·01		1·34	·29			·14	·32	2
3			·33	11	·10			·14				·37	3
4	·27			·05	·19		·06				·32	·73	4
5	·14		·13	·39	·32						·35		5
6	·12	·09	·04	·05	·01						·05	·21	6
7		·20	·35	·14	·40		·22	·13				·41	7
8	·03		·11	·01	·39	·49		·12	·08			17	8
9	·09	·06	·15	·12	·06	1·24	·09	·05					9
10		·32	·06	·33	·01	·06			·10				10
11		·28	·16	·02	·05	·27	·10		·20		·48	·93	11
12		·83	·12						·03		·22	·35	12
13		·21	·30				·06		·39	37	·16	·14	13
14		·42	·40				·04		·28	·07	·17		14
15		·05	·43					·15	07	·06	·30	·02	15
16	·02		·03				·05		·15				16
17	·07	·09	·23			·24	·05		·06			·30	17
18			·02						·05		·04	·26	18
19		·06	·09				·90		·11			·25	19
20		·29	·10			·10						·18	20
21		·31					·06	·03		·16			21
22		·23		·01		·04	·09	·15		·52			22
23		·05	·13		·13		·08			·14			23
24			·05				·13	·06		·11	·16		24
25	·12	·02	·10				·10	·15		·23	·01	·08	25
26	·02		·05				·18			·16	·13	·52	26
27							·02			·07	·32	·60	27
28	·05	·07	·10		·08					·14	·06	·55	28
29	·04	X	·16		·06					·16	·53		29
30	·01	X	·12	·03						·16	·41	·78	30
31	·26	X		X		X	·08		X	·72	X	·28	31
Total	1·24	3·60	3·89	1·26	1·81 1·82	2·51	399 ~~4·05~~	2·03	1·52	3·07 ~~2·97~~	3·87	7·50	YEAR'S TOTAL 36·29 36·29
Rain Days.	13	18	26	11	13	8	19	11	11	14	18	21	183

W. 8,000. X. 14.

cnd 16.v.16 # JS

4187

FORM A.
BRITISH RAINFALL.
4 - JAN 1916

Dan-y-garth REGISTER OF RAINFALL IN 1915

Kept at Talgarth
in the County of Brecon
by Fred Morgan

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Talgarth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 404 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·62	·01	·08		·22			·30	·12	·33		·13	1
2	·31	·14	·16	·11		·16		1·03		·05		·06	2
3	·62	·14	·05	·02	·04		·59	·08				·30	3
4	·13	·53			·14		·23	·03	·01			·59	4
5	·03	·74						·02				·58	5
6	·20			·22			·08	·13				·18	6
7	·21	·32		·02	1·44		·05	·04				·41	7
8	·27	·40		·09				·02			·06		8
9	·05	·73		04							·14	·58	9
10	·34		·02	·07				·03		·02	·09		10
11	·12							·03			·84	·04	11
12	·05	·72		·05	·48			·12		·03	·40		12
13		·55			·67			·13	·04		·06	·01	13
14								·26			·01	·14	14
15	·48				·07		·08	05		·02	·15	·07	15
16	·05	·46			·43		1·35				·01		16
17		·20	·02		·44			·23					17
18	·01	·74										·01	18
19		·04		·02	·06		·26					03	19
20	·27									·11			20
21	·13	·07					·07						21
22	·01		·11	·35			·61					·42	22
23	·06	·03	·12			07	06		·01	·62		·21	23
24			·04	·05			·10		·06	·80		·46	24
25						·54	·03					·21	25
26		·12					34					·46	26
27		·11				·04	·20			·26		(·06)	27
28		·25	·02			·10			·14			·02	28
29		×						·04			·33	03	29
30	·19	×								·42	·27	·31	30
31		×		×		×	·07		×	1·15	×	·62	31
Total	4·15	6·30	·62	1·04	3·99	·91	4·12	2·54	·38	3·81	2·35	5·93	YEAR'S TOTAL 36·14
Rain Days.	20	19	·62 9	11	10	5	15	16	6	11	10	24	156

W. 8,000. X. 15.

and (for months – by mon stats} ~~W~~ 8/7

4120

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

9 JAN 1917

Kept at Talgarth

in the County of Brecon

by Fred Morgan · Dan-y-garth

Lat. Long.

Time of Observation 9 · AM

Nearest Railway Station Talgarth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. in.

" " " " Sea Level 404 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14					·08	·10		·13	·13	·26		1
2	·41	·04	·46			·02	·05			·55	·34		2
3		·90			·03	·04			·11	·31	·32		3
4	·21	·43			·22	·27			·02	·02	·47		4
5	·02				·09	·13	·02		~~·15~~	·15	·17		5
6	·06	·34	·06		·07		·02			·13	·40		6
7	·13		·09		·14	·10	·41			35	·62	·15	7
8		·06	·05		·08					·03	·05		8
9			·02								·05	·05	9
10		·33		·06	·03					05			10
11	·04		·12	·07		·02				·04			11
12	·05	·04	·01	·12	·32		·16	06		·03			12
13		·24	·04	·11				·34		·20			13
14		·47	·14	·02				·12		·07			14
15		·62	·02	·10	07			·05		·05			15
16		·13		·10			·01	·11		·06			16
17	·08	·17		·21					·24	·37	·38		17
18	·01	·17	·09	·07				·01	·10	·05	·21		18
19	·09		·25	·05							·20		19
20	05		·12								·04	·25	20
21			·31		·07	·08	·11					·06	21
22						·08				·28		·15	22
23		·24	·02					·22		·11	·10	·30	23
24		·16	·		1·45	·02		·09		·37		·09	24
25		·21	·07		·08	·07		22		·17	·39		25
26	·01	·12	·04			·13			·31	·35			26
27	02	·02	·40			·03		·19	·35	·40			27
28		·52							·06	·16	·03	·41	28
29		·21				·28		·53		·11		·25	29
30		X								·41			30
31		X		X		X		·06	X	·36	X	09	31
Total	1·32	5·42	2·31	·91	~~2·57~~ 2·65	1·35	·88	2·00	1·32 ✓	5·31	4·03	1·80	YEAR'S TOTAL 29·30 29·30
Rain Days.	14	20	18	10	11	14	8	12	8 ✓	27	16	10	168

W. 8,000, VIII. 16

374

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Dan-y-garth, Talgarth
in the County of Brecon
by Mr Fred Morgan

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Talgarth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. — in.
" " " " Sea Level 404 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·08	·22		·82		·37	·13		·02	·05	1
2				·11		·02					·12		2
3	·03			·30						·35			3
4		·19	·10					·05		·49			4
5	·29		·28	·14		·06	·05		·98	·12	·05		5
6						·05				·20	·14		6
7	·39							·17		·45	·12		7
8	·27		·08	·16				·67	·01	·67	·12	·12	8
9			·04	·24	·12			·57	·02		·43		9
10	·20		·35	·17	·06			·15	·04				10
11	·15			·20				·54		·20			11
12	·17			·04	·96			·16		·28			12
13								1·57	·15	·08			13
14					·02			·34					14
15					·03		·23			·06		·30	15
16	·06	·02		·22		·65			·10	·18			16
17					·38		·73	·57					17
18					·03		·27	·06	·88				18
19	·02	·41	·22			·55			·02				19
20		·07			1·30	·06	·11						20
21		·04	·06		·06								21
22								·37		·11			22
23		·20			·18	·01		·24		·10			23
24		·03				·05		·30		·41	·10		24
25			·12					·06		·10			25
26					·22			·70	·09	·12	·08		26
27		·05			·82	·27	·53	·98					27
28			·13		·06	·13		·29				·07	28
29			·15					·26		·80		·52	29
30								·24		·18			30
31			·07		·11			·18		·01			31
Total	1·58	1·01	1·68	1·80	4·35	2·67 2·07	1·92	8·84	2·42	4·91	1·18	1·06	Year's Total 33·42 33·52
Rain Days.	9	8	12	10	14	11	6	22	10	19	9	5	135

W. 8,000, IX. 17.

84

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.
16. 1 19

Kept at Dan-y-garth - Talgarth
in the County of Brecon
by Mr Fred Morgan

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Talgarth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 404 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		1 ·03											
1		2 ·04		·08				·10	·06	·04	·81		1
2		3 ·13		·03				·42		·01	·07	·05	2
3		4 ·03	·01	·03	·20				·58	·03	·08		3
4		5 ·04						·06	·37	·27	·46	·23	4
5		6 ·21	·02	·15	·41			·12	·03	·20	·03		5
6		7 ·02		·03					·10	·19			6
7		8 ·10			·51	·03			·54	03	·08	·05	7
8	·08	9 ·28							·16	·17			8
9	·06			·25		·39			·03	·11		·06	9
10			·05	·03			1·01		·15	·02	·10	·16	10
11	·06		·06		·02		·36		·16	·06			11
12					·06				·07			·10	12
13							·13		·16			·08	13
14						·10	·16		·33			·17	14
15	·75					·08	·45		·16			·43	15
16	·15			·78			·12		·34			·20	16
17	·31					·02	·52		·62	·15		·14	17
18						·15	·33		·55	·02		·47	18
19	·22	·06	·24				·04		·13	·07		·12	19
20	·41	·09		·25		·06	·01		·32				20
21	·11	·11		·26			·12		·37			·02	21
22					·43		·11		·08	·18		·53	22
23	·07				·70		·04		·13				23
24		·08					·12	·08	·05		·10	·20	24
25					·24		·15	·41	·01	·05	·03	·16	25
26							·11	·04		·03	·09	·14	26
27		·05	·16					·23	·19			·06	27
28		·08	·77									·07	28
29									·79			·06	29
30		X	·30						·01			·03	30
31		X	·28	X		X		·16	X		X		31
Total	2·22	1·35	1·89	1·89	2·57	·83	3·78	1·62 ~~1·42~~	6·49 ~~6·19~~	1·63	1·85	3·53	YEAR'S TOTAL 29·65 ~~29·15~~
Rain Days.	10	15	9	10	8	7	16	9	27	17	10	22	160

W. 6,500, VII. 18. W W C

and by mm stats W 1806

3748

FORM A. 1 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Dan-y-garth. Talgarth

in the County of Brecon

by M. Fred Morgan

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Talgarth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft in.

" " " " Sea Level 404 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36				·10		·15			·36		·46	1
2	·14		·03				·02	·06	·06		·05	·13	2
3			·02				·10		·05		·08	·33	3
4	(·03)	·09	·20		·01	·29	·11	·01	·02			·13	4
5		·24									·01	·53	5
6	·41	·07	·22								·02	·25	6
7	·06		·09	·05									7
8	·33		·05	·02		·05							8
9	·20		·01	·05							·09		9
10	·25		·55		·02							·24	10
11			·90		·03		·28			·01			11
12			·26			·60				·14			12
13	·05			·36					·75	·28	·09	·13	13
14				·26			·07		·15	·08	·05	·14	14
15	·76	·03		·02				·04		·17		·35	15
16	·05	·53						·13			·02	·01	16
17		·56				·02							17
18			·62				·02	·16	·02		·12	·06	18
19	·09	·16	·25			·16	·09	·33	·10		·06	·03	19
20	·37		·30			·02		·11	·01		·13	·09	20
21	·03	·61					·08					·17	21
22		·04							·15			·43	22
23						·01		·01		·60	·09	·13	23
24				·12						·26	·29	·40	24
25	·10			·08	·07	·02		·87			·06	·04	25
26	·05		·17	·06				·16	·05			·25	26
27	·18		·15	·21		·02		·43				·02	27
28	·01		·09					·14			·09	·45	28
29	·13		·05							·07		·28	29
30		✕	·03			·12		·27			·32	·42	30
31		✕	·02	✕		✕	·03		✕		✕	·03	31
TOTAL	3·60	2·33	4·01	1·23	·23	1·31	·95	2·72	1·36	1·97	1·57	5·[illegible]0	YEAR'S TOTAL 26·78
Days with ·01 in. or more	19	9	19	10	5	10	10	13	10	9	16	25	155

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W 3646 1920

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1920.

Kept at Dan-y-garth Talgarth
in the County of Brecon
by Mr Fred Morgan

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Talgarth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 404 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·10	·22		·47		·06			·51	1
2	·08			·15			·04	·12		·21	·02	·10	2
3	·01			·36	·15		·16		·08	1·43			3
4		·05	·03	·02			·02	·17		·25		·12	4
5			·15	·08	·05		·28		·02	·03	·03		5
6			·33		·10					·22			6
7			·03	·05			·10						7
8	·18	·09		·69	·10		·45	·27					8
9	·34	·14		·46			·04						9
10	·55	·26				·66	·18					·05	10
11	·27	·02	·26	·36	·18		·03						11
12	·15			·25		·80		·09		·01	·06		12
13	·15	·02	·64	·15							·01	·02	13
14		·01	·49	·16		·14	·02		·73	·33	·31		14
15		·07	·12	·67	·12	·08					·08		15
16			·05	·24	·08	·28	·17		·26	·58	·07	·03	16
17	·02				·12	·02	·03		1·17	·28			17
18	·09			·01	·08				·84	·03			18
19	·03	·43		·23		·13							19
20	·02			·52		·04						·19	20
21				·14			·14					·12	21
22	·03						~~·17~~	·17					22
23							·31					·26	23
24	·02		·22								·05	·16	24
25	·06	·04	·18				·28					·05	25
26		·06	·25	·07	·04		·12					·16	26
27	·62	·02	·56	·17	·02	·45	·01				·02	·30	27
28	·83		·28	·03	·10	·03						·08	28
29	·48		·20	·02	·09	·07	·22					·46	29
30	·04	✕	·50	·29		05	~~·05~~		·20		·21		30
31	·08	✕	·16	✕		✕	·02		✕	·48	✕	·02	31
TOTAL	4·05	1·21	4·47	~~5·26~~ 5·22	1·45	2·75	3·09	·82	3·36	3·85	·86	2·63	YEAR'S TOTAL ~~33·80~~ 33·76
Days with ·01 in. or more	20	12	18	23	14	12	20	5	8	11	10	16	169
Days with ·04 in. or more	14	8	15	19	13	10	14	5	7	8	6	13	132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

22

1921

Kept at Llan-y-garth, Talgarth

in the County of Brecon

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·10		-	·47	-	·06				1
2				·15		-	·04	·12	-				2
3				·36		-	·16	-	·08				3
4				·02		-	·02	·17	-				4
5				·08		-	·28	-	·02				5
6				-		-	-	-	-				6
7				·05		-	·10	-	-				7
8				·69		-	·45	·27	-				8
9				·46		-	·04	-	-				9
10				-		·66	·18	-	-				10
11				·36		-	·03	-	-				11
12				·25		·80	-	·09	-				12
13				·15		-	-	-	-				13
14				·16		·14	·02	-	·73				14
15				·67		·08	-	-	-				15
16				·24		·28	·17	-	·26				16
17				-		·02	·03	-	1·17				17
18				·01		-	-	-	·84				18
19				·23		·13	-	-	-				19
20				·52		·04	-	-	-				20
21				·14		-	·14	-	-				21
22				-		-	[illegible]	·17	-				22
23				-		-	·31	-	-				23
24				-		-	-	-	-				24
25				-		-	·26	-	-				25
26				·07		-	·12	-	-				26
27				·17		·45	·01	-	-				27
28				·03		·03	-	-	-				28
29				·02		·07	·22	-	-				29
30		×		·29		0·5	[illegible]	-	·20				30
31		×		×		×	·02	-	×		×		31
Total				~~5·26~~		2·75	3·09	·82	~~3·36~~				Year's total
~~Days with ·01 in. or more~~ ~~Days with ·04 in. or more~~	adds to			5·22		~~3·10~~	~~3·31~~	~~·65~~	~~3·10~~				

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Not cord. for Stc.

✓

TAL~~GA~~RTH

BRECON

1912

REGIST

FORM A.
BRITISH RAINFALL.

28 APR 1913

Kept at Manllwyn ... ...th

in the County of Brecon

5 in.

by

...ve Ground 1 ft. – in.

Experimental g

Sea Level 2, 200 ft.

NOTE.—Rain should be measured dai... Full instructions for the measurement of rain and particulars as to the British R... ...vers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, L...

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5			3·32										5
6	1·35												6
7				·14									7
8		1·13											8
9				·14									9
10													10
11													11
12													12
13		·66											13
14			2·55										14
15													15
16													16
17				·20 #									17
18			·68										18
19													19
20	3·02												20
21													21
22		1·22											22
23													23
24													24
25													25
26													26
27													27
28													28
29		1·07											29
30													30
31	·34		2·53										31
Total	4·71	4·08	9·08	(·48)									TOTAL for year
No. of Rain Days.													

Gauge removed to duplicate for use
Dam [illegible] No 7

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S. melo Not cond. for S.&c. ✓

REGIST

Kept at Manllwyn Slopes (No 10)

in the County of Breconshire

by A

Experimental g.

Lat. Talgarth Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " Sea Level 2,200 ft.

FORM A.
BRITISH RAINFALL.
28 APR 1913

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5			3·32										5
6	1·35												6
7				·14									7
8		1·13											8
9				·14									9
10													10
11													11
12													12
13		·66											13
14			2·55										14
15													15
16													16
17				·20 #									17
18			·68	Gauge removed to outside fence Dam (site No 7									18
19													19
20	3·02												20
21													21
22		1·22											22
23													23
24													24
25													25
26													26
27													27
28													28
29		1·07											29
30													30
31	·34		2·53										31
Total	4·71 ✓	4·08 ✓	9·08 ✓	(·48) ✓									TOTAL for year
No. of Rain Days.													

1,000, I. '12,

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Not cond for S & E

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
28 APR 1913

✓ *Kept at* Manllwyn Depression No 11

in the County of Breconshire

by B

Experimental g.

Lat. Talgarth

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level 2,200 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5			3·36										5
6	1·91												6
7				·14									7
8		·93											8
9				·18									9
10													10
11													11
12													12
13		·67											13
14			3·01										14
15													15
16													16
17				·21 #									17
18													18
19													19
20	2·56												20
21													21
22		1·35	2·29										22
23													23
24				Gauge removed outside fence Also altered No 5									24
25													25
26													26
27													27
28													28
29		1·26											29
30													30
31	·35		1·33										31
Total	4·82	4·21	9·99	(·53)									TOTAL for year
No. of Rain Days.													

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

52

Smady

~~TALYBONT~~ PENTRE RHIW

BRECON

1918 - 1919

REGISTE

FORM A.
BRITISH RAINFALL.

13 2·19

Kept at Pentre rhiw (V

in the County of Brecon.

by Newport Corporation

Pantyrheio

Gauge 5 in.

Ground 1 ft. 0 in.

Sea Level 587·00 ft.

IMPORTANT NOTE.—Rain should be measured the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·15	—	·26	·02	—	—	·10	·04	·03	1·35	—	1
2	·03	·24	—	·12	—	—	—	·41	·03	·03	·15	1·08	2
3	—	·35	—	·16	·30	—	—	—	·44	·22	·04	·01	3
4	—	·16	—	·02	—	—	—	·04	·50	·64	1·47	·69	4
5	—	·12	—	·12	·18	·05	—	·16	·22	1·29	·11	·09	5
6	·03	·80	—	·58	—	·02	—	·04	·27	·58	—	·18	6
7	—	·23	—	·03	·44	—	—	—	1·04	·25	·66	·17	7
8	·10 s	·39	—	—	—	—	·01	—	·14	·25	·06	·02	8
9	·14	·85	—	·42	—	·69	·04	—	·45	·26	·14	·20	9
10	·12	·20	—	·27	—	—	1·01	—	·31	·13	·35	·56	10
11	·03	·10	·09	·03	—	—	·56	—	·17	·05	·06	·28	11
12	·05	·33	·13	—	·10	—	·31	—	·21	—	—	·11	12
13	·02 s	·05	—	—	—	·02	—	—	·51	·07	—	·40	13
14	1·00	—	·07	—	·04	·03	·24	—	·42	·02	—	·57	14
15	·88 s	—	—	—	—	·05	·72	—	·14	—	—	·70	15
16	·16 s	—	—	·71	—	—	·06	·06	·91	—	—	·53	16
17	·51	—	·09	—	—	—	·26	·03	·21	·09	—	·64	17
18	1·17	—	·07	—	—	·59	·59	—	·80	·05	—	·86	18
19	·47	·06	·20	·02	—	—	·14	—	·15	·05	—	·34	19
20	·54	·38	—	·14	—	·07	·04	—	·80	—	—	·02	20
21	·26	·40	—	·13	—	—	·16	—	1·00	·04	—	·09	21
22	·04	·02	—	—	·42	—	·41	—	·32	·07	—	·85	22
23	·43	—	—	—	1·13	—	·09	—	·18	—	·06	·10	23
24	·02	·25	—	—	—	—	·28	·08	·14	—	·11	·23	24
25	—	—	—	—	·08	—	·36	·95	·03	·09	·03	—	25
26	·05	—	—	·02	—	—	·34	·02	·24	·02	·10	·46	26
27	·02	·07	·65	—	—	—	·27	·36	·45	—	·19	·30	27
28	—	·06	·90	—	—	—	—	·02	—	—	·08	·27	28
29	—		·15	—	—	—	—	—	rrs 1·16	—	—	·20	29
30	—	×	·54	—	—	—	—	·02	·01	·15	·04	·34	30
31	—	×	1·01	×	—	×	—	·10	×	·04	×	·01	31
Total	6·07	5·21	3·90	3·03	2·71	1·52	5·89	2·39	11·29	4·42	5·00	10·30	YEAR'S TOTAL 61·73.
Rain Days.	21	20	11	15	9	8	19	14	29	22	17	29	214.

61·73

W, 6,500, VII. 18. W W C

Smaly

52

FORM A.
BRITISH RAINFALL.

18 2 19

REGISTER OF RAINFALL IN 1918

Kept at Pentrerhiw (Valley

in the County of Brecon.

by Newport Corporation.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station Pantyrheid

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 587·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·15	—	·26	·02	—	—	·10	·04	·03	1·35	—	1
2	·03	·24	—	·12	—	—	—	·41	·03	·03	·15	1·08	2
3	—	·35	—	·16	·30	—	—	—	·44	·22	·04	·01	3
4	—	·16	—	·02	—	—	—	·04	·50	·64	1·47	·69	4
5	—	·12	—	·12	·18	·05	—	·16	·22	1·29	·11	·09	5
6	·03	·80	—	·58	—	·02	—	·04	·27	·58	—	·18	6
7	—	·23	—	·03	·44	—	—	—	1·04	·25	·66	·17	7
8	·10 s	·39	—	—	—	—	·01	—	·14	·25	·06	·02	8
9	·14	·85	—	·42	—	·69	·04	—	·45	·26	·14	·20	9
10	·12	·20	—	·27	—	—	1·01	—	·31	·13	·35	·56	10
11	·03	·10	·09	·03	—	—	·56	—	·17	·05	·06	·28	11
12	·05	·33	·13	—	·10	—	·31	—	·21	—	—	·11	12
13	·02 s	·05	—	—	—	·02	—	—	·51	·07	—	·40	13
14	1·00	—	·07	—	·04	·03	·24	—	·42	·02	—	·57	14
15	·88 s	—	—	—	—	·05	·72	—	·14	—	—	·70	15
16	·16 s	—	—	·71	—	—	·06	·06	·91	—	—	·53	16
17	·51	—	·09	—	—	—	·26	·03	·21	·09	—	·64	17
18	1·17	—	·07	—	—	·59	·59	—	·80	·05	—	·86	18
19	·47	·06	·20	·02	—	—	·14	—	·15	·05	—	·34	19
20	·54	·38	—	·14	—	·07	·04	—	·80	—	—	·02	20
21	·26	·40	—	·13	—	—	·16	—	1·00	·04	—	·09	21
22	·04	·02	—	—	·42	—	·41	—	·32	·07	—	·85	22
23	·43	—	—	—	1·13	—	·09	—	·18	—	·06	·70	23
24	·02	·25	—	—	—	—	·28	·08	·14	—	·11	·23	24
25	—	—	—	—	·08	—	·36	·95	·03	·09	·03	—	25
26	·05	—	—	·02	—	—	·34	·02	·24	·02	·10	·46	26
27	·02	·07	·65	—	—	—	·27	·36	·45	—	·19	·30	27
28	—	·06	·90	—	—	—	—	·02	—	—	·08	·27	28
29	—		·15	—	—	—	—	—	1·16	—	—	·20	29
30	—	X	·54	—	—	—	—	·02	·01	·15	·04	·34	30
31	—	X	1·01	X	—	X	—	·10	X	·04	X	·01	31
Total	6·07	5·21	3·90	3·03	2·71	1·52	5·89	2·39	11·29	4·42	5·00	10·30	YEAR'S TOTAL 61·73.
Rain Days.	21	20	11	15	9	8	19	14	29	22	17	29	214.

61·73

W, 6,500, VII. 18. W W C

Recd 0/3

8725

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

8 NOV 1919

Kept at Pentre Rhiw (Valley)
in the County of Brecon
by Newport Corporation, Mon.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 587 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec	*Date.*
1	·92	–	·24	·01	·25	–	·51	–	·25	·58	–	·88	1
2	·16	–	·14	–	·04	–	·28	·03	·36	·02	·02	·26	2
3	·03	–	·10	–	·04	–	–	–	·06	–	·03	·82	3
4	·08	·22	·27	–	·02	·16	·08	–	·36	–	–	·53	4
5	·01	·32	·13	–	–	–	–	·04	·03	–	·01	·83	5
6	·80	·05	·82	–	–	–	–	–	–	–	·05	·68	6
7	·25	–	·42	·07	–	–	–	–	·03	–	–	·02	7
8	·59	–	·06	·02	–	·13	–	–	–	–	–	–	8
9	1·05	–	·10	·10	–	–	–	–	–	–	·10	·02	9
10	·32	–	1·22	·03	·01	–	–	–	–	·05	·01	·75	10
11	·12	–	1·28	·23	·18	–	·08	–	–	·02	–	·18	11
12	·02	–	·22	·16	·02	1·06	–	–	·01	·07	·03	–	12
13	·50	–	–	·90	–	–	–	–	·57	·35	–	·14	13
14	·91	·08	–	·62	·03	–	·09	·01	·08	·09	–	·25	14
15	·63	·06	–	·17	–	–	–	·12	–	·24	–	·49	15
16	·30	1·01	–	·02	·01	·04	–	·02	–	–	·18	–	16
17	·02	·45	–	·02	–	·13	–	·27	–	–	·92	·06	17
18	·02	–	·50	–	–	–	·07	·53	·05	–	·28	·16	18
19	·42	·45	·75	–	–	·37	·10	·42	·07	–	·27	·07	19
20	·63	·25	·25	–	·02	·01	–	·12	·13	–	·13	·43	20
21	·03	1·37	·01	–	–	–	·13	·05	·05	–	·02	·27	21
22	–	·19	–	–	–	·05	·03	–	·56	–	·08	·81	22
23	–	–	–	–	–	·01	–	·01	–	·47	·45	·25	23
24	–	–	–	·16	–	·07	–	·02	·11	·17	·34	·35	24
25	·14	–	–	–	·01	·01	–	·89	·04	–	·06	·18	25
26	·01	·01	·48	·08	–	·02	–	·10	·21	–	–	·93	26
27	·25	·02	·16	·37	–	–	·01	·50	–	–	–	·15	27
28	–	–	·26	·01	–	–	–	·26	–	–	·18	·68	28
29	–		·03	·04	–	·05	–	·02	–	·08	–	·66	29
30	·01	X	·01	·05	–	·23	–	·44	–	·05	·64	·64	30
31	·02	X	·02	X	–	X	·09		X		X	·06	31
Total	8·24	4·48	7·47	3·06	·63	2·34	1·47	3·85	2·97	2·19	3·80	11·55	YEAR'S TOTAL 52·05
Rain Days.	26	13	22	18	11	14	11	18	17	12	19	28	209

W. 6,500, VII. 18. W W C

Jou

RI

4182

TALYBONT

FFYNONWEN / PANT-Y-RHIW

1917 – 30

FORM A.
BRITISH RAINFALL.
12 AUG 1918

Kept at Pant-y-

in the County of B

by Newport

Pantyrhiw

ain Gauge 5 in.

ove Ground 1 ft. – in.

, Sea Level ft.

IMPORTANT d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		–	·14	·67 s	–	·75	–	·33	·26		·07	·16	1
2		–	–	–	–	·12	–	–	–	·23	·20	–	2
3		·16 s	·04	·21 s	–	·01	–	·01	–	·74	·05	–	3
4		·04	·38 s	–	–	–	·12	·14	–	·72	–	–	4
5		–	RH ·48	·39	–	·10	–	·10	·55	·52	·46	–	5
6		–	RH ·70	–	–	·28	–	–	–	·35	·58	·18	6
7		–	–	–	–	–	·28	·10	–	·45	·18	·14	7
8	(2·00)	–	·10 s	·29	–	·01	·45	·99	·02	·86	·27	·21	8
9		–	·35 s	·22	·13	–	–	·22	·09	·12	·68	–	9
10		–	·55	·39	·14	·04	–	·36	–	·05	–	–	10
11		–	–	·26	–	–	–	·50	–	·74	·09	–	11
12		–	·01	·03	·85	–	–	·31	–	·29	–	–	12
13		–	·12	·32	–	–	–	1·45	·18	·21	–	–	13
14	Gauge fixed	–	·10	·18	–	–	–	·11	–	·01	–	·06	14
15	–	–	–	–	·18	–	·29	–	·04	·37	–	RH. ·42	15
16	–	·07	–	·39	–	·25	–	·03	–		–	·10	16
17	·01	·02	·04	·12	·47	–	·79	1·62	·25	·28	–	–	17
18	–	·01	–	–	·05	–	1·09	·13	1·20	·04	–	–	18
19	·01	·35	·38	–	–	·57	–	·06	·02		–	–	19
20	–	·09	·09	–	·47	·14	·01	·04	·17		·03	–	20
21	–	–	–	–	·05	–	–	–	–	·13	–	–	21
22	–	–	–	–	–	·02	–	90	–	·14	–	–	22
23	–	·20	–	–	·25	·12	–	1·18	–	·23	·01	–	23
24	–	·06	·01	–	–	·11	·08	·81		1·13	·25	–	24
25	–	·08	·14	–	–	–	–	·45		·10	·07	–	25
26	–	–	–	–	·46	–	–	·62	·38	·09	·18	–	26
27	–	–	–	–	·88	·33	·35	·60	–	·04	·02	–	27
28	–	–	·18	–	·10	·76	–	·56	–		·05	–	28
29	–	–	·35	–	–	–	–	·06	–	1·25	·04	·15	29
30	–	X	·04	–	–	–	–	·43	–	·39	·07	–	30
31	–	X	·02	X	·34	X	–	·57	X	·03	X	–	31
Total	(2·02)	1·08	4·22	3·47	4·37	3·61	3·46	12·68	3·16	9·51	3·30	1·42	~~YEAR'S~~ TOTAL 52·30
Rain Days.		~~9~~ 10	20	12	13	15	9	27	11	26	18	8	Year not complete

W. 8,000, VIII. 16

(52·30)

R

FORM A.
BRITISH RAINFALL.

12 AUG 1918

Kept at Pant-y-rhiw, near Talybont-on-Usk
in the County of Brecon
by Newport Corporation Mon.

Lat. Long.
Time of Observation
Nearest Railway Station Pantyrhiw
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		—	·14	·67^{s}	—	·75	—	·33	·26		·07	·16	1
2		—	—	—	—	·12	—	—	—	·23	·20	—	2
3		·16^{s}	·04	·21^{s}	—	·01	—	·01	—	·74	·05	—	3
4		·04	·38^{s}	—	—	—	·12	·14	—	·72	—	—	4
5		—	·48^{RH}	·39	—	·10	—	·10	·55	·52	·46	—	5
6		—	·70^{RH}	—	—	·28	—	—	—	·35	·58	·18	6
7		—	—	—	—	—	·28	·10	—	·45	·18	·14	7
8	(2·00)	—	·10^{s}	·29	—	·01	·45	·99	·02	·86	·27	·21	8
9		—	·35^{s}	·22	·13	—	—	·22	·09	·12	·68	—	9
10		—	·55	·39	·14	·04	—	·36	—	·05	—	—	10
11		—	—	·26	—	—	—	·50	—	·74	·09	—	11
12		—	·01	·03	·85	—	—	·31	—	·29	—	—	12
13		—	·12	·32	—	—	—	1·45	·18	·21	—	—	13
14	Gauge fixed	—	·10	·18	—	—	—	·11	—	·01	—	·06	14
15	—	—	—	—	·18	—	·29	—	·04	·37	—	·42$^{RH.}$	15
16	—	·07	—	·39	—	·25	—	·03	—		—	·10	16
17	·01	·02	·04	·12	·47	—	·79	1·62	·25	·28	—	—	17
18	—	·01	—	—	·05	—	1·09	·13	1·20	·04	—	—	18
19	·01	·35	·38	—	—	·57	—	·06	·02		—	—	19
20	—	·09	·09	—	·47	·14	·01	·04	·17		·03	—	20
21	—	—	—	—	·05	—	—	—	—	·13	—	—	21
22	—	—	—	—	—	·02	—	90	—	·14	—	—	22
23	—	·20	—	—	·25	·12	—	1·18	—	·23	·01	—	23
24	—	·06	·01	—	—	·11	·08	·81		1·13	·25	—	24
25	—	·08	·14	—	—	—	—	·45		·10	·07	—	25
26	—	—	—	—	·46	—	—	·62	·38	·09	·18	—	26
27	—	—	—	—	·88	·33	·35	·60	—	·04	·02	—	27
28	—	—	·18	—	·10	·76	—	·56	—		·05	—	28
29	—	—	·35	—	—	—	—	·06	—	1·25	·04	·15	29
30	—	×	·04	—	—	—	—	·43	—	·39	·07	—	30
31	—	×	·02	×	·34	×	—	·57	×	·03	×	—	31
Total	(2·02)	1·08	4·22	3·47	4·37	3·61	3·46	12·68	3·16	9·51	3·30	1·42	
Rain Days.		~~9~~ 10	20	12	13	15	9	27	11	26	18	8	

~~YEAR~~ TOTAL 52·30
Year not complete

W. 8,000, VIII. 16

(52·30)

3621

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

MAY 1921

Kept at Pant-y-Rhiw (later Trynonwen)

in the County of Brecon

by Newport Corporation

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·03	·02	·20	·71	·	1·15	·	·08	·28	·04	·93	1
2	·32	·09	·	·13	·05	·	·13	·10	·07	·21	·	·63	2
3	·07	·26	·	·16	·05	·01	2·56	·04	·04	1·90	·	·33	3
4	·	·	·05	·	·	·	·01	·81	·01	·16	·	·	4
5	·	·01	·29	·09	·30	·	·23	·21	·09	·20	·	·	5
6	·	·	·55	·02	·61	·	·05	·	·	·52	·	·04	6
7	·29	·	·06	·16	·01	·	·31	·	·	·	·	·	7
8	·13	·05	·	1·05	·28	·	·43	·29	·	·	·	·	8
9	1·08	·81	·	·75	·	·	·07	·02	·	·	·	·	9
10	1·99	·75	·32	·02	·	·85	·30	·	·	·	·06	·	10
11	·37	·08	·50	·82	·41	·05	·08	·	·	·01	·	·	11
12	·83	·27	·	·40	·06	·91	·21	·09	·	·02	·25	·	12
13	·11	·11	1·02	·95	·	·02	·	·	·	·	·17	·	13
14	·19	·07	·69	·98	·	·	·14	·	1·07	·19	1·64	·03	14
15	·03	·32	·38	1·85	·06	·23	·	·	·	·	·21	·	15
16	·01	·02	·12	·24	·11	·43	·33	·	·87	·97	·	·	16
17	·22	·	·02	·	·37	·10	·	·19	1·36	·24	·	·03	17
18	·46	·	·	·14	·66	·02	·09	·09	1·02	·	·	·08	18
19	·03	·25	·	·46	·21	·10	·	·03	·	·	·	·	19
20	·05	·03	·	1·08	·	·08	·03	·	·	·	·	·53	20
21	·	·	·	·11	·	·	·15	·01	·05	·04	·	·35	21
22	·25	·	·	·12	·	·03	·38	·13	·	·	·	·37	22
23	·03	·	·02	·	·	·	·61	·02	·	·	·	·76	23
24	·10	·	·67	·03	·	·	·	·	·	·	·13	·88	24
25	·07	·15	·38	·03	·	·	·53	·	·	·	·	·17	25
26	·48	·07	·77	·07	·	·09	·15	·	·	·	·24	·25	26
27	1·04	·18	1·00	·61	·05	·43	·09	·	·	·	·06	·56	27
28	·72	·01	·31	·14	·07	·17	·04	·	·	·	·	·19	28
29	·81	·	·41	·17	·25	·05	·45	·	·	·	·29	1·20	29
30	·36	✕	·21	·26	·	·43	·14	·	·48	·07	·45	·93	30
31	·23	✕	·42	✕	·04	✕	·03	·	✕	·66	✕	1·10	31
Total	10·27	3·56	8·21	11·04	4·30	4·00	8·69	2·03	5·14	5·47	3·54	9·36	Year's Total 75·61
Days with ·01 in. or more	26	19	21	27	18	17	26	13	11	14	11	19	~~224~~ 222
Days with ·04 in. or more	22	14	18	23	17	13	23	9	10	12	11	17	189

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Jan 1-14

REG

4183

TALYBONT

PWLLIFOR.

1917 - 30

FORM A.
BRITISH RAINFALL.

12 AUG 1918

Kept at Pwll- If

in the County of B ... ckshire

by Newport Cor

...auge 5 in.

...Ground 1 ft. — in.

...Sea Level ft.

IMPORTANT NOT ... he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									3·59				1
2						2·28							2
3		·18^{s}	·31	—							2·01		3
4								·58					4
5					—								5
6										3·13			6
7				1·29			·43						7
8	(2·25)								·60			·95	8
9						·47							9
10		·04^{s}	RH 2·36								2·92		10
11								2·36					11
12					1·22								12
13										3·23			13
14	Gauge Fixed			1·76			·44						14
15									·39			R.H. 58	15
16						·30							16
17		·11	·30								·14		17
18								3·64					18
19					·71								19
20	·03									·84			20
21				·56			2·56						21
22									1·74			·07	22
23						·97							23
24		·75^{s}	·53								·40		24
25								3·53					25
26					1·17								26
27	—									2·38			27
28				—			·49						28
29									·50				29
30		X				1·29					·62		30
31		X	·77	X		X			X		X	·17	31
Total	~~·03~~ (2·28)	1·08	4·27	3·61	3·[illegible]	5·31	3·92	10·11	6·82	9·58	6·09	1·77	TOTAL ~~55·69~~
Rain Days.													Year not complete

(57·94)

W. 8,000, VIII. 16

Jan 1-14

REG

FORM A.
BRITISH RAINFALL.

12 AUG 1918

Kept at Pwll-Ifor, near Talybont-on-Usk

in the County of Brecon

by Newport Corporation, Mon.

Lat. Long.
Time of Observation
Nearest Railway Station Pantyrhiw
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									3·59				1
2						2·28							2
3		·18 s	·31								2·01		3
4								·58					4
5					–								5
6										3·13			6
7				1·29			·43						7
8	(2·25)								·60			·95	8
9						·47							9
10		·04 s	RH 2·36								2·92		10
11								2·36					11
12					1·22								12
13										3·23			13
14	Gauge Fixed			1·76			·44						14
15									·39			R.H. ·58	15
16						·30							16
17		·11	·30								·14		17
18								3·64					18
19					·71								19
20	·03									·84			20
21				·56			2·56						21
22									1·74			·07	22
23						·97							23
24		·75	·53								·40		24
25								3·53					25
26					1·17								26
27	–									2·38			27
28				–			·49						28
29									·50				29
30		X				1·29					·62		30
31		X	·77	X		X			X		X	·17	31
Total	~~·03~~	1·08	4·29	3·61	3·[illegible]	5·31	3·92	10·11	6·82	9·58	6·09	1·77	~~Means~~ TOTAL ~~55·69~~
Rain Days.	(2·28)												Year not complete

(57·94)

W. 8,000, VIII. 16

B. Made

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

18 2. 19

Kept at Pwll - Ifor
in the County of Brecon
by Newport Corporation

Lat. Long.
Time of Observation
Nearest Railway Station Pantyrhiw
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1224 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4					·35								4
5	·04												5
6				1·53									6
7							–					2·61	7
8						·09							8
9		4·04	–								3·99		9
10								·77					10
11					·74								11
12	R.&S. ·55									4·51			12
13				·78			2·10						13
14													14
15						·87			5·17				15
16		·84	·34								·64		16
17								·15					17
18					·15								18
19	R.&S. 4·14												19
20				·99			2·10						20
21									4·58			6·63	21
22						·69							22
23		1·07	·38										23
24													24
25					1·88								25
26	1·39												26
27							2·04						27
28		·46											28
29													29
30		×		·14		–			2·80		·80		30
31	·01	×	3·45	×	–	×	–	1·67	×	·81	×	3·71	31
Total	6·13	6·41	4·17	3·44	3·12	1·65	6·24	2·59	12·55	5·32	5·43	12·95	YEAR'S TOTAL 70·00
Rain Days.													

W, 6,500, VII. 18. W W C

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

8 NOV 1919

Kept at Pwll-Ifor

in the County of Brecon

by Newport Corporation, Mon.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 1224 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5													5
6												4·39	6
7													7
8			2·32										8
9													9
10								·13					10
11	4·29												11
12				·90									12
13							1·08		2·19			1·35	13
14						1·82							14
15		·64									·37		15
16			2·90										16
17					1·00								17
18	2·70									1·62			18
19													19
20													20
21													21
22													22
23		3·83											23
24								1·91					24
25													25
26													26
27							·65					5·27	27
28		·06											28
29													29
30		X		2·99		1·39			1·69		4·18		30
31	1·55	X	2·53	X	·03	X	·19	2·86	X	·92	X	2·29	31
Total	8·54	4·53	7·75	3·89	1·03	3·21	1·92	4·90	3·88	2·54	4·55	13·30	YEAR'S TOTAL 60·04
Rain Days.													

W. 6,500, VII. 18. W W C

3622

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

6 MAY 1921

Kept at Pwll-ifor

in the County of ~~Monmouth~~ Brecon

by Newport Corporation

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge ....in.

Height of top of Gauge above Ground ....ft. ....in.

" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3							3·50						3
4													4
5													5
6													6
7													7
8													8
9										3·04			9
10	4·74			2·86									10
11									·31			2·27	11
12						1·80							12
13			2·93								·67		13
14		3·20						1·77					14
15					2·58								15
16													16
17				5·37			2·29						17
18									4·97				18
19													19
20													20
21													21
22	3·35												22
23										1·50	2·32		23
24													24
25												3·52	25
26						1·30							26
27			4·01										27
28													28
29		1·24											29
30		X		3·73		1·40			·63		1·25		30
31	3·90	X	1·46	X	1·85	X	3·14	·64	X	·80	X	4·56	31
TOTAL	11·99	4·44	8·40	11·96	4·43	4·50	8·93	2·41	5·91	5·34	4·24	10·35	YEAR'S TOTAL 82·90
Days with ·01 in. or more													
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGI

TORPANTAU STA

—

BRECON

1918, ~~1920~~

18

ng.

FORM A.
BRITISH RAINFALL.

19 2. 19

Kept at Torpantau

in the County of Bre

by Newport Co

n Torpantau

Rain Gauge 5 in.

above Ground 1 ft. 0 in.

„ Sea Level 1316. ft.

IMPORTANT NOT and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									·08	·04	1·27	·01	1
2									·03	·09	·24	1·53	2
3									·55	·27	·04	·28	3
4									·49	·93	1·64	·78	4
5									·38	1·53	·08	·12	5
6									·04	·48	—	·24	6
7									1·61	·27	·54	·21	7
8									·09	·53	·08	·07	8
9									·68	·73	·18	·55	9
10									·38	·22	·64	·58	10
11									·32	·10	·09	·56	11
12									·21	—	—	·21	12
13								GAUGE FIXED	·84	·15	—	·83	13
14								·01	·60	·07	—	·75	14
15								—	·39	—	—	·89	15
16								·16	1·05	—	—	·55	16
17								·08	·41	·09	—	·64	17
18								—	·42	·07	—	·85	18
19								—	·09	·03	—	·37	19
20								—	·82	—	—	·02	20
21								—	1·23	—	—	·22	21
22								—	·28	—	—	1·02	22
23								—	·48	—	·15	·09	23
24								·22	·11	—	·23	·13	24
25								1·07	·09	·14	·16	·08	25
26								·09	·39	·13	·19	·75	26
27								·66	·50	·06	·13	·46	27
28								—	·02	·05	·23	·58	28
29								—	1·25	·03	—	·28	29
30								·04	·01	·18	·09	·41	30
31								·07		·04		·01	31
Total								imp ~~2·40~~	13·84	6·23	5·98	14·07	~~YEARS~~ TOTAL 42·52
Rain Days.								9	30	23	17	21	100.

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

19 2. 19

Kept at Torpantau (GAUGE FIXED 10-50AM. 13/8/18)
in the County of Brecon
by Newport Corporation

Lat. Long.
Time of Observation
Nearest Railway Station Torpantau
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1316 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									·08	·04	1·27	·01	1
2									·03	·09	·24	1·53	2
3									·55	·27	·04	·28	3
4									·49	·93	1·64	·78	4
5									·38	1·53	·08	·12	5
6									·04	·48	—	·24	6
7									1·61	·27	·54	·21	7
8									·09	·53	·08	·07	8
9									·68	·73	·18	·55	9
10									·38	·22	·64	·58	10
11									·32	·10	·09	·56	11
12									·21	—	—	·21	12
13								GAUGE FIXED	·84	·15	—	·83	13
14								·01	·60	·07	—	·75	14
15								—	·39	—	—	·89	15
16								·16	1·05	—	—	·55	16
17								·08	·41	·09	—	·64	17
18								—	·42	·07	—	·85	18
19								—	·09	·03	—	·37	19
20								—	·82	—	—	·02	20
21								—	1·23	—	—	·22	21
22								—	·28	—	—	1·02	22
23								—	·48	—	·15	·09	23
24								·22	·11	—	·23	·13	24
25								1·07	·09	·14	·16	·08	25
26								·09	·39	·13	·19	·75	26
27								·66	·50	·06	·13	·46	27
28								—	·02	·05	·23	·58	28
29								—	1·25	·03	—	·28	29
30		X						·04	·01	·18	·09	·41	30
31		X		X		X		·07	X	·04	X	·01	31
Total								imp ~~2·40~~	13·84	6·23	5·98	14·07	~~YEAR'S~~ TOTAL 42·52
Rain Days.								9	30	23	17	21	100.

31

110

W. 8,000, VIII. 16

16/3/20

Exd

FORM A.
BRITISH RAINFALL.

'19

REGISTER OF RAINFALL IN 1919

Kept at Torpantau

in the County of Brecon

by Newport Corporation, Mon

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 1316 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·06	—	·25	·03	·49	—	·55	—	·49	·57		·83	1
2	·28	—	·22	—	·10	—	·11	·11	·59	·04	·05	·27	2
3	·03	—	·12	—	·11	—	—	—	·01	—	·03	·79	3
4	5 ·10	·14	·31	—	·11	—	·08	·06	·51	—		·34	4
5	·03	·06	·06	—	·04	·15	—	—	·02	—	·04	·70	5
6	·81	·39	·98	—	—	—	—	—	·01	—	·09	·43	6
7	·35	—	·47	·10	—	·03	—	—	·07	—		·03	7
8	·52	—	·15	·04	—	—	—	—	—	—		·02	8
9	1·00	—	·20	·19	—	—	—	—	—	—	·10	·89	9
10	·30	—	1·44	·14	·02	—	—	—	—	—	·02	·14	10
11	·27	—	1·20	·50	·30	—	·07	—	—	·05	·14	·44	11
12	·02	—	·30	·24	·12	1·26	·02	—	—	·20			12
13	·94	—	—	·83	—	—	—	—	1·35	·33		·11	13
14	1·26	·10	—	·51	·12	—	·09	·01	—	·12		·31	14
15	·78	·06	—	·26	·02	—	—	·05	—	·26		·29	15
16	·37	1·09	—	·01	—	·17	·05	·05	—	—	·24	·04	16
17	·05	·41	—	·05	—	·29	·36	·31	—	—	·88	·07	17
18	—	·06	·78	—	—	—	·03	·50	·08	—	·42	·18	18
19	·57	·42	·85	—	—	·57	—	·67	·08	—	·21	·06	19
20	·69	·43	·04	—	—	—	·25	·16	·02	—	·11	·45	20
21	·02	1·47	—	—	—	—	—	·06	·14	—	·02	·16	21
22	—	·29	—	—	—	·22	—	—	1·20	—	·13	·69	22
23	—	—	—	—	—	—	—	·01	—	·82	·44	·19	23
24	·01	—	—	·10	—	·10	—	·08	·11	·40	·30	·48	24
25	·26	—	—	·15	·03	·07	—	1·25	·13	·03	·09	·18	25
26	—	·01	·57	·23	—	·04	—	·18	·22	—		1·11	26
27	·39	—	·16	·33	—	—	·18	·43	·05	—		·10	27
28	—	~~·25~~	·26	·01	—	~~·02~~	—	·16	—	—	·23	·82	28
29	—		·03	·08	—	·06	—	·14	—	·20		·54	29
30	—	X	·01	·20	—	·30	—	·47	·07	·05	·49	·65	30
31	—	X	·07	X	—	X	·08	—	X		X	·09	31
Total	10·11	4·93 ~~5·18~~	8·47	4·00	1·46	3·22 ~~2·85~~	1·77	4·70	5·15	3·07	4·03	11·10	YEAR'S TOTAL 62·01
Rain Days.	23	~~11~~ 13	21	19	11	~~10~~ 13	12	18	18	12	19	30	209

W, 6,500, VII. 18. W W C

3594

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

6 MAY 192

Kept at Torpantau

in the County of ~~Ab~~ Brecon

by Newport Corporation

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·03	·04	·43	·88	-	·79	·02	·14	·17	·02	·53	1
2	·26	·08	·03	·10	·03	-	·33	·11	·17	·27	-	·88	2
3	-	·24	-	·24	·09	·01	1·27	·06	·06	1·70	-	·38	3
4	-	-	·01	·05	·03	-	-	1·27	·03	·25	-	-	4
5	-	-	·36	·04	·54	-	·29	·34	·30	·30	-	-	5
6	-	-	·48	·02	·45	-	·07	-	-	·18	-	-	6
7	·29	-	·03	·19	·03	-	·30	-	-	-	·01	-	7
8	·09	·09	-	·90	·38	-	·09	·47	-	-	-	-	8
9	1·04	·83	·03	·80	-	-	·06	·06	·02	-	·05	-	9
10	1·83	·88	·33	·04	-	·05	·48	-	-	-	·19	-	10
11	·36	·06	·39	·71	·48	·08	·08	-	-	-	·18	-	11
12	·76	·29	·07	·33	·05	·79	·36	·14	-	·05	·46	-	12
13	·09	·09	·98	·79	-	-	-	-	-	-	·39	-	13
14	·21	·09	·50	·89	-	·20	·34	-	1·35	·40	1·80	·03	14
15	·07	·25	·34	1·50	-	-	-	-	-	-	·26	-	15
16	·02	·02	·14	·11	·14	·83	·43	·02	·61	·25	-	-	16
17	·36	-	·03	-	·57	1·11	-	·44	1·77	·20	-	-	17
18	·46	-	-	·27	·58	·06	·29	-	·71	-	-	·10	18
19	·02	·25	-	·83	·30	·33	·01	·39	·01	-	-	-	19
20	·06	·05	-	·61	-	·02	·06	-	-	-	-	·30	20
21	-	-	-	·29	-	-	·12	-	-	·20	-	·19	21
22	·16	-	-	·07	-	·03	·56	·03	·03	-	-	·16	22
23	·03	-	·03	-	-	-	·57	·03	-	-	-	·50	23
24	·08	·05	·78	·04	-	-	-	-	-	-	·11	·43	24
25	·09	·14	·29	·12	-	-	·84	-	-	-	-	·10	25
26	·37	·16	·50	·17	·78	·30	·06	-	-	-	-	·38	26
27	·83	·10	·96	·44	·05	·33	·23	-	-	-	·11	·60	27
28	·62	·06	·46	·13	·03	·26	·09	-	-	-	-	·14	28
29	·55	·01	·28	·34	·28	·14	·65	-	-	-	·24	·86	29
30	·49	×	·13	·25	-	·62	·13	-	·70	·08	·46	1·43	30
31	·10	×	·46	×	·07	×	·06	-	×	·68	×	·13	31
Total	9·24	3·77	7·65	10·70	5·76	5·16	8·56	3·38	5·90	4·73	4·28	7·14	YEAR'S TOTAL 76·27
Days with ·01 in. or more	25	20	24	28	19	16	26	13	13	13	13	17	227
Days with ·04 in. or more	22	17	18	27	15	13	25	9	9	13	11	16	196

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Small

177

REGI

4179.

TORPANTAU

DAREN FAWR.

1918 – 30

FORM A.
BRITISH RAINFALL.

19 - 18

Kept at Daren Fau

in the County of Bre ... tyshire

by Newport Cor

...ge 5 in.

...round 1 ft. 0 in.

...ea Level 1172 ft.

IMPORTANT NOTE ... result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7												3·09	7
8													8
9											4·54		9
10													10
11													11
12										4·49			12
13								GAUGE FIXED					13
14													14
15									5·72				15
16											·63		16
17								·21					17
18													18
19													19
20													20
21									4·42			6·33	21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X							2·66		1·01		30
31		X		X		X		2·20	X	·90	X	2·79	31
Total								imp ~~2·41~~	12·80	5·39	6·18	12·21	~~YEAR'S~~ TOTAL 38·99
Rain Days.													

W. 8,000, VIII. 16

179

5 mths

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.

19 - 18

Kept at Daren Fawr (FIXED GAUGE 1-50 P.M. 13/8/18)

in the County of Brecon

by Newport Corporation

Lat. Long.

Time of Observation

Nearest Railway Station Pantyphiw

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1172 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7												3·09	7
8													8
9											4·54		9
10													10
11													11
12										4·49			12
13								GAUGE FIXED					13
14													14
15									5·72				15
16											·63		16
17								·21					17
18													18
19													19
20													20
21									4·42			6·33	21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X							2·66		1·01		30
31		X		X		X		2·20	X	·90	X	2·79	31
Total								~~2·41~~ ✓	12·80 ✓	5·39 ✓	6·18 ✓	12·21 ✓	~~YEAR'S~~ TOTAL 38·99 ✓
Rain Days.													

W. 8,000, VIII. 16

card for auth

REGISTER OF RAINFALL IN 1919.

FORM A.
BRITISH RAINFALL.

8 NOV 1919

Kept at Daren Fawr

in the County of Brecon

by Newport Corporation, Mon.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 1172 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6												405	6
7													7
8			2·40										8
9													9
10								·17					10
11	5·10												11
12				1·04									12
13							1·38		2·24				13
14						1·53							14
15		·80									·31		15
16			2·88										16
17					·97								17
18	3·00									1·83			18
19												2·65	19
20													20
21													21
22													22
23		3·87											23
24								1·93					24
25													25
26													26
27							·52						27
28		·05											28
29													29
30		X		2·55		1·45			1·55		4·04		30
31	1·66	X	2·50	X	·02	X	·16	2·79	X	1·11	X	6·67	31
Total	9·76	4·72	7·78	3·59	·99	2·98	2·06 2·04	4·89	3·79	2·94	435	13·37	YEAR'S TOTAL 61·22
Rain Days.													

W, 6,500, VII. 18. w w c

~~not~~ ✓

Cyd Ory

3618

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

6 MAY 1921

Kept at Darenfawr

in the County of ~~Monmouth~~ Brecon

by Newport Corporation

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3							2·92						3
4													4
5													5
6													6
7													7
8													8
9										3·67			9
10	4·75			3·12									10
11									·54			2·29	11
12						1·74					·54		12
13		3·71	3·29										13
14								2·26					14
15					3·40								15
16													16
17				5·70			2·39						17
18									4·92				18
19													19
20													20
21													21
22	3·50												22
23										1·88	2·74		23
24												3·63	24
25													25
26						1·69							26
27			4·05										27
28													28
29		1·31											29
30		X		3·30		1·68			·60		1·27		30
31	4·45	X	1·48	X	1·86	X	3·56	·66	X	·83	X	4·63	31
TOTAL	12·70	5·02	8·82	12·12	5·26	5·11	8·87	2·92	6·06	6·38	4·55	10·55	YEAR'S TOTAL 88·36 ✓
Days with ·01 in. or more													
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

4180

FORM A. BRITISH RAINFALL.

19 2.19

REC

4180 .

TORPANTAU

~~[illegible]~~

INYSPOSTE

1918 - 20

1924

Kept at Ynys -

in the County of Bre

by Newport C

Pantyrhiw

Gauge 5 in.

Ground 1 ft. 0 in.

Sea Level 741 ft.

IMPORTANT NO the result entered to the previous day. If an C ersal rule, he is earnestly requested to add the rea year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7												2·71	7
8													8
9								GAUGE FIXED			4·23		9
10													10
11													11
12										4·34			12
13													13
14													14
15									5·46				15
16											·47		16
17								·15					17
18													18
19													19
20													20
21									4·05			6·00	21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X							2·72		·89		30
31		X		X		X		2·00	X	·71	X	2·63	31
Total								inp ~~2·15~~	12·23	5·05	5·59	11·34	~~YEAR'S~~ TOTAL 36·36
Rain Days.													

W. 6,500, VII. 18. W W C

4180

FORM A.
BRITISH RAINFALL.

19 2. 19

REC

Kept at Ynys - Poste (GAUGE FIXED 3·40 P.M. 9/[illegible]/18)
in the County of Brecon
by Newport Corporation

Lat. Long.
Time of Observation
Nearest Railway Station Pantyrhew
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 741 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7												2·71	7
8													8
9								GAUGE FIXED			4·23		9
10													10
11													11
12										4·34			12
13													13
14													14
15									5·46				15
16											·47		16
17								·15					17
18													18
19													19
20													20
21									4·05			6·00	21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X							2·72		·89		30
31		X		X		X		2·00	X	·71	X	2·63	31
Total								imp ✓ ~~2·15~~	12·23 ✓	5·05 ✓	5·59 ✓	11·34 ✓	~~YEAR'S~~ TOTAL 36·36 ✓
Rain Days.													

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

8 NOV

Kept at Ynys · Porte
in the County of Brecon
by Newport Corporation, Mon.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 741 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6												3·82	6
7													7
8			2·31										8
9													9
10								·15					10
11	5·16												11
12				1·00									12
13							1·57		2·07				13
14						1·56							14
15		·69									·35		15
16			2·83										16
17					·91								17
18	2·92									1·66			18
19												2·28	19
20													20
21													21
22													22
23		3·81											23
24								1·85					24
25													25
26													26
27							·48						27
28		·05											28
29													29
30		X		2·60		1·26			1·58		3·92		30
31	1·51	X	2·57	X	·02	X	·15	2·82	X	1·02	X	6·52	31
Total	9·59	4·55	7·71	3·60	·93	2·82	2·20	4·82	3·65	2·68	4·27	12·62	YEAR'S TOTAL 59·44
Rain Days.													

W. 6,500, VII. 18. w w c

Ed. Org 36,9

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

6 MAY 1921

Kept at Ynysposte
in the County of ~~Monmouth~~ Brecon
by Newport Corporation

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3							2·85						3
4													4
5													5
6													6
7													7
8													8
9										3·21			9
10	4·65			2·98									10
11									·43			2·19	11
12						1·54					·45		12
13		3·23	3·18										13
14								2·03					14
15					3·10								15
16													16
17				5·36			2·23						17
18									4·89				18
19													19
20													20
21													21
22	3·10												22
23										1·68	2·41		23
24												3·36	24
25													25
26						1·52							26
27			4·18										27
28													28
29		1·15											29
30				3·64		1·54			·59		1·20		30
31	4·41		1·40		1·90		3·35	·58		·79		4·48	31
TOTAL	12·16	4·38	8·76	11·98	5·00	4·60	8·43	2·61	5·91	5·68	4·06	10·03	YEAR'S TOTAL 83·60
Days with ·01 in. or more													
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Small

4181 ~~TOR~~PANTAU

BLAEN-CAER-FANELL

1918 - 20

1922 1924

181

FORM A.
BRITISH RAINFALL

19 2.19

REGIST

Kept at Blaen-Caerfanell ... tau

in the County of Brecon ... 5 in.

by Newport Corpor ... 1 ft. 0 in.

...vel 1584 ft.

IMPORTANT NOTE.—I ... result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7												3·33	7
8													8
9								GAUGE FIXED			4·12		9
10													10
11													11
12										4·97			12
13													13
14													14
15									6·42				15
16											·66		16
17								·19					17
18													18
19													19
20													20
21									4·85			7·16	21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X							2·92		1·28		30
31		X		X		X		2·20	X	1·08	X	3·80	31
Total								imp ~~2·39~~	14·19	6·05	6·06	~~14·29~~	~~YEAR'S~~ TOTAL 42·98
Rain Days.													

W, 6,500, VII. 18. W W C

Imade

181

FORM A.
BRITISH RAINFALL.

19 2.19

REGISTER OF RAINFALL IN 1918

Kept at Blaen-Caerfanell (FIXED GAUGE 2.25PM. 9/8/18)
in the County of Brecon
by Newport Corporation

Lat. Long.
Time of Observation
Nearest Railway Station Torpantau
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1584 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5													5
6													6
7												3·33	7
8													8
9								GAUGE FIXED			4·12		9
10													10
11													11
12										4·97			12
13													13
14													14
15									6·42				15
16											·66		16
17								·19					17
18													18
19													19
20													20
21									4·85			7·16	21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X							2·92		1·28		30
31		X		X		X		2·20	X	1·08	X	3·80	31
Total								imp ✓ ~~2·39~~	14·19 ✓	6·05 ✓	6·06 ✓	[illegible] ✓	~~YEAR'S~~ TOTAL 42·98 ✓
Rain Days.													

W, 6,500, VII. 18. W W C

ESD 9L

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Blaen-Caerfanell

in the County of Brecon

by Newport Corporation, Mon

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 1584 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6												422	6
7													7
8			2·45										8
9													9
10								·18					10
11	4·20												11
12				1·09									12
13							1·25		2·82				13
14						1·80							14
15		·55									·57		15
16			3·35										16
17					1·42								17
18	3·62									2·02			18
19												2·54	19
20													20
21													21
22													22
23		4·59											23
24								2·10					24
25													25
26													26
27							·83						27
28		·07											28
29													29
30		X		2·84		1·75			2·14		4·39		30
31	1·82	X	3·27	X	·04	X	·27	2·80	X	1·41	X	7·37	31
Total	9·64	5·21	9·07	3·93	1·46	3·55	2·35	5·08	4·96	3·43	4·96	14·13	YEAR'S TOTAL 67·77
Rain Days.													

W. 8,000, IX. 17.

3620

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Blaen-car Tarnell

in the County of ~~Monmouth~~ Brecon

by Newport Corporation

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3							3.24						3
4													4
5													5
6													6
7													7
8													8
9										2.59			9
10				3.59									10
11	5.14								·79			2.55	11
12						1.58					·60		12
13		3.78	3.12										13
14								2.77					14
15					3.42								15
16													16
17				5.51			2.79						17
18									5.33				18
19													19
20													20
21													21
22	3.08												22
23										2.15	2.70		23
24												4.27	24
25													25
26						1.74							26
27			4.79										27
28													28
29		1.65											29
30		×		4.06		1.79			·69		1.34		30
31	3.97	×	1.49	×	2.12	×	4.74	·86	×	·86	×	5.67	31
TOTAL	12.19	5.43	9.40	13.16	5.54	5.11	10.77	3.63	6.81	5.60	4.64	12.49	YEAR'S TOTAL 94.77 ✓
Days with ·01 in. or more													
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL

S. made

45

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REG 12

TRECASTLE

BRECON

1912 - 1915

Kept at Trecastle

in the County of Brec

by P. W. Green

in.

ve Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10			·60		·44		·30			·20		1
2	·15				·25	·30		·50		·20			2
3			·50			·50		1·50					3
4								1·00					4
5			3·00					·45					5
6	·30		1·00		·10			·30					6
7	·10	·10			·20			·15					7
8		·30			·33	·94	·10						8
9		·46	·20	·10									9
10		·29	·10	·20				·10					10
11						·09			·10	·05	·10		11
12	·09		·09								·15	·20	12
13	·20		·20	·30							·25		13
14		·33	·30	·20				·20			·10	·40	14
15	·50							·05				·60	15
16	·30	·26	·15		·15			1·80					16
17	·50		·10					1·00		·40			17
18	·23		·16					1·90					18
19	·45												19
20	1·00		·33				·10			·10	·08		20
21			·25				·50		·30	·26			21
22	·15	·15	·40	·20	·19		·15						22
23		·65	·55	·15	·16	·09							23
24						·23	·09	·80		·85	·10		24
25					·05	·16		·66				·35	25
26			·38				·10		·15				26
27								·60		·15	·30		27
28		·49					·50						28
29							1·00	·50					29
30							·60	·30		·05			30
31							·10						31
Total	4·07	3·03	7·71	1·75	1·43	2·75	3·24	12·11	·55	2·06	1·28	1·55	TOTAL for year 41·53
No. of Rain Days.	13	9	16	7	8	8	10	18	3	8	8	4	112

W. 8,000, X. '11.

DL

S. made

REG 12

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

48

Kept at Trecastle 11

in the County of Brecon

by P. W. Green

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10			·60		·44		·30			·20		1
2	·15				·25	·30		·50		·20			2
3			·50			·50		1·50					3
4								1·00					4
5			3·00					·45					5
6	·30		1·00		·10			·30					6
7	·10	·10			·20			·15					7
8		·30			·33	·94	·10						8
9		·46	·20	·10									9
10		·29	·10	·20				·10					10
11						·09			·10	·05	·10		11
12	·09		·09								·15	·20	12
13	·20		·20	·30							·25		13
14		·33	·30	·20				·20			·10	·40	14
15	·50							·05				·60	15
16	·30	·26	·15		·15			1·80					16
17	·50		·10					1·00		·40			17
18	·23		·16					1·90					18
19	·45												19
20	1·00		·33				·10			·10	·08		20
21			·25				·50		·30	·26			21
22	·15	·15	·40	·20	·19		·15						22
23		·65	·55	·15	·16	·09							23
24						·23	·09	·80		·85	·10		24
25					·05	·16		·66				·35	25
26			·38				·10		·15				26
27								·60		·15	·30		27
28		·49					·50						28
29							1·00	·50					29
30							·60	·30		·05			30
31							·10						31
Total	4·07	3·03	7·71	1·75	1·43	2·75	3·24	12·11	·55	2·06	1·28	1·55	TOTAL for year 41·53
No. of Rain Days.	13	9	16	7	8	8	10	18	3	8	8	4	112

W. 8,000, X. '11.

Dl ✓ 5x 9½ 487a

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

31 JAN 1914

Kept at Lliwell Vicarage, Trecastle II
in the County of Brecon
by Rev. P. W. Green

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5	·20												5
6													6
7													7
8	·10												8
9													9
10													10
11													11
12	·30												12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25	·05												25
26													26
27													27
28													28
29													29
30													30
31	·43												31
Total	1·08												YEAR'S TOTAL
Rain Days.	5												

27.V.15

471

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

22 JAN 1915

Kept at Trecastle 11. Llwel Vicarage

in the County of Brecon

by P. W. Green

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												·20	1
2							·21	·20				·05	2
3								·40					3
4								1·00				·50	4
5								·50				·20	5
6											·20		6
7								·10					7
8								·40			·50		8
9						·37		·20					9
10						(·88) ~~·09~~					·35	·40	10
11						·07					·15	·15	11
12						·20			·10		·10	·01	12
13											·10	·10	13
14												·30	14
15							·10	·40				·50	15
16								·05	·50			·33	16
17									1·00			·16	17
18							·11		·07			2·00	18
19							1·00		·08			1·00	19
20							·30					·17	20
21						·32	·50		·10				21
22							·20				·20	·45	22
23						·23	·09				1·00	·13	23
24						·04		1·00			2·00	·10	24
25								·50			·10	·20	25
26							1·00				·25	·15	26
27							·30	·20				·50	27
28												·80	28
29												1·00	29
30												2·00	30
31													31
Total						2·11✓	3·81? ~~3·70~~	4·95	1·85		4·95	11·40	YEAR'S TOTAL
Rain Days.						~~7~~	~~10~~	~~12~~	~~6~~				

W.7,000, XI. 13

DL

4573a

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Trecastle 11 Llywel Vicarage

in the County of Brecon Ex DL

by Rev. P. W. Green

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·00												1
2	·10												2
3	·05												3
4	·13												4
5													5
6													6
7													7
8	·15												8
9	·22												9
10	·26												10
11	·50												11
12	·25												12
13	·17												13
14	·10												14
15	·80												15
16	·50												16
17													17
18													18
19	·11												19
20	·16												20
21	·35												21
22	·40												22
23	·01												23
24	·10												24
25	·48												25
26	·24												26
27	·33												27
28	·16												28
29													29
30		×											30
31		×		×		×			×		×		31
Total	6·57												YEAR'S TOTAL
Rain Days.	23												

W. 8,000. X. 14.

Bad

REGI 11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

— TRECASTLE
BLAENAU HIIDFER
1911-20

Kept at Blaenau .... in.
ove Ground .... ft. .... in.
in the County of Br .... „ Sea Level .... ft.
by Goronwy G

{ Name
{ Distance .... Direction

IMPORTANT NOTE.— ... nd the result entered to the previous day. If an Obser ... niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33.		·50				·29	·005	-		·045	·94	1
2	-	-	·17	.	·19	.	·05	·07	.	.	·19	·56	2
3	-	-	·08	·06	1·00	.	.	·47	.	·21	·21	1·545	3
4	-	.	.	.	1·67	·38	-	·14	.	.	·97	·44	4
5	-	-	·38	.	·05	.	-	1·50	·145	.	·85	1·82	5
6	1·34	.	·27	-	-	.	-	·65	:	·09	·23		6
7	·06	.	·07	.	.	. .	-	·16	.	.	·22	2·10	7
8	-	.	.	.	.	.	.	.	.	.	1·67		8
9	·75	-	·50	.	-	.	.	.	.	.	·83	1·42	9
10	-	.	.	.	-	.	.	.	.	.	·23	1·35	10
11	·55	·11	1·27	.	-	.	.	.	.	.	-	1·48	11
12	·17	·05	.	.	·28	.	.	-	.	.	·32	·35	12
13	-	-	·44	.	-	.	.	.	1·26	.	1·85		13
14	-	-	.	-	·20	-	.	.	·05	-	·44	·45	14
15	. .	-	.	-	.	.	.	.	.	.	·37	5·89	15
16	-	·25	.	.	.	.	.	.	.	.	1·75		16
17	-	·12	.	.	-	·45	.	.	.	.	·46	1·3	17
18	-	·15	.	-	-	1·45	·005	.	.	.	1·09	1·2	18
19	-	·79	·05	·93	-	·28	.	.	.	.	·56	2·47	19
20	-	·14	.	·77	-	·30	.	·07	·92	·15	1·90	7·72	20
21	-	·19	.	·45	-	·09	.		·17	·40	-	·36	21
22	-	·80	·005	·06	-	·50	.	2·46		1·10	-	·15	22
23	-	·69	-	·29	-	·25	·05	.	·06	·45	-	2·58	23
24	-	·23	.	-	-	·22	.	.	·31	1·45	.	2·88	24
25	-	·41	.	-	-	·75	.	·39	·07	·27	.	·52	25
26	·45	·17	-	·35	-	·19	·025		·49	·11	.	·04	26
27	-	·26	-	·64	.	-	.	·24	·75	·59	.	·11	27
28	-	1·06	·08	·14	-	-	.	·88	-	.	·18	·09	28
29	-	-	-	·71	-	·045	-	·14	-	.	.		29
30	-	-	-	·16	-	·54	·15	·43	·39	·88	.		30
31	-	-	-	-	-	-	·22	·31	-	·85	.	-	31
	-	·50	-	-	-	·29	·005		-	·045	·94	-	
Total	3·65 3·32	5·36 5·86	3·815 3·315	4·50 4·50	3·39 3·39	5·85 6·14	·79 ·505	7·915 7·91	4·615 4·615	6·55 6·595	~~14·3[illegible]5~~ 15·26	~~37·785~~ 36·845	TOTAL for year ✓
No. of Rain Days	7	15	12 11	11	6	13	6	14	11	12	19	23	~~98·585~~ 244 150

9,000, IX. '10.

Bad

Bad

REGI 11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Blaenau.

in the County of Brecon.

by Goronwy G. Jones.

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33.		·50				·29	·005	-		·045	·94	1
2	-	-	·17	.	·19	.	·05	·07	.	.	·19	·56	2
3	-	-	·08	·06	1·00	.	.	·47	.	·21	·21	1·545	3
4	-	-	.	.	1·67	·38	-	·14	.	.	·97	·44	4
5	-	-	·38	-	·05	-	-	1·50	·145	.	·85	1·82	5
6	1·34	-	·27	-	-	.	-	·65	:	·09	·23		6
7	·06	-	·07	.	.	. .	-	·16	:	.	·22	2·10	7
8	-	-	.	.	.	-	. .	.	.	.	1·67		8
9	·75	-	·50	.	-	.	.	.	.	.	·83	1·42	9
10	-	-	.	.	-	.	.	.	.	.	·23	1·35	10
11	·55	·11	1·27	.	-	.	.	.	.	.	-	1·48	11
12	·17	·05	.	.	·28	.	.	-	.	.	·32	·35	12
13	-	-	·44	.	-	.	.	.	1·26	.	1·85		13
14	-	-	.	-	·20	-	.	.	·05	-	·44	·45	14
15	-	-	.	-	.	.	.	.	.	.	·37	5·89	15
16	-	·25	.	.	.	.	.	.	.	.	1·75		16
17	-	·12	.	.	-	·45	.	.	.	.	·46	1·3	17
18	-	·15	.	-	-	1·45	·005	.	.	.	1·09	1·2	18
19	-	·79	·05	·93	-	·28	.	.	.	.	·56	2·47	19
20	-	·14	.	·77	-	·30	.	·07	·92	·15	1·90	7·72	20
21	-	·19	.	·45	-	·09	.		·17	·40	-	·36	21
22	-	·80	·005	·06	-	·50	.	2·46		1·10	-	·15	22
23	-	·63	-	·29	-	·25	·05	.	·06	·45	-	2·58	23
24	-	·23	.	-	-	·22	.	.	·31	1·45	.	2·88	24
25	-	·41	.	-	-	·75	.	·39	·07	·27	.	·54	25
26	·45	·17	-	·35	-	·19	·025		·49	·11	.	·04	26
27	-	·26	-	·64	-	-	.	·24	·75	·59	.	·11	27
28	-	1·06	·08	·14	-	-	.	·88	-	.	·18	·09	28
29	-	-	-	·71	-	·045	.	·14	-	.	.		29
30	-	-	-	·16	-	·54	·15	·43	·39	·88	.		30
31	-	-	-	-	-	-	·22	·31	-	·85	.		31
	-	·50	=	-		·29	·005			·045	·94	-	
Total	3·65 3·32	5·36 5·86	3·815 3·315	4·50 4·50	3·39 3·39	5·85 6·14	·79 ·505	7·915 7·91	4·615 4·615	6·55 6·595	~~14·3[illegible]5~~ 15·26	~~37·785~~ 36·845	TOTAL for year ✓ ~~98·585~~ 150
No. of Rain Days	7.	15	12. 11	11	6.	13.	6	14	11	12	19	23	

224
Bad

9,000, IX. '10.

from C. Jan 1-11 est^d from Cray &c 4.iii.13

REGISTER OF RAINFALL IN 1912

Exd

FORM A. BRITISH RAINFALL.

- 4 MAR 1913

Kept at Trecastle (Blaenau-hydfer)

in the County of Brecon 7

by G. G. Jones

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	}	–	1·15	–	·145	·74	·05	·025	·045	·29	–	·52	1
2		–	1·31	–	–	·78	·025	–	–	–	–	–	2
3		–	·35	–	–	·15	–	1·31	·32	–	·07	·41	3
4		–	2·59	·05	·10	·005	–	·46	–	–	·31	·035	4
5		–	·50	–	06	–	–	·21	·06	–	·015	·20	5
6	(4·00)	·44	·035	–	·17	–	–	·025	·05	–	–	·23	6
7		·60	·62	·07	·11	·42	·32	·14	·015	–	–	·26	7
8		·33	·33	·22	–	·09	–	·57	·05	–	·045	·015	8
9		·49	·47	·24	–	·27	·05	·05	–	–	·07	·83	9
10		·07	–	–	–	·005	·26	·07	–	–	·69	·23	10
11		–	–	–	–	–	·08	–	–	–	·65	1·85	11
12	·15	·50	·49	·09	·12	–	·13	–	–	–	·05	·15	12
13	·08	–	–	–	–	·045	·07	·06	–	·44	·015	·66	13
14	·50	–	1·25	–	–	–	–	·21	·015	·05	–	·53	14
15	·72	·18	–	–	·07	·26	–	·035	–	~~2~~	–	·56	15
16	·56	·05	1·50	–	·14	–	–	·65	–	·26	–	·11	16
17	·15	·045	·33	–	·11	·32	–	·69	–	–	·17	1·04	17
18	·13	·06	·17	–	–	–	–	·57	–	·25	·05	·10	18
19	·04	·55	–	–	–	·05	·035	·87	–	·045	·005	·27	19
20	·05	·025	·60	–	–	–	·025	·16	–	·70	·27	·36	20
21	–	·25	1·22	–	·31	–	–	·38	–	·30	·015	–	21
22	·10	1·00	·49	–	·37	·035	·46	1·035	–	·035	·11	·27	22
23	·14	·26	·24	–	–	·39	·035	·83	–	·045	·37	–	23
24	–	–	·25	–	–	·83	–	·025	–	·015	·06	·67	24
25	–	·08	·09	–	–	–	·07	·61	–	·025	·80	1·26	25
26	–	·50	·20	–	–	·20	·025	·41	–	1·99	1·60	·71	26
27	–	·15	·27	–	–	1·09	1·15	–	–	2·16	·06	1·21	27
28	–	·57	–	–	–	·60	1·48	·92	– }·330	·57	1·45	·045	28
29	–	·66	–	–	–	·035	·30	–	–	·74	–	·07	29
30	–		·41	–	–	·67	·11	·15	–	1·06	–	·24	30
31	·06		·36		–		·24	–		·035		–	31
Total	(6·68)	6·810	15·225	·670	1·705	6·985	4·915	10·465	·885	9·010	6·875	12·835	YEAR'S TOTAL 83,060
Rain Days.	(23)	20	24	5	11	~~20~~ 19	19	25	9	18	21	27	22~~2~~ 221

W. 7,500, XI. ·12

✓ corr for WD } 28·IV·14

FORM A.
BRITISH RAINFALL.

3 - JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Blaenau, Trecastle
in the County of Brecknock
by G. G. Jones.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Devynock.
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·24	·08		·37		·06			·02		·15	·49	1
2	·18	·25	·97	·65	·12				·01		·85	·05	2
3	·28	·55	·73	1·02	·21	·08				·77	·67	·37	3
4	·50	·18	·45		·72					·01		1·22	4
5	·67	·29	·44		·05		·01		1·19	·11	·12	·40	5
6	·47	·17	·10		·64	·53	·12		·05	·02	·76	·19	6
7	·86	·50	·57		·15	·57	·17			·49	·16	·46	7
8	·51	1·91	·06		1·20	·55	·02			·81	·32	·01	8
9	·09	·95			·59	·08	·06	·12		·12			9
10		·26	·28		·43	1·25	·12	·12	·06	·36	·82	·29	10
11	·59		·13	·03	·12		·03	·86		·05	·22		11
12	·48			·62	·11			·09			1·61	·12	12
13					·05	·03			·28		1·20		13
14	·06		·85	·05			·05	·09	·98		·57		14
15	·44		·70	·35					·67	·55	·05		15
16	·65		1·40	2·91				·35			·17	·12	16
17	·34		·40	·18		·05	·02	·05			·21		17
18	·18		·52	·22			·27				·40		18
19	·20		1·27	·67	·06		·12			·49	·37		19
20	1·26		·50		·05	·53	·14		·23	·50	·23		20
21	·33		·68	·31	·30					·60	2·47		21
22			·63	·71	·35		·17	·28					22
23	1·03		1·12		·035	·23		1·24	·58		·23	·11	23
24	·16		·12			·17		·24	·42				24
25	·44	·19		·31						·05	·56	·06	25
26		·10		·81						·06	·22	·35	26
27				3·49		·07				·38		1·46	27
28	·08		·10	·74				·05		·67		·08	28
29	·19		·41	·99	·08					1·37			29
30			·40	·31	·025			·11		·35	·26		30
31	1·06		·05		·26							·30	31
	·08	–	·37	–	·06	–	–	·02	–	·15			
Total	~~11·70~~ 11·54	5·35	~~12·88~~ 13·25	14·37	~~6·09~~ 6·15	4·14	1·30	~~3·40~~ 3·42	4·42	~~6·76~~ 7·91	~~12·47~~ 12·96	~~6·08~~ 5·59	YEAR'S TOTAL ~~87·98~~ 90·40
Rain Days.	25	11	25	18	20	12	13	13	10	~~15~~ 20	~~22~~ 23	16	207

W. 7,500, XI. ·12

81

[illegible] BY WS} 26 IV 15

REGISTER OF RAINFALL IN 1914

22 JAN 1915

471

FORM A. BRITISH RAINFALL

Kept at Blaenau

in the County of Brecon

by G. G. Jones

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·12										1
2		·53	·07	·08		·07	·20	1·00			·07	·23	2
3	·01		·76		·18	·06	1·05	·72			·17	1·08	3
4	·03		·32	·19	1·07			·05		·09	·20	1·49	4
5	1·09		·56	·50	·55		·57	·30			·18	1·58	5
6	·29		·21	·47	·23		·16						6
7	·05	·28	·67	·07	·25	·09		·10			·20	·93	7
8	·09	1·39	·27	·18	·76	·05	·43	·21	·02			·78	8
9	·28		·18	·38	·91	·15		1·32			·10	·24	9
10	·59	·16	·13	·65	·24	·87		·53	·05		·13		10
11	·05	1·28	·92	·43	·09	·07			·21		·09		11
12		·77	·16	·06	·20	·29					·65	·37	12
13		1·87	1·54						·19		·53	·18	13
14		2·00	·61				·21		·82	·17	·50	·14	14
15		2·32	·49				·05	·25			·63		15
16		·05	·08				·08	·23	·15	·04	·43	·12	16
17		1·50	·54				·15		·40			·07	17
18		·08	·45				·10		·22			3·42	18
19			·16				·07		·26			·86	19
20		·18	·48				1·35		·27		·05	·15	20
21		1·27	·05			·09					—	·19	21
22		·48				·10	·04			·42			22
23		·47	·47		·06		·06	·20		1·16			23
24		·22	·30			·09	·23			·13			24
25	·25		·20			·08	·31	·12		·71	·18		25
26	·45		·08				1·07	1·08		·36	·68	·99	26
27							·44	·45		·03	·84	·99	27
28	·19	·10	·39				·06		·05	·15	1·19	1·89	28
29	·14		·38		·15					·06	·13	·71	29
30	·93		1·04	·13	·08					·06	2·94	·13	30
31	·05									·60		2·35	31
	1·76	·10	—	—	·05	—	·77	—	—	—	1·38	·39	YEAR'S TOTAL
Total	~~4·49~~ 6·25	14·95 15·15	12·63	3·14	~~4·77~~ 4·82	2·01	~~6·63~~ 7·40	6·56	2·64	3·98	~~9·89~~ 11·27	~~18·89~~ 19·28	94·13
Rain Days	~~15~~ 16	~~18~~ 19	28	11	~~13~~ 14	12	~~19~~ 20	14	11	13	~~20~~ 21	~~22~~ 23	202

W.7,000, XI. 13

82

cut for W.P. 16. v. 16

4166
~~45·3~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Blaenau Ex H
in the County of Brecon
by G. G. Jones

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2	1·00	·47	·13					·53	·31	·30		·81	2
3	·41	1·08	·39	·31	·34			·52	·06	·02		·20	3
4		1·28	·38	·06	·05		·82	·09	·04			·37	4
5	·26	·59	·06		·08		·94	·05				1·12	5
6	·07	·80	·07	·21				·06				1·96	6
7	·38	·06		·60			·37	·33				·34	7
8	·43	1·54		·06			·29	·07			·03	·75	8
9	·37	·99									·62		9
10	·11	1·13		·56							·29	1·09	10
11	·87		·14	·12			·08	·16		·12	·16	·15	11
12	·13	·07	·06					·20		·17	1·10	·04	12
13	·28	·22		·10	·36					·13	·75		13
14	·11	·35			·49			·10	·09	·04	·15	·37	14
15	·15	·01		·02				·40				1·52	15
16	·70	·06			·11		·12	·19	·20	·03	·25	·34	16
17	·13	2·74			·45		1·00	·05	·02				17
18	·04	1·05			·37								18
19		·86	·06										19
20		·07		·10	·42		·77						20
21				·25				·07	–	·14		·36	21
22		·05			·12		·43			·09		·67	22
23		·01	·04	·09			·91					1·56	23
24			·01			·48	·24			·62		·56	24
25				·06						·49		·80	25
26			·05			·50					·05	·13	26
27		1·20					1·15					1·50	27
28		·22				·80	·35		·16	1·08		·65	28
29						·20			·27	·08		·07	29
30		X				·57	·16	·04		·04	·90	·20	30
31	·36	X		X		X			X	·36	X	1·20	31
		·17	–	·08	–	–	·25	·31	–	·32	·68	1·85	YEAR'S TOTAL
Total	5·80	~~14·85~~ 15·02	1·39	~~2·54~~ 2·62	2·79	2·55	~~7·63~~ 7·88	2·86 3·17	1·15	~~3·71~~ 4·63	~~4·30~~ 4·98	~~16·76~~ 18·61	69·99 ~~66·23~~ 69·99
Rain Days.	17	~~22~~ 23	11	~~13~~ 14	10	5	~~14~~ 15	~~15~~ 16	8	~~15~~ 16	~~10~~ 11	~~24~~ 25	~~164~~ 171

W. 8,000. X. 14.

8L

corr'd per notes WD ~~W~~ 8L

4097 ~~1112~~

FORM A.
BRITISH RAINFALL.
0 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Blaenau-lyyfer

in the County of Brecon

by G. G. Jones

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2	·40	·05				·48	·37			·38	·82		2
3	1·04	·83	·12			·04	·35		·51	1·15	·25		3
4	·14	3·70	·18		·06	·10			·41	1·00	·68	·02	4
5	·81	·26		·04	·27	1·16			·31	·37	·71		5
6	·06	·54	·06		·05	·05	·02			1·00	·19		6
7	·70	·46	·05		·62	·10	·73			1·48	·69		7
8	·11	·15	·05		·32					·35	·94	·39	8
9	·04	·05			·50	·03				·16	·59	·03	9
10		·18				·40				·07	·06	·30	10
11	·10	·35		·27	·09					·09	·01	·12	11
12	·25	·12	·04	·44		·18				·06			12
13	·22	·25		·27	·50		·09	·34	·03	·44			13
14	·04	·52	·29	·26			·50	·50	·06	·24			14
15		1·18		·06	·13			·34		·59			15
16		·14	·04	·17	·06			·19	·10	·05			16
17	·12	·38		·43			·10			·31			17
18	·76	·77		·73			·25		1·33	·52	·08		18
19			·20	·77					·26	·42	·12		19
20	·80	·09	·55								·20		20
21	·47		·27								·15	·70	21
22	·45		·12								·10	·06	22
23					·04	·19	–			·06			23
24	·37			1·60				·23		1·00	·87		24
25				1·04	1·19			·50		1·18		·65	25
26	·06		·66		·06		·21	1·07	·04	·13	·83		26
27	·11	·17					·23	·28	·66	·35			27
28						·56		·33	·67	1·84	·13		28
29	·04		·27						·03	·54	·18	1·79	29
30		X						·58		1·26	·38	·25	30
31	–	X ·25	–	X –	–	X ·62	–	~~·04~~ ·21	X –	·64 ·92	X –	·16	31
Total	7·09	~~10·19~~ 10·44	2·90	6·08	3·89	~~3·29~~ 3·91	2·85	~~4·40~~ 4·61	4·41	~~15·68~~ 16·60	7·98	~~4·31~~ 4·47	YEAR'S TOTAL ~~72·97~~ 75·23
Rain Days.	21	~~19~~ 20	14	12	13	~~11~~ 12	10	~~11~~ 12	12	~~27~~ 28	20	~~10~~ 11	~~180~~ 185

W. 8,000. X. 15.

82

396

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Blaenaw

in the County of Breconshire

by H. Jones

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16												1
2			·17	·50		·19							2
3	·06		·02	·05		·50		·13		·12	·15		3
4	·27			·06		·10				·30	·22	·10	4
5			·42	·04			·05	·06	·07	1·00	·17		5
6	·43					·08		·05	·20	·69	·50		6
7	·50		·24							1·30	·51	·22	7
8	·72			·08			·12			·05			8
9			·04	·14		·02	·57		·04	·76	·65		9
10				·50	·08			1·00	·10	·06	·89		10
11	·39		·99	·04	·50	·04		1·65		·46			11
12			·06			·27		1·13		·54		·61	12
13	·35		·03	·26	·75				·40	·10			13
14			·07	·24				1·00		·20		·19	14
15				·36			·50	·78	·08	·12		·08	15
16					·12					·50		·10	16
17		·22		·49	·10		·52	·60		·36	·15	·21	17
18			·10	·50			·30	1·50	·50	·25			18
19				·14			·10		·40	·07			19
20			·41			·18			·41				20
21		·50	·10		·50	1·00		·30			·49		21
22		·05			·25			·07		·21			22
23						·05		·19		·50			23
24		·24				·46		·50		·50	·51	·28	24
25			·10				·03	2·00		·51			25
26		·15						1·00		·07			26
27			·17		·95				·43		·36		27
28			·22		·51	·51	·56	1·80		·11			28
29						·47		·81		·56	·11	·16	29
30		X			·50					·44	·25		30
31		X		X		X		·54	X	·17	X		31
Total	2·88	1·16	3·14	3·40	4·26	3·87	2·75	15·11	2·63 ~~3·03~~	9·95	4·96	1·95	YEAR'S TOTAL 56·06 56·46
Rain Days.	8	5	15	14	10	13	9	19	10	26	13	9	151

W. 8,000, VIII. 16

81

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

59

22.1.19

Kept at Blaenau

in the County of Brecon

by H. Jones

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					~~·06~~								1
2		·10		·15	·06			·28			1.06	·50	2
3		1·35			·31				·36	·03	·52	·59	3
4		·50				·17			·68	·49	·50	·50	4
5		·20		·14	·06			·07		·80	1·56	·45	5
6		·49						·34	·22	1·20			6
7		·58		·05	·49				·13	·65		·50	7
8				·65					·37		·50	·50	8
9	·50	·37					·05		·75	·25	·50		9
10	·38	·50		·30		·87	·50		·45	·50	·13	·75	10
11		·21		·05			1·04		·50				11
12		·06	·10		·08		·30		·10	·18		·49	12
13		·73	·05		·18		·20		·46			·37	13
14	·43	·10			·04				·33			·89	14
15	1·00				·05		·31		·35	·08		1·67	15
16	·54						1·11		·50			·40	16
17	·30			·31			·25		·48	·10		·54	17
18	1·66						·47	·09	·64	·11		·30	18
19	1·00		·05			·81	·07		2·75	·20		·93	19
20	·73		·16	·20					x			1·00	20
21	1·38	·17		·09	·09	·12			x				21
22	·10	·34			·10		·08		·50	·20			22
23	·40				·96		·81	·03	·40			·04	23
24	·78	·09			·41		·09		·09	·05		·89	24
25	·20						·47	·20					25
26	·05	·20			·21		·87	·35			·54	·17	26
27	·10						·11	·26	·52		·46	·75	27
28			1·00									·71	28
29			1·28						·50		1·06	·50	29
30		X	·29										30
31		X		X		X			X	·30	X		31
	—	·29	1·84	—			·04	·28	·04	·05		·16	YEAR'S TOTAL
Total	9·55	~~5·99~~ 6·28	~~2·93~~ 4·77	1·94	~~2·94~~ 3·04	1·97	~~6·73~~ 6·77	~~1·62~~ 1·90	~~11·08~~ 11·12	~~5·14~~ 5·19	6·83	~~13·44~~ 13·60	~~70·28~~ 72·96
Rain Days.	16	17	8	9	13	4	17	9	22	16	10	23	~~157~~ 164

W. 8,000, IX. 17.

82 cod for WD [illegible] cod for auth 3732

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Blaenau-lydfer

in the County of Brecon

by H. Jones

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16												1
2	·45		·21				·43		·92	·35		·98	2
3	·46		·35		·66					·05		·09	3
4			·40									1·00	4
5			1·06			·02	·09	·11	·52			1·19	5
6	·25				·03				·04			·25	6
7	·48	·40							·03			·08	7
8				·45									8
9	·58		·90	·94							·05		9
10	·50		·56	·85								·50	10
11	·72		2·00	·22	·36						·20	1·02	11
12	·13		1·60	·26			·15					·27	12
13			·51	·23		1·95				·46			13
14	·08	·50			·14				1·09	·48		·56	14
15	·07	·25						·05				·53	15
16	1·38		1·39							·35		1·00	16
17	·12					·19		·11			·54	·17	17
18		·40									1·00		18
19		·75					·11	·50	·19		·40		19
20	·36	·50						·45					20
21	1·00	·45					·10	·40	·75				21
22		·99						·06				1·05	22
23		·27					·35		·44			1·70	23
24						·45					·45	·04	24
25				·06	·08					·50	·41		25
26	·33							1·00	·31	·02		·52	26
27	·68					·05		·34		·05		1·34	27
28				·38		·04							28
29								·50				·54	29
30		X	·29					·39				·20	30
31		X	·38	X		X		·36	X		X	1·50	31
	–	–	·53	·26	–	–	·38				1·39	–	YEAR'S TOTAL
Total	7·75	4·51	9·65 10·18	3·39 3·65	1·27	2·70	~~1·23~~ 1·61	4·27	4·29	2·26	~~3·05~~ 4·44	14·53	61·46 ~~58·90~~
Rain Days	17	9	12	8	5	6	6	12	9	8	7	21	120

W, 6,500, VII. 18. w w c

543 N 3631

cross for WD 4 month

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Trecastle, Blaenau-hydfer

in the County of Brecon

by H. Jones

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·30

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·21		·35			·51	·05		64	1·15	34	1
2					·85		1·04	·18		·04	·03	·60	2
3	·31	·20		·10	·42		·40		·37			·78	3
4	·04	·37			·15		·17		·13			·09	4
5					·07			1·50	·15	1·54			5
6		·02	·37		·50		·32	·21	·15	·05			6
7			1·06	·50	·36		·04			·49			7
8	·15						·05				·03		8
9	·04	·13	·10				·49	·22	·04				9
10	1·20	·46		1·94			·17	·07					10
11	1·50	·76	·06			·27	·06						11
12		·14	·54				·44				·20		12
13	·56	·38	·06	1·27		·53		·15			·42		13
14	·10	·26	1·30	·54					·03	·03	·24		14
15		·09	·46	·40	·40		·39		·41	·69	1·25		15
16	·15	·39	·50	2·00	·35	·46			·44		·08		16
17	·49	·02	·09	·49	·75	·43	·74	·07	·56	1·17			17
18	·04			·51		·83		·50	1·72				18
19		·22		·46			·14	·04	·73				19
20	·19			·54		·15							20
21				1·17			·07	·05				1·20	21
22				·14			·34					·25	22
23	·44					·03		·04				·28	23
24	·33						1·49					·67	24
25	·23		1·16	·06			·66				·04	·51	25
26	·24	·21	·41	·45		·12	·21				·11	·25	26
27	·68	·11	1·09	·49							·06	·18	27
28	1·67	·13	1·67	·46		·72	·05				·10	·46	28
29	·73		·54	·12							·35	·77	29
30	·91	X	·19	·06	·35	·35	·72					1·50	30
31	·36	X		X		X			X	·25	X	1·45	31
	·21	–	·35		–	·51	·05	–	·64	1·15	·34	·30	YEAR'S TOTAL,
TOTAL	~~10·36~~ 10·57	~~3·89~~ 3·89	~~9·60~~ 9·95	~~11·76~~ 11·70	4·20 4·20	~~3·89~~ 4·40	~~7·09~~ 8·04	3·03 3·03	~~4·73~~ 5·37	~~4·26~~ 5·41	~~2·91~~ 3·25	~~8·99~~ 9·29	~~94·61~~ 79·10
Days with ·01 in. or more	22 22	16 14	17 17	29 20	10 10	10 19	26 21	11 11	12 11	9 9	12 12	15 15	~~177~~ 172

(4[illegible]3). W[illegible]2,958—21[illegible]500. 10/19. Gp.132. A.&E.W.

S made

Ystra orks

Lev e

4144

YSTRADFELLTE RES

1916 – 20

16. JAN 1917

NEC A,

METEOROLOGICAL INSTRUMENT MAKERS.

HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by D. M. Davies: Engineer
YEAR 1916.
At Ystradfellte Reservoir
Time of Observation 9 — A.M.
County Breconshire

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.
1	·30	·03	Snow	·00	·00	·83	·70	·00	·00	·40	·66	·00
2	2·46	·59	"	·00	·00	·07	·74	·00	·39	1·98	·41	·00
3	·11	1·47	·00	·00	·00	·05	·00	·00	·32	·74	·92	·00
4	1·11	·49	Snow	·05	·33	1·33	·63	·00	·24	·59	·72	·00
5	·24	·55	"	·00	·07	·18	·00	·00	·00	1·17	·14	·00
6	1·34	·57	"	·00	·20	·05	·58	·00	·00	1·39	·80	·00
7	·17	Snow	"	·00	·38	·00	·06	·00	·00	·83	1·25	·19
8	·08	"	"	·00	·31	·11	·00	·00	·00	·27	·11	·19
9	·00	"	"	·00	·04	·05	·00	·00	·00	·05	·03	·20
10	·02	·51	"	·23	·07	·00	·03	·00	·00	·34	·11	Snow
11	·10	·16	"	·71	·08	·10	·00	·00	·08	·05	·01	·00
12	·19	·59	·00	·36	·53	·00	·88	·42	·02	·66	·00	·00
13	·00	·43	·31	·24	·00	·00	·00	·92	·02	1·13	·00	·00
14	·05	·26	·00	·01	·23	·00	·00	·21	·00	·47	·00	·03
15	·02	2·34	·08	·32	·03	·00	·04	·38	·01	·23	·00	·00
16	·17	·09	·00	·73	·12	·00	·13	·17	·00	·13	·00	·00
17	·96	·38	·00	·55	·00	·00	·00	·35	1·51	·58	Snow	·00
18	·07	1·02	·15	·38	·00	·00	·00	·00	·20	·28	Snow	Snow
19	1·41	·01	·81	·46	·00	·00	·00	·00	·01	·00	·07	Snow
20	·78	·13	·17	·02	·00	·00	·00	·00	·00	·00	·14	·31
21	1·50	·00	·15	·19	·03	·00	·19	·00	·00	·00	·00	·09
22	·00	·00	Snow	·00	·00	·10	·00	·00	·00	·67	·09	·24
23	·16	Snow	"	·25	·00	·27	·00	·32	·00	·80	·81	·17
24	·00	"	"	1·14	1·18	·05	·00	·26	·00	·71	·22	Snow
25	·11	"	·46	·00	·37	·04	·00	1·42	·03	·52	·88	·09
26	·48	"	Snow	·00	·00	·29	1·73	·28	·81	·49	·22	·00
27	·11	"	"	·00	·00	·21	·00	·41	·86	1·26	·00	·00
28	·02	"	·00	·00	·00	·00	·00	·00	·05	·74	·52	2·47
29	·00	"	·15	·00	·00	·83	·08	·55	·00	·87	·11	1·69
30	·00		·00	·00	·00	·29	·00	·03	·00	·82	·00	·10
31	·00		·00		·00		·00	·40		·88		·32
Totals	11·91 ✓	9·62 ✓	2·28 ✓	5·64 ✓	3·97 ✓	4·85 ✓	5·71 ✓	6·12 ✓	4·55 ✓	19·05 ✓	8·22 ✓	6·09 ✓
	24 ✓	17 ✓	8 ✓	15 ✓	15 ✓	17 ✓	11 ✓	14 ✓	14 ✓	28 ✓	20 ✓	13 ✓

88·01

196

MONTHLY TOTALS

Inches	Jan	Feb.	Mar.	Apr.	May.	June	July	Aug	Sept	Oct.	Novr	Decr	Inches
	11·91	9·62	2·28	5·64	3·97	4·85	5·71	6·12	4·55	19·05	8·22	6·09	88·01

9

8

7

6

5

4

3

2

1

S made

16. JAN 1917

N[illegible]l

Ystradfellte Water Works

Level of Rain Guage

1147-O.D.

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by D. M. Davies. Engineer YEAR 1916. At Ystradfellte Reservoir

Time of Observation 9 — A.M. County Breconshire

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.
1	·30	·03	Snow	·00	·08	·83	·70	·00	·00	·40	·66	·00
2	2·46	·59	"	·00	·00	·07	·74	·00	·39	1·98	·41	·00
3	·11	1·47	·00	·00	·00	·05	·00	·00	·32	·74	·92	·00
4	1·11	·49	Snow	·05	·33	1·33	·63	·00	·24	·59	·72	·00
5	·24	·55	"	·00	·07	·18	·00	·00	·00	1·17	·14	·00
6	1·34	·57	"	·00	·20	·05	·58	·00	·00	1·39	·80	·00
7	·17	Snow	"	·00	·38	·00	·06	·00	·00	·83	1·25	·19
8	·08	"	"	·00	·31	·11	·00	·00	·00	·27	·11	·19
9	·00	"	"	·00	·04	·05	·00	·00	·00	·05	·03	·20
10	·02	·51	"	·23	·07	·00	·03	·00	·00	·34	·11	Snow
11	·10	·16	"	·71	·08	·10	·00	·00	·08	·05	·01	·00
12	·19	·59	·00	·36	·53	·00	·88	·42	·02	·66	·00	·00
13	·00	·43	·31	·24	·00	·00	·00	·92	·02	1·13	·00	·00
14	·05	·26	·00	·01	·23	·00	·00	·21	·00	·47	·00	·03
15	·02	2·34	·08	·32	·03	·00	·04	·38	·01	·23	·00	·00
16	·17	·09	·00	·73	·12	·00	·13	·17	·00	·13	·00	·00
17	·96	·38	·00	·55	·00	·00	·00	·35	1·51	·58	Snow	·00
18	·07	1·02	·15	·38	·00	·00	·00	·00	·20	·28	Snow	Snow
19	1·41	·01	·81	·46	·00	·00	·00	·00	·01	·00	·07	Snow
20	·78	·13	·17	·02	·00	·00	·00	·00	·00	·00	·14	·31
21	1·50	·00	·15	·19	·03	·00	·19	·00	·00	·00	·00	·09
22	·00	·00	Snow	·00	·00	·10	·00	·00	·00	·67	·09	·24
23	·16	Snow	"	·25	·00	·27	·00	·32	·00	·80	·81	·17
24	·00	"	"	1·14	1·18	·05	·00	·26	·00	·71	·22	Snow
25	·11	"	·46	·00	·37	·04	·00	1·42	·03	·52	·88	·09
26	·48	"	Snow	·00	·00	·29	1·73	·28	·81	·49	·22	·00
27	·11	"	"	·00	·00	·21	·00	·41	·86	1·26	·00	·00
28	·02	"	·00	·00	·00	·00	·00	·00	·05	·74	·52	2·47
29	·00	"	·15	·00	·00	·83	·08	·55	·00	·87	·11	1·69
30	·00		·00	·00	·00	·29	·00	·03	·00	·82	·00	·10
31	·00		·00		·00		·00	·40		·88		·32
Totals	11·91	9·62	2·28	5·64	3·97	4·85	5·71	6·12	4·55	19·05	8·22	6·09
	24	17	8	15	15	17	11	14	14	28	20	13



MONTHLY TOTALS

88·01

196

3574

FORM A.

BRITISH RAINFALL 3 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at Ystradfellte
in the County of Brecknock
by Neath Rural District Council

Lat. 51°49'N Long. 3°32'W
Time of Observation 9 a.m.
Nearest Railway Station Hirwain
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1147 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·09	·08	·23	1·03	·00	1·87	·09	·04	·33	·03	·86	1
2	snow	·32	·00	·27	·09	·00	·24	·21	·34	·23	·00	1·07	2
3	·04	·45	·00	·22	·13	·00	·48	·13	·06	2·47	·00	·19	3
4	·00	·00	·01	·04	·03	·00	·00	2·23	·08	·21	·00	·00	4
5	·00	·03	·50	·00	·82	·00	·21	·29	·27	·15	·00	·00	5
6	·00	·00	·66	·06	1·16	·00	·07	·02	·01	·34	·01	·00	6
7	·92	·00	·03	·44	·09	·00	·15	·00	·00	·00	·02	·00	7
8	·14	·05	·00	1·26	·44	·00	·74	·46	·00	·00	·01	·00	8
9	1·55	1·62	·11	·93	·00	·00	·32	·15	·00	·00	·07	·00	9
10	2·66	1·29	·76	·05	·00	·44	·79	·03	·00	·00	·34	·00	10
11	·59	·05	·40	·58	·39	·05	·17	·00	·00	·01	·00	·00	11
12	1·26	·62	·11	·53	·13	·72	·56	·12	·00	·06	·74	·00	12
13	·18	·45	·75	1·04	·00	·07	·01	·00	·00	·03	·17	·00	13
14	·45	·25	·83	·93	·00	·05	·39	·00	2·03	·83	2·53	·00	14
15	·23	·32	·45	1·64	·03	·21	·02	·00	·04	·06	·32	·00	15
16	·11	·02	·39	·47	·11	·53	1·03	·03	·79	·77	·13	·00	16
17	·74	·00	·05	·19	·49	1·09	·04	·76	1·64	·07	·00	·00	17
18	·73	·00	·00	·62	·43	·27	·19	·24	1·28	·00	·00	·00	18
19	·09	·26	·00	·59	·50	·25	·06	·06	·00	·00	·00	·00	19
20	·12	·03	·00	1·12	·00	·27	·29	·00	·00	·01	·00	·81	20
21	·00	·00	·00	·07	·00	·03	·53	·04	·00	·26	·00	·34	21
22	·40	·00	·00	·26	·00	·06	·64	·02	·00	·00	·00	·37	22
23	·37	·00	·23	·02	·00	·00	·63	·00	·00	·00	·00	1·16	23
24	·18	·02	1·24	·13	·00	·04	·03	·00	·00	·00	·16	1·49	24
25	·09	·19	·29	·05	·00	·16	1·12	·00	·02	·00	·00	·23	25
26	·45	·17	·57	·23	·26	·23	·09	·00	·05	·00	·23	·30	26
27	·89	·16	1·11	·70	·11	1·04	·04	·00	·00	·00	·08	·57	27
28	·23	·17	·46	·19	·01	·57	·17	·00	·00	·00	·01	·26	28
29	1·14	·09	·18	·23	·17	·42	·82	·00	·00	·00	·49	2·05	29
30	·96	×	·26	·47	·08	·66	·26	·00	·61	·06	·41	1·75	30
31	·54	×	·95	×	·01	×	·07	·00	×	1·27	×	·94	31
Total	15·06	6·65	10·42	13·56	6·51	7·10	12·03	4·88	7·26	7·16	5·75	12·39	YEAR'S TOTAL 108·77
Rain Days.	25	21	23	29	21	20	30	16	14	17	17	15	248
	25	17	21	28	17	18	27	12	12	14	12	15	218

W, 6,500, VII. 18. W w/c